



Appendix A: Test Results of Bluetooth BR & EDR

APPENDIX A: TEST RESULTS OF BLUETOOTH BR & EDR	1
APPENDIX A.1: TEST RESULTS OF 99% BANDWIDTH	2
APPENDIX A.2: TEST RESULTS OF 20dB BANDWIDTH	5
APPENDIX A.3: TEST RESULTS OF CARRIER FREQUENCY SEPARATION	8
APPENDIX A.4: TEST RESULTS OF NUMBER OF HOPPING FREQUENCY	9
APPENDIX A.5: TEST RESULTS OF TIME OF OCCUPANCY	10
APPENDIX A.6: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 KHz BANDWIDTH	15
<i>Band Edge</i>	15
<i>Conducted Spurious Emission</i>	19
APPENDIX A.7: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	26
30 MHz - 1GHz.....	26
1GHz - 18GHz	28
APPENDIX A.8: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	40

Appendix A.1: Test Results of 99% Bandwidth

TestMode	Antenna	Channel	OCB [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
DH5	Ant1	2402	0.88700	2401.5458	2402.4328	---	PASS
		2441	0.86237	2440.5661	2441.4285	---	PASS
		2480	0.87374	2479.5552	2480.4289	---	PASS
3DH5	Ant1	2402	1.1952	2401.3943	2402.5895	---	PASS
		2441	1.1889	2440.3983	2441.5872	---	PASS
		2480	1.1843	2479.4025	2480.5868	---	PASS





Appendix A.2: Test Results of 20dB Bandwidth

TestMode	Antenna	Channel	20db EBW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
DH5	Ant1	2402	0.975	2401.538	2402.513	---	PASS
		2441	1.032	2440.478	2441.510	---	PASS
		2480	1.005	2479.505	2480.510	---	PASS
3DH5	Ant1	2402	1.266	2401.352	2402.618	---	PASS
		2441	1.275	2440.352	2441.627	---	PASS
		2480	1.281	2479.349	2480.630	---	PASS






Appendix A.3: Test Results of Carrier Frequency Separation

TestMode	Antenna	Channel	Result [MHz]	Limit [MHz]	Verdict
DH5	Ant1	Hop	1.02	≥0.688	PASS
3DH5	Ant1	Hop	1.136	≥0.854	PASS




Appendix A.4: Test Results of Number of Hopping Frequency

TestMode	Antenna	Channel	Result [Num]	Limit [Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS



Appendix A.5: Test Results of Time of Occupancy


TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result [s]	Limit [s]	Verdict
DH1	Ant1	Hop	0.404	315	0.127	≤0.4	PASS
DH3	Ant1	Hop	1.659	169	0.28	≤0.4	PASS
DH5	Ant1	Hop	2.908	85	0.247	≤0.4	PASS
3DH1	Ant1	Hop	0.291	317	0.092	≤0.4	PASS
3DH3	Ant1	Hop	1.602	164	0.263	≤0.4	PASS
3DH5	Ant1	Hop	2.802	110	0.308	≤0.4	PASS





DH5 Ant1 Hop







3DH5 Ant1 Hop



Appendix A.6: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

Band Edge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	5.531	-48.45	≤-14.47	PASS
DH5	Ant1	High	2480	5.005	-48.35	≤-15	PASS
3DH5	Ant1	Low	2402	5.892	-45.33	≤-14.11	PASS
3DH5	Ant1	High	2480	5.63	-49.05	≤-14.37	PASS
DH5	Ant1	Hopping	2402	4.849	-49.52	≤-15.15	PASS
DH5	Ant1	Hopping	2480	3.72	-49.86	≤-16.28	PASS
3DH5	Ant1	Hopping	2402	3.494	-47.68	≤-16.51	PASS
3DH5	Ant1	Hopping	2480	2.567	-48.89	≤-17.43	PASS

DH5 Ant1 Low 2402



DH5 Ant1 High 2480



3DH5 Ant1 Low 2402



3DH5 Ant1 High 2480



DH5 Ant1 Hopping 2402



DH5 Ant1 Hopping 2480



3DH5 Ant1 Hopping 2402







3DH5 Ant1 Hopping 2480







Conducted Spurious Emission


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	5.84	5.84	---	PASS
			30~1000	5.84	-45.87	≤-14.16	PASS
			1000~26500	5.84	-38.11	≤-14.16	PASS
		2441	Reference	4.40	4.40	---	PASS
			30~1000	4.40	-47.88	≤-15.6	PASS
			1000~26500	4.40	-37.73	≤-15.6	PASS
		2480	Reference	4.03	4.03	---	PASS
			30~1000	4.03	-46.25	≤-15.97	PASS
			1000~26500	4.03	-38.36	≤-15.97	PASS
3DH5	Ant1	2402	Reference	4.36	4.36	---	PASS
			30~1000	4.36	-46.94	≤-15.64	PASS
			1000~26500	4.36	-37.57	≤-15.64	PASS
		2441	Reference	5.57	5.57	---	PASS
			30~1000	5.57	-47.45	≤-14.43	PASS
			1000~26500	5.57	-38.64	≤-14.43	PASS
		2480	Reference	2.44	2.44	---	PASS
			30~1000	2.44	-46.95	≤-17.56	PASS
			1000~26500	2.44	-38.18	≤-17.56	PASS














Appendix A.7: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	DJI Goggles 3
Model:	TKGS3
Test Mode:	BR_DH5_Mid channel
Order No/Sample No:	168438695/A003598699-029
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.996923	17.63	40.00	22.37	100.0	H	156.0	-18.6
59.025385	19.10	40.00	20.90	100.0	H	310.0	-19.2
105.585385	10.96	43.50	32.54	100.0	H	8.0	-19.1
364.015769	20.84	46.00	25.16	100.0	H	182.0	-14.9
624.013077	26.58	46.00	19.42	100.0	H	171.0	-9.8
676.020000	28.96	46.00	17.04	100.0	H	223.0	-8.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Mid channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
41.453462	18.55	40.00	21.45	100.0	V	85.0	-20.0
58.615000	25.04	40.00	14.96	100.0	V	339.0	-19.1
104.093077	11.15	43.50	32.35	100.0	V	223.0	-19.1
283.020769	13.90	46.00	32.10	100.0	V	134.0	-17.0
572.006154	23.59	46.00	22.41	100.0	V	170.0	-10.7
600.061539	23.84	46.00	22.16	100.0	V	223.0	-10.2

Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	DJI Goggles 3
Model:	TKGS3
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168438695/A003598699-029
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2325.000000	---	41.50	54.00	12.50	150.0	H	325.0	6.6
2325.000000	64.01	---	74.00	9.99	150.0	H	325.0	6.6
4809.500000	50.22	---	74.00	23.78	150.0	H	59.0	11.8
4821.000000	---	39.24	54.00	14.76	150.0	H	52.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Low channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2324.500000	---	43.12	54.00	10.88	150.0	V	88.0	6.6
2324.500000	64.95	---	74.00	9.05	150.0	V	88.0	6.6
4763.500000	51.16	---	74.00	22.84	150.0	V	25.0	11.8
4805.500000	---	39.67	54.00	14.33	150.0	V	72.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Low channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7224.141667	---	34.33	54.00	19.67	150.0	H	343.0	8.7
7282.158333	42.94	---	74.00	31.06	150.0	H	155.0	8.4
12888.633333	49.84	---	74.00	24.16	150.0	H	77.0	15.4
12907.316667	---	41.23	54.00	12.77	150.0	H	90.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Low channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7203.491667	43.68	---	74.00	30.32	150.0	V	66.0	8.8
7205.950000	---	34.22	54.00	19.78	150.0	V	29.0	8.8
12653.616667	---	40.66	54.00	13.34	150.0	V	311.0	15.0
12658.041667	49.63	---	74.00	24.37	150.0	V	40.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Mid channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2325.000000	---	41.94	54.00	12.06	150.0	H	82.0	6.6
2325.000000	62.16	---	74.00	11.84	150.0	H	82.0	6.6
4901.500000	50.12	---	74.00	23.88	150.0	H	345.0	11.8
4908.500000	---	39.72	54.00	14.28	150.0	H	201.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Mid channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4905.000000	50.17	---	74.00	23.83	150.0	V	317.0	11.8
4909.000000	---	39.68	54.00	14.32	150.0	V	0.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Mid channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7457.191667	---	34.32	54.00	19.68	150.0	H	18.0	8.5
7514.716667	43.37	---	74.00	30.63	150.0	H	215.0	8.7
12828.650000	---	40.52	54.00	13.48	150.0	H	294.0	15.3
12844.875000	51.08	---	74.00	22.92	150.0	H	101.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_Mid channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7428.675000	---	34.05	54.00	19.95	150.0	V	238.0	8.4
7478.333333	43.21	---	74.00	30.79	150.0	V	298.0	8.7
13278.033333	---	40.88	54.00	13.12	150.0	V	310.0	15.5
13302.125000	50.64	---	74.00	23.36	150.0	V	334.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_High channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2326.500000	---	44.81	54.00	9.19	150.0	H	307.0	6.7
2326.500000	67.35	---	74.00	6.65	150.0	H	307.0	6.7
4950.000000	51.27	---	74.00	22.73	150.0	H	28.0	11.8
4959.000000	---	39.79	54.00	14.21	150.0	H	22.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_High channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4913.500000	50.79	---	74.00	23.21	150.0	V	181.0	11.8
4963.500000	---	39.67	54.00	14.33	150.0	V	51.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_High channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7467.516667	44.04	---	74.00	29.96	150.0	H	229.0	8.6
7477.350000	---	33.96	54.00	20.04	150.0	H	118.0	8.6
12126.058333	---	40.36	54.00	13.64	150.0	H	277.0	14.3
12135.891667	49.34	---	74.00	24.66	150.0	H	64.0	14.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_High channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7461.125000	---	34.37	54.00	19.63	150.0	V	203.0	8.5
7484.725000	42.99	---	74.00	31.01	150.0	V	0.0	8.7
12675.741667	49.20	---	74.00	24.80	150.0	V	10.0	15.1
12688.525000	---	40.83	54.00	13.17	150.0	V	60.0	15.1


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.8: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	DJI Goggles 3
Model:	TKGS3
Test Mode:	BR_DH5_Low channel
Order No/Sample No:	168438695/A003598699-029
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2326.176471	---	44.91	54.00	9.09	150.0	H	70.0	6.7
2326.176471	65.50	---	74.00	8.50	150.0	H	70.0	6.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 3
 Model: TKGS3
 Test Mode: BR_DH5_High channel
 Order No/Sample No: 168438695/A003598699-029
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.532941	51.42	---	74.00	22.58	150.0	V	317.0	7.4
2486.023530	---	40.01	54.00	13.99	150.0	V	198.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---