




SRD 1.4M_Ant1_2469.12




SRD 3M_Ant0_2405.5




SRD 3M_Ant1_2405.5




SRD 3M_Ant0_2407.88




SRD 3M_Ant1_2407.88




SRD 3M_Ant0_2436.12




SRD 3M_Ant1_2436.12




SRD 3M_Ant0_2465.2




SRD 3M_Ant1_2465.2




SRD 3M_Ant0_2468.2




SRD 3M_Ant1_2468.2




SRD 5M_Ant0_2404.5




SRD 5M_Ant1_2404.5




SRD 5M_Ant0_2408.26




SRD 5M_Ant1_2408.26




SRD 5M_Ant0_2436.74




SRD 5M_Ant1_2436.74




SRD 5M_Ant0_2467.74




SRD 5M_Ant1_2467.74




SRD 5M_Ant0_2469.5




SRD 5M_Ant1_2469.5




SRD 10M_Ant0_2407.5




SRD 10M_Ant1_2407.5




SRD 10M_Ant0_2409.5




SRD 10M_Ant1_2409.5




SRD 10M_Ant0_2437.5




SRD 10M_Ant1_2437.5




SRD 10M_Ant0_2465.5




SRD 10M_Ant1_2465.5




SRD 10M_Ant0_2467.5




SRD 10M_Ant1_2467.5




SRD 20M_Ant0_2412.5




SRD 20M_Ant1_2412.5




SRD 20M_Ant0_2413.5




SRD 20M_Ant1_2413.5




SRD 20M_Ant0_2437.5




SRD 20M_Ant1_2437.5




SRD 20M_Ant0_2461.5




SRD 20M_Ant1_2461.5




SRD 20M_Ant0_2462.5




SRD 20M_Ant1_2462.5




SRD 40M_Ant0_2422.5




SRD 40M_Ant1_2422.5




SRD 40M_Ant0_2424.5




SRD 40M_Ant1_2424.5




SRD 40M_Ant0_2437.5




SRD 40M_Ant1_2437.5




SRD 40M_Ant0_2451.5




SRD 40M_Ant1_2451.5




SRD 40M_Ant0_2452.5




SRD 40M_Ant1_2452.5




SRD 60M_Ant0_2432.5




SRD 60M_Ant1_2432.5




SRD 60M_Ant0_2435.5




SRD 60M_Ant1_2435.5




SRD 60M_Ant0_2437.5




SRD 60M_Ant1_2437.5




SRD 60M_Ant0_2440.5



SRD 60M_Ant1_2440.5



SRD 60M_Ant0_2442.5



SRD 60M_Ant1_2442.5

11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER

11.3.1. Test Result

Mode	Channel	Conducted power(dBm)			Limited
		Ant0	Ant1	Total	
1.4M	2403.5	19.29	19.37	22.34	30.00
	2404.69	20.62	20.50	23.57	30.00
	2435.5	21.92	22.39	25.17	30.00
	2467.12	20.98	21.18	24.09	30.00
	2469.12	19.62	19.63	22.64	30.00
3M	2405.5	20.25	19.98	23.13	30.00
	2407.88	22.58	22.51	25.56	30.00
	2436.12	23.98	24.18	27.09	30.00
	2465.2	22.17	22.62	25.41	30.00
	2468.2	20.56	20.68	23.63	30.00
5M	2404.5	18.95	18.51	21.75	30.00
	2408.26	20.62	20.15	23.40	30.00
	2409.5	22.91	22.89	25.91	30.00
	2436.74	24.01	24.11	27.07	30.00
	2461.74	23.11	22.60	25.87	30.00
	2467.74	19.38	19.41	22.41	30.00
10M	2469.5	18.06	17.71	20.90	30.00
	2407.5	18.04	17.61	20.84	30.00
	2409.5	19.05	18.63	21.86	30.00
	2416.5	23.08	22.76	25.93	30.00
	2437.5	24.16	24.45	27.32	30.00
	2458.5	23.16	22.53	25.87	30.00
	2465.5	18.03	18.17	21.11	30.00
20M	2467.5	16.26	16.39	19.34	30.00
	2412.5	13.70	13.27	16.50	30.00
	2413.5	14.59	14.16	17.39	30.00
	2418.5	20.48	20.65	23.58	30.00
	2425.5	23.06	22.30	25.71	30.00
	2437.5	23.58	23.78	26.69	30.00
	2444.5	22.08	22.02	25.06	30.00
	2450.5	20.32	19.93	23.14	30.00
	2456.5	18.74	18.32	21.55	30.00
	2458.5	15.76	15.36	18.57	30.00
	2460.5	13.70	13.82	16.77	30.00
40M	2461.5	11.41	12.11	14.78	30.00
	2462.5	10.53	11.04	13.80	30.00
	2422.5	15.51	16.03	18.79	30.00
	2424.5	16.86	17.38	20.14	30.00
	2432.5	19.18	19.51	22.36	30.00
	2437.5	20.85	21.21	24.04	30.00
	2445.5	19.48	19.53	22.52	30.00
	2450.5	16.70	16.36	19.54	30.00
60M	2451.5	11.67	12.38	15.05	30.00
	2452.5	10.78	11.34	14.08	30.00
	2432.5	8.56	11.88	13.54	30.00
	2435.5	9.59	10.19	12.91	30.00
	2437.5	10.57	11.05	13.83	30.00
60M	2440.5	9.01	9.52	12.28	30.00
	2442.5	7.63	8.21	10.94	30.00

Mode	Channel	Conducted power(dBm)			Limited
		Ant0	Ant3	Total	
1.4M	2403.5	17.97	17.63	20.81	30.00
	2404.69	19.24	19.02	22.14	30.00
	2435.5	20.78	20.94	23.87	30.00
	2467.12	19.48	20.07	22.80	30.00
	2469.12	18.00	18.73	21.39	30.00
3M	2405.5	18.72	18.66	21.70	30.00
	2407.88	21.50	21.01	24.27	30.00
	2436.12	22.39	22.50	25.46	30.00
	2465.2	21.24	20.53	23.91	30.00
	2468.2	18.94	18.88	21.92	30.00
5M	2404.5	17.33	17.25	20.30	30.00
	2408.26	19.15	18.83	22.00	30.00
	2409.5	21.51	21.02	24.28	30.00
	2436.74	23.05	22.94	26.01	30.00
	2461.74	21.55	21.16	24.37	30.00
	2467.74	17.91	17.64	20.79	30.00
	2469.5	16.89	16.75	19.83	30.00
10M	2407.5	16.87	16.32	19.61	30.00
	2409.5	17.31	17.43	20.38	30.00
	2416.5	21.51	21.64	24.59	30.00
	2437.5	23.20	22.89	26.06	30.00
	2458.5	21.62	21.40	24.52	30.00
	2465.5	17.04	17.02	20.04	30.00
	2467.5	15.36	15.22	18.30	30.00
20M	2412.5	12.23	12.19	15.22	30.00
	2413.5	13.24	12.51	15.90	30.00
	2418.5	18.64	18.45	21.56	30.00
	2425.5	20.74	20.58	23.67	30.00
	2437.5	22.44	22.43	25.45	30.00
	2444.5	20.58	20.51	23.56	30.00
	2450.5	17.96	18.09	21.04	30.00
	2456.5	16.82	16.40	19.63	30.00
	2458.5	13.52	13.08	16.32	30.00
	2460.5	12.46	11.94	15.22	30.00
	2461.5	10.09	10.67	13.40	30.00
40M	2422.5	9.45	9.57	12.52	30.00
	2425	13.77	14.32	17.06	30.00
	2424.5	15.30	16.42	18.91	30.00
	2432.5	17.98	18.21	21.11	30.00
	2437.5	19.45	19.88	22.68	30.00
	2445.5	17.78	18.55	21.19	30.00
	2450.5	15.26	14.88	18.08	30.00
	2451.5	10.41	11.36	13.92	30.00
60M	2452.5	9.31	10.26	12.82	30.00
	2432.5	7.12	10.98	12.48	30.00
	2435.5	8.60	8.69	11.66	30.00
	2437.5	9.04	9.31	12.19	30.00
	2440.5	7.62	7.77	10.71	30.00
	2442.5	6.25	6.56	9.42	30.00

Mode	Channel	Conducted power(dBm)			Limited
		Ant1	Ant2	Total	
1.4M	2403.5	18.24	18.02	21.14	30.00
	2404.69	19.18	19.02	22.11	30.00
	2435.5	20.60	20.79	23.71	30.00
	2467.12	19.96	19.89	22.94	30.00
	2469.12	18.60	18.07	21.35	30.00
3M	2405.5	18.45	18.72	21.60	30.00
	2407.88	21.38	21.07	24.24	30.00
	2436.12	22.96	22.38	25.69	30.00
	2465.2	21.01	21.03	24.03	30.00
	2468.2	19.51	19.39	22.46	30.00
5M	2404.5	17.72	17.13	20.45	30.00
	2408.26	19.66	18.71	22.22	30.00
	2409.5	21.62	21.42	24.53	30.00
	2436.74	22.66	22.83	25.76	30.00
	2461.74	21.61	21.12	24.38	30.00
	2467.74	17.82	18.24	21.05	30.00
10M	2469.5	16.53	16.75	19.65	30.00
	2407.5	16.84	16.38	19.63	30.00
	2409.5	17.37	17.37	20.38	30.00
	2416.5	21.73	21.02	24.40	30.00
	2437.5	22.78	22.86	25.83	30.00
	2458.5	21.69	21.05	24.39	30.00
	2465.5	16.29	16.40	19.36	30.00
20M	2467.5	14.76	14.89	17.84	30.00
	2412.5	12.35	12.01	15.19	30.00
	2413.5	13.48	12.87	16.20	30.00
	2418.5	18.71	18.85	21.79	30.00
	2425.5	21.53	20.98	24.27	30.00
	2437.5	21.96	22.43	25.21	30.00
	2444.5	20.50	20.54	23.53	30.00
	2450.5	18.52	18.58	21.56	30.00
	2456.5	17.30	17.03	20.18	30.00
	2458.5	14.29	14.16	17.24	30.00
	2460.5	12.35	12.23	15.30	30.00
40M	2461.5	10.45	11.03	13.76	30.00
	2462.5	9.09	9.99	12.57	30.00
	2422.5	14.58	14.86	17.73	30.00
	2424.5	15.54	16.27	18.93	30.00
	2432.5	17.59	18.08	20.85	30.00
	2437.5	19.08	19.92	22.53	30.00
	2445.5	17.74	18.00	20.88	30.00
	2450.5	15.41	14.77	18.11	30.00
60M	2451.5	9.96	11.48	13.80	30.00
	2452.5	9.58	9.66	12.63	30.00
	2432.5	7.09	10.50	12.13	30.00
	2435.5	8.36	9.23	11.83	30.00
	2437.5	9.04	9.45	12.26	30.00
60M	2440.5	7.63	8.13	10.90	30.00
	2442.5	6.01	6.65	9.35	30.00

Mode	Channel	Conducted power(dBm)			Limited
		Ant2	Ant3	Total	
1.4M	2403.5	18.33	18.17	21.26	30.00
	2404.69	19.24	19.02	22.14	30.00
	2435.5	20.43	20.48	23.47	30.00
	2467.12	19.45	19.68	22.58	30.00
	2469.12	17.85	17.98	20.93	30.00
3M	2405.5	18.45	18.87	21.68	30.00
	2407.88	21.50	21.04	24.29	30.00
	2436.12	22.93	22.98	25.97	30.00
	2465.2	21.02	21.10	24.07	30.00
	2468.2	19.27	19.75	22.53	30.00
5M	2404.5	17.90	17.19	20.57	30.00
	2408.26	19.60	18.89	22.27	30.00
	2409.5	21.68	21.66	24.68	30.00
	2436.74	23.06	22.88	25.98	30.00
	2461.74	21.85	21.13	24.52	30.00
	2467.74	17.64	17.67	20.67	30.00
10M	2469.5	16.92	16.45	19.70	30.00
	2407.5	17.02	15.99	19.55	30.00
	2409.5	17.55	17.43	20.50	30.00
	2416.5	20.81	22.01	24.46	30.00
	2437.5	21.88	23.31	25.66	30.00
	2458.5	21.09	22.02	24.59	30.00
	2465.5	16.86	16.73	19.81	30.00
20M	2467.5	14.46	15.31	17.92	30.00
	2412.5	12.68	11.77	15.26	30.00
	2413.5	12.97	12.36	15.69	30.00
	2418.5	18.77	19.39	22.10	30.00
	2425.5	21.80	20.77	24.33	30.00
	2437.5	22.20	22.16	25.19	30.00
	2444.5	20.55	20.57	23.57	30.00
	2450.5	18.58	18.37	21.49	30.00
	2456.5	16.97	16.67	19.83	30.00
	2458.5	14.29	13.89	17.10	30.00
	2460.5	11.99	12.47	15.25	30.00
40M	2461.5	10.36	10.73	13.56	30.00
	2462.5	9.45	9.27	12.37	30.00
	2422.5	13.80	14.53	17.19	30.00
	2424.5	15.90	16.27	19.10	30.00
	2432.5	17.86	18.15	21.02	30.00
	2437.5	19.08	19.98	22.56	30.00
	2445.5	18.40	18.01	21.22	30.00
	2450.5	15.49	15.37	18.44	30.00
60M	2451.5	9.96	11.24	13.66	30.00
	2452.5	9.67	10.26	12.99	30.00
	2432.5	7.00	10.59	12.17	30.00
	2435.5	7.85	8.81	11.37	30.00
	2437.5	8.92	9.98	12.49	30.00
60M	2440.5	7.03	8.16	10.64	30.00
	2442.5	6.37	7.22	9.83	30.00

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY


11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
SRD 1.4M	Ant0	2403.5	-1.13	≤8.00	PASS
	Ant1	2403.5	-1.47	≤8.00	PASS
	total	2403.5	1.71	≤8.00	PASS
	Ant0	2404.69	1.16	≤8.00	PASS
	Ant1	2404.69	0.05	≤8.00	PASS
	total	2404.69	3.65	≤8.00	PASS
	Ant0	2435.5	2.25	≤8.00	PASS
	Ant1	2435.5	2.05	≤8.00	PASS
	total	2435.5	5.16	≤8.00	PASS
	Ant0	2467.12	0.52	≤8.00	PASS
	Ant1	2467.12	0.41	≤8.00	PASS
	total	2467.12	3.48	≤8.00	PASS
	Ant0	2469.12	-0.71	≤8.00	PASS
	Ant1	2469.12	-1.07	≤8.00	PASS
	total	2469.12	2.12	≤8.00	PASS
SRD 3M	Ant0	2405.5	-1.46	≤8.00	PASS
	Ant1	2405.5	-1.49	≤8.00	PASS
	total	2405.5	1.54	≤8.00	PASS
	Ant0	2407.88	0.80	≤8.00	PASS
	Ant1	2407.88	0.99	≤8.00	PASS
	total	2407.88	3.91	≤8.00	PASS
	Ant0	2436.12	1.91	≤8.00	PASS
	Ant1	2436.12	2.62	≤8.00	PASS
	total	2436.12	5.29	≤8.00	PASS
	Ant0	2465.2	0.25	≤8.00	PASS
	Ant1	2465.2	0.61	≤8.00	PASS
	total	2465.2	3.44	≤8.00	PASS
	Ant0	2468.2	-1.30	≤8.00	PASS
	Ant1	2468.2	-0.83	≤8.00	PASS
	total	2468.2	1.95	≤8.00	PASS
SRD 5M	Ant0	2404.5	-5.62	≤8.00	PASS
	Ant1	2404.5	-5.71	≤8.00	PASS
	total	2404.5	-2.65	≤8.00	PASS
	Ant0	2408.26	-4.10	≤8.00	PASS
	Ant1	2408.26	-3.65	≤8.00	PASS
	total	2408.26	-0.86	≤8.00	PASS
	Ant0	2436.74	-0.52	≤8.00	PASS
	Ant1	2436.74	0.05	≤8.00	PASS
	total	2436.74	2.78	≤8.00	PASS
	Ant0	2467.74	-5.16	≤8.00	PASS
	Ant1	2467.74	-4.63	≤8.00	PASS
	total	2467.74	-1.88	≤8.00	PASS
	Ant0	2469.5	-6.29	≤8.00	PASS
	Ant1	2469.5	-6.31	≤8.00	PASS
	total	2469.5	-3.29	≤8.00	PASS
SRD 10M	Ant0	2407.5	-9.54	≤8.00	PASS
	Ant1	2407.5	-10.52	≤8.00	PASS
	total	2407.5	-6.99	≤8.00	PASS
	Ant0	2409.5	-8.50	≤8.00	PASS
	Ant1	2409.5	-9.40	≤8.00	PASS
	total	2409.5	-5.92	≤8.00	PASS
	Ant0	2437.5	-3.36	≤8.00	PASS
Ant1	2437.5	-3.88	≤8.00	PASS	


	total	2437.5	-0.60	≤8.00	PASS
	Ant0	2465.5	-9.44	≤8.00	PASS
	Ant1	2465.5	-9.84	≤8.00	PASS
	total	2465.5	-6.63	≤8.00	PASS
	Ant0	2467.5	-11.16	≤8.00	PASS
	Ant1	2467.5	-11.68	≤8.00	PASS
	total	2467.5	-8.40	≤8.00	PASS
SRD 20M	Ant0	2412.5	-16.79	≤8.00	PASS
	Ant1	2412.5	-17.42	≤8.00	PASS
	total	2412.5	-14.08	≤8.00	PASS
	Ant0	2413.5	-15.70	≤8.00	PASS
	Ant1	2413.5	-16.68	≤8.00	PASS
	total	2413.5	-13.15	≤8.00	PASS
	Ant0	2437.5	-6.56	≤8.00	PASS
	Ant1	2437.5	-6.81	≤8.00	PASS
	total	2437.5	-3.67	≤8.00	PASS
	Ant0	2461.5	-18.25	≤8.00	PASS
	Ant1	2461.5	-19.12	≤8.00	PASS
	total	2461.5	-15.65	≤8.00	PASS
	Ant0	2462.5	-18.75	≤8.00	PASS
	Ant1	2462.5	-19.54	≤8.00	PASS
	total	2462.5	-16.12	≤8.00	PASS
SRD 40M	Ant0	2422.5	-17.00	≤8.00	PASS
	Ant1	2422.5	-15.59	≤8.00	PASS
	total	2422.5	-13.23	≤8.00	PASS
	Ant0	2424.5	-15.19	≤8.00	PASS
	Ant1	2424.5	-13.49	≤8.00	PASS
	total	2424.5	-11.25	≤8.00	PASS
	Ant0	2437.5	-11.36	≤8.00	PASS
	Ant1	2437.5	-7.10	≤8.00	PASS
	total	2437.5	-5.72	≤8.00	PASS
	Ant0	2451.5	-21.10	≤8.00	PASS
	Ant1	2451.5	-21.58	≤8.00	PASS
	total	2451.5	-18.32	≤8.00	PASS
	Ant0	2452.5	-19.82	≤8.00	PASS
	Ant1	2452.5	-22.30	≤8.00	PASS
	total	2452.5	-17.88	≤8.00	PASS
SRD 60M	Ant0	2432.5	-17.89	≤8.00	PASS
	Ant1	2432.5	-22.09	≤8.00	PASS
	total	2432.5	-16.49	≤8.00	PASS
	Ant0	2435.5	-21.32	≤8.00	PASS
	Ant1	2435.5	-23.02	≤8.00	PASS
	total	2435.5	-19.08	≤8.00	PASS
	Ant0	2437.5	-17.19	≤8.00	PASS
	Ant1	2437.5	-20.73	≤8.00	PASS
	total	2437.5	-15.60	≤8.00	PASS
	Ant0	2440.5	-19.98	≤8.00	PASS
	Ant1	2440.5	-21.67	≤8.00	PASS
	total	2440.5	-17.73	≤8.00	PASS
	Ant0	2442.5	-17.14	≤8.00	PASS
	Ant1	2442.5	-21.49	≤8.00	PASS
	total	2442.5	-15.78	≤8.00	PASS

Note: 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.


11.4.2. Test Graphs




SRD 1.4M_Ant0_2403.5




SRD 1.4M_Ant1_2403.5




SRD 1.4M_Ant0_2404.69




SRD 1.4M_Ant1_2404.69




SRD 1.4M_Ant0_2435.5




SRD 1.4M_Ant1_2435.5




SRD 1.4M_Ant0_2467.12




SRD 1.4M_Ant1_2467.12




SRD 1.4M_Ant0_2469.12




SRD 1.4M_Ant1_2469.12




SRD 3M_Ant0_2405.5




SRD 3M_Ant1_2405.5




SRD 3M_Ant0_2407.88




SRD 3M_Ant1_2407.88




SRD 3M_Ant0_2436.12




SRD 3M_Ant1_2436.12




SRD 3M_Ant0_2465.2




SRD 3M_Ant1_2465.2




SRD 3M_Ant0_2468.2




SRD 3M_Ant1_2468.2




SRD 5M_Ant0_2404.5




SRD 5M_Ant1_2404.5




SRD 5M_Ant0_2408.26




SRD 5M_Ant1_2408.26




SRD 5M_Ant0_2436.74




SRD 5M_Ant1_2436.74




SRD 5M_Ant0_2467.74




SRD 5M_Ant1_2467.74




SRD 5M_Ant0_2469.5




SRD 5M_Ant1_2469.5



SRD 10M_Ant0_2407.5



SRD 10M_Ant1_2407.5



SRD 10M_Ant0_2409.5