



Test Mode:	SDR 10M	Frequency(MHz):	5730.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.15	11.34	47.49	74.00	-26.51	peak
2	10905.000	34.60	14.25	48.85	74.00	-25.15	peak
3	11268.000	34.31	15.55	49.86	74.00	-24.14	peak
4	12676.000	31.25	18.14	49.39	74.00	-24.61	peak
5	13919.000	28.10	22.36	50.46	74.00	-23.54	peak
6	17956.000	21.99	28.21	50.20	74.00	-23.80	peak

Test Mode:	SDR 10M	Frequency(MHz):	5730.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.43	11.76	48.19	74.00	-25.81	peak
2	11455.000	39.02	15.02	54.04	74.00	-19.96	peak
3	11455.000	28.76	15.02	43.78	54.00	-10.22	AVG
4	12753.000	31.47	17.29	48.76	74.00	-25.24	peak
5	13446.000	29.32	19.31	48.63	74.00	-25.37	peak
6	17010.000	25.40	23.38	48.78	74.00	-25.22	peak
7	17714.000	24.54	25.24	49.78	74.00	-24.22	peak

Test Mode:	SDR 10M	Frequency(MHz):	5787.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.55	10.85	47.40	74.00	-26.60	peak
2	11059.000	34.70	14.90	49.60	74.00	-24.40	peak
3	11576.000	35.52	16.65	52.17	74.00	-21.83	peak
4	11576.000	24.91	16.65	41.56	54.00	-12.44	AVG
5	12258.000	31.71	18.20	49.91	74.00	-24.09	peak
6	13050.000	31.13	19.03	50.16	74.00	-23.84	peak
7	17890.000	21.90	27.82	49.72	74.00	-24.28	peak

Test Mode:	SDR 10M	Frequency(MHz):	5787.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.15	11.44	48.59	74.00	-25.41	peak
2	11576.000	43.79	15.21	59.00	74.00	-15.00	peak
3	11576.000	32.84	15.21	48.05	54.00	-5.95	AVG
4	12423.000	31.74	17.53	49.27	74.00	-24.73	peak
5	13886.000	28.73	20.71	49.44	74.00	-24.56	peak
6	16834.000	26.45	23.17	49.62	74.00	-24.38	peak
7	17967.000	23.94	26.22	50.16	74.00	-23.84	peak

Test Mode:	SDR 10M	Frequency(MHz):	5844.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	36.84	8.24	45.08	74.00	-28.92	peak
2	9112.000	37.74	10.95	48.69	74.00	-25.31	peak
3	10289.000	36.65	12.61	49.26	74.00	-24.74	peak
4	11697.000	40.96	16.87	57.83	74.00	-16.17	peak
5	11697.000	29.53	16.87	46.40	54.00	-7.60	AVG
6	13919.000	27.38	22.36	49.74	74.00	-24.26	peak
7	17923.000	23.01	28.01	51.02	74.00	-22.98	peak

Test Mode:	SDR 10M	Frequency(MHz):	5844.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7682.000	39.28	7.38	46.66	74.00	-27.34	peak
2	9057.000	37.75	11.81	49.56	74.00	-24.44	peak
3	11026.000	36.32	14.00	50.32	74.00	-23.68	peak
4	12126.000	33.16	17.00	50.16	74.00	-23.84	peak
5	13853.000	28.45	20.67	49.12	74.00	-24.88	peak
6	17901.000	24.28	26.12	50.40	74.00	-23.60	peak

Test Mode:	SDR 20M	Frequency(MHz):	5161
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.51	10.51	48.02	74.00	-25.98	peak
2	10894.000	34.68	14.19	48.87	74.00	-25.13	peak
3	11686.000	32.24	16.84	49.08	74.00	-24.92	peak
4	12478.000	31.42	18.24	49.66	74.00	-24.34	peak
5	13094.000	30.18	19.24	49.42	74.00	-24.58	peak
6	17956.000	21.38	28.21	49.59	74.00	-24.41	peak

Test Mode:	SDR 20M	Frequency(MHz):	5161
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.52	12.23	48.75	74.00	-25.25	peak
2	11004.000	35.55	13.99	49.54	74.00	-24.46	peak
3	12709.000	32.21	17.21	49.42	74.00	-24.58	peak
4	14238.000	28.94	20.69	49.63	74.00	-24.37	peak
5	15635.000	28.84	19.93	48.77	74.00	-25.23	peak
6	17241.000	25.77	24.06	49.83	74.00	-24.17	peak

Test Mode:	SDR 20M	Frequency(MHz):	5201
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.90	11.34	48.24	74.00	-25.76	peak
2	11048.000	35.01	14.88	49.89	74.00	-24.11	peak
3	11400.000	33.63	16.31	49.94	74.00	-24.06	peak
4	12225.000	31.84	18.12	49.96	74.00	-24.04	peak
5	13424.000	29.03	20.89	49.92	74.00	-24.08	peak
6	17967.000	20.64	28.28	48.92	74.00	-25.08	peak

Test Mode:	SDR 20M	Frequency(MHz):	5201
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.26	11.76	48.02	74.00	-25.98	peak
2	11323.000	33.91	14.62	48.53	74.00	-25.47	peak
3	12236.000	31.81	17.15	48.96	74.00	-25.04	peak
4	13567.000	29.36	19.45	48.81	74.00	-25.19	peak
5	14238.000	28.38	20.69	49.07	74.00	-24.93	peak
6	17802.000	24.11	25.99	50.10	74.00	-23.90	peak

Test Mode:	SDR 20M	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.36	11.34	47.70	74.00	-26.30	peak
2	10300.000	35.71	12.64	48.35	74.00	-25.65	peak
3	11048.000	34.40	14.88	49.28	74.00	-24.72	peak
4	12511.000	31.61	18.15	49.76	74.00	-24.24	peak
5	13556.000	28.58	21.13	49.71	74.00	-24.29	peak
6	17703.000	22.80	26.03	48.83	74.00	-25.17	peak

Test Mode:	SDR 20M	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.28	10.95	48.23	74.00	-25.77	peak
2	11048.000	34.31	14.01	48.32	74.00	-25.68	peak
3	11400.000	34.21	14.95	49.16	74.00	-24.84	peak
4	12676.000	32.19	17.13	49.32	74.00	-24.68	peak
5	14249.000	28.77	20.66	49.43	74.00	-24.57	peak
6	17703.000	24.83	25.14	49.97	74.00	-24.03	peak

Test Mode:	SDR 20M	Frequency(MHz):	5735.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.41	11.06	48.47	74.00	-25.53	peak
2	11059.000	35.20	14.90	50.10	74.00	-23.90	peak
3	12258.000	31.63	18.20	49.83	74.00	-24.17	peak
4	12698.000	32.04	18.20	50.24	74.00	-23.76	peak
5	13798.000	27.95	22.23	50.18	74.00	-23.82	peak
6	17978.000	21.90	28.34	50.24	74.00	-23.76	peak

Test Mode:	SDR 20M	Frequency(MHz):	5735.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.87	11.44	48.31	74.00	-25.69	peak
2	11477.000	36.68	15.05	51.73	74.00	-22.27	peak
3	11477.000	26.54	15.05	41.59	54.00	-12.41	AVG
4	11873.000	32.85	16.21	49.06	74.00	-24.94	peak
5	12654.000	31.40	17.08	48.48	74.00	-25.52	peak
6	14425.000	27.87	20.16	48.03	74.00	-25.97	peak
7	17714.000	24.32	25.24	49.56	74.00	-24.44	peak

Test Mode:	SDR 20M	Frequency(MHz):	5787.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	37.42	11.50	48.92	74.00	-25.08	peak
2	11026.000	33.63	14.84	48.47	74.00	-25.53	peak
3	11587.000	34.25	16.65	50.90	74.00	-23.10	peak
4	12236.000	31.58	18.15	49.73	74.00	-24.27	peak
5	13908.000	27.02	22.35	49.37	74.00	-24.63	peak
6	17824.000	22.92	27.44	50.36	74.00	-23.64	peak

Test Mode:	SDR 20M	Frequency(MHz):	5787.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.13	12.07	49.20	74.00	-24.80	peak
2	11576.000	42.76	15.21	57.97	74.00	-16.03	peak
3	11576.000	33.15	15.21	48.36	54.00	-5.64	AVG
4	12258.000	32.48	17.20	49.68	74.00	-24.32	peak
5	13380.000	30.51	19.13	49.64	74.00	-24.36	peak
6	13776.000	29.43	20.47	49.90	74.00	-24.10	peak
7	17714.000	24.83	25.24	50.07	74.00	-23.93	peak

Test Mode:	SDR 20M	Frequency(MHz):	5839.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.90	11.83	48.73	74.00	-25.27	peak
2	11048.000	34.50	14.88	49.38	74.00	-24.62	peak
3	11686.000	38.75	16.84	55.59	74.00	-18.41	peak
4	11686.000	27.47	16.84	44.31	54.00	-9.69	AVG
5	13127.000	30.77	19.38	50.15	74.00	-23.85	peak
6	13446.000	29.03	20.95	49.98	74.00	-24.02	peak
7	17670.000	23.86	25.60	49.46	74.00	-24.54	peak

Test Mode:	SDR 20M	Frequency(MHz):	5839.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.05	10.46	48.51	74.00	-25.49	peak
2	11048.000	34.06	14.01	48.07	74.00	-25.93	peak
3	11686.000	45.32	15.49	60.81	74.00	-13.19	peak
4	11686.000	34.26	15.49	49.75	54.00	-4.25	AVG
5	12698.000	32.78	17.18	49.96	74.00	-24.04	peak
6	13875.000	28.68	20.69	49.37	74.00	-24.63	peak
7	17703.000	24.25	25.14	49.39	74.00	-24.61	peak

Test Mode:	SDR 40M	Frequency(MHz):	5170
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.21	11.67	47.88	74.00	-26.12	peak
2	10421.000	35.96	13.05	49.01	74.00	-24.99	peak
3	11059.000	34.35	14.90	49.25	74.00	-24.75	peak
4	12236.000	30.82	18.15	48.97	74.00	-25.03	peak
5	13919.000	26.67	22.36	49.03	74.00	-24.97	peak
6	17923.000	22.01	28.01	50.02	74.00	-23.98	peak

Test Mode:	SDR 40M	Frequency(MHz):	5170
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.39	12.07	48.46	74.00	-25.54	peak
2	11048.000	34.82	14.01	48.83	74.00	-25.17	peak
3	12621.000	32.18	17.03	49.21	74.00	-24.79	peak
4	13600.000	29.14	19.48	48.62	74.00	-25.38	peak
5	16779.000	25.75	23.08	48.83	74.00	-25.17	peak
6	17747.000	24.38	25.53	49.91	74.00	-24.09	peak

Test Mode:	SDR 40M	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.10	11.45	48.55	74.00	-25.45	peak
2	10883.000	35.63	14.13	49.76	74.00	-24.24	peak
3	11455.000	33.66	16.46	50.12	74.00	-23.88	peak
4	12676.000	31.85	18.14	49.99	74.00	-24.01	peak
5	13336.000	29.51	20.47	49.98	74.00	-24.02	peak
6	17989.000	21.20	28.41	49.61	74.00	-24.39	peak

Test Mode:	SDR 40M	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.64	11.44	48.08	74.00	-25.92	peak
2	11268.000	34.60	14.37	48.97	74.00	-25.03	peak
3	13534.000	29.44	19.43	48.87	74.00	-25.13	peak
4	14425.000	29.08	20.16	49.24	74.00	-24.76	peak
5	16845.000	26.98	23.19	50.17	74.00	-23.83	peak
6	17725.000	25.30	25.33	50.63	74.00	-23.37	peak

Test Mode:	SDR 40M	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.61	11.67	48.28	74.00	-25.72	peak
2	10080.000	36.03	12.27	48.30	74.00	-25.70	peak
3	11070.000	34.42	14.91	49.33	74.00	-24.67	peak
4	12302.000	31.52	18.31	49.83	74.00	-24.17	peak
5	13864.000	27.73	22.30	50.03	74.00	-23.97	peak
6	17956.000	21.83	28.21	50.04	74.00	-23.96	peak

Test Mode:	SDR 40M	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.90	12.07	47.97	74.00	-26.03	peak
2	11004.000	35.02	13.99	49.01	74.00	-24.99	peak
3	12181.000	32.05	17.03	49.08	74.00	-24.92	peak
4	12643.000	32.16	17.07	49.23	74.00	-24.77	peak
5	13853.000	28.88	20.67	49.55	74.00	-24.45	peak
6	17461.000	26.26	24.21	50.47	74.00	-23.53	peak

Test Mode:	SDR 40M	Frequency(MHz):	5745.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.89	11.34	48.23	74.00	-25.77	peak
2	11466.000	33.62	16.50	50.12	74.00	-23.88	peak
3	11895.000	32.75	17.51	50.26	74.00	-23.74	peak
4	12500.000	32.14	18.16	50.30	74.00	-23.70	peak
5	13996.000	27.94	22.44	50.38	74.00	-23.62	peak
6	18000.000	21.25	28.47	49.72	74.00	-24.28	peak

Test Mode:	SDR 40M	Frequency(MHz):	5745.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.35	11.28	48.63	74.00	-25.37	peak
2	9332.000	38.39	10.69	49.08	74.00	-24.92	peak
3	11477.000	34.63	15.05	49.68	74.00	-24.32	peak
4	13644.000	30.70	19.73	50.43	74.00	-23.57	peak
5	16449.000	27.88	21.85	49.73	74.00	-24.27	peak
6	17736.000	24.96	25.43	50.39	74.00	-23.61	peak

Test Mode:	SDR 40M	Frequency(MHz):	5787.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	36.64	11.75	48.39	74.00	-25.61	peak
2	11048.000	35.37	14.88	50.25	74.00	-23.75	peak
3	11576.000	38.54	16.65	55.19	74.00	-18.81	peak
4	11576.000	27.95	16.65	44.60	54.00	-9.40	AVG
5	13017.000	31.49	18.88	50.37	74.00	-23.63	peak
6	13864.000	27.47	22.30	49.77	74.00	-24.23	peak
7	17945.000	21.66	28.15	49.81	74.00	-24.19	peak

Test Mode:	SDR 40M	Frequency(MHz):	5787.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	36.46	12.13	48.59	74.00	-25.41	peak
2	11048.000	34.93	14.01	48.94	74.00	-25.06	peak
3	11576.000	42.06	15.21	57.27	74.00	-16.73	peak
4	11576.000	31.12	15.21	46.33	54.00	-7.67	AVG
5	12665.000	32.63	17.11	49.74	74.00	-24.26	peak
6	13864.000	29.11	20.67	49.78	74.00	-24.22	peak
7	17362.000	25.78	24.24	50.02	74.00	-23.98	peak

Test Mode:	SDR 40M	Frequency(MHz):	5829.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.78	11.34	48.12	74.00	-25.88	peak
2	10421.000	35.41	13.05	48.46	74.00	-25.54	peak
3	11664.000	35.79	16.79	52.58	74.00	-21.42	peak
4	11664.000	25.27	16.79	42.06	54.00	-11.94	AVG
5	12500.000	31.75	18.16	49.91	74.00	-24.09	peak
6	13380.000	29.67	20.71	50.38	74.00	-23.62	peak
7	17945.000	22.16	28.15	50.31	74.00	-23.69	peak

Test Mode:	SDR 40M	Frequency(MHz):	5829.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	38.27	11.44	49.71	74.00	-24.29	peak
2	10608.000	35.22	13.18	48.40	74.00	-25.60	peak
3	11653.000	39.10	15.39	54.49	74.00	-19.51	peak
4	11653.000	28.55	15.39	43.94	54.00	-10.06	AVG
5	13380.000	30.74	19.13	49.87	74.00	-24.13	peak
6	14414.000	29.53	20.18	49.71	74.00	-24.29	peak
7	17857.000	24.71	26.06	50.77	74.00	-23.23	peak

Test Mode:	SDR 60M	Frequency(MHz):	5755.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.66	11.35	48.01	74.00	-25.99	peak
2	11070.000	34.94	14.91	49.85	74.00	-24.15	peak
3	11400.000	33.58	16.31	49.89	74.00	-24.11	peak
4	12555.000	32.18	18.04	50.22	74.00	-23.78	peak
5	13534.000	29.25	21.12	50.37	74.00	-23.63	peak
6	17967.000	21.40	28.28	49.68	74.00	-24.32	peak

Test Mode:	SDR 60M	Frequency(MHz):	5755.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.26	11.76	49.02	74.00	-24.98	peak
2	11510.000	37.13	15.10	52.23	74.00	-21.77	peak
3	11510.000	26.22	15.10	41.32	54.00	-12.68	AVG
4	12225.000	32.36	17.12	49.48	74.00	-24.52	peak
5	12665.000	32.26	17.11	49.37	74.00	-24.63	peak
6	14249.000	29.49	20.66	50.15	74.00	-23.85	peak
7	17736.000	24.80	25.43	50.23	74.00	-23.77	peak

Test Mode:	SDR 60M	Frequency(MHz):	5787.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	36.88	11.50	48.38	74.00	-25.62	peak
2	11026.000	34.90	14.84	49.74	74.00	-24.26	peak
3	11697.000	32.76	16.87	49.63	74.00	-24.37	peak
4	12269.000	31.41	18.23	49.64	74.00	-24.36	peak
5	13765.000	28.21	22.05	50.26	74.00	-23.74	peak
6	17967.000	21.60	28.28	49.88	74.00	-24.12	peak

Test Mode:	SDR 60M	Frequency(MHz):	5787.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.79	11.44	48.23	74.00	-25.77	peak
2	11422.000	34.07	14.98	49.05	74.00	-24.95	peak
3	11576.000	34.24	15.21	49.45	74.00	-24.55	peak
4	12643.000	32.46	17.07	49.53	74.00	-24.47	peak
5	14238.000	28.68	20.69	49.37	74.00	-24.63	peak
6	17857.000	24.66	26.06	50.72	74.00	-23.28	peak

Test Mode:	SDR 60M	Frequency(MHz):	5819.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.43	10.35	47.78	74.00	-26.22	peak
2	11048.000	34.34	14.88	49.22	74.00	-24.78	peak
3	11653.000	34.98	16.77	51.75	74.00	-22.25	peak
4	11653.000	23.90	16.77	40.67	54.00	-13.33	AVG
5	12643.000	31.74	18.06	49.80	74.00	-24.20	peak
6	13512.000	29.05	21.11	50.16	74.00	-23.84	peak
7	17714.000	23.55	26.19	49.74	74.00	-24.26	peak

Test Mode:	SDR 60M	Frequency(MHz):	5819.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	37.11	11.60	48.71	74.00	-25.29	peak
2	11642.000	39.82	15.36	55.18	74.00	-18.82	peak
3	11642.000	29.24	15.36	44.60	54.00	-9.40	AVG
4	12258.000	32.64	17.20	49.84	74.00	-24.16	peak
5	14007.000	29.28	20.85	50.13	74.00	-23.87	peak
6	15987.000	29.05	20.31	49.36	74.00	-24.64	peak
7	17967.000	23.69	26.22	49.91	74.00	-24.09	peak

Test Mode:	SDR 80M	Frequency(MHz):	5765.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.15	11.34	47.49	74.00	-26.51	peak
2	10333.000	35.58	12.76	48.34	74.00	-25.66	peak
3	11521.000	35.62	16.60	52.22	74.00	-21.78	peak
4	11521.000	25.15	16.60	41.75	54.00	-12.25	AVG
5	12280.000	31.78	18.25	50.03	74.00	-23.97	peak
6	13534.000	28.81	21.12	49.93	74.00	-24.07	peak
7	17923.000	22.45	28.01	50.46	74.00	-23.54	peak

Test Mode:	SDR 80M	Frequency(MHz):	5765.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.54	12.07	49.61	74.00	-24.39	peak
2	11521.000	40.58	15.12	55.70	74.00	-18.30	peak
3	11521.000	28.25	15.12	43.37	54.00	-10.63	AVG
4	12357.000	32.42	17.48	49.90	74.00	-24.10	peak
5	13336.000	31.08	18.93	50.01	74.00	-23.99	peak
6	14678.000	30.71	19.78	50.49	74.00	-23.51	peak
7	17714.000	25.25	25.24	50.49	74.00	-23.51	peak

Test Mode:	SDR 80M	Frequency(MHz):	5787.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.99	11.67	48.66	74.00	-25.34	peak
2	11015.000	34.63	14.82	49.45	74.00	-24.55	peak
3	11576.000	33.90	16.65	50.55	74.00	-23.45	peak
4	13149.000	30.41	19.49	49.90	74.00	-24.10	peak
5	13897.000	27.83	22.33	50.16	74.00	-23.84	peak
6	17967.000	21.94	28.28	50.22	74.00	-23.78	peak

Test Mode:	SDR 80M	Frequency(MHz):	5787.5
Polarity:	Vertical	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.60	11.28	48.88	74.00	-25.12	peak
2	11565.000	38.86	15.18	54.04	74.00	-19.96	peak
3	11565.000	28.53	15.18	43.71	54.00	-10.29	AVG
4	12247.000	32.61	17.18	49.79	74.00	-24.21	peak
5	13886.000	29.41	20.71	50.12	74.00	-23.88	peak
6	14425.000	29.62	20.16	49.78	74.00	-24.22	peak
7	17802.000	24.62	25.99	50.61	74.00	-23.39	peak

Test Mode:	SDR 80M	Frequency(MHz):	5809.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.40	11.34	48.74	74.00	-25.26	peak
2	11059.000	34.73	14.90	49.63	74.00	-24.37	peak
3	11609.000	36.93	16.68	53.61	74.00	-20.39	peak
4	11609.000	26.14	16.68	42.82	54.00	-11.18	AVG
5	12522.000	31.88	18.12	50.00	74.00	-24.00	peak
6	13435.000	29.51	20.92	50.43	74.00	-23.57	peak
7	18000.000	21.74	28.47	50.21	74.00	-23.79	peak


Test Mode:	SDR 80M	Frequency(MHz):	5809.5
Polarity:	Vertical	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.36	11.76	48.12	74.00	-25.88	peak
2	10938.000	34.56	13.72	48.28	74.00	-25.72	peak
3	11620.000	39.30	15.30	54.60	74.00	-19.40	peak
4	11620.000	27.80	15.30	43.10	54.00	-10.90	AVG
5	12236.000	33.24	17.15	50.39	74.00	-23.61	peak
6	13611.000	31.05	19.54	50.59	74.00	-23.41	peak
7	16834.000	26.75	23.17	49.92	74.00	-24.08	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	75.22	-101.40	-26.18	47.6	-73.78	peak
2	0.0131	72.97	-101.38	-28.41	45.25	-73.66	peak
3	0.0223	68.76	-101.35	-32.59	40.63	-73.22	peak
4	0.0280	67.92	-101.38	-33.46	38.66	-72.12	peak
5	0.0490	62.40	-101.47	-39.07	33.8	-72.87	peak
6	0.1102	56.31	-101.77	-45.46	26.76	-72.22	peak

Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	75.77	-101.65	-25.88	23.77	-49.65	peak
2	0.1877	71.73	-101.70	-29.97	22.14	-52.11	peak
3	0.2190	67.27	-101.75	-34.48	20.79	-55.27	peak
4	0.2782	64.29	-101.83	-37.54	18.71	-56.25	peak
5	0.3881	58.90	-101.95	-43.05	15.82	-58.87	peak
6	0.4415	58.35	-102.01	-43.66	14.7	-58.36	peak


Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	Margin (dB)	Remark
1	0.6298	63.17	-62.09	1.08	31.62	-30.54	peak
2	1.6409	58.24	-61.98	-3.74	23.3	-27.04	peak
3	3.7065	55.87	-61.41	-5.54	29.54	-35.08	peak
4	5.2705	56.04	-61.45	-5.41	29.54	-34.95	peak
5	8.9001	54.91	-60.95	-6.04	29.54	-35.58	peak
6	18.2545	54.43	-60.90	-6.47	29.54	-36.01	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18144.000	49.27	-5.48	43.79	74.00	-30.21	peak
2	19392.000	49.62	-5.57	44.05	74.00	-29.95	peak
3	20696.000	49.71	-5.16	44.55	74.00	-29.45	peak
4	21808.000	48.41	-4.36	44.05	74.00	-29.95	peak
5	22840.000	47.26	-3.60	43.66	74.00	-30.34	peak
6	25072.000	46.17	-1.97	44.20	74.00	-29.80	peak


Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Vertical	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18616.000	49.39	-5.34	44.05	74.00	-29.95	peak
2	20472.000	49.57	-5.39	44.18	74.00	-29.82	peak
3	22328.000	48.70	-4.11	44.59	74.00	-29.41	peak
4	23360.000	47.10	-3.26	43.84	74.00	-30.16	peak
5	24128.000	46.48	-2.79	43.69	74.00	-30.31	peak
6	25704.000	44.54	-0.83	43.71	74.00	-30.29	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26574.000	52.04	-4.78	47.26	74.00	-26.74	peak
2	29052.000	48.19	-1.34	46.85	74.00	-27.15	peak
3	31194.000	48.04	-0.80	47.24	74.00	-26.76	peak
4	35366.000	45.40	2.59	47.99	74.00	-26.01	peak
5	38180.000	44.64	3.69	48.33	74.00	-25.67	peak
6	39958.000	42.58	5.12	47.70	74.00	-26.30	peak


Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Vertical	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26392.000	51.63	-5.00	46.63	74.00	-27.37	peak
2	28828.000	48.13	-0.79	47.34	74.00	-26.66	peak
3	30620.000	48.08	-1.03	47.05	74.00	-26.95	peak
4	33700.000	46.93	0.36	47.29	74.00	-26.71	peak
5	38278.000	43.82	3.82	47.64	74.00	-26.36	peak
6	39972.000	43.45	5.13	48.58	74.00	-25.42	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Horizontal	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	33.8800	36.00	-14.61	21.39	40.00	-18.61	QP
2	119.2400	36.55	-14.90	21.65	43.50	-21.85	QP
3	276.3800	41.76	-12.96	28.80	46.00	-17.20	QP
4	377.2600	45.91	-9.81	36.10	46.00	-9.90	QP
5	499.4800	38.03	-8.09	29.94	46.00	-16.06	QP
6	756.5300	34.27	-3.45	30.82	46.00	-15.18	QP

Test Mode:	SRD 1.4MHz	Frequency(MHz):	5728.5
Polarity:	Vertical	Test Voltage:	DC 7.2V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	33.8800	35.34	-14.61	20.73	40.00	-19.27	QP
2	230.7900	31.28	-13.48	17.80	46.00	-28.20	QP
3	359.8000	35.80	-9.60	26.20	46.00	-19.80	QP
4	378.2300	36.36	-9.81	26.55	46.00	-19.45	QP
5	494.6300	34.85	-8.15	26.70	46.00	-19.30	QP
6	756.5300	33.44	-3.45	29.99	46.00	-16.01	QP

9. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

10. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a).

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00

*Decreases with the logarithm of the frequency.


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	22.9°C	Relative Humidity	59.3%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	September 23, 2024	Test By	Johnson Liu
-----------	--------------------	---------	-------------

TEST RESULTS

Test Mode:	SRD 10MHz	Frequency(MHz):	5787.5
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1598	24.84	0.04	24.88	65.47	-40.59	QP
2	0.1598	9.72	0.04	9.76	55.47	-45.71	AVG
3	0.1740	23.66	0.04	23.70	64.77	-41.07	QP
4	0.1740	11.28	0.04	11.32	54.77	-43.45	AVG
5	0.1958	20.78	0.04	20.82	63.79	-42.97	QP
6	0.1958	6.28	0.04	6.32	53.79	-47.47	AVG
7	0.2494	19.22	0.04	19.26	61.78	-42.52	QP
8	0.2494	6.63	0.04	6.67	51.78	-45.11	AVG
9	0.6149	19.47	0.04	19.51	56.00	-36.49	QP
10	0.6149	12.63	0.04	12.67	46.00	-33.33	AVG
11	13.5600	20.83	0.04	20.87	60.00	-39.13	QP
12	13.5600	14.80	0.04	14.84	50.00	-35.16	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	SRD 10MHz	Frequency(MHz):	5787.5
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1630	25.43	0.04	25.47	65.31	-39.84	QP
2	0.1630	8.27	0.04	8.31	55.31	-47.00	AVG
3	0.1999	19.37	0.04	19.41	63.61	-44.20	QP
4	0.1999	4.64	0.04	4.68	53.61	-48.93	AVG
5	0.3512	19.43	0.04	19.47	58.93	-39.46	QP
6	0.3512	9.32	0.04	9.36	48.93	-39.57	AVG
7	0.3943	18.78	0.04	18.82	57.97	-39.15	QP
8	0.3943	5.55	0.04	5.59	47.97	-42.38	AVG
9	0.6054	18.43	0.04	18.47	56.00	-37.53	QP
10	0.6054	12.44	0.04	12.48	46.00	-33.52	AVG
11	9.2862	18.34	0.03	18.37	60.00	-41.63	QP
12	9.2862	11.47	0.03	11.50	50.00	-38.50	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

11. TEST DATA


11.1. APPENDIX A: EMISSION BANDWIDTH


11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]
SRD 1.4M	Ant0	5728.5	2.17	5727.40	5729.56
	Ant1	5728.5	2.14	5727.44	5729.58
	Ant0	5786.5	2.29	5785.35	5787.64
	Ant1	5786.5	2.22	5785.38	5787.60
	Ant0	5846.12	2.17	5845.01	5847.18
	Ant1	5846.12	2.17	5845.03	5847.19
SRD 3M	Ant0	5727.5	3.05	5725.93	5728.98
	Ant1	5727.5	3.22	5725.96	5729.18
	Ant0	5787.2	3.02	5785.63	5788.65
	Ant1	5787.2	3.18	5785.66	5788.84
	Ant0	5847.2	3.06	5845.64	5848.70
	Ant1	5847.2	3.17	5845.66	5848.83
SRD 5M	Ant0	5732.5	5.47	5729.71	5735.18
	Ant1	5732.5	5.21	5729.93	5735.14
	Ant0	5787.5	5.96	5784.47	5790.43
	Ant1	5787.5	5.50	5784.82	5790.32
	Ant0	5842.5	5.34	5839.85	5845.19
	Ant1	5842.5	5.18	5839.93	5845.11
SRD 10M	Ant0	5157	10.20	5151.80	5162.00
	Ant1	5157	10.40	5151.80	5162.20
	Ant0	5159	10.24	5153.84	5164.08
	Ant1	5159	10.32	5153.88	5164.20
	Ant0	5201	10.28	5195.84	5206.12
	Ant1	5201	10.32	5195.84	5206.16
	Ant0	5245	10.24	5239.80	5250.04
	Ant1	5245	10.48	5239.68	5250.16
	Ant0	5730.5	10.16	5725.42	5735.58
	Ant1	5730.5	10.00	5725.54	5735.54
	Ant0	5787.5	10.28	5782.42	5792.70
	Ant1	5787.5	9.80	5782.62	5792.42
	Ant0	5844.5	10.24	5839.46	5849.70
	Ant1	5844.5	9.88	5839.58	5849.46
SRD 20M	Ant0	5161	19.68	5151.16	5170.84
	Ant1	5161	19.44	5151.28	5170.72
	Ant0	5162	19.96	5152.04	5172.00
	Ant1	5162	19.28	5152.44	5171.72
	Ant0	5201	19.48	5191.36	5210.84
	Ant1	5201	19.16	5191.44	5210.60
	Ant0	5240	19.48	5230.28	5249.76
	Ant1	5240	19.16	5230.48	5249.64
	Ant0	5735.5	19.16	5725.82	5744.98
	Ant1	5735.5	19.40	5725.86	5745.26
	Ant0	5787.5	19.16	5777.78	5796.94
	Ant1	5787.5	19.04	5778.14	5797.18
	Ant0	5839.5	19.28	5829.82	5849.10
	Ant1	5839.5	19.32	5829.90	5849.22
SRD 40M	Ant0	5170	38.64	5150.80	5189.44
	Ant1	5170	38.16	5151.04	5189.20
	Ant0	5171	38.48	5151.88	5190.36
	Ant1	5171	38.32	5151.88	5190.20


	Ant0	5200	36.80	5181.68	5218.48
	Ant1	5200	36.72	5181.68	5218.40
	Ant0	5230	36.72	5211.68	5248.40
	Ant1	5230	36.64	5211.76	5248.40
	Ant0	5745.5	36.80	5727.10	5763.90
	Ant1	5745.5	36.96	5727.10	5764.06
	Ant0	5757.5	36.96	5739.02	5775.98
	Ant1	5757.5	36.88	5739.10	5775.98
	Ant0	5765.5	36.88	5747.10	5783.98
	Ant1	5765.5	36.80	5747.18	5783.98
	Ant0	5787.5	36.88	5769.10	5805.98
	Ant1	5787.5	36.64	5769.18	5805.82
	Ant0	5805.5	36.72	5787.18	5823.90
	Ant1	5805.5	36.88	5787.18	5824.06
	Ant0	5823.5	36.72	5805.18	5841.90
	Ant1	5823.5	36.72	5805.18	5841.90
Ant0	5829.5	36.56	5811.26	5847.82	
Ant1	5829.5	36.64	5811.18	5847.82	
SRD 60M	Ant0	5755.5	63.20	5723.02	5786.22
	Ant1	5755.5	60.00	5725.58	5785.58
	Ant0	5787.5	56.80	5759.02	5815.82
	Ant1	5787.5	56.48	5759.50	5815.98
	Ant0	5819.5	56.64	5791.34	5847.98
	Ant1	5819.5	58.72	5791.02	5849.74
SRD 80M	Ant0	5765.5	72.48	5729.34	5801.82
	Ant1	5765.5	72.48	5729.34	5801.82
	Ant0	5787.5	72.64	5751.34	5823.98
	Ant1	5787.5	72.48	5751.34	5823.82
	Ant0	5809.5	72.48	5773.34	5845.82
Ant1	5809.5	72.48	5773.34	5845.82	

11.1.2. Test Graphs







SRD 1.4M_Ant1_5728.5




SRD 1.4M_Ant0_5786.5




SRD 1.4M_Ant1_5786.5




SRD 1.4M_Ant0_5846.12




SRD 1.4M_Ant1_5846.12




SRD 3M_Ant0_5727.5




SRD 3M_Ant1_5727.5




SRD 3M_Ant0_5787.2




SRD 3M_Ant1_5787.2




SRD 3M_Ant0_5847.2




SRD 3M_Ant1_5847.2




SRD 5M_Ant0_5732.5




SRD 5M_Ant1_5732.5




SRD 5M_Ant0_5787.5




SRD 5M_Ant1_5787.5




SRD 5M_Ant0_5842.5




SRD 5M_Ant1_5842.5




SRD 10M_Ant0_5157




SRD 10M_Ant1_5157




SRD 10M_Ant0_5159




SRD 10M_Ant1_5159




SRD 10M_Ant0_5201




SRD 10M_Ant1_5201




SRD 10M_Ant0_5245




SRD 10M_Ant1_5245




SRD 10M_Ant0_5730.5




SRD 10M_Ant1_5730.5




SRD 10M_Ant0_5787.5




SRD 10M_Ant1_5787.5




SRD 10M_Ant0_5844.5




SRD 10M_Ant1_5844.5




SRD 20M_Ant0_5161




SRD 20M_Ant1_5161




SRD 20M_Ant0_5162




SRD 20M_Ant1_5162




SRD 20M_Ant0_5201




SRD 20M_Ant1_5201




SRD 20M_Ant0_5240




SRD 20M_Ant1_5240




SRD 20M_Ant0_5735.5




SRD 20M_Ant1_5735.5




SRD 20M_Ant0_5787.5




SRD 20M_Ant1_5787.5




SRD 20M_Ant0_5839.5




SRD 20M_Ant1_5839.5




SRD 40M_Ant0_5170




SRD 40M_Ant1_5170




SRD 40M_Ant0_5171




SRD 40M_Ant1_5171




SRD 40M_Ant0_5200




SRD 40M_Ant1_5200




SRD 40M_Ant0_5230




SRD 40M_Ant1_5230




SRD 40M_Ant0_5745.5




SRD 40M_Ant1_5745.5




SRD 40M_Ant0_5757.5




SRD 40M_Ant1_5757.5



SRD 40M_Ant0_5765.5



SRD 40M_Ant1_5765.5



SRD 40M_Ant0_5787.5