


Appendix B: Test Results of Radiated Spurious Emissions

Band Edges, 2.31GHz ~ 2.9GHz <ANT 0>




1.4 MHz

2403.5 MHz (Horizontal) Average

2403.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2398.00 | 48.34 | 3.87 | 37.27 | 54.00 | -13.66 | 180 | 201 Average | Horizontal |
| 2 * | 2403.50 | 102.00 | 64.78 | 37.30 | 54.00 | 48.00 | 180 | 201 Average | Horizontal |
| 3 | 2794.74 | 42.19 | 4.10 | 38.09 | 54.00 | -11.81 | 180 | 201 Average | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.77 | 45.94 | 8.67 | 37.27 | 54.00 | -8.06 | 226 | 102 Average | Vertical |
| 2 * | 2403.50 | 113.35 | 76.85 | 37.30 | 54.00 | 59.35 | 226 | 102 Average | Vertical |
| 3 | 2486.76 | 42.48 | 4.77 | 37.71 | 54.00 | -11.52 | 226 | 102 Average | Vertical |


1.4 MHz

2477.5 MHz (Horizontal) Peak

2477.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2369.35 | 52.64 | 15.39 | 37.25 | 74.00 | -21.36 | 102 | 198 | 198 | Peak | Horizontal | |
| 2 * | 2477.50 | 118.75 | 73.10 | 37.65 | 74.00 | 36.75 | 102 | 198 | 198 | Peak | Horizontal | |
| 3 | 2826.37 | 54.95 | 16.82 | 38.13 | 74.00 | -19.05 | 102 | 198 | 198 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2326.52 | 52.93 | 15.88 | 37.05 | 74.00 | -21.07 | 209 | 102 | 102 | Peak | Vertical | |
| 2 * | 2477.50 | 123.34 | 85.69 | 37.65 | 74.00 | 49.34 | 209 | 102 | 102 | Peak | Vertical | |
| 3 | 2484.52 | 63.44 | 25.74 | 37.70 | 74.00 | -10.56 | 209 | 102 | 102 | Peak | Vertical | |

1.4 MHz

2477.5 MHz (Horizontal) Average

2477.5 MHz (Vertical) Average



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.33 | 48.44 | 3.18 | 37.26 | 54.00 | -13.56 | 182 | 198 Average | Horizontal | |
| 2 * | 2477.50 | 108.71 | 63.06 | 37.65 | 54.00 | 46.71 | 182 | 198 Average | Horizontal | |
| 3 | 2485.23 | 42.06 | 4.36 | 37.70 | 54.00 | -11.94 | 182 | 198 Average | Horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.30 | 41.59 | 4.32 | 37.27 | 54.00 | -12.41 | 289 | 182 Average | Vertical | |
| 2 * | 2477.50 | 113.08 | 75.35 | 37.65 | 54.00 | 59.08 | 289 | 182 Average | Vertical | |
| 3 ! | 2483.58 | 49.32 | 11.63 | 37.69 | 54.00 | -4.68 | 209 | 182 Average | Vertical | |


3 MHz

2405.5 MHz (Horizontal) Peak

2405.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2329.71 | 52.67 | 15.79 | 37.08 | 74.00 | -21.13 | 100 | 202 | Peak | Horizontal | |
| 2 | 2405.50 | 118.20 | 72.98 | 37.38 | 74.00 | 36.20 | 100 | 202 | Peak | Horizontal | |
| 3 | 2879.70 | 54.55 | 16.55 | 38.00 | 74.00 | -19.45 | 100 | 202 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.65 | 59.54 | 22.27 | 37.27 | 74.00 | -14.46 | 228 | 103 | Peak | Vertical | |
| 2 | 2405.50 | 121.62 | 84.32 | 37.30 | 74.00 | 47.62 | 228 | 103 | Peak | Vertical | |
| 3 | 2807.84 | 54.41 | 16.30 | 38.11 | 74.00 | -19.59 | 228 | 103 | Peak | Vertical | |


3 MHz

2405.5 MHz (Horizontal) Average

2405.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.89 | 40.41 | 3.14 | 37.27 | 54.00 | -13.59 | 100 | 202 Average | Horizontal | |
| 2 * | 2405.50 | 99.01 | 61.71 | 37.30 | 54.00 | 45.01 | 100 | 202 Average | Horizontal | |
| 3 | 2826.13 | 41.94 | 3.81 | 38.13 | 54.00 | -12.06 | 100 | 202 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2390.00 | 44.70 | 7.43 | 37.27 | 54.00 | -9.30 | 228 | 103 Average | Vertical | |
| 2 * | 2405.50 | 110.56 | 73.26 | 37.30 | 54.00 | 56.56 | 228 | 103 Average | Vertical | |
| 3 | 2814.45 | 42.34 | 4.22 | 38.12 | 54.00 | -11.66 | 228 | 103 Average | Vertical | |


3 MHz

2474.5 MHz (Horizontal) Peak

2474.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2371.71 | 52.95 | 15.70 | 37.25 | 74.00 | -21.05 | 102 | 198 | Peak | Horizontal | |
| 2 * | 2474.50 | 109.68 | 72.05 | 37.63 | 74.00 | 35.68 | 102 | 198 | Peak | Horizontal | |
| 3 | 2882.06 | 54.74 | 16.63 | 38.11 | 74.00 | -19.26 | 102 | 198 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2388.94 | 53.61 | 16.34 | 37.27 | 74.00 | -20.39 | 219 | 99 | Peak | Vertical | |
| 2 * | 2474.50 | 121.47 | 83.84 | 37.63 | 74.00 | 47.47 | 219 | 99 | Peak | Vertical | |
| 3 | 2484.99 | 60.12 | 22.42 | 37.70 | 74.00 | -13.88 | 219 | 99 | Peak | Vertical | |


3 MHz

2474.5 MHz (Horizontal) Average

2474.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.18 | 40.34 | 3.07 | 37.27 | 54.00 | -13.66 | 102 | 198 Average | Horizontal | |
| 2 * | 2474.50 | 98.77 | 61.14 | 37.63 | 54.00 | 44.77 | 102 | 198 Average | Horizontal | |
| 3 | 2836.28 | 41.83 | 3.69 | 38.14 | 54.00 | -12.17 | 102 | 198 Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2389.89 | 41.60 | 4.33 | 37.27 | 54.00 | -12.40 | 219 | 99 Average | Vertical | |
| 2 * | 2474.50 | 110.66 | 73.03 | 37.63 | 54.00 | 56.66 | 219 | 99 Average | Vertical | |
| 3 ! | 2483.50 | 48.63 | 10.94 | 37.69 | 54.00 | -5.37 | 219 | 99 Average | Vertical | |


10 MHz

2405.5 MHz (Horizontal) Peak

2405.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2375.61 | 52.52 | 15.27 | 37.25 | 74.00 | -21.48 | 100 | 200 | Peak | Horizontal | |
| 2 * | 2405.50 | 100.63 | 63.33 | 37.30 | 74.00 | 26.63 | 100 | 200 | Peak | Horizontal | |
| 3 | 2897.84 | 54.41 | 16.30 | 38.11 | 74.00 | -19.59 | 100 | 200 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2385.94 | 54.35 | 17.08 | 37.27 | 74.00 | -19.65 | 225 | 104 | Peak | Vertical | |
| 2 * | 2405.50 | 112.35 | 75.05 | 37.30 | 74.00 | 38.35 | 225 | 104 | Peak | Vertical | |
| 3 | 2839.82 | 54.76 | 16.62 | 38.14 | 74.00 | -19.24 | 225 | 104 | Peak | Vertical | |


10 MHz

2405.5 MHz (Horizontal) Average

2405.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.41 | 39.72 | 2.45 | 37.27 | 54.00 | -14.28 | 100 | 200 Average | Horizontal |
| 2 * | 2405.50 | 87.93 | 50.63 | 37.30 | 54.00 | 33.93 | 100 | 200 Average | Horizontal |
| 3 | 2810.44 | 41.31 | 3.20 | 38.11 | 54.00 | -12.69 | 100 | 200 Average | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2390.00 | 42.47 | 5.20 | 37.27 | 54.00 | -11.53 | 225 | 104 Average | Vertical |
| 2 * | 2405.50 | 98.82 | 61.52 | 37.30 | 54.00 | 44.82 | 225 | 104 Average | Vertical |
| 3 | 2824.48 | 41.40 | 3.27 | 38.13 | 54.00 | -12.60 | 225 | 104 Average | Vertical |


10 MHz

2407.5 MHz (Horizontal) Peak

2407.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2388.82 | 53.08 | 15.81 | 37.27 | 74.00 | -20.92 | 117 | 336 Peak | Horizontal |
| 2 * | 2407.50 | 105.25 | 67.95 | 37.30 | 74.00 | 31.25 | 117 | 336 Peak | Horizontal |
| 3 | 2497.62 | 53.61 | 15.81 | 37.00 | 74.00 | -20.39 | 117 | 336 Peak | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.53 | 53.54 | 16.27 | 37.27 | 74.00 | -20.46 | 240 | 77 Peak | Vertical |
| 2 * | 2407.50 | 112.00 | 75.50 | 37.30 | 74.00 | 38.80 | 240 | 77 Peak | Vertical |
| 3 | 2484.52 | 53.00 | 16.10 | 37.70 | 74.00 | -20.20 | 240 | 77 Peak | Vertical |

10 MHz

2407.5 MHz (Horizontal) Average

2407.5 MHz (Vertical) Average





| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.65 | 39.67 | 2.60 | 37.27 | 54.00 | -14.13 | 117 | 336 Average | Horizontal |
| 2 * | 2407.50 | 93.42 | 56.12 | 37.30 | 54.00 | 39.42 | 117 | 336 Average | Horizontal |
| 3 | 2487.94 | 40.61 | 2.89 | 37.72 | 54.00 | -13.39 | 117 | 336 Average | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.65 | 41.70 | 4.43 | 37.27 | 54.00 | -12.30 | 240 | 77 Average | Vertical |
| 2 * | 2407.50 | 101.09 | 63.79 | 37.30 | 54.00 | 47.09 | 240 | 77 Average | Vertical |
| 3 | 2485.35 | 41.09 | 3.39 | 37.70 | 54.00 | -12.91 | 240 | 77 Average | Vertical |

10 MHz

2408.5 MHz (Horizontal) Average

2408.5 MHz (Vertical) Average



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2385.52 | 40.05 | 2.70 | 37.27 | 54.00 | -13.95 | 117 | 336 | Average | Horizontal | |
| 2 * | 2408.50 | 94.18 | 56.87 | 37.31 | 54.00 | 40.18 | 117 | 336 | Average | Horizontal | |
| 3 | 2487.47 | 40.66 | 2.95 | 37.71 | 54.00 | -13.34 | 117 | 336 | Average | Horizontal | |

| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2398.00 | 43.02 | 5.75 | 37.27 | 54.00 | -10.98 | 242 | 76 | Average | Vertical | |
| 2 * | 2408.50 | 102.25 | 64.94 | 37.31 | 54.00 | 48.25 | 242 | 76 | Average | Vertical | |
| 3 | 2487.12 | 41.12 | 3.41 | 37.71 | 54.00 | -12.88 | 242 | 76 | Average | Vertical | |


10 MHz

2471.5 MHz (Horizontal) Peak

2471.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|----------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2331.00 | 53.05 | 15.96 | 37.09 | 74.00 | -20.95 | 185 | 138 Peak | Horizontal | |
| 2 * | 2471.50 | 104.67 | 67.87 | 37.68 | 74.00 | 30.67 | 185 | 138 Peak | Horizontal | |
| 3 | 2523.82 | 54.93 | 17.10 | 37.83 | 74.00 | -19.07 | 185 | 138 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|----------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2333.01 | 52.61 | 15.51 | 37.10 | 74.00 | -21.39 | 282 | 106 Peak | Vertical | |
| 2 * | 2471.50 | 112.22 | 74.62 | 37.68 | 74.00 | 38.22 | 282 | 106 Peak | Vertical | |
| 3 | 2483.93 | 61.02 | 23.33 | 37.69 | 74.00 | -12.98 | 282 | 106 Peak | Vertical | |

10 MHz

2471.5 MHz (Horizontal) Average

2471.5 MHz (Vertical) Average



| 1 | 2 | 3 | Read Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|-------|------------|-------------------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2320.74 | 39.71 | 2.71 | 37.00 | 54.00 | -14.29 | 105 | 138 | Average | Horizontal | |
| 2 * | 2471.50 | 91.15 | 53.55 | 37.60 | 54.00 | 37.15 | 105 | 138 | Average | Horizontal | |
| 3 | 2483.50 | 41.52 | 3.83 | 37.69 | 54.00 | -12.48 | 105 | 138 | Average | Horizontal | |

| 1 | 2 | 3 | Read Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|---------|-------|------------|-------------------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2389.06 | 40.32 | 3.05 | 37.27 | 54.00 | -13.68 | 202 | 106 | Average | Vertical | |
| 2 * | 2471.50 | 99.82 | 62.22 | 37.60 | 54.00 | 45.82 | 202 | 106 | Average | Vertical | |
| 3 | 2483.58 | 46.32 | 8.63 | 37.69 | 54.00 | -7.68 | 202 | 106 | Average | Vertical | |


10 MHz

2472.5 MHz (Horizontal) Peak

2472.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2315.31 | 53.83 | 16.86 | 36.97 | 74.00 | -20.17 | 129 | 148 | Peak | Horizontal | |
| 2 * | 2472.50 | 102.28 | 64.59 | 37.61 | 74.00 | 28.28 | 129 | 148 | Peak | Horizontal | |
| 3 | 2484.40 | 53.85 | 16.15 | 37.70 | 74.00 | -20.15 | 129 | 140 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2379.15 | 53.86 | 15.88 | 37.26 | 74.00 | -20.94 | 285 | 187 | Peak | Vertical | |
| 2 * | 2472.50 | 111.87 | 73.46 | 37.61 | 74.00 | 37.87 | 285 | 187 | Peak | Vertical | |
| 3 | 2483.58 | 60.91 | 23.22 | 37.69 | 74.00 | -13.09 | 285 | 187 | Peak | Vertical | |


10 MHz

2472.5 MHz (Horizontal) Average

2472.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2336.31 | 39.94 | 2.82 | 37.12 | 54.00 | -14.06 | 129 | 140 Average | Horizontal | |
| 2 * | 2472.50 | 89.18 | 51.57 | 37.61 | 54.00 | 35.18 | 129 | 140 Average | Horizontal | |
| 3 | 2483.58 | 41.01 | 3.32 | 37.69 | 54.00 | -12.99 | 129 | 140 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2388.59 | 40.17 | 2.90 | 37.27 | 54.00 | -13.83 | 205 | 107 Average | Vertical | |
| 2 * | 2472.50 | 97.53 | 59.92 | 37.61 | 54.00 | 43.53 | 205 | 107 Average | Vertical | |
| 3 | 2483.50 | 45.07 | 7.38 | 37.69 | 54.00 | -8.93 | 205 | 107 Average | Vertical | |


10 MHz

2475.5 MHz (Horizontal) Peak

2475.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2382.33 | 52.68 | 15.34 | 37.26 | 74.00 | -21.40 | 125 | 20 | Peak | Horizontal | |
| 2 * | 2475.50 | 94.55 | 56.92 | 37.63 | 74.00 | 20.55 | 125 | 20 | Peak | Horizontal | |
| 3 | 2789.55 | 54.84 | 16.77 | 38.07 | 74.00 | -19.16 | 125 | 20 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2346.50 | 53.15 | 15.95 | 37.20 | 74.00 | -20.85 | 218 | 102 | Peak | Vertical | |
| 2 * | 2475.50 | 105.28 | 67.65 | 37.63 | 74.00 | 31.28 | 218 | 102 | Peak | Vertical | |
| 3 | 2484.52 | 56.55 | 18.85 | 37.70 | 74.00 | -17.45 | 218 | 102 | Peak | Vertical | |


10 MHz

2475.5 MHz (Horizontal) Average

2475.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2369.83 | 39.71 | 2.46 | 37.25 | 54.00 | -14.29 | 125 | 20 | Average | Horizontal | |
| 2 * | 2475.50 | 81.23 | 43.60 | 37.63 | 54.00 | 27.23 | 125 | 20 | Average | Horizontal | |
| 3 | 2827.78 | 41.32 | 3.19 | 38.13 | 54.00 | -12.68 | 125 | 20 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2389.77 | 40.27 | 3.00 | 37.27 | 54.00 | -13.73 | 218 | 102 | Average | Vertical | |
| 2 * | 2475.50 | 92.56 | 54.93 | 37.63 | 54.00 | 38.56 | 218 | 102 | Average | Vertical | |
| 3 | 2484.29 | 44.49 | 6.79 | 37.70 | 54.00 | -9.51 | 218 | 102 | Average | Vertical | |


20 MHz

2410.5 MHz (Horizontal) Peak

2410.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2373.84 | 52.59 | 15.34 | 37.25 | 74.00 | -21.41 | 111 | 199 | Peak | Horizontal | | |
| 2 * | 2410.50 | 102.84 | 65.52 | 37.32 | 74.00 | 28.84 | 111 | 199 | Peak | Horizontal | | |
| 3 | 2833.45 | 55.78 | 17.64 | 38.14 | 74.00 | -18.22 | 111 | 199 | Peak | Horizontal | | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2390.00 | 57.44 | 20.17 | 37.27 | 74.00 | -16.56 | 190 | 84 | Peak | Vertical | | |
| 2 * | 2410.50 | 112.92 | 75.60 | 37.32 | 74.00 | 38.92 | 190 | 84 | Peak | Vertical | | |
| 3 | 2633.44 | 55.06 | 17.19 | 37.87 | 74.00 | -18.94 | 190 | 84 | Peak | Vertical | | |

20 MHz

2410.5 MHz (Horizontal) Average

2410.5 MHz (Vertical) Average





| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.18 | 49.01 | 2.74 | 37.27 | 54.00 | -13.99 | 111 | 199 Average | Horizontal |
| 2 * | 2410.50 | 87.67 | 50.35 | 37.32 | 54.00 | 33.67 | 111 | 199 Average | Horizontal |
| 3 | 2801.59 | 41.38 | 3.27 | 38.11 | 54.00 | -12.62 | 111 | 199 Average | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2390.00 | 44.86 | 7.59 | 37.27 | 54.00 | -9.14 | 190 | 84 Average | Vertical |
| 2 * | 2410.50 | 98.77 | 61.45 | 37.32 | 54.00 | 44.77 | 190 | 84 Average | Vertical |
| 3 | 2814.21 | 41.35 | 3.23 | 38.12 | 54.00 | -12.65 | 190 | 84 Average | Vertical |

20 MHz

2413.5 MHz (Horizontal) Peak

2413.5 MHz (Vertical) Peak





| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2387.29 | 53.65 | 16.38 | 37.27 | 74.00 | -20.35 | 117 | 336 | Peak | Horizontal | |
| 2 * | 2413.50 | 108.16 | 79.83 | 37.33 | 74.00 | 34.16 | 117 | 336 | Peak | Horizontal | |
| 3 | 2485.58 | 54.32 | 16.62 | 37.70 | 74.00 | -19.68 | 117 | 336 | Peak | Horizontal | |

| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2389.53 | 57.88 | 28.53 | 37.27 | 74.00 | -16.28 | 234 | 74 | Peak | Vertical | |
| 2 * | 2413.50 | 115.06 | 77.73 | 37.33 | 74.00 | 41.06 | 234 | 74 | Peak | Vertical | |
| 3 | 2496.91 | 54.05 | 16.26 | 37.79 | 74.00 | -19.95 | 234 | 74 | Peak | Vertical | |

20 MHz

2413.5 MHz (Horizontal) Average

2413.5 MHz (Vertical) Average



| 1 | 2 | 3 | | | | | | | | | |
|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
| | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 2389.77 | 40.93 | 3.66 | 37.27 | 54.00 | -13.07 | 117 | 336 | Average | Horizontal | | |
| 2413.50 | 92.87 | 55.54 | 37.33 | 54.00 | 38.87 | 117 | 336 | Average | Horizontal | | |
| 2495.97 | 40.87 | 3.09 | 37.78 | 54.00 | -13.13 | 117 | 336 | Average | Horizontal | | |

| 1 | 2 | 3 | | | | | | | | | |
|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
| | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 2389.65 | 45.88 | 8.61 | 37.27 | 54.00 | -8.12 | 234 | 74 | Average | Vertical | | |
| 2413.50 | 100.13 | 62.88 | 37.33 | 54.00 | 46.13 | 234 | 74 | Average | Vertical | | |
| 2484.99 | 41.20 | 3.50 | 37.70 | 54.00 | -12.80 | 234 | 74 | Average | Vertical | | |


20 MHz

2464.5 MHz (Horizontal) Peak

2464.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2363.36 | 49.75 | 15.93 | 33.82 | 74.00 | -24.25 | 181 | 199 | Peak | Horizontal | |
| 2 * | 2464.50 | 99.24 | 64.80 | 34.44 | 74.00 | 25.24 | 181 | 199 | Peak | Horizontal | |
| 3 | 2612.24 | 51.19 | 16.88 | 34.31 | 74.00 | -22.81 | 181 | 199 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2389.27 | 49.05 | 15.06 | 33.99 | 74.00 | -24.95 | 185 | 86 | Peak | Vertical | |
| 2 * | 2464.50 | 110.56 | 76.12 | 34.44 | 74.00 | 36.56 | 185 | 86 | Peak | Vertical | |
| 3 | 2483.50 | 55.67 | 21.16 | 34.51 | 74.00 | -18.33 | 185 | 86 | Peak | Vertical | |


20 MHz

2464.5 MHz (Horizontal) Average

2464.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2388.57 | 36.40 | 2.42 | 33.98 | 54.00 | -17.60 | 101 | 199 | Average | Horizontal | |
| 2 * | 2464.50 | 83.88 | 49.44 | 34.44 | 54.00 | 29.88 | 101 | 199 | Average | Horizontal | |
| 3 | 2856.65 | 37.78 | 3.33 | 34.45 | 54.00 | -16.22 | 101 | 199 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2389.74 | 36.91 | 2.92 | 33.99 | 54.00 | -17.09 | 185 | 86 | Average | Vertical | |
| 2 * | 2464.50 | 95.31 | 60.87 | 34.44 | 54.00 | 41.31 | 185 | 86 | Average | Vertical | |
| 3 | 2483.62 | 42.77 | 8.26 | 34.51 | 54.00 | -11.23 | 185 | 86 | Average | Vertical | |


20 MHz

2470.5 MHz (Horizontal) Peak

2470.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2385.74 | 48.46 | 14.51 | 33.95 | 74.00 | -25.54 | 101 | 199 | Peak | Horizontal | |
| 2 * | 2470.50 | 96.12 | 61.66 | 34.46 | 74.00 | 22.12 | 101 | 199 | Peak | Horizontal | |
| 3 | 2747.35 | 51.63 | 17.34 | 34.29 | 74.00 | -22.37 | 101 | 199 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2344.20 | 49.21 | 15.49 | 33.72 | 74.00 | -24.79 | 185 | 86 | Peak | Vertical | |
| 2 * | 2470.50 | 108.78 | 74.32 | 34.46 | 74.00 | 34.78 | 185 | 86 | Peak | Vertical | |
| 3 | 2484.21 | 57.28 | 22.76 | 34.52 | 74.00 | -16.72 | 185 | 86 | Peak | Vertical | |

20 MHz

2470.5 MHz (Horizontal) Average

2470.5 MHz (Vertical) Average





| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2388.92 | 36.27 | 2.29 | 33.98 | 54.00 | -17.73 | 181 | 199 Average | Horizontal | |
| 2 * | 2470.50 | 82.23 | 47.77 | 34.46 | 54.00 | 28.23 | 181 | 199 Average | Horizontal | |
| 3 | 2699.64 | 37.77 | 3.41 | 34.36 | 54.00 | -16.23 | 181 | 199 Average | Horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2388.21 | 36.82 | 2.84 | 33.98 | 54.00 | -17.18 | 185 | 86 Average | Vertical | |
| 2 * | 2470.50 | 93.48 | 59.82 | 34.46 | 54.00 | 39.48 | 185 | 86 Average | Vertical | |
| 3 | 2483.62 | 43.95 | 9.44 | 34.51 | 54.00 | -10.05 | 185 | 86 Average | Vertical | |

20 MHz

2471.5 MHz (Horizontal) Peak

High Channel (Vertical) Peak





| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2385.17 | 53.17 | 15.90 | 37.27 | 74.00 | -20.83 | 100 | 198 | 198 | Peak | Horizontal | |
| 2 * | 2471.50 | 92.72 | 55.12 | 37.60 | 74.00 | 18.72 | 100 | 198 | 198 | Peak | Horizontal | |
| 3 | 2823.30 | 54.78 | 16.65 | 38.13 | 74.00 | -19.22 | 100 | 198 | 198 | Peak | Horizontal | |

| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2324.99 | 53.29 | 16.25 | 37.04 | 74.00 | -20.71 | 219 | 99 | 99 | Peak | Vertical | |
| 2 * | 2471.50 | 105.14 | 67.54 | 37.60 | 74.00 | 31.14 | 219 | 99 | 99 | Peak | Vertical | |
| 3 | 2485.23 | 58.40 | 20.70 | 37.70 | 74.00 | -15.60 | 219 | 99 | 99 | Peak | Vertical | |

20 MHz

2471.5 MHz (Horizontal) Average

2471.5 MHz (Vertical) Average





| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2330.41 | 39.08 | 2.72 | 37.08 | 54.00 | -14.20 | 100 | 198 | Average | Horizontal | |
| 2 * | 2471.50 | 77.27 | 39.67 | 37.60 | 54.00 | 23.27 | 100 | 198 | Average | Horizontal | |
| 3 | 2896.07 | 41.23 | 3.12 | 38.11 | 54.00 | -12.77 | 100 | 198 | Average | Horizontal | |

| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2389.77 | 40.05 | 2.78 | 37.27 | 54.00 | -13.95 | 219 | 99 | Average | Vertical | |
| 2 * | 2471.50 | 90.12 | 52.52 | 37.60 | 54.00 | 36.12 | 219 | 99 | Average | Vertical | |
| 3 | 2483.50 | 43.74 | 6.05 | 37.69 | 54.00 | -10.26 | 219 | 99 | Average | Vertical | |

40 MHz

2420.5 MHz (Horizontal) Peak

2420.5 MHz (Vertical) Peak



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2346.93 | 52.85 | 15.65 | 37.20 | 74.00 | -21.15 | 172 | 27 Peak | Horizontal |
| 2 * | 2420.50 | 91.43 | 54.88 | 37.35 | 74.00 | 17.43 | 172 | 27 Peak | Horizontal |
| 3 | 2629.78 | 54.79 | 16.91 | 37.88 | 74.00 | -19.21 | 172 | 27 Peak | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2390.00 | 56.03 | 18.76 | 37.27 | 74.00 | -17.97 | 192 | 86 Peak | Vertical |
| 2 * | 2420.50 | 103.73 | 66.38 | 37.35 | 74.00 | 29.73 | 192 | 86 Peak | Vertical |
| 3 | 2775.75 | 54.57 | 16.54 | 38.03 | 74.00 | -19.43 | 192 | 86 Peak | Vertical |