


## Appendix B: Test Results of Radiated Spurious Emissions

### Band Edges, 2.31GHz ~ 2.9GHz

<ANT 0>




1.4 MHz

2403.5 MHz (Horizontal) Average

2403.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1   | 2       | 3      |       |        |       |        |        |             |            |
|-----|---------|--------|-------|--------|-------|--------|--------|-------------|------------|
| MHz | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|     | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1   | 2398.00 | 48.34  | 3.87  | 37.27  | 54.00 | -13.66 | 180    | 201 Average | Horizontal |
| 2 * | 2403.50 | 102.00 | 64.78 | 37.30  | 54.00 | 48.00  | 180    | 201 Average | Horizontal |
| 3   | 2794.74 | 42.19  | 4.10  | 38.09  | 54.00 | -11.81 | 180    | 201 Average | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1   | 2       | 3      |       |        |       |        |        |             |          |
|-----|---------|--------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note     |
|     | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |             |          |
| 1   | 2389.77 | 45.94  | 8.67  | 37.27  | 54.00 | -8.06  | 226    | 102 Average | Vertical |
| 2 * | 2403.50 | 113.35 | 76.85 | 37.30  | 54.00 | 59.35  | 226    | 102 Average | Vertical |
| 3   | 2486.76 | 42.48  | 4.77  | 37.71  | 54.00 | -11.52 | 226    | 102 Average | Vertical |


1.4 MHz

2477.5 MHz (Horizontal) Peak

2477.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2369.35 | 52.64  | 15.39 | 37.25  | 74.00 | -21.36 | 102  | 198  | Peak   | Horizontal |      |
| 2 *  | 2477.50 | 118.75 | 73.10 | 37.65  | 74.00 | 36.75  | 102  | 198  | Peak   | Horizontal |      |
| 3    | 2826.37 | 54.95  | 16.82 | 38.13  | 74.00 | -19.05 | 102  | 198  | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2326.52 | 52.93  | 15.88 | 37.05  | 74.00 | -21.07 | 209  | 102  | Peak   | Vertical  |      |
| 2 *  | 2477.50 | 123.34 | 85.69 | 37.65  | 74.00 | 49.34  | 209  | 102  | Peak   | Vertical  |      |
| 3    | 2484.52 | 63.44  | 25.74 | 37.70  | 74.00 | -10.56 | 209  | 102  | Peak   | Vertical  |      |


1.4 MHz

2477.5 MHz (Horizontal) Average

2477.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 2389.33 | 48.44  | 3.18  | 37.26  | 54.00 | -13.56 | 182  | 198  | Average | Horizontal |      |
| 2 *  | 2477.50 | 109.71 | 63.06 | 37.65  | 54.00 | 46.71  | 182  | 198  | Average | Horizontal |      |
| 3    | 2485.23 | 42.06  | 4.36  | 37.70  | 54.00 | -11.94 | 182  | 198  | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 2389.30 | 41.59  | 4.32  | 37.27  | 54.00 | -12.41 | 209  | 182  | Average | Vertical  |      |
| 2 *  | 2477.50 | 113.00 | 75.35 | 37.65  | 54.00 | 59.00  | 209  | 182  | Average | Vertical  |      |
| 3 !  | 2483.58 | 49.32  | 11.63 | 37.69  | 54.00 | -4.68  | 209  | 182  | Average | Vertical  |      |


3 MHz

2405.5 MHz (Horizontal) Peak

2405.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
|      | MHz     | dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |            |      |
| 1    | 2329.71 | 52.67  | 15.79      | 37.08  | 74.00      | -21.13     | 100  | 202  | Peak   | Horizontal |      |
| 2 *  | 2405.50 | 118.20 | 72.98      | 37.38  | 74.00      | 36.20      | 100  | 202  | Peak   | Horizontal |      |
| 3    | 2879.70 | 54.55  | 16.55      | 38.00  | 74.00      | -19.45     | 100  | 202  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
|      | MHz     | dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |           |      |
| 1    | 2389.65 | 59.54  | 22.27      | 37.27  | 74.00      | -14.46     | 228  | 103  | Peak   | Vertical  |      |
| 2 *  | 2405.50 | 121.62 | 84.32      | 37.30  | 74.00      | 47.62      | 228  | 103  | Peak   | Vertical  |      |
| 3    | 2807.84 | 54.41  | 16.30      | 38.11  | 74.00      | -19.59     | 228  | 103  | Peak   | Vertical  |      |


3 MHz

2405.5 MHz (Horizontal) Average

2405.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 2389.89 | 40.41 | 3.14  | 37.27  | 54.00 | -13.59 | 100    | 202 Average | Horizontal |
| 2 *  | 2405.50 | 99.01 | 61.71 | 37.30  | 54.00 | 45.01  | 100    | 202 Average | Horizontal |
| 3    | 2826.13 | 41.94 | 3.81  | 38.13  | 54.00 | -12.06 | 100    | 202 Average | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note     |
|------|---------|--------|-------|--------|-------|--------|--------|-------------|----------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |             |          |
| 1    | 2390.00 | 44.70  | 7.43  | 37.27  | 54.00 | -9.30  | 228    | 103 Average | Vertical |
| 2 *  | 2405.50 | 110.56 | 73.26 | 37.30  | 54.00 | 56.56  | 228    | 103 Average | Vertical |
| 3    | 2814.45 | 42.34  | 4.22  | 38.12  | 54.00 | -11.66 | 228    | 103 Average | Vertical |


3 MHz

2474.5 MHz (Horizontal) Peak

2474.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
|      | MHz     | dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |            |      |
| 1    | 2371.71 | 52.95  | 15.70      | 37.25  | 74.00      | -21.05     | 102  | 198  | Peak   | Horizontal |      |
| 2 *  | 2474.50 | 109.68 | 72.05      | 37.63  | 74.00      | 35.68      | 102  | 198  | Peak   | Horizontal |      |
| 3    | 2882.06 | 54.74  | 16.63      | 38.11  | 74.00      | -19.26     | 102  | 198  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
|      | MHz     | dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |           |      |
| 1    | 2388.94 | 53.61  | 16.34      | 37.27  | 74.00      | -20.39     | 219  | 99   | Peak   | Vertical  |      |
| 2 *  | 2474.50 | 121.47 | 83.84      | 37.63  | 74.00      | 47.47      | 219  | 99   | Peak   | Vertical  |      |
| 3    | 2484.99 | 60.12  | 22.42      | 37.70  | 74.00      | -13.88     | 219  | 99   | Peak   | Vertical  |      |


3 MHz

2474.5 MHz (Horizontal) Average

2474.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3     |       |        |        |      |             |            |      |
|---------|--------|-------|-------|--------|--------|------|-------------|------------|------|
| Freq    | Level  | Read  | Limit | Over   | Apos   | TPos | Remark      | Pol/Phase  | Note |
| MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 2389.18 | 40.34  | 3.07  | 37.27 | 54.00  | -13.66 | 102  | 198 Average | Horizontal |      |
| 2474.50 | 98.77  | 61.14 | 37.63 | 54.00  | 44.77  | 102  | 198 Average | Horizontal |      |
| 2836.28 | 41.83  | 3.69  | 38.14 | 54.00  | -12.17 | 102  | 198 Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3     |       |        |        |      |            |           |      |
|---------|--------|-------|-------|--------|--------|------|------------|-----------|------|
| Freq    | Level  | Read  | Limit | Over   | Apos   | TPos | Remark     | Pol/Phase | Note |
| MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |           |      |
| 2389.89 | 41.60  | 4.33  | 37.27 | 54.00  | -12.40 | 219  | 99 Average | Vertical  |      |
| 2474.50 | 110.66 | 73.03 | 37.63 | 54.00  | 56.66  | 219  | 99 Average | Vertical  |      |
| 2483.50 | 48.63  | 10.94 | 37.69 | 54.00  | -5.37  | 219  | 99 Average | Vertical  |      |


10 MHz

2405.5 MHz (Horizontal) Peak

2405.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 2375.61 | 52.52  | 15.27 | 37.25  | 74.00 | -21.48 | 100  | 200  | Peak   | Horizontal |      |
| 2 *  | 2405.50 | 100.63 | 63.33 | 37.30  | 74.00 | 26.63  | 100  | 200  | Peak   | Horizontal |      |
| 3    | 2897.84 | 54.41  | 16.30 | 38.11  | 74.00 | -19.59 | 100  | 200  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 2385.94 | 54.35  | 17.08 | 37.27  | 74.00 | -19.65 | 225  | 104  | Peak   | Vertical  |      |
| 2 *  | 2405.50 | 112.35 | 75.05 | 37.30  | 74.00 | 38.35  | 225  | 104  | Peak   | Vertical  |      |
| 3    | 2839.82 | 54.76  | 16.62 | 38.14  | 74.00 | -19.24 | 225  | 104  | Peak   | Vertical  |      |


10 MHz

2405.5 MHz (Horizontal) Average

2405.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read Level | Factor | Limit Line | Over Limit | APos   | TPos | Remark      | Pol/Phase  | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz  | dBuV/m  | dBuV       | dB/m   | dBuV/m     | dB         | cm     | deg  |             |            |      |
| 1    | 2389.41 | 39.72      | 2.45   | 37.27      | 54.00      | -14.28 | 180  | 200 Average | Horizontal |      |
| 2 *  | 2405.50 | 87.93      | 50.63  | 37.30      | 54.00      | 33.93  | 180  | 200 Average | Horizontal |      |
| 3    | 2810.44 | 41.31      | 3.20   | 38.11      | 54.00      | -12.69 | 180  | 200 Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read Level | Factor | Limit Line | Over Limit | APos   | TPos | Remark      | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|-----------|------|
| MHz  | dBuV/m  | dBuV       | dB/m   | dBuV/m     | dB         | cm     | deg  |             |           |      |
| 1    | 2390.00 | 42.47      | 5.20   | 37.27      | 54.00      | -11.53 | 225  | 104 Average | Vertical  |      |
| 2 *  | 2405.50 | 98.82      | 61.52  | 37.30      | 54.00      | 44.82  | 225  | 104 Average | Vertical  |      |
| 3    | 2824.48 | 41.40      | 3.27   | 38.13      | 54.00      | -12.60 | 225  | 104 Average | Vertical  |      |


10 MHz

2407.5 MHz (Horizontal) Peak

2407.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|--------|-------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 2388.82 | 53.08  | 15.81 | 37.27  | 74.00 | -20.92 | 117    | 336 Peak  | Horizontal |
| 2 *  | 2407.50 | 105.25 | 67.95 | 37.30  | 74.00 | 31.25  | 117    | 336 Peak  | Horizontal |
| 3    | 2497.62 | 53.61  | 15.81 | 37.00  | 74.00 | -20.39 | 117    | 336 Peak  | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|--------|-------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 2389.53 | 53.54  | 16.27 | 37.27  | 74.00 | -20.46 | 240    | 77 Peak   | Vertical |
| 2 *  | 2407.50 | 112.00 | 75.50 | 37.30  | 74.00 | 38.80  | 240    | 77 Peak   | Vertical |
| 3    | 2484.52 | 53.00  | 16.10 | 37.70  | 74.00 | -20.20 | 240    | 77 Peak   | Vertical |


10 MHz

2407.5 MHz (Horizontal) Average

2407.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 2389.65 | 39.67 | 2.60  | 37.27  | 54.00 | -14.13 | 117    | 336 Average | Horizontal |
| 2 *  | 2407.50 | 93.42 | 56.12 | 37.30  | 54.00 | 39.42  | 117    | 336 Average | Horizontal |
| 3    | 2487.94 | 40.61 | 2.89  | 37.72  | 54.00 | -13.39 | 117    | 336 Average | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase  | Note     |
|------|---------|--------|-------|--------|-------|--------|--------|------------|----------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |            |          |
| 1    | 2389.65 | 41.70  | 4.43  | 37.27  | 54.00 | -12.30 | 240    | 77 Average | Vertical |
| 2 *  | 2407.50 | 101.09 | 63.79 | 37.30  | 54.00 | 47.09  | 240    | 77 Average | Vertical |
| 3    | 2485.35 | 41.09  | 3.39  | 37.70  | 54.00 | -12.91 | 240    | 77 Average | Vertical |


10 MHz

2408.5 MHz (Horizontal) Peak

2408.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2368.65 | 52.64  | 15.40 | 37.24  | 74.00 | -21.36 | 117  | 336  | Peak   | Horizontal |      |
| 2 *  | 2408.50 | 105.79 | 68.48 | 37.31  | 74.00 | 31.79  | 117  | 336  | Peak   | Horizontal |      |
| 3    | 2485.70 | 53.22  | 15.52 | 37.70  | 74.00 | -20.78 | 117  | 336  | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2389.89 | 54.30  | 17.03 | 37.27  | 74.00 | -19.70 | 242  | 76   | Peak   | Vertical  |      |
| 2 *  | 2408.50 | 115.00 | 77.69 | 37.31  | 74.00 | 41.00  | 242  | 76   | Peak   | Vertical  |      |
| 3    | 2499.98 | 53.84  | 16.03 | 37.81  | 74.00 | -20.16 | 242  | 76   | Peak   | Vertical  |      |


10 MHz

2408.5 MHz (Horizontal) Average

2408.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 2385.52 | 40.05 | 2.70  | 37.27  | 54.00 | -13.95 | 117    | 336 Average | Horizontal |
| 2 *  | 2408.50 | 94.18 | 56.87 | 37.31  | 54.00 | 40.18  | 117    | 336 Average | Horizontal |
| 3    | 2487.47 | 40.66 | 2.95  | 37.71  | 54.00 | -13.34 | 117    | 336 Average | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase  | Note     |
|------|---------|--------|-------|--------|-------|--------|--------|------------|----------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |            |          |
| 1    | 2390.00 | 43.02  | 5.75  | 37.27  | 54.00 | -10.98 | 242    | 76 Average | Vertical |
| 2 *  | 2408.50 | 102.25 | 64.94 | 37.31  | 54.00 | 48.25  | 242    | 76 Average | Vertical |
| 3    | 2487.12 | 41.12  | 3.41  | 37.71  | 54.00 | -12.88 | 242    | 76 Average | Vertical |


10 MHz

2471.5 MHz (Horizontal) Peak

2471.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3     |       |        |        |      |          |            |      |
|---------|--------|-------|-------|--------|--------|------|----------|------------|------|
| Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
| MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 2331.00 | 53.05  | 15.96 | 37.09 | 74.00  | -20.95 | 105  | 138 Peak | Horizontal |      |
| 2471.50 | 104.67 | 67.87 | 37.68 | 74.00  | 30.67  | 105  | 138 Peak | Horizontal |      |
| 2523.82 | 54.93  | 17.10 | 37.83 | 74.00  | -19.07 | 105  | 138 Peak | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3     |       |        |        |      |          |           |      |
|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
| Freq    | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
| MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 2333.01 | 52.61  | 15.51 | 37.10 | 74.00  | -21.39 | 202  | 106 Peak | Vertical  |      |
| 2471.50 | 112.22 | 74.62 | 37.68 | 74.00  | 38.22  | 202  | 106 Peak | Vertical  |      |
| 2483.93 | 61.02  | 23.33 | 37.69 | 74.00  | -12.98 | 202  | 106 Peak | Vertical  |      |


10 MHz

2471.5 MHz (Horizontal) Average

2471.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read Level | Factor | Limit Line | Over Limit | APos   | TPos | Remark      | Pol/Phase  | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|------------|------|
| MHz  | dBuV/m  | dBuV       | dB/m   | dBuV/m     | dB         | cm     | deg  |             |            |      |
| 1    | 2320.74 | 39.71      | 2.71   | 37.00      | 54.00      | -14.29 | 105  | 138 Average | Horizontal |      |
| 2 *  | 2471.50 | 91.15      | 53.55  | 37.60      | 54.00      | 37.15  | 105  | 138 Average | Horizontal |      |
| 3    | 2483.50 | 41.52      | 3.83   | 37.69      | 54.00      | -12.48 | 105  | 138 Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level   | Read Level | Factor | Limit Line | Over Limit | APos   | TPos | Remark      | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|-----------|------|
| MHz  | dBuV/m  | dBuV       | dB/m   | dBuV/m     | dB         | cm     | deg  |             |           |      |
| 1    | 2389.06 | 40.32      | 3.05   | 37.27      | 54.00      | -13.68 | 202  | 106 Average | Vertical  |      |
| 2 *  | 2471.50 | 99.82      | 62.22  | 37.60      | 54.00      | 45.82  | 202  | 106 Average | Vertical  |      |
| 3    | 2483.58 | 46.32      | 8.63   | 37.69      | 54.00      | -7.68  | 202  | 106 Average | Vertical  |      |

10 MHz

2472.5 MHz (Horizontal) Peak

2472.5 MHz (Vertical) Peak



| Freq | Level   | Read   | Level | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dB/m   | dBuV/m | dB     | cm   | deg  |        |            |      |
| 1    | 2315.31 | 53.83  | 16.86 | 36.97  | 74.00  | -20.17 | 129  | 148  | Peak   | Horizontal |      |
| 2 *  | 2472.50 | 102.28 | 64.59 | 37.61  | 74.00  | 28.28  | 129  | 148  | Peak   | Horizontal |      |
| 3    | 2484.40 | 53.85  | 16.15 | 37.70  | 74.00  | -20.15 | 129  | 140  | Peak   | Horizontal |      |

| Freq | Level   | Read   | Level | Factor | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dB/m   | dBuV/m | dB     | cm   | deg  |        |           |      |
| 1    | 2379.15 | 53.86  | 15.88 | 37.26  | 74.00  | -20.94 | 285  | 187  | Peak   | Vertical  |      |
| 2 *  | 2472.50 | 111.87 | 73.46 | 37.61  | 74.00  | 37.87  | 285  | 187  | Peak   | Vertical  |      |
| 3    | 2483.58 | 60.91  | 23.22 | 37.69  | 74.00  | -13.09 | 285  | 187  | Peak   | Vertical  |      |


10 MHz

2472.5 MHz (Horizontal) Average

2472.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 2336.31 | 39.94 | 2.82  | 37.12  | 54.00 | -14.06 | 129  | 148  | Average | Horizontal |      |
| 2 *  | 2472.50 | 89.18 | 51.57 | 37.61  | 54.00 | 35.18  | 129  | 148  | Average | Horizontal |      |
| 3    | 2483.58 | 41.01 | 3.32  | 37.69  | 54.00 | -12.99 | 129  | 148  | Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 2388.59 | 40.17 | 2.90  | 37.27  | 54.00 | -13.83 | 285  | 187  | Average | Vertical  |      |
| 2 *  | 2472.50 | 97.53 | 59.92 | 37.61  | 54.00 | 43.53  | 285  | 187  | Average | Vertical  |      |
| 3    | 2483.50 | 45.07 | 7.38  | 37.69  | 54.00 | -8.93  | 285  | 187  | Average | Vertical  |      |


10 MHz

2475.5 MHz (Horizontal) Peak

2475.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2382.33 | 52.68 | 15.34 | 37.26  | 74.00 | -21.40 | 125  | 20   | Peak   | Horizontal |      |
| 2 *  | 2475.50 | 94.55 | 56.92 | 37.63  | 74.00 | 20.55  | 125  | 20   | Peak   | Horizontal |      |
| 3    | 2789.55 | 54.84 | 16.77 | 38.07  | 74.00 | -19.16 | 125  | 20   | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2346.50 | 53.15  | 15.95 | 37.20  | 74.00 | -20.85 | 218  | 102  | Peak   | Vertical  |      |
| 2 *  | 2475.50 | 105.28 | 67.65 | 37.63  | 74.00 | 31.28  | 218  | 102  | Peak   | Vertical  |      |
| 3    | 2484.52 | 56.55  | 18.85 | 37.70  | 74.00 | -17.45 | 218  | 102  | Peak   | Vertical  |      |


10 MHz

2475.5 MHz (Horizontal) Average

2475.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2369.83 | 39.71 | 2.46  | 37.25  | 54.00 | -14.29 | 125  | 20   | Average | Horizontal |      |
| 2 *  | 2475.50 | 81.23 | 43.60 | 37.63  | 54.00 | 27.23  | 125  | 20   | Average | Horizontal |      |
| 3    | 2827.78 | 41.32 | 3.19  | 38.13  | 54.00 | -12.68 | 125  | 20   | Average | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 2389.77 | 40.27 | 3.00  | 37.27  | 54.00 | -13.73 | 218  | 102  | Average | Vertical  |      |
| 2 *  | 2475.50 | 92.56 | 54.93 | 37.63  | 54.00 | 38.56  | 218  | 102  | Average | Vertical  |      |
| 3    | 2484.29 | 44.49 | 6.79  | 37.70  | 54.00 | -9.51  | 218  | 102  | Average | Vertical  |      |


20 MHz

2410.5 MHz (Horizontal) Peak

2410.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3     | 4     | 5      | 6      | 7    | 8    | 9    | 10         | 11        | 12   | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|----|----|----|----|----|----|----|----|
| MHz     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |    |    |    |    |    |    |    |    |
| MHz     | dBuV/m | dBuV  | dB/m  | dB/m   | dBuV/m | dB   | cm   | deg  |            |           |      |    |    |    |    |    |    |    |    |
| 2373.84 | 52.59  | 15.34 | 37.25 | 74.00  | -21.41 | 111  | 199  | Peak | Horizontal |           |      |    |    |    |    |    |    |    |    |
| 2410.50 | 102.84 | 65.52 | 37.32 | 74.00  | 28.84  | 111  | 199  | Peak | Horizontal |           |      |    |    |    |    |    |    |    |    |
| 2833.45 | 55.78  | 17.64 | 38.14 | 74.00  | -18.22 | 111  | 199  | Peak | Horizontal |           |      |    |    |    |    |    |    |    |    |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3     | 4     | 5      | 6      | 7    | 8    | 9    | 10       | 11        | 12   | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|----|----|----|----|----|----|----|----|
| MHz     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |    |    |    |    |    |    |    |    |
| MHz     | dBuV/m | dBuV  | dB/m  | dB/m   | dBuV/m | dB   | cm   | deg  |          |           |      |    |    |    |    |    |    |    |    |
| 2398.00 | 57.44  | 20.17 | 37.27 | 74.00  | -16.56 | 190  | 84   | Peak | Vertical |           |      |    |    |    |    |    |    |    |    |
| 2410.50 | 112.92 | 75.60 | 37.32 | 74.00  | 38.92  | 190  | 84   | Peak | Vertical |           |      |    |    |    |    |    |    |    |    |
| 2633.44 | 55.06  | 17.19 | 37.87 | 74.00  | -18.94 | 190  | 84   | Peak | Vertical |           |      |    |    |    |    |    |    |    |    |


20 MHz

2410.5 MHz (Horizontal) Average

2410.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase   | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |             |            |
| 1    | 2389.18 | 49.01 | 2.74  | 37.27  | 54.00 | -13.99 | 111    | 199 Average | Horizontal |
| 2 *  | 2410.50 | 87.67 | 50.35 | 37.32  | 54.00 | 33.67  | 111    | 199 Average | Horizontal |
| 3    | 2801.59 | 41.38 | 3.27  | 38.11  | 54.00 | -12.62 | 111    | 199 Average | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase  | Note     |
|------|---------|-------|-------|--------|-------|--------|--------|------------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |            |          |
| 1    | 2390.00 | 44.86 | 7.59  | 37.27  | 54.00 | -9.14  | 190    | 84 Average | Vertical |
| 2 *  | 2410.50 | 98.77 | 61.45 | 37.32  | 54.00 | 44.77  | 190    | 84 Average | Vertical |
| 3    | 2814.21 | 41.35 | 3.23  | 38.12  | 54.00 | -12.65 | 190    | 84 Average | Vertical |

20 MHz

2413.5 MHz (Horizontal) Peak

2413.5 MHz (Vertical) Peak



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2387.29 | 53.65  | 16.38 | 37.27  | 74.00 | -20.35 | 117  | 336  | Peak   | Horizontal |      |
| 2 *  | 2413.58 | 108.16 | 79.83 | 37.33  | 74.00 | 34.16  | 117  | 336  | Peak   | Horizontal |      |
| 3    | 2485.58 | 54.32  | 16.62 | 37.70  | 74.00 | -19.68 | 117  | 336  | Peak   | Horizontal |      |

| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2389.53 | 57.88  | 28.53 | 37.27  | 74.00 | -16.28 | 234  | 74   | Peak   | Vertical  |      |
| 2 *  | 2413.58 | 115.86 | 77.73 | 37.33  | 74.00 | 41.86  | 234  | 74   | Peak   | Vertical  |      |
| 3    | 2496.91 | 54.05  | 16.26 | 37.79  | 74.00 | -19.95 | 234  | 74   | Peak   | Vertical  |      |


20 MHz

2413.5 MHz (Horizontal) Average

2413.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 2389.77 | 40.93 | 3.66  | 37.27  | 54.00 | -13.07 | 117  | 336  | Average | Horizontal |      |
| 2 *  | 2413.50 | 92.87 | 55.54 | 37.33  | 54.00 | 38.87  | 117  | 336  | Average | Horizontal |      |
| 3    | 2495.97 | 40.87 | 3.09  | 37.78  | 54.00 | -13.13 | 117  | 336  | Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 2389.65 | 45.88  | 8.61  | 37.27  | 54.00 | -8.12  | 234  | 74   | Average | Vertical  |      |
| 2 *  | 2413.50 | 100.13 | 62.88 | 37.33  | 54.00 | 46.13  | 234  | 74   | Average | Vertical  |      |
| 3    | 2484.99 | 41.20  | 3.50  | 37.70  | 54.00 | -12.80 | 234  | 74   | Average | Vertical  |      |


20 MHz

2464.5 MHz (Horizontal) Peak

2464.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 2363.36    | 49.75          | 15.93             | 33.82         | 74.00               | -24.25          | 181       | 199        | Peak   | Horizontal |      |
| 2 *  | 2464.50    | 99.24          | 64.80             | 34.44         | 74.00               | 25.24           | 181       | 199        | Peak   | Horizontal |      |
| 3    | 2612.24    | 51.19          | 16.88             | 34.31         | 74.00               | -22.81          | 181       | 199        | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 2389.27    | 49.05          | 15.06             | 33.99         | 74.00               | -24.95          | 185       | 86         | Peak   | Vertical  |      |
| 2 *  | 2464.50    | 110.56         | 76.12             | 34.44         | 74.00               | 36.56           | 185       | 86         | Peak   | Vertical  |      |
| 3    | 2483.50    | 55.67          | 21.16             | 34.51         | 74.00               | -18.33          | 185       | 86         | Peak   | Vertical  |      |


20 MHz

2464.5 MHz (Horizontal) Average

2464.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 2388.57 | 36.48 | 2.42  | 33.98  | 54.00 | -17.60 | 101  | 199  | Average | Horizontal |      |
| 2 *  | 2464.50 | 83.88 | 49.44 | 34.44  | 54.00 | 29.88  | 101  | 199  | Average | Horizontal |      |
| 3    | 2856.65 | 37.78 | 3.33  | 34.45  | 54.00 | -16.22 | 101  | 199  | Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 2389.74 | 36.91 | 2.92  | 33.99  | 54.00 | -17.09 | 185  | 86   | Average | Vertical  |      |
| 2 *  | 2464.50 | 95.31 | 60.87 | 34.44  | 54.00 | 41.31  | 185  | 86   | Average | Vertical  |      |
| 3    | 2483.62 | 42.77 | 8.26  | 34.51  | 54.00 | -11.23 | 185  | 86   | Average | Vertical  |      |


20 MHz

2470.5 MHz (Horizontal) Peak

2470.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |            |      |
| 1    | 2385.74 | 48.46 | 14.51 | 33.95  | 74.00 | -25.54 | 101  | 199  | Peak   | Horizontal |      |
| 2 *  | 2470.50 | 96.12 | 61.66 | 34.46  | 74.00 | 22.12  | 101  | 199  | Peak   | Horizontal |      |
| 3    | 2747.35 | 51.63 | 17.34 | 34.29  | 74.00 | -22.37 | 101  | 199  | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level   | Read   | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |        |           |      |
| 1    | 2344.20 | 49.21  | 15.49 | 33.72  | 74.00 | -24.79 | 185  | 86   | Peak   | Vertical  |      |
| 2 *  | 2470.50 | 108.78 | 74.32 | 34.46  | 74.00 | 34.78  | 185  | 86   | Peak   | Vertical  |      |
| 3    | 2484.21 | 57.28  | 22.76 | 34.52  | 74.00 | -16.72 | 185  | 86   | Peak   | Vertical  |      |

20 MHz

2470.5 MHz (Horizontal) Average

2470.5 MHz (Vertical) Average



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2388.92 | 36.27 | 2.29  | 33.98  | 54.00 | -17.73 | 181  | 199  | Average | Horizontal |      |
| 2 *  | 2470.50 | 82.23 | 47.77 | 34.46  | 54.00 | 28.23  | 181  | 199  | Average | Horizontal |      |
| 3    | 2699.64 | 37.77 | 3.41  | 34.36  | 54.00 | -16.23 | 181  | 199  | Average | Horizontal |      |

| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 2388.21 | 36.82 | 2.84  | 33.98  | 54.00 | -17.18 | 185  | 86   | Average | Vertical  |      |
| 2 *  | 2470.50 | 93.48 | 59.82 | 34.46  | 54.00 | 39.48  | 185  | 86   | Average | Vertical  |      |
| 3    | 2483.62 | 43.95 | 9.44  | 34.51  | 54.00 | -10.05 | 185  | 86   | Average | Vertical  |      |


20 MHz

2471.5 MHz (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
|      | MHz     | dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |            |      |
| 1    | 2385.17 | 53.17  | 15.90      | 37.27  | 74.00      | -20.83     | 100  | 198  | Peak   | Horizontal |      |
| 2 *  | 2471.50 | 92.72  | 55.12      | 37.60  | 74.00      | 18.72      | 100  | 198  | Peak   | Horizontal |      |
| 3    | 2823.30 | 54.78  | 16.65      | 38.13  | 74.00      | -19.22     | 100  | 198  | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
|      | MHz     | dBuV/m | dBuV       | dB/m   | dBuV/m     | dB         | cm   | deg  |        |           |      |
| 1    | 2324.99 | 53.29  | 16.25      | 37.04  | 74.00      | -20.71     | 219  | 99   | Peak   | Vertical  |      |
| 2 *  | 2471.50 | 105.14 | 67.54      | 37.60  | 74.00      | 31.14      | 219  | 99   | Peak   | Vertical  |      |
| 3    | 2485.23 | 58.40  | 20.70      | 37.70  | 74.00      | -15.60     | 219  | 99   | Peak   | Vertical  |      |


20 MHz

2471.5 MHz (Horizontal) Average

2471.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |            |      |
| 1    | 2330.41 | 39.08 | 2.72  | 37.08  | 54.00 | -14.20 | 100  | 198  | Average | Horizontal |      |
| 2 *  | 2471.50 | 77.27 | 39.67 | 37.60  | 54.00 | 23.27  | 100  | 198  | Average | Horizontal |      |
| 3    | 2896.07 | 41.23 | 3.12  | 38.11  | 54.00 | -12.77 | 100  | 198  | Average | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | dB     | cm   | deg  |         |           |      |
| 1    | 2389.77 | 40.05 | 2.78  | 37.27  | 54.00 | -13.95 | 219  | 99   | Average | Vertical  |      |
| 2 *  | 2471.50 | 90.12 | 52.52 | 37.60  | 54.00 | 36.12  | 219  | 99   | Average | Vertical  |      |
| 3    | 2483.50 | 43.74 | 6.05  | 37.69  | 54.00 | -10.26 | 219  | 99   | Average | Vertical  |      |

40 MHz

2420.5 MHz (Horizontal) Peak

2420.5 MHz (Vertical) Peak



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 2346.93 | 52.85 | 15.65 | 37.20  | 74.00 | -21.15 | 172    | 27 Peak   | Horizontal |
| 2 *  | 2420.50 | 91.43 | 54.88 | 37.35  | 74.00 | 17.43  | 172    | 27 Peak   | Horizontal |
| 3    | 2629.78 | 54.79 | 16.91 | 37.88  | 74.00 | -19.21 | 172    | 27 Peak   | Horizontal |

| Freq | Level   | Read   | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|--------|-------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV   | dB/m  | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 2390.00 | 56.03  | 18.76 | 37.27  | 74.00 | -17.97 | 192    | 86 Peak   | Vertical |
| 2 *  | 2420.50 | 103.73 | 66.38 | 37.35  | 74.00 | 29.73  | 192    | 86 Peak   | Vertical |
| 3    | 2775.75 | 54.57  | 16.54 | 38.03  | 74.00 | -19.43 | 192    | 86 Peak   | Vertical |