## Remote Play Inc. FCC ID: ST2-CA100 Request for transmitter modular approval

## Transmitter Module Characteristics

| Item | Requirements  | EUT   |
|------|---|---|
| 1    | Have its own RF shielding   | This device doesn't have its own shielding. However, we apply for limited portable module approval and typical hosting configuration/requirements will be provided in its manual (OEM installation guideline). As requested, the emissions from the module installed in typical hosting device were investigated. |
| 2    | Have buffered modulation/data inputs (if such inputs are provided),   | The RF Chip buffers all inputs.   |
| 3    | Have it own power supply regulation   | Refer to the schematic: The RF chip has an internal power regulator pin 25 gives the DC/DC output which indicates that there is a voltage regulation.   |
| 4    | Meet the antenna requirements of Section 15.203   | Our antenna is permanent.   |
| 5    | Be tested in a stand-alone configuration, i.e., the antenna, AC or DC power and data input/output lines must be connected to the module but, the module must not be inside another case during testing  | Tested in this way. And module installed in its typical enclosure were tested for limited modular approval.   |
| 6    | Be labeled with its own FCC ID number, and if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. | Two proposed FCC ID label format are included in the filing. One of the labels is to be placed on the module and the other label is to be placed on the outside of system. Refer to FCC ID label format and location file.  |

| 7 | The modular transmitter is manufactured so that the user cannot influence the operation of the transmitter that will operate outside of the scope of the regulations.   | Refer to "User's Manual" Exhibit This is the case – User need to use our software |
|---|---|---|
| 8 | Address compliance with the Commission's RF exposure limits in Sections 1.1310 and 2.1093. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF exposure compliance in accordance with Section 15.247(b)(4). | As stated in #1, extra tests were conducted for portable configuration.           |