


Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.144	101.307	69.976	N/A	N/A	31.332	PK
2		2483.500	56.952	25.637	-17.048	74.000	31.315	PK
3	*	2486.032	58.576	27.257	-15.424	74.000	31.319	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.216	98.559	67.228	N/A	N/A	31.331	AV
2		2483.500	46.022	14.707	-7.978	54.000	31.315	AV
3	*	2486.224	48.380	17.060	-5.620	54.000	31.320	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.096	104.615	73.283	N/A	N/A	31.332	PK
2		2483.500	57.783	26.468	-16.217	74.000	31.315	PK
3	*	2485.984	60.067	28.748	-13.933	74.000	31.319	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.312	102.025	70.694	N/A	N/A	31.331	AV
2		2483.500	47.834	16.519	-6.166	54.000	31.315	AV
3	*	2486.128	51.325	20.006	-2.675	54.000	31.319	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.912	65.628	34.194	-8.372	74.000	31.433	PK
2		2390.000	65.129	33.696	-8.871	74.000	31.433	PK
3		2408.672	99.851	68.484	N/A	N/A	31.367	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	52.107	20.674	-1.893	54.000	31.433	AV
2		2406.600	90.112	58.740	N/A	N/A	31.372	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.968	63.257	31.824	-10.743	74.000	31.433	PK
2		2390.000	62.781	31.348	-11.219	74.000	31.433	PK
3		2415.224	103.695	72.344	N/A	N/A	31.350	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	49.488	18.055	-4.512	54.000	31.433	AV
2		2417.128	94.081	62.735	N/A	N/A	31.346	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.092	70.593	39.155	-3.407	74.000	31.438	PK
2		2390.000	66.871	35.438	-7.129	74.000	31.433	PK
3		2423.314	107.202	75.870	N/A	N/A	31.332	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	53.674	22.241	-0.326	54.000	31.433	AV
2		2422.086	97.027	65.693	N/A	N/A	31.334	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.268	66.185	34.748	-7.815	74.000	31.437	PK
2		2390.000	63.419	31.986	-10.581	74.000	31.433	PK
3		2423.256	110.707	79.375	N/A	N/A	31.332	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.911	50.519	19.085	-3.481	54.000	31.433	AV
2		2390.000	50.335	18.902	-3.665	54.000	31.433	AV
3		2421.501	100.554	69.219	N/A	N/A	31.335	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.895	58.472	27.038	-15.528	74.000	31.433	PK
2		2390.000	57.227	25.794	-16.773	74.000	31.433	PK
3		2430.365	104.292	72.971	N/A	N/A	31.322	PK
4		2483.500	56.036	24.721	-17.964	74.000	31.315	PK
5		2496.200	58.159	26.814	-15.841	74.000	31.345	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2389.895	44.412	12.978	-9.588	54.000	31.433	AV
2		2390.000	44.317	12.884	-9.683	54.000	31.433	AV
3		2429.985	94.892	63.570	N/A	N/A	31.321	AV
4		2483.500	44.312	12.997	-9.688	54.000	31.315	AV
5	*	2483.945	44.464	13.149	-9.536	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.705	58.101	26.666	-15.899	74.000	31.434	PK
2		2390.000	56.432	24.999	-17.568	74.000	31.433	PK
3		2433.500	108.056	76.737	N/A	N/A	31.319	PK
4		2483.500	57.449	26.134	-16.551	74.000	31.315	PK
5		2484.610	57.841	26.524	-16.159	74.000	31.317	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2388.280	44.100	12.658	-9.900	54.000	31.442	AV
2		2390.000	43.787	12.354	-10.213	54.000	31.433	AV
3		2431.695	98.583	67.263	N/A	N/A	31.320	AV
4		2483.500	44.916	13.601	-9.084	54.000	31.315	AV
5	*	2484.515	44.958	13.642	-9.042	54.000	31.316	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2449.884	104.615	73.282	N/A	N/A	31.333	PK
2		2483.500	58.530	27.215	-15.470	74.000	31.315	PK
3	*	2496.346	60.144	28.799	-13.856	74.000	31.345	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2450.135	94.323	62.990	N/A	N/A	31.333	AV
2		2483.500	46.433	15.118	-7.567	54.000	31.315	AV
3	*	2483.557	46.504	15.189	-7.496	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2449.915	108.559	77.226	N/A	N/A	31.334	PK
2		2483.500	60.091	28.776	-13.909	74.000	31.315	PK
3	*	2484.628	61.795	30.478	-12.205	74.000	31.317	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2450.230	98.203	66.869	N/A	N/A	31.333	AV
2		2483.500	47.348	16.033	-6.652	54.000	31.315	AV
3	*	2483.715	47.482	16.167	-6.518	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2458.298	103.318	71.980	N/A	N/A	31.338	PK
2		2483.500	57.282	25.967	-16.718	74.000	31.315	PK
3	*	2485.471	59.858	28.540	-14.142	74.000	31.318	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2459.255	93.199	61.863	N/A	N/A	31.336	AV
2		2483.500	46.184	14.869	-7.816	54.000	31.315	AV
3	*	2483.673	46.251	14.936	-7.749	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2457.109	107.163	75.822	N/A	N/A	31.341	PK
2		2483.500	58.372	27.057	-15.628	74.000	31.315	PK
3	*	2483.847	60.227	28.912	-13.773	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2457.312	96.710	65.369	N/A	N/A	31.341	AV
2		2483.500	47.043	15.728	-6.957	54.000	31.315	AV
3	*	2483.760	47.083	15.768	-6.917	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2459.906	102.029	70.694	N/A	N/A	31.334	PK
2		2483.500	58.198	26.883	-15.802	74.000	31.315	PK
3	*	2490.407	59.258	27.931	-14.742	74.000	31.327	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.469	92.268	60.937	N/A	N/A	31.331	AV
2		2483.500	45.756	14.441	-8.244	54.000	31.315	AV
3	*	2484.259	45.930	14.614	-8.070	54.000	31.316	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2459.958	105.893	74.559	N/A	N/A	31.334	PK
2		2483.500	59.208	27.893	-14.792	74.000	31.315	PK
3	*	2483.676	59.635	28.320	-14.365	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2462.025	96.007	64.678	N/A	N/A	31.329	AV
2		2483.500	46.524	15.209	-7.476	54.000	31.315	AV
3	*	2484.021	46.743	15.427	-7.257	54.000	31.316	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.840	99.997	68.674	N/A	N/A	31.323	PK
2		2483.500	57.774	26.459	-16.226	74.000	31.315	PK
3	*	2483.752	58.870	27.555	-15.130	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.776	90.605	59.277	N/A	N/A	31.327	AV
2		2483.500	46.159	14.844	-7.841	54.000	31.315	AV
3	*	2483.536	46.357	15.042	-7.643	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.576	103.762	72.438	N/A	N/A	31.324	PK
2		2483.500	59.884	28.569	-14.116	74.000	31.315	PK
3	*	2483.848	61.593	30.278	-12.407	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.024	94.483	63.158	N/A	N/A	31.325	AV
2		2483.500	48.689	17.374	-5.311	54.000	31.315	AV
3	*	2483.536	48.708	17.393	-5.292	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.800	67.638	36.204	-6.362	74.000	31.434	PK
2		2390.000	66.948	35.515	-7.052	74.000	31.433	PK
3		2408.000	98.982	67.613	N/A	N/A	31.369	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	52.652	21.219	-1.348	54.000	31.433	AV
2		2406.656	89.239	57.867	N/A	N/A	31.372	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.912	63.676	32.242	-10.324	74.000	31.433	PK
2		2390.000	63.347	31.914	-10.653	74.000	31.433	PK
3		2415.896	102.333	70.984	N/A	N/A	31.349	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	49.876	18.443	-4.124	54.000	31.433	AV
2		2417.520	92.931	61.586	N/A	N/A	31.344	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	67.831	36.398	-6.169	74.000	31.433	PK
2		2421.501	106.454	75.119	N/A	N/A	31.335	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	53.443	22.010	-0.557	54.000	31.433	AV
2		2422.086	96.559	65.225	N/A	N/A	31.334	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.092	63.986	32.548	-10.014	74.000	31.438	PK
2		2390.000	63.118	31.685	-10.882	74.000	31.433	PK
3		2420.916	109.705	78.369	N/A	N/A	31.336	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.736	50.079	18.645	-3.921	54.000	31.434	AV
2		2390.000	50.019	18.586	-3.981	54.000	31.433	AV
3		2422.203	100.029	68.695	N/A	N/A	31.333	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2387.615	57.882	26.437	-16.118	74.000	31.445	PK
2		2390.000	56.507	25.074	-17.493	74.000	31.433	PK
3		2429.510	103.873	72.551	N/A	N/A	31.322	PK
4		2483.500	56.543	25.228	-17.457	74.000	31.315	PK
5	*	2491.830	57.984	26.654	-16.016	74.000	31.330	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.705	44.452	13.017	-9.548	54.000	31.434	AV
2		2390.000	44.351	12.918	-9.649	54.000	31.433	AV
3		2431.695	94.680	63.360	N/A	N/A	31.320	AV
4		2483.500	44.319	13.004	-9.681	54.000	31.315	AV
5		2485.940	44.376	13.057	-9.624	54.000	31.319	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2361.205	57.852	26.340	-16.148	74.000	31.512	PK
2		2390.000	56.462	25.029	-17.538	74.000	31.433	PK
3		2429.510	108.059	76.737	N/A	N/A	31.322	PK
4		2483.500	57.213	25.898	-16.787	74.000	31.315	PK
5		2495.535	57.734	26.392	-16.266	74.000	31.342	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2388.850	44.114	12.675	-9.886	54.000	31.439	AV
2		2390.000	43.897	12.464	-10.103	54.000	31.433	AV
3		2431.410	98.549	67.228	N/A	N/A	31.321	AV
4		2483.500	44.851	13.536	-9.149	54.000	31.315	AV
5	*	2484.895	44.973	13.656	-9.027	54.000	31.317	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2456.123	105.347	74.003	N/A	N/A	31.344	PK
2		2483.500	63.057	31.742	-10.943	74.000	31.315	PK
3	*	2484.717	64.585	33.268	-9.415	74.000	31.317	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2457.573	95.431	64.091	N/A	N/A	31.340	AV
2		2483.500	50.023	18.708	-3.977	54.000	31.315	AV
3	*	2483.673	50.043	18.728	-3.957	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2456.500	109.096	77.753	N/A	N/A	31.343	PK
2		2483.500	65.165	33.850	-8.835	74.000	31.315	PK
3	*	2484.369	67.247	35.931	-6.753	74.000	31.316	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2457.486	99.228	67.888	N/A	N/A	31.340	AV
2		2483.500	51.844	20.529	-2.156	54.000	31.315	AV
3	*	2483.789	51.898	20.583	-2.102	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2460.992	102.866	71.534	N/A	N/A	31.332	PK
2		2483.500	58.011	26.696	-15.989	74.000	31.315	PK
3	*	2488.128	59.280	27.957	-14.720	74.000	31.323	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2460.144	92.964	61.630	N/A	N/A	31.334	AV
2		2483.500	46.127	14.812	-7.873	54.000	31.315	AV
3	*	2483.782	46.209	14.894	-7.791	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2461.177	106.632	75.301	N/A	N/A	31.331	PK
2		2483.500	60.224	28.909	-13.776	74.000	31.315	PK
3	*	2483.570	61.537	30.222	-12.463	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-07
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2462.291	96.815	65.486	N/A	N/A	31.329	AV
2		2483.500	47.265	15.950	-6.735	54.000	31.315	AV
3	*	2483.543	47.364	16.049	-6.636	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2462.872	99.958	68.631	N/A	N/A	31.327	PK
2		2483.500	58.510	27.195	-15.490	74.000	31.315	PK
3	*	2484.472	59.371	28.055	-14.629	74.000	31.316	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.984	90.008	58.685	N/A	N/A	31.322	AV
2		2483.500	46.452	15.137	-7.548	54.000	31.315	AV
3	*	2483.584	46.539	15.224	-7.461	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.560	103.462	72.134	N/A	N/A	31.328	PK
2		2483.500	60.480	29.165	-13.520	74.000	31.315	PK
3	*	2483.680	62.122	30.807	-11.878	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2464.576	93.938	62.614	N/A	N/A	31.324	AV
2		2483.500	49.143	17.828	-4.857	54.000	31.315	AV
3	*	2483.560	49.309	17.994	-4.691	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.926	65.171	33.737	-8.829	74.000	31.433	PK
2		2390.000	64.130	32.697	-9.870	74.000	31.433	PK
3		2426.358	96.783	65.457	N/A	N/A	31.326	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	52.195	20.762	-1.805	54.000	31.433	AV
2		2425.368	87.799	56.471	N/A	N/A	31.328	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2386.164	61.678	30.226	-12.322	74.000	31.452	PK
2		2390.000	60.904	29.471	-13.096	74.000	31.433	PK
3		2427.546	101.055	69.731	N/A	N/A	31.323	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2389.596	48.961	17.526	-5.039	54.000	31.436	AV
2		2390.000	48.846	17.413	-5.154	54.000	31.433	AV
3		2425.830	92.068	60.741	N/A	N/A	31.328	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2427MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.802	66.772	35.338	-7.228	74.000	31.434	PK
2		2390.000	66.266	34.833	-7.734	74.000	31.433	PK
3		2424.601	101.596	70.267	N/A	N/A	31.329	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2427MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1	*	2390.000	53.118	21.685	-0.882	54.000	31.433	AV
2		2425.354	91.732	60.404	N/A	N/A	31.328	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2427MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.597	64.599	33.164	-9.401	74.000	31.436	PK
2		2390.000	63.879	32.446	-10.121	74.000	31.433	PK
3		2423.916	105.760	74.429	N/A	N/A	31.330	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2427MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.734	51.081	19.646	-2.919	54.000	31.434	AV
2		2390.000	51.059	19.626	-2.941	54.000	31.433	AV
3		2424.738	96.053	64.724	N/A	N/A	31.329	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.135	66.324	34.887	-7.676	74.000	31.437	PK
2		2390.000	64.322	32.889	-9.678	74.000	31.433	PK
3		2425.520	102.977	71.649	N/A	N/A	31.327	PK
4		2483.500	61.723	30.408	-12.277	74.000	31.315	PK
5		2486.130	62.506	31.187	-11.494	74.000	31.319	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.135	66.324	34.887	-7.676	74.000	31.437	PK
2		2390.000	64.322	32.889	-9.678	74.000	31.433	PK
3		2425.520	102.977	71.649	N/A	N/A	31.327	PK
4		2483.500	61.723	30.408	-12.277	74.000	31.315	PK
5		2486.130	62.506	31.187	-11.494	74.000	31.319	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2389.230	64.079	32.642	-9.921	74.000	31.437	PK
2		2390.000	61.986	30.553	-12.014	74.000	31.433	PK
3		2425.235	107.000	75.672	N/A	N/A	31.328	PK
4		2483.500	63.718	32.403	-10.282	74.000	31.315	PK
5	*	2483.945	65.377	34.062	-8.623	74.000	31.315	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2390.000	50.803	19.370	-3.197	54.000	31.433	AV
2		2427.230	97.168	65.844	N/A	N/A	31.324	AV
3		2483.500	51.466	20.151	-2.534	54.000	31.315	AV
4	*	2483.565	51.683	20.368	-2.317	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-03
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2442MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2427.850	100.179	68.856	N/A	N/A	31.323	PK
2		2483.500	61.441	30.126	-12.559	74.000	31.315	PK
3	*	2486.155	63.576	32.257	-10.424	74.000	31.319	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-03
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2442MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2428.825	90.223	58.901	N/A	N/A	31.322	AV
2		2483.500	49.540	18.225	-4.460	54.000	31.315	AV
3	*	2483.581	49.801	18.486	-4.199	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-03
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2442MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2428.708	104.234	72.912	N/A	N/A	31.323	PK
2		2483.500	63.826	32.511	-10.174	74.000	31.315	PK
3	*	2486.818	67.004	35.683	-6.996	74.000	31.321	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-03
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2442MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2428.474	94.611	63.288	N/A	N/A	31.322	AV
2		2483.500	51.724	20.409	-2.276	54.000	31.315	AV
3	*	2485.063	52.313	20.996	-1.687	54.000	31.317	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2460.981	98.692	67.360	N/A	N/A	31.332	PK
2		2483.500	62.147	30.832	-11.853	74.000	31.315	PK
3	*	2487.772	63.766	32.444	-10.234	74.000	31.322	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2461.200	87.641	56.310	N/A	N/A	31.331	AV
2		2483.500	49.600	18.285	-4.400	54.000	31.315	AV
3	*	2484.561	50.233	18.916	-3.767	54.000	31.317	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2460.507	101.905	70.572	N/A	N/A	31.333	PK
2		2483.500	63.084	31.769	-10.916	74.000	31.315	PK
3	*	2487.079	66.901	35.580	-7.099	74.000	31.321	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-09-02
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2462.332	92.027	60.698	N/A	N/A	31.329	AV
2		2483.500	51.513	20.198	-2.487	54.000	31.315	AV
3	*	2485.364	53.119	21.801	-0.881	54.000	31.318	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2462.260	96.061	64.732	N/A	N/A	31.329	PK
2		2483.500	59.669	28.354	-14.331	74.000	31.315	PK
3	*	2485.856	61.924	30.605	-12.076	74.000	31.319	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2463.416	86.705	55.379	N/A	N/A	31.326	AV
2		2483.500	48.751	17.436	-5.249	54.000	31.315	AV
3	*	2483.680	49.237	17.922	-4.763	54.000	31.315	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2462.192	99.660	68.331	N/A	N/A	31.329	PK
2		2483.500	62.706	31.391	-11.294	74.000	31.315	PK
3	*	2487.012	65.302	33.981	-8.698	74.000	31.321	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2022-08-30
Limit: FCC_Part15.209_RE(3m)	Engineer: Lucas Wang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	



No	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		2463.314	90.357	59.031	N/A	N/A	31.327	AV
2		2483.500	51.086	19.771	-2.914	54.000	31.315	AV
3	*	2485.618	51.666	20.348	-2.334	54.000	31.318	AV


Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

A.8 AC Conducted Emissions Test Result

Site: WZ-SR2	Date: 2022-09-09
Limit: FCC_Part15.207_CE_AC Power	Engineer: Alin Zhou
Probe: ENV216_101683_Filter Off	Polarity: Line
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1		0.406	38.018	28.211	-19.712	57.730	9.806	QP
2		0.406	36.888	27.081	-10.842	47.730	9.806	AV
3		0.742	44.288	34.449	-11.712	56.000	9.839	QP
4		0.742	26.649	16.810	-19.351	46.000	9.839	AV
5		1.222	40.409	30.559	-15.591	56.000	9.850	QP
6	*	1.222	39.060	29.210	-6.940	46.000	9.850	AV
7		1.630	39.144	29.294	-16.856	56.000	9.850	QP
8		1.630	37.049	27.199	-8.951	46.000	9.850	AV
9		5.698	38.972	28.556	-21.028	60.000	10.416	QP
10		5.698	35.476	25.060	-14.524	50.000	10.416	AV
11		16.798	39.101	28.382	-20.899	60.000	10.719	QP
12		16.798	31.377	20.658	-18.623	50.000	10.719	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

Site: WZ-SR2	Date: 2022-09-09
Limit: FCC_Part15.207_CE_AC Power	Engineer: Alin Zhou
Probe: ENV216_101683_Filter Off	Polarity: Neutral
EUT: Wireless Streaming Speaker	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at 2437MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1		0.406	40.390	30.586	-17.340	57.730	9.804	QP
2	*	0.406	39.653	29.849	-8.076	47.730	9.804	AV
3		0.742	43.752	33.920	-12.248	56.000	9.832	QP
4		0.742	24.773	14.941	-21.227	46.000	9.832	AV
5		1.342	30.931	21.074	-25.069	56.000	9.857	QP
6		1.342	22.921	13.064	-23.079	46.000	9.857	AV
7		2.034	36.344	26.488	-19.656	56.000	9.856	QP
8		2.034	33.345	23.490	-12.655	46.000	9.856	AV
9		3.662	37.178	27.040	-18.822	56.000	10.138	QP
10		3.662	33.612	23.474	-12.388	46.000	10.138	AV
11		16.202	38.099	27.441	-21.901	60.000	10.658	QP
12		16.202	30.673	20.015	-19.327	50.000	10.658	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

Appendix B – Test Setup Photograph

Refer to “2206RSU013-UT” file.

Appendix C – EUT Photograph

Refer to “2206RSU013-UE” file.

_____ The End _____