



802.11g Out-of-Band Emissions

Channel 01 (2412MHz)


Reference Level



Low Band Edge



Spurious Emission




Channel 06 (2437MHz)

Reference Level




Spurious Emission



Channel 11 (2462MHz)


Reference Level



High Band Edge




Spurious Emission



802.11n-HT20 Out-of-Band Emissions

Channel 01 (2412MHz)


Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

Reference Level




Spurious Emission




Channel 11 (2462MHz)

Reference Level



High Band Edge



Spurious Emission



802.11n-HT40 Out-of-Band Emissions

Channel 03 (2422MHz)


Reference Level



Low Band Edge



Spurious Emission




Channel 06 (2437MHz)

Reference Level




Spurious Emission




Channel 09 (2452MHz)

Reference Level



High Band Edge



Spurious Emission




Radio 3 Test Data - Original Data			
Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/01/17		

Test Mode	Data Rate / MCS	Channel No.	Frequency (MHz)	Limit
11b	1Mbps	01	2412	30dBc
11b	1Mbps	06	2437	30dBc
11b	1Mbps	11	2462	30dBc
11g	6Mbps	01	2412	30dBc
11g	6Mbps	06	2437	30dBc
11g	6Mbps	11	2462	30dBc
11n-HT20	MCS0	01	2412	30dBc
11n-HT20	MCS0	06	2437	30dBc
11n-HT20	MCS0	11	2462	30dBc
11n-HT40	MCS0	03	2422	30dBc
11n-HT40	MCS0	06	2437	30dBc
11n-HT40	MCS0	09	2452	30dBc


802.11b Out-of-Band Emissions

Channel 01 (2412MHz)


Reference Level



Low Band Edge




Spurious Emission



Channel 06 (2437MHz)

Reference Level




Spurious Emission




Channel 11 (2462MHz)

Reference Level



High Band Edge




Spurious Emission




802.11g Out-of-Band Emissions

Channel 01 (2412MHz)


Reference Level



Low Band Edge



Spurious Emission



Channel 06 (2437MHz)

Reference Level




Spurious Emission



Channel 11 (2462MHz)

Reference Level



High Band Edge




Spurious Emission




802.11n-HT20 Out-of-Band Emissions

Channel 01 (2412MHz)

Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

Reference Level




Spurious Emission



Channel 11 (2462MHz)

Reference Level



High Band Edge




Spurious Emission




802.11n-HT40 Out-of-Band Emissions

Channel 03 (2422MHz)

Reference Level



Low Band Edge



Spurious Emission




Channel 06 (2437MHz)

Reference Level



Spurious Emission




Channel 09 (2452MHz)

Reference Level



High Band Edge



Spurious Emission



A.6 Radiated Spurious Emission Test Result
Radio 2 Test Data - Retest Data

Test Site	WZ-AC2	Test Engineer	Hyde Yu
Test Date	2022/02/14	Test Mode	802.11b
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4170.500	34.2	1.4	35.6	74.0	-38.4	Peak	Horizontal
	4663.500	33.7	3.4	37.1	74.0	-36.9	Peak	Horizontal
	7417.500	31.2	11.9	43.1	74.0	-30.9	Peak	Horizontal
	3881.500	35.5	0.2	35.7	74.0	-38.3	Peak	Vertical
	4825.000	33.6	3.8	37.4	74.0	-36.6	Peak	Vertical
	7434.500	31.0	11.9	42.9	74.0	-31.1	Peak	Vertical
06	4017.500	35.5	0.7	36.2	74.0	-37.8	Peak	Horizontal
	4629.500	34.4	3.3	37.7	74.0	-36.3	Peak	Horizontal
	7417.500	31.4	11.9	43.3	74.0	-30.7	Peak	Horizontal
	3983.500	35.8	0.6	36.4	74.0	-37.6	Peak	Vertical
	4876.000	34.6	3.8	38.4	74.0	-35.6	Peak	Vertical
	7460.000	31.2	11.5	42.7	74.0	-31.3	Peak	Vertical
11	4170.500	34.4	1.4	35.8	74.0	-38.2	Peak	Horizontal
	4927.000	34.2	3.9	38.1	74.0	-35.9	Peak	Horizontal
	7366.500	32.0	11.7	43.7	74.0	-30.3	Peak	Horizontal
	4238.500	35.6	1.6	37.2	74.0	-36.8	Peak	Vertical
	4927.000	37.1	3.9	41.0	74.0	-33.0	Peak	Vertical
	7596.000	32.4	11.6	44.0	74.0	-30.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Hyde Yu
Test Date	2022/02/14	Test Mode	802.11g
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4000.500	34.8	0.6	35.4	74.0	-38.6	Peak	Horizontal
	4646.500	34.1	3.4	37.5	74.0	-36.5	Peak	Horizontal
	7409.000	30.9	11.8	42.7	74.0	-31.3	Peak	Horizontal
	4221.500	35.3	1.5	36.8	74.0	-37.2	Peak	Vertical
	4884.500	33.2	3.7	36.9	74.0	-37.1	Peak	Vertical
	7426.000	31.8	12.0	43.8	74.0	-30.2	Peak	Vertical
06	3915.500	35.5	0.3	35.8	74.0	-38.2	Peak	Horizontal
	4893.000	33.1	3.7	36.8	74.0	-37.2	Peak	Horizontal
	7664.000	31.7	11.5	43.2	74.0	-30.8	Peak	Horizontal
	4170.500	34.7	1.4	36.1	74.0	-37.9	Peak	Vertical
	4816.500	33.2	3.9	37.1	74.0	-36.9	Peak	Vertical
	7349.500	31.3	11.7	43.0	74.0	-31.0	Peak	Vertical
11	4238.500	34.5	1.6	36.1	74.0	-37.9	Peak	Horizontal
	4927.000	33.8	3.9	37.7	74.0	-36.3	Peak	Horizontal
	7417.500	31.2	11.9	43.1	74.0	-30.9	Peak	Horizontal
	4009.000	35.6	0.7	36.3	74.0	-37.7	Peak	Vertical
	4672.000	34.5	3.4	37.9	74.0	-36.1	Peak	Vertical
	7434.500	31.1	11.9	43.0	74.0	-31.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Hyde Yu
Test Date	2022/02/14	Test Mode	802.11n-HT20
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4170.500	34.4	1.4	35.8	74.0	-38.2	Peak	Horizontal
	5054.500	34.7	4.0	38.7	74.0	-35.3	Peak	Horizontal
	7630.000	31.9	11.4	43.3	74.0	-30.7	Peak	Horizontal
	4085.500	34.5	1.1	35.6	74.0	-38.4	Peak	Vertical
	4638.000	34.3	3.4	37.7	74.0	-36.3	Peak	Vertical
	7485.500	31.2	11.6	42.8	74.0	-31.2	Peak	Vertical
06	4162.000	35.2	1.4	36.6	74.0	-37.4	Peak	Horizontal
	4884.500	33.5	3.7	37.2	74.0	-36.8	Peak	Horizontal
	7519.500	31.9	11.7	43.6	74.0	-30.4	Peak	Horizontal
	3915.500	35.6	0.3	35.9	74.0	-38.1	Peak	Vertical
	4876.000	35.6	3.8	39.4	74.0	-34.6	Peak	Vertical
	7519.500	31.3	11.7	43.0	74.0	-31.0	Peak	Vertical
11	4153.500	35.5	1.3	36.8	74.0	-37.2	Peak	Horizontal
	4842.000	33.6	3.8	37.4	74.0	-36.6	Peak	Horizontal
	7477.000	31.3	11.6	42.9	74.0	-31.1	Peak	Horizontal
	4060.000	35.9	0.8	36.7	74.0	-37.3	Peak	Vertical
	4927.000	33.8	3.9	37.7	74.0	-36.3	Peak	Vertical
	7647.000	32.4	11.6	44.0	74.0	-30.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Hyde Yu
Test Date	2022/02/14	Test Mode:	802.11n-HT40
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		


Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
03	4102.500	35.4	1.2	36.6	74.0	-37.4	Peak	Horizontal
	4629.500	34.3	3.3	37.6	74.0	-36.4	Peak	Horizontal
	7409.000	31.7	11.8	43.5	74.0	-30.5	Peak	Horizontal
	3881.500	35.4	0.2	35.6	74.0	-38.4	Peak	Vertical
	4774.000	32.8	3.9	36.7	74.0	-37.3	Peak	Vertical
	7511.000	31.7	11.8	43.5	74.0	-30.5	Peak	Vertical
06	4187.500	35.6	1.5	37.1	74.0	-36.9	Peak	Horizontal
	4697.500	34.1	3.8	37.9	74.0	-36.1	Peak	Horizontal
	7434.500	31.8	11.9	43.7	74.0	-30.3	Peak	Horizontal
	4102.500	34.9	1.2	36.1	74.0	-37.9	Peak	Vertical
	5071.500	34.2	4.1	38.3	74.0	-35.7	Peak	Vertical
	7485.500	31.6	11.6	43.2	74.0	-30.8	Peak	Vertical
09	3975.000	34.9	0.6	35.5	74.0	-38.5	Peak	Horizontal
	4672.000	34.3	3.4	37.7	74.0	-36.3	Peak	Horizontal
	7545.000	32.0	11.5	43.5	74.0	-30.5	Peak	Horizontal
	3958.000	35.0	0.6	35.6	74.0	-38.4	Peak	Vertical
	4927.000	33.6	3.9	37.5	74.0	-36.5	Peak	Vertical
	7426.000	31.1	12.0	43.1	74.0	-30.9	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

The Worst-Case result of Radiated Emission for below 1GHz:

Site: WZ-AC1	Time: 2022/02/26
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC1_VULB 9168 _30-1000MHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1			59.585	28.081	10.330	-11.919	40.000	17.751	PK
2			138.155	28.770	11.504	-14.730	43.500	17.267	PK
3			249.705	29.966	13.657	-16.034	46.000	16.309	PK
4			374.835	36.998	16.819	-9.002	46.000	20.179	PK
5			499.965	37.006	14.022	-8.994	46.000	22.984	PK
6		*	599.875	41.271	15.559	-4.729	46.000	25.712	PK

Note 1: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)


Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 2: QP measurement was not performed when peak measure level was lower than the QP limit.

Note 3: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

Site: WZ-AC1	Time: 2022/02/26
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC1_VULB 9168 _30-1000MHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1			31.940	30.851	14.332	-9.149	40.000	16.519	PK
2		*	53.890	36.057	17.800	-3.943	40.000	18.257	QP
3			60.556	36.029	18.400	-3.971	40.000	17.629	QP
4			374.835	34.253	14.074	-11.747	46.000	20.179	PK
5			499.965	34.382	11.398	-11.618	46.000	22.984	PK
6			599.875	36.434	10.722	-9.566	46.000	25.712	PK

Note 1: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 2: QP measurement was not performed when peak measure level was lower than the QP limit.

Note 3: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

Radio 3 Test Data - Original Data

Test Site	WZ-AC2	Test Engineer	Messiah Li
Test Date	2022/01/29	Test Mode	802.11b
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4825.0	38.6	3.8	42.4	74.0	-31.6	Peak	Horizontal
	7613.0	33.5	11.4	44.9	74.0	-29.1	Peak	Horizontal
	8488.5	32.6	12.2	44.8	74.0	-29.2	Peak	Horizontal
	4825.0	40.9	3.8	44.7	74.0	-29.3	Peak	Vertical
	7502.5	31.8	11.7	43.5	74.0	-30.5	Peak	Vertical
	8437.5	31.2	11.8	43.0	74.0	-31.0	Peak	Vertical
06	4884.5	40.2	3.7	43.9	74.0	-30.1	Peak	Horizontal
	7536.5	32.7	11.6	44.3	74.0	-29.7	Peak	Horizontal
	8497.0	33.2	12.2	45.4	74.0	-28.6	Peak	Horizontal
	4884.5	41.4	3.7	45.1	74.0	-28.9	Peak	Vertical
	7443.0	31.1	11.8	42.9	74.0	-31.1	Peak	Vertical
	8216.5	33.4	11.7	45.1	74.0	-28.9	Peak	Vertical
11	4944.0	35.8	3.8	39.6	74.0	-34.4	Peak	Horizontal
	7426.0	32.6	12.0	44.6	74.0	-29.4	Peak	Horizontal
	8208.0	32.5	11.7	44.2	74.0	-29.8	Peak	Horizontal
	4944.0	35.9	3.8	39.7	74.0	-34.3	Peak	Vertical
	7511.0	32.5	11.8	44.3	74.0	-29.7	Peak	Vertical
	8242.0	30.9	11.8	42.7	74.0	-31.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Messiah Li
Test Date	2022/01/29	Test Mode	802.11g
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4816.5	36.3	3.9	40.2	74.0	-33.8	Peak	Horizontal
	7468.5	31.2	11.5	42.7	74.0	-31.3	Peak	Horizontal
	8225.0	32.9	11.7	44.6	74.0	-29.4	Peak	Horizontal
	4833.5	35.2	3.8	39.0	74.0	-35.0	Peak	Vertical
	7443.0	32.5	11.8	44.3	74.0	-29.7	Peak	Vertical
	8165.5	32.9	11.9	44.8	74.0	-29.2	Peak	Vertical
06	4884.5	35.2	3.7	38.9	74.0	-35.1	Peak	Horizontal
	7528.0	33.9	11.6	45.5	74.0	-28.5	Peak	Horizontal
	8471.5	32.3	12.1	44.4	74.0	-29.6	Peak	Horizontal
	4884.5	35.1	3.7	38.8	74.0	-35.2	Peak	Vertical
	7477.0	33.1	11.6	44.7	74.0	-29.3	Peak	Vertical
	8463.0	31.9	12.1	44.0	74.0	-30.0	Peak	Vertical
11	4961.0	35.2	3.6	38.8	74.0	-35.2	Peak	Horizontal
	7358.0	33.0	11.8	44.8	74.0	-29.2	Peak	Horizontal
	8208.0	32.3	11.7	44.0	74.0	-30.0	Peak	Horizontal
	4638.0	35.5	3.4	38.9	74.0	-35.1	Peak	Vertical
	7426.0	32.6	12.0	44.6	74.0	-29.4	Peak	Vertical
	8412.0	32.2	11.8	44.0	74.0	-30.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Messiah Li
Test Date	2022/01/29	Test Mode	802.11n-HT20
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4961.0	35.5	3.6	39.1	74.0	-34.9	Peak	Horizontal
	7417.5	33.1	11.9	45.0	74.0	-29.0	Peak	Horizontal
	8395.0	33.2	11.7	44.9	74.0	-29.1	Peak	Horizontal
	4825.0	35.4	3.8	39.2	74.0	-34.8	Peak	Vertical
	7341.0	31.8	11.6	43.4	74.0	-30.6	Peak	Vertical
	8488.5	32.1	12.2	44.3	74.0	-29.7	Peak	Vertical
06	4893.0	35.1	3.7	38.8	74.0	-35.2	Peak	Horizontal
	7570.5	30.2	11.7	41.9	74.0	-32.1	Peak	Horizontal
	8199.5	30.3	11.7	42.0	74.0	-32.0	Peak	Horizontal
	4706.0	35.3	3.9	39.2	74.0	-34.8	Peak	Vertical
	7485.5	31.9	11.6	43.5	74.0	-30.5	Peak	Vertical
	8208.0	31.5	11.7	43.2	74.0	-30.8	Peak	Vertical
11	4672.0	35.7	3.4	39.1	74.0	-34.9	Peak	Horizontal
	7621.5	33.0	11.4	44.4	74.0	-29.6	Peak	Horizontal
	8403.5	33.0	11.8	44.8	74.0	-29.2	Peak	Horizontal
	4850.5	33.7	3.8	37.5	74.0	-36.5	Peak	Vertical
	7502.5	32.8	11.7	44.5	74.0	-29.5	Peak	Vertical
	8267.5	33.5	11.6	45.1	74.0	-28.9	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Messiah Li
Test Date	2022/01/29	Test Mode:	802.11n-HT40
Remark	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		


Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
03	5071.5	36.1	4.1	40.2	74.0	-33.8	Peak	Horizontal
	7485.5	32.4	11.6	44.0	74.0	-30.0	Peak	Horizontal
	8420.5	32.5	11.8	44.3	74.0	-29.7	Peak	Horizontal
	4884.5	35.5	3.7	39.2	74.0	-34.8	Peak	Vertical
	7400.5	33.4	11.6	45.0	74.0	-29.0	Peak	Vertical
	8233.5	33.0	11.7	44.7	74.0	-29.3	Peak	Vertical
06	5037.5	34.6	3.8	38.4	74.0	-35.6	Peak	Horizontal
	7434.5	31.4	11.9	43.3	74.0	-30.7	Peak	Horizontal
	8471.5	32.4	12.1	44.5	74.0	-29.5	Peak	Horizontal
	4969.5	34.0	3.7	37.7	74.0	-36.3	Peak	Vertical
	7400.5	31.8	11.6	43.4	74.0	-30.6	Peak	Vertical
	8497.0	32.9	12.2	45.1	74.0	-28.9	Peak	Vertical
09	4893.0	35.2	3.7	38.9	74.0	-35.1	Peak	Horizontal
	7443.0	33.0	11.8	44.8	74.0	-29.2	Peak	Horizontal
	8259.0	32.3	11.7	44.0	74.0	-30.0	Peak	Horizontal
	4663.5	35.7	3.4	39.1	74.0	-34.9	Peak	Vertical
	7341.0	33.0	11.6	44.6	74.0	-29.4	Peak	Vertical
	8259.0	32.2	11.7	43.9	74.0	-30.1	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

The Worst-Case result of Radiated Emission for below 1GHz:

Site: WZ-AC1	Time: 2022/02/25
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC1_VULB 9168 _30-1000MHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at channel 2437MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1			52.795	27.414	9.105	-12.586	40.000	18.309	PK
2			143.490	34.967	17.257	-8.533	43.500	17.710	PK
3			292.385	31.051	13.146	-14.949	46.000	17.905	PK
4			374.835	36.353	16.174	-9.647	46.000	20.179	PK
5		*	599.875	41.168	15.456	-4.832	46.000	25.712	PK
6			875.355	36.069	7.335	-9.931	46.000	28.734	PK

Note 1: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)


Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 2: QP measurement was not performed when peak measure level was lower than the QP limit.

Note 3: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

Site: WZ-AC1	Time: 2022/02/28
Limit: FCC_Part15.209_RE(3m)	Engineer: Kin Xia
Probe: WZ-AC1_VULB 9168 _30-1000MHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at channel 2437MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		*	30.970	35.704	19.391	-4.296	40.000	16.313	PK
2			53.890	33.757	15.500	-6.243	40.000	18.257	QP
3			60.070	34.694	17.000	-5.306	40.000	17.694	QP
4			137.185	33.112	15.947	-10.388	43.500	17.165	PK
5			374.835	33.113	12.934	-12.887	46.000	20.179	PK
6			599.875	40.825	15.113	-5.175	46.000	25.712	PK

Note 1: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 2: QP measurement was not performed when peak measure level was lower than the QP limit.


Note 3: The amplitude of radiated emissions (frequency range from 9kHz ~ 30MHz, 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

A.7 Radiated Restricted Band Edge Test Result

Radio 2 Test Data - Retest Data

Site: WZ-AC2	Time: 2022/02/13 - 13:00
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2383.024	60.403	28.386	-13.597	74.000	32.017	PK
2			2390.000	57.782	25.779	-16.218	74.000	32.003	PK
3		*	2411.192	107.588	75.621	N/A	N/A	31.967	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:24
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1			2385.264	47.182	15.167	-6.818	54.000	32.015	AV
2			2390.000	45.131	13.128	-8.869	54.000	32.003	AV
3		*	2411.304	105.389	73.422	N/A	N/A	31.967	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:19
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1			2382.800	60.670	28.653	-13.330	74.000	32.017	PK
2			2390.000	59.052	27.049	-14.948	74.000	32.003	PK
3		*	2411.080	109.104	77.137	N/A	N/A	31.967	PK

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:24
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1			2385.264	47.224	15.209	-6.776	54.000	32.015	AV
2			2390.000	45.123	13.120	-8.877	54.000	32.003	AV
3		*	2411.248	107.063	75.096	N/A	N/A	31.967	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:32
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		*	2462.944	103.444	71.518	N/A	N/A	31.927	PK
2			2483.500	53.453	21.541	-20.547	74.000	31.912	PK
3			2487.184	58.755	26.851	-15.245	74.000	31.904	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:35
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		*	2461.168	104.637	72.710	N/A	N/A	31.926	AV
2			2483.500	44.139	12.227	-9.861	54.000	31.912	AV
3			2488.888	48.559	16.659	-5.441	54.000	31.900	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:28
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		*	2461.144	109.655	77.728	N/A	N/A	31.927	PK
2			2483.500	56.605	24.693	-17.395	74.000	31.912	PK
3			2487.352	60.863	28.959	-13.137	74.000	31.904	PK

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:31
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		*	2462.728	107.565	75.639	N/A	N/A	31.927	AV
2			2483.500	45.707	13.795	-8.293	54.000	31.912	AV
3			2488.600	49.348	17.447	-4.652	54.000	31.901	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:44
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	61.041	29.038	-12.959	74.000	32.003	PK
2		*	2409.736	107.554	75.584	N/A	N/A	31.970	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:45
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1			2390.000	49.869	17.866	-4.131	54.000	32.003	AV
2		*	2411.024	99.351	67.384	N/A	N/A	31.968	AV

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:43
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	62.844	30.841	-11.156	74.000	32.003	PK
2		*	2408.560	109.135	77.162	N/A	N/A	31.973	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:41
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1			2390.000	50.403	18.400	-3.597	54.000	32.003	AV
2		*	2410.464	100.607	68.638	N/A	N/A	31.969	AV

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:52
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		*	2465.296	98.563	66.636	N/A	N/A	31.927	PK
2			2483.500	54.305	22.393	-19.695	74.000	31.912	PK
3			2486.944	57.351	25.446	-16.649	74.000	31.905	PK

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:53
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		*	2464.288	90.378	58.451	N/A	N/A	31.927	AV
2			2483.500	42.971	11.059	-11.029	54.000	31.912	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:50
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		*	2458.696	101.490	69.561	N/A	N/A	31.929	PK
2			2483.500	55.821	23.909	-18.179	74.000	31.912	PK
3			2496.784	58.519	26.608	-15.481	74.000	31.911	PK

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Site: WZ-AC2	Time: 2022/02/13 - 13:49
Limit: FCC_Part15.209_RE(3m)	Engineer: Bob Zhang
Probe: WZ-AC2_BBHA9120D_1-18GHz	Polarity: Vertical
EUT: Wireless Streaming Sound System	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB μ V/m)	Reading Level (dB μ V)	Margin (dB)	Limit (dB μ V/m)	Factor (dB/m)	Type
1		*	2461.240	92.858	60.931	N/A	N/A	31.926	AV
2			2483.500	43.777	11.865	-10.223	54.000	31.912	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)