




8.3.3 Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 2M	2402	Ant1	2.055
NVNT	BLE 2M	2440	Ant1	1.035
NVNT	BLE 2M	2480	Ant1	2.043






8.3.4 Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 2M	2402	Ant1	-15.72	8	Pass
NVNT	BLE 2M	2440	Ant1	-10.85	8	Pass
NVNT	BLE 2M	2480	Ant1	-13.57	8	Pass







8.3.5 Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-53.56	-20	Pass
NVNT	BLE 2M	2480	Ant1	-54.43	-20	Pass









8.3.6 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-54.49	-20	Pass
NVNT	BLE 2M	2440	Ant1	-56.02	-20	Pass
NVNT	BLE 2M	2480	Ant1	-56.68	-20	Pass










8.4 2M(RIGHT)

8.4.1 Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 2M	2402	Ant1	4.33	30	Pass
NVNT	BLE 2M	2440	Ant1	5.09	30	Pass
NVNT	BLE 2M	2480	Ant1	5.8	30	Pass






8.4.2 -6dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 2M	2402	Ant1	0.745	0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.302	0.5	Pass
NVNT	BLE 2M	2480	Ant1	1.454	0.5	Pass






8.4.3 Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 2M	2402	Ant1	2.053
NVNT	BLE 2M	2440	Ant1	2.049
NVNT	BLE 2M	2480	Ant1	2.061






8.4.4 Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 2M	2402	Ant1	-10.16	8	Pass
NVNT	BLE 2M	2440	Ant1	-14.31	8	Pass
NVNT	BLE 2M	2480	Ant1	-13.59	8	Pass







8.4.5 Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-53.25	-20	Pass
NVNT	BLE 2M	2480	Ant1	-55.27	-20	Pass









8.4.6 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-54.04	-20	Pass
NVNT	BLE 2M	2440	Ant1	-53.25	-20	Pass
NVNT	BLE 2M	2480	Ant1	-55.03	-20	Pass







END OF REPORT