

Report No.: SHCR220100009301 Page: 1 of 25

1 Cover Page

TEST REPORT

Application No.:	SHCR2201000093AT
FCC ID:	SVN-ARA13-W2
Applicant:	ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.
Address of Applicant:	No.1199, Bin'an Road, Binjiang District, Hangzhou, P.R. China
Manufacturer:	ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.
Address of Manufacturer:	No.1199, Bin'an Road, Binjiang District, Hangzhou, P.R. China
Equipment Under Test (EUT	Г):
EUT Name:	Wireless External Siren
Model No.:	DHI-ARA13-W2;ARA13-W2;DH-ARA13-W2¤
8	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Standard(s) :	47 CFR Part 15, Subpart C 15.231
Date of Receipt:	2022-01-06
Date of Test:	2022-03-07 to 2022-03-08
Date of Issue:	2022-03-09
Test Result:	Pass*

* In the configuration tested, the EUT complied with the standards specified above.

parlan share

Parlam Zhan E&E Section Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a
transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced
except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
or email: <u>CN.Doccheck@sgs.com</u>

ai)Co.,Ltd. NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海・松江区金都西路588号 邮编: 201612 t(86-21)61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21)61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHCR220100009301 Page: 2 of 25

Revision Record			
Version	Description	Date	Remark
00	Original	2022-03-09	/

Authorized for issue by:		
	pichal Nil	
	Micheal Niu / Project Engineer	
	Parlam zhan	
	Parlam Zhan / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unauthorized and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gsgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China 201612 中国・上海・松江区金都西路588号 邮编: 201612 t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 3 of 25

2 Test Summary

Test Item	FCC Requirement	Test method	Result
Antenna Requirement	Part 15.203	1	PASS
Conducted Emission	Part 15.207	ANSI C63.10 (2013) Section 6.2	N/A
Field Strength of the Fundamental	Part 15.231 (b)	ANSI C63.10 (2013) Section 6.4	PASS
Radiated Spurious emissions	Part 15.209 15.231(b)	ANSI C63.10 (2013) Section 6.4&6.5&6.6	PASS
20dB Bandwidth	Part 15.231 (c)	ANSI C63.10 (2013) Section 6.9.2	PASS
Dwell Time	Part 15.231 (a)	ANSI C63.10 (2013) Section 7.8.4	PASS

N/A: Not applicable. Please refer to Section 6.2 of this report for details.

Declaration of EUT Family Grouping:

Note: There are series models mentioned in this report, and they are the identical in electrical and electronic characters. Only the model DHI-ARA13-W2 was tested since their differences were the model number and appearance.



.td.	NO.588 West Jindu Road, Songjiang District, Shangha	,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 4 of 25

3 Contents

1	COVER PAGE	1
2	TEST SUMMARY	
3	CONTENTS	
4	GENERAL INFORMATION	5
	 4.1 GENERAL DESCRIPTION OF E.U.T. 4.2 TECHNICAL SPECIFICATIONS: 4.3 DESCRIPTION OF SUPPORT UNITS. 4.4 MEASUREMENT UNCERTAINTY . 4.5 TEST LOCATION	5 5 6
5 6		7
	 6.1 ANTENNA REQUIREMENT 6.2 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ)	9 9 9 10 10 11 12 15 20
7	TEST SETUP PHOTOGRAPHS	
8	EUT CONSTRUCTIONAL DETAILS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tis advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document testing / inspection reprosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, or email: CN_Doccheck@gs.com

d.	NO.58	8 West J	indu Road, Songjiang District, S	Shanghai, China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・	上海	・松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 5 of 25

4 General Information

4.1 General Description of E.U.T.

Power supply:	DC 3V by battery CR123A x 4
Test voltage:	DC 3V

4.2 Technical Specifications:

Modulation Type	FSK
Operation Frequency	433.35MHz-434.6MHz
Number of Channels	6
Channel Spacing	250KHz
Antenna Type	Spring Antenna

4.3 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	ThinkPad X100e	/
Serial port adapter plate	/	Test Plate 3	/

4.4 Measurement Uncertainty

No.	ltem	Measurement Uncertainty
1	Radio Frequency	8.4 x 10-8
2	Timeout	2s
3	Duty cycle	0.4%
4	Occupied Bandwidth	3%
5	Conducted Spurious emissions	0.75dB
c	DE Dedicted newsr	5.1dB (Below 1GHz)
6	RF Radiated power	5.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
7	Radiated Spurious emission test	4.5dB (30MHz-1GHz)
		5.1dB (1GHz-6GHz)
8	Temperature test	1°C
9	Humidity test	3%
10	Supply voltages	1.5%
11	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



td. NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
中国・上海・松江区金都西路588号 邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 6 of 25

4.5 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

• ISED (CAB Identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development (ISED) Canada as an accredited testing laboratory.

CAB Identifier: CN0072.

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-11600, C-11707, T-11499, G-10216 respectively.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or experatore of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

d. NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
中国・上海・松江区金都西路588号 邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 7 of 25

5 Equipments Used during Test

Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
RF Ra	adiated Test					
1	Spectrum Analyzer	R&S	FSV40	101493	10/11/2021	10/10/2022
2	Signal Generator	Agilent	E8257C	MY43321570	10/18/2021	10/17/2022
3	Loop Antenna	Com-Power	AL-130R	10160008	04/13/2021	04/12/2023
4	Bilog Antenna	TESEQ	CBL 6112D	35403	06/21/2021	06/20/2023
5	Bilog Antenna	SCHWARZBECK	VULB9160	9160-3342	04/13/2021	04/12/2023
6	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	267	10/26/2020	10/25/2022
7	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	00143290	02/22/2021	02/21/2023
8	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	BBHA9170171	02/20/2022	02/19/2023
9	Pre-Amplifier(30MHz~18GHz)	LNA	/	/	04/15/2021	04/14/2022
10	Amplifier(18~40GHz)	COM-POWER	PAM-840A	461332	10/18/2021	10/17/2022
11	Low Pass Filter	MICRO-TRONICS	VLFX-950	RV142900829	N.C.R	N.C.R
12	High Pass Filter	Mini-Circuits	VHF-1200	15542	N.C.R	N.C.R
13	Filter (5450MHz~5770 MHz)	MICRO-TRONICS	BRC50704-01	2	N.C.R	N.C.R
14	Filter (5690 MHz~5930 MHz)	MICRO-TRONICS	BRC50705-01	4	N.C.R	N.C.R
15	Filter (5150 MHz~5350 MHz)	MICRO-TRONICS	BRC50703-01	2	N.C.R	N.C.R
16	Filter (885 MHz~915 MHz)	MICRO-TRONICS	BRM14698	1	N.C.R	N.C.R
17	Filter (815 MHz~860 MHz)	MICRO-TRONICS	BRM14697	1	N.C.R	N.C.R
18	Filter (1745 MHz \sim 1910 MHz)	MICRO-TRONICS	BRM14700	1	N.C.R	N.C.R
19	Filter (1922 MHz \sim 1977 MHz)	MICRO-TRONICS	BRM50715	1	N.C.R	N.C.R
20	Filter (2550 MHz)	MICRO-TRONICS	HPM13362	5	N.C.R	N.C.R
21	Filter (1532 MHz \sim 1845 MHz)	MICRO-TRONICS	BRM50713	1	N.C.R	N.C.R
22	Filter (2.4GHz)	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
23	RE test cable	/	RE01-RE04	/	04/15/2021	04/14/2022
24	Software	Faratronic	EZ_EMC	N/A	N/A	N/A



td.	NO.588 West Jir	ndu Road, Songjiang District, Shanghai, Ch	ina 201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・	松江区金都西路588号 邮	编: 201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 8 of 25

6 Test results and Measurement Data

6.1 Antenna Requirement

15.203 Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The antenna is spring antenna and no consideration of replacement.

Antenna location: Refer to Appendix (Internal Photos)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document ter our and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@gsgs.com

td.	NO.588 West Jin	du Road,Songjiang District,Shanghai,	China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・	松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 9 of 25

6.2 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement	47 CFR Part 15, Subpart C 15.207
Test Method:	ANSI C63.10 (2013) Section 6.2
Limit:	


Frequency of amission(MHz)	Conducted limit(dBµV)				
Frequency of emission(MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30	60	50			
*Decreases with the logarithm of t	he frequency.				

6.2.1 E.U.T. Operation

Operating Environment:

Temperature:22 °CHumidity:50 % RHAtmospheric Pressure:1020 mbarTest modeN/A

6.2.2 Test Setup Diagram





td.	NO.588 West Jindu Road, Songjiang District, Shanghai	,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海 ・松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 10 of 25

6.2.3 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50 μ H + 5ohm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: LISN=Read Level+ Cable Loss+ LISN Factor

Note: This EUT is powered by battery only; therefore the AC Conducted Emission test is not applicable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Tormation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company any be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are relained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@asgs.com

td.	NO.588 Wes	st Jindu Road, Songjiang District, Shangha	i,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海	毎・松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 11 of 25

6.3 Spurious Emissions

Test frequency range:	9KHz – 5GHz					
Test Site:	Measurement Distance	ce: 3m				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark	
	0.009MHz-0.015MHz	Quasi-peak	200Hz	1KHz	Quasi-peak	
	0.015MHz-30MHz	Quasi-peak	9kHz	30KHz	Quasi-peak	
	30MHz-1GHz	Quasi-peak	120 kHz	300KHz	Quasi-peak	
	Above 1GHz	Peak	1MHz	3MHz	Peak	
		Peak	1MHz	10Hz	Average	
Limit: (Spurious Emissions)	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)	
	0.009MHz-0.490MHz	2400/F(kHz)	-	Quasi-peak	300	
	0.490MHz-1.705MHz	24000/F(kHz)	-	Quasi-peak	30	
	1.705MHz-30MHz	30	-	Quasi-peak	30	
	30MHz-88MHz	100	40.0	Quasi-peak	3	
	88MHz-216MHz	150	43.5	Quasi-peak	3	
	216MHz-960MHz	200	46.0	Quasi-peak	3	
	960MHz-1GHz	500	54.0	Quasi-peak	3	
		500	54.0	Average	3	
	Above 1GHz	500	74.0	Peak	3	
Limit:	Frequency	Limit (dBuV/m	n @3m)	Rer	nark	
(Field strength of the	422.00 424.04 MU	80.83		Averag	e Value	
fundamental signal)	433.09 - 434.61MHz	100.83	5	Peak Value		
fundamental signal) 100.83 Peak Value Test Procedure: a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. g. The radiation measurements are performed in X, Y, Z axis positioning. And found the Z axis positioning which it is worse case, only the test worst case mode is recorded in the report.						
	ess otherwise agreed in writing, this leaf, available on request or accessi ect to Terms and Conditions for Ele ntion is drawn to the limitation of lia sed that information contained heren rt's instructions, if any. The Compa saction from exercising all their rig pt in full, without prior written appr aarance of this document is unlawful its shown in this test report refer only	s document is issued by the (ble at http://www.sgs.com/en/T sctronic Documents at http://w bility, indemnification and juri on reflects the Company's find nny's sole responsibility is to ths and obligations under the oval of the Company. Any un and offenders may be prosect to the sample(s) tested and ev-	Company subject to <u>erms-and-Conditions</u> ww.sgs.com/en/Terms sdiction issues defin ings at the time of it its Client and this d transaction docume authorized alteration uted to the fullest ext (b sample(s) are refe	its General Condition: <u>aspx</u> and, for electronis- <u>s-and-Conditions/Term</u> ed therein. Any holder is intervention only and ocument does not ex- nts. This document can, forgery or falsification inter for 30 days only.	s of Service printed c format documents, s-e-Document.asox. of this document is d within the limits of onerate parties to a nnot be reproduced on of the content or otherwise stated the	



Testing Cente

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, i)Co., Ltd. NO.588 West Jindu Road, Songjiang District, Shanghai, China 201612 t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn 中国・上海・松江区金都西路588号 邮编: 201612 t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com




Report No.: SHCR211100081001 Page: 12 of 25


E.U.T. Operation

Operating Environment:

Temperature:22 °CHumidity:50 % RHAtmospheric Pressure:1020 mbarTest modea: TX mode_Keep the EUT in transmitting with modulation mode.

Test Setup:





Test Results: Pass

6.3.1 Field Strength of the Fundamental Signal

Test channel	Freq. (MHz)	Result Level (dBµV/m)	Limit Line (dBµV/m)	Over Limit (dB)	Detector	Polarization
		82.03	100.83	-18.80	Peak	Vertical
Channel 1	433.35	76.28	100.83	-24.55	Peak	Horizontal
Channel 1		71.70	80.83	-9.13	AVG	Vertical
		65.95	80.83	-14.88	AVG	Horizontal
Channel C	434.6	84.21	100.83	-16.62	Peak	Vertical
Channel 6		77.32	100.83	-23.51	Peak	Horizontal




Ltd. NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
中国・上海・松江区金都西路588号 邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 13 of 25

73.84	80.83	-6.99	AVG	Vertical
66.95	80.83	-13.88	AVG	Horizontal

433.35MHz



Remark:

- 1. If the Peak value below the AV Limit, the AV test doesn't perform for this submission.
- 2. Average level=Peak level-Duty Cycle Factor
- 3. Duty Cycle Factor= 20log(Duty Cycle)= -10.33dB



Ltd.	NO.588 West Jindu Road, Songjiang District, Shanghai, C	hina	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 曲	『编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 14 of 25

z	_								C
Spectrum Ref Level -10.0			3W 1 MH						T
Att SGL	10 dB 😑 SWT	100 ms 🥃 🗸	SW IMH	Z					
●1Pk Max									
					D2[1]				-0.11 d 30.290 m
-20 dBm					-M1[1]				30.290 n -44.74 dB 43.333 n
-30 dBm						-			+
-40 dBm			M1	www	www	ma	2		
-50 dBm				<u> </u>		+			
-60 dBm Մեկետկա ^ի նեկ <mark>ին</mark> ապետո	mulminulentratilitier	you how mut	Mun			-	weberber	man	de alerate de la
-70 dBm	`					_			
-80 dBm						_			
-90 dBm						+			
-100 dBm						_			
CF 434.6 MHz			<u> </u>	91 pts					10.0 ms,
					Rea	vhe			<u> </u>

Remark:

- 1. If the Peak value below the AV Limit, the AV test doesn't perform for this submission.
- 2. Average level=Peak level-Duty Cycle Factor
- 3. Duty Cycle Factor= 20log(Duty Cycle)= -10.37dB



td.	NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com




Report No.: SHCR211100081001 Page: 15 of 25

6.3.2 Spurious Emissions

Below 1GHz

433.35MHz

Vertical:





td.	NO.588 W	Vest Ji	ndu Road, Songjiang District, Sh	anghai,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上	上海 ・	松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 16 of 25

Hori	zontal:														
100.0	dBuV/m			_				_				1 1			
														Limit1:	_
				\vdash											
						X									
50															
						1									
					2		4			. 5.		Hornworkshing	6	JUMMAN	MANNAMA
h			L. L.	und	whent	hillingu	4. Ann	-	AN AND AND AND	- ALCON	<u>Prodeviso</u> d	NA KANANA KANA KANA KANA KANA KANA KANA	e-ynywer	1444 - 1 - 1 I	
- A	Mar Marine May	W	when we	u~	n. ARUMANY	_	_								
_ `	AN														
				\vdash		+	+								
0.0	0 127.00	224.00	201	.00	418.				612		700	 .00 806.			1000.00 MH
		224.00					515	0.00			709				
No.	Frequency		Reading	1	C	orrec	t		Resi	ult	_	Limit	Ma	argin	Remar
	(MHz)		(dBuV)		Fact	or(dE	8/m)		(dBuV	//m)	(dBuV/m)	(0	dB)	
1	292.8700		5.84		2	0.43			26.2	27		46.00	-1	9.73	QP
2	374.3500		6.10		2	2.96			29.0)6		46.00	-1	6.94	QP
3	433.5200		52.21		2	4.07			76.2	28		100.83	-24	4.55	peak
4	484.9300		4.38		2	4.96			29.3	34		46.00	-1	6.66	QP
5	643.0400		3.26		2	7.03			30.2	29		46.00	-1	5.71	QP
6	854.5000		3.04			8.13			31.1	-		46.00		4.83	QP



td.	NO.588	West Ji	indu Road, Songjiang District, Sh	nanghai,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・	上海·	松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



434.6MHz

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHCR211100081001 Page: 17 of 25

Vertical: 100.0 dBuV/m Limit1: X 50 male 5 بليافيا بر nur Roman and Martin man an anna \mathbf{A}_{N} JI. 0.0 30.000 127.00 224.00 321.00 418.00 515.00 612.00 709.00 806.00 1000.00 MHz No. Reading Correct Margin Remark Frequency Result Limit (dBuV) Factor(dB/m) (dBuV/m) (dBuV/m) (MHz) (dB) 1 211.3900 11.38 16.95 28.33 43.50 -15.17 QP 2 270.5600 8.09 19.85 27.94 46.00 -18.06 QP 3 peak 434.6000 60.12 24.09 84.21 100.83 -16.62 4 672.1400 30.07 46.00 QP 2.79 27.28 -15.93 5 816.6700 31.42 46.00 -14.58 QP 3.51 27.91 6 969.9300 2.83 29.26 32.09 54.00 -21.91 QP



td.	d. NO.588 West Jindu Road, Songjiang District, Shanghai, Chin			201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・	・松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 18 of 25

Hor	izontal:						
100.0	dBuV/m			1 1			
						Limit1:	
			*				
50							
50							
-		-					
			u * www.howning	1	murder Second mound	made portramanter	Annon
- 1	- Marticle A.		Water a free the second and a	A HARANAN ANALAN ANALAN			
H	In second water and the second second	hard all the set of the set of the second of					
	104.1						
0.0							
30.0	00 127.00 23	24.00 321.00	418.00 51!	5.00 612 .00	709.00 806.	00	1000.00 MHz
No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	368.5300	4.66	22.82	27.48	46.00	-18.52	QP
2	434.6000	53.23	24.09	77.32	100.83	-23.51	peak
3	480.0800	4.46	24.87	29.33	46.00	-16.67	QP
4	624.6100	2.85	26.81	29.66	46.00	-16.34	QP
5	722.5800	2.55	27.49	30.04	46.00	-15.96	QP
6	935.0100	2.18	29.11	31.29	46.00	-14.71	QP



td.	NO.588	West Ji	indu Road, Songjiang District, Sh	nanghai,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・	上海·	松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 19 of 25

Above 1GHz

433.35MHz

Mark	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Emission (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	polarization
1	1665.000	59.86	-17.27	42.59	54.00	-11.41	peak	Vertical
2	1970.000	57.72	-16.76	40.96	54.00	-13.04	peak	Vertical
3	2350.000	57.23	-15.23	42.00	54.00	-12.00	peak	Vertical
4	2065.000	58.29	-16.44	41.85	54.00	-12.15	peak	Horizontal
5	2605.000	54.59	-14.37	40.22	54.00	-13.78	peak	Horizontal
6	3010.000	55.40	-13.49	41.91	54.00	-12.09	peak	Horizontal

434.6MHz

Mark	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Emission (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	polarization
1	1830.000	58.99	-17.00	41.99	54.00	-12.01	peak	Vertical
2	2300.000	57.69	-15.44	42.25	54.00	-11.75	peak	Vertical
3	2860.000	57.28	-13.82	43.46	54.00	-10.54	peak	Vertical
4	1415.000	57.70	-17.93	39.77	54.00	-14.23	peak	Horizontal
5	1830.000	58.49	-17.00	41.49	54.00	-12.51	peak	Horizontal
6	2945.000	56.43	-13.63	42.80	54.00	-11.20	peak	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tis advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document testing / inspection reprosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, or email: CN_Doccheck@gs.com

.td.	NO.588 West Jindu Road, Songjiang District, Shanghai, Ch	nina	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮	编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



% RH

50

Report No.: SHCR211100081001 Page: 20 of 25

Atmospheric Pressure: 1020 mbar

6.4 20dB Bandwidth

22 °C

Humidity:


E.U.T. Operation

Operating Environment:

Temperature:

Test mode

Test Setup:



Limit:The bandwidth of the emission shall be no wider than 0.25% of the center frequency
for devices operating above 70 MHz and below 900 MHz. For devices operating
above 900 MHz, the emission shall be no wider than 0.5% of the center frequency.
Bandwidth is determined at the points 20 dB down from the modulated carrier.Test Results:Pass

Frequency(MHz)	20dB bandwidth (kHz)	Limit (kHz)	Results
433.35	61.36	1083	Pass
434.60	61.36	1087	Pass



td.	NO.588 W	Vest Ji	ndu Road, Songjiang District, Sh	anghai,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上	上海 ・	松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 21 of 25

Test plot as follows:

433.35MHz


Spectru	m									
Ref Leve	i 97	'.00 de	VμV	😑 RBW	/ 1 kHz					```
Att		10	dB SWT 20	ms 👄 VBV	/3kHz M	ode Sweep)			
😑 1Pk Max										
						D	3[1]			0.94 dB
90 dBµV—	_									61.360 kHz
						M2 M	1[1]			59.62 dBµV
80 dBµV—	-				N		1		433.3	19320 MHz
					ι Λ.	Å,	Å			
70 dBµV—				1						
				M1 /	1711.1		Ύ D _I 3			
60 dBµV—	≓ D1	58.39	90 dвµV	- N	\rightarrow	₩**¥	Wh -			
50 dBµV—					l č	v	V \			
50 ивµv—								1		
40 dB⊔V—				\mathcal{N}			<u>ل</u>	_M		
το αυμν				V				111		
30 dBµV—			$ M^{*} $					[°] h A		
00 GDDA			$ \mathcal{A} V $					$ \rangle_{a} \langle \rangle =$		
20 dBu $\sqrt{\pi}$		n.	val "					1 June	they are they	n Andrea
ՠՠՠՠՠ	vrv.									von word
10 dBµV—	_									
0 dBµV	_									
CF 433.3	5 MI	Hz			691	pts		1	Span	200.0 kHz
Marker										
Type R	ef	Trc	X-value		Y-value	Func	tion	Fund	ction Result	:
M1		1	433.3193		59.62 dBµ					
M2		1	433,360:		78.39 dBµ					
D3	M1	1	61.	36 kHz	0.94 0	1B				
							Measu	ring 🚺		• //



d. NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
中国・上海・松江区金都西路588号 邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 22 of 25





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esgs.com

td.	NO.588 We	st Jindu Road, Songjiang District, Shar	ghai,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上済	毎 ・ 松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 23 of 25


6.5 Dwell Time

E.U.T. Operation

Operating Environment:

Temperature:22 °CHumidity:50 % RHAtmospheric Pressure:1020 mbarTest modea: TX mode_Keep the EUT in transmitting with modulation mode.

Test Setup:



Limit:	15.231 (a): Not more than 5 seconds
Test Results:	Pass

Measurement Data:

Test item	Limit (s)	Results
Transmission Duration	≪5s	Pass



td.	NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	t(86-21)61915666 f(86-21)6	1915678 www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮编	201612	t(86-21) 61915666 f(86-21)6	1915678 e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 24 of 25

ot as follows:						
Spectrum						
Ref Level -8.00 dBm	● RBV	V 1 MHz				
	🔵 SWT 10 s 👄 VBV	N 1 MHz				
SGL						
●1Pk Max	1					
			D2[1]			-30
-20 dBm			—M1[1]			-32.3
20 000						2.
-30 dBm	M1					
-40 dBm						
-50 dBm						
-50 UBIII-						
15ARdBON - March March			and the state of the			
	Com and a day and a second second		numinal v linniliku	10.000000000000000000000000000000000000		
-70 dBm						
-80 dBm						
-90 dBm						
-100 dBm						
05 400 05 MU						
CF 433.35 MHz Marker		691 pts	•			1
Type Ref Trc	X-value	Y-value	Function	1	Function Result	t
M1 1	2.7826 s	-32.30 dBm				
D2 M1 1	5.0 s	-30.00 dB				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

d.	NO.588 West	lindu Road, Songjiang District, S	hanghai,China	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海	・松江区金都西路588号	邮编:	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com



Report No.: SHCR211100081001 Page: 25 of 25

7 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

8 EUT Constructional Details

Refer to the < External Photos > & <Internal Photos >.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document to exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document ter unauthorized and outer stent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: CN.Doccheck@gsgs.com

td.	NO.588 West Jindu Road, Songjiang District, Shanghai, Chin	na 2	201612	t(86-21) 61915666	f(86-21)61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮約	扁: 2	201612	t(86-21) 61915666	f(86-21)61915678	e sgs.china@sgs.com