






Puw test Plot







Test Mode	Channel	Verdict
11G	HCH	PASS

Pref test Plot




Puw test Plot







Test Mode	Channel	Verdict
11N HT20	LCH	PASS

Pref test Plot






Puw test Plot







Test Mode	Channel	Verdict
11N HT20	MCH	PASS

Pref test Plot




Puw test Plot







Test Mode	Channel	Verdict
11N HT20	HCH	PASS

Pref test Plot






Puw test Plot








Test Mode	Channel	Verdict
11N HT40	LCH	PASS

Pref test Plot



Puw test Plot






Test Mode	Channel	Verdict
11N HT40	MCH	PASS



Pref test Plot

MCH SPURIOUS EMISSION






Puw test Plot







Test Mode	Channel	Verdict
11N HT40	HCH	PASS

Pref test Plot



Puw test Plot





7.6. RADIATED TEST RESULTS

7.6.1. LIMITS AND PROCEDURE

LIMITS

Please refer to FCC §15.205 and §15.209

Please refer to FCC KDB 558074

Radiation Disturbance Test Limit for FCC (Class B)(9KHz-1GHz)

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009~0.490	2400/F(KHz)	300
0.490~1.705	24000/F(KHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
960~1000	500	3

Note: 1) At frequencies at or above 30 MHz, measurements may be performed at a distance other than what is specified provided: measurements are not made in the near field except where it can be shown that near field measurements are appropriate due to the characteristics of the device; and it can be demonstrated that the signal levels needed to be measured at the distance employed can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 meters unless it can be further demonstrated that measurements at a distance of 30 meters or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse linear-distance for field strength measurements; inverse-linear-distance-squared for power density measurements).

(2) At frequencies below 30 MHz, measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field. Pending the development of an appropriate measurement procedure for measurements performed below 30 MHz, when performing measurements at a closer distance than specified, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). This paragraph (f) shall not apply to Access BPL devices operating below 30 MHz.



Radiation Disturbance Test Limit for FCC (Above 1G)

Frequency (MHz)	dB(uV/m) (at 3 meters)	
	Peak	Average
Above 1000	74	54

Restricted bands of operation


MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
¹ 0.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.17725-4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.20725-4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	(²)
13.36-13.41			

Note: ¹Until February 1, 1999, this restricted band shall be 0.490-0.510 MHz.

²Above 38.6c

TEST SETUP AND PROCEDURE

Below 30MHz




The setting of the spectrum analyser

RBW	200Hz (From 9kHz to 0.15MHz)/ 9KHz (From 0.15MHz to 30MHz)
VBW	200Hz (From 9kHz to 0.15MHz)/ 9KHz (From 0.15MHz to 30MHz)
Sweep	Auto
Detector	Peak/QP/ Average
Trace	Max hold

1. The testing follows the guidelines in ANSI C63.10-2013
2. The EUT was arranged to its worst case and then turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level. Both Horizontal, Face-on and Face-off polarizations of the antenna are set to make the measurement.
3. The EUT was placed on a turntable with 0.8 meter above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a 1m height antenna tower.
5. The radiated emission limits are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector
6. For measurement below 1GHz, the initial step in collecting conducted emission data is a spectrum analyzer peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured. If the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported. Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.
7. For the actual test configuration, please refer to the related item in this test report (Photographs of the Test Configuration)

Below 1G




The setting of the spectrum analyser

RBW	120K
VBW	300K
Sweep	Auto
Detector	Peak/QP
Trace	Max hold

1. The testing follows the guidelines in ANSI C63.10-2013.
2. The EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
3. The EUT was placed on a turntable with 0.8 meter above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
5. For measurement below 1GHz, the initial step in collecting conducted emission data is a spectrum analyzer peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured. If the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported. Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.
6. For the actual test configuration, please refer to the related Item in this test report (Photographs of the Test Configuration)

Above 1G




The setting of the spectrum analyser

RBW	1M
VBW	PEAK:3M AVG: See note6
Sweep	Auto
Detector	Peak/Average(10Hz)
Trace	Max hold

1. The testing follows the guidelines in ANSI C63.10-2013.
2. The EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
3. The EUT was placed on a turntable with 1.5m above ground.
4. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
5. For measurement above 1GHz, the emission measurement will be measured by the peak detector. This peak level, once corrected, must comply with the limit specified in Section 15.209.
6. For measurements above 1 GHz the resolution bandwidth is set to 1 MHz, then the video bandwidth is set to 3 MHz for peak measurements and 1 MHz resolution bandwidth with set $VBW \leq RBW/100$, but not less than 10Hz video bandwidth with peak detector, max hold to be run for at least 50 traces for average measurements.
8. For the actual test configuration, please refer to the related item in this test report (Photographs of the Test Configuration)

X axis, Y axis, Z axis positions:



Note : For all radiated test, EUT in each of three orthogonal axis emissions had been tested, but only the worst case (X axis) data recorded in the report.



7.6.2.TEST ENVIRONMENT

Temperature	22°C	Relative Humidity	56%
Atmosphere Pressure	101kPa	Test Voltage	DC 12V

7.6.3.RESTRICTED BANDEDGE


Test Result Table

Test Mode	Channel	Puw(dBm)	Verdict
11B	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS
11G	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS
11N HT20	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS
11N HT40	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS



Test Graphs

Test Mode	Channel	Polarization	Verdict
11B	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2345.5661	41.64	13.35	54.99	74.00	19.01	peak
		29.49	13.35	42.84	54.00	11.16	average
2	2355.2611	41.42	13.45	54.87	74.00	19.13	peak
		29.57	13.45	43.02	54.00	10.98	average
3	2372.6070	41.93	13.56	55.49	74.00	18.51	peak
		29.68	13.56	43.24	54.00	10.76	average
4	2384.4772	41.09	13.73	54.82	74.00	19.18	peak
		29.70	13.73	43.43	54.00	10.57	average
5	2390.0000	39.74	13.75	53.49	74.00	20.51	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11B	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2316.7837	41.65	12.98	54.63	74.00	19.37	peak
		29.48	12.98	42.46	54.00	11.54	average
2	2353.0132	41.67	13.43	55.10	74.00	18.90	peak
		29.53	13.43	42.96	54.00	11.04	average
3	2372.5906	41.51	13.56	55.07	74.00	18.93	peak
		29.67	13.56	43.23	54.00	10.77	average
4	2377.8788	41.15	13.65	54.80	74.00	19.20	peak
		29.68	13.65	43.33	54.00	10.67	average
5	2390.0000	40.23	13.75	53.98	74.00	20.02	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11B	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	39.83	13.51	53.34	74.00	20.66	peak
2	2492.6715	41.83	13.59	55.42	74.00	18.58	peak
		28.52	13.59	42.11	54.00	11.89	average
3	2501.8943	41.11	13.67	54.78	74.00	19.22	peak
		28.31	13.67	41.98	54.00	12.02	average
4	2531.2930	41.00	13.84	54.84	74.00	19.16	peak
		27.75	13.84	41.59	54.00	12.41	average
5	2543.0284	41.51	13.91	55.42	74.00	18.58	peak
		28.00	13.91	41.91	54.00	12.09	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11B	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	39.94	13.51	53.45	74.00	20.55	peak
2	2488.4549	41.98	13.55	55.53	74.00	18.47	peak
		28.60	13.55	42.15	54.00	11.85	average
3	2499.8879	41.88	13.68	55.56	74.00	18.44	peak
		28.41	13.68	42.09	54.00	11.91	average
4	2523.3884	41.33	13.81	55.14	74.00	18.86	peak
		27.77	13.81	41.58	54.00	12.42	average
5	2542.5341	41.16	13.90	55.06	74.00	18.94	peak
		28.01	13.90	41.91	54.00	12.09	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11G	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2345.8019	41.61	13.35	54.96	74.00	19.04	peak
		29.47	13.35	42.82	54.00	11.18	average
2	2367.5734	42.71	13.51	56.22	74.00	17.78	peak
		29.66	13.51	43.17	54.00	10.83	average
3	2381.0188	41.37	13.69	55.06	74.00	18.94	peak
		29.70	13.69	43.39	54.00	10.61	average
4	2390.0000	39.05	13.75	52.80	74.00	21.20	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11G	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2319.8145	41.57	13.02	54.59	74.00	19.41	peak
		29.48	13.02	42.50	54.00	11.50	average
2	2354.1125	41.65	13.43	55.08	74.00	18.92	peak
		29.55	13.43	42.98	54.00	11.02	average
3	2376.8404	41.21	13.63	54.84	74.00	19.16	peak
		29.68	13.63	43.31	54.00	10.69	average
4	2390.0000	39.18	13.75	52.93	74.00	21.07	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11G	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	40.08	13.51	53.59	74.00	20.41	peak
2	2495.9537	41.52	13.61	55.13	74.00	18.87	peak
		28.46	13.61	42.07	54.00	11.93	average
3	2503.4162	41.78	13.68	55.46	74.00	18.54	peak
		28.23	13.68	41.91	54.00	12.09	average
4	2517.8079	41.84	13.77	55.61	74.00	18.39	peak
		27.81	13.77	41.58	54.00	12.42	average
5	2524.1085	42.08	13.80	55.88	74.00	18.12	peak
		27.75	13.80	41.55	54.00	12.45	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11G	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	39.75	13.51	53.26	74.00	20.74	peak
2	2489.9190	41.01	13.55	54.56	74.00	19.44	peak
		28.43	13.55	41.98	54.00	12.02	average
3	2508.9829	40.84	13.72	54.56	74.00	19.44	peak
		28.21	13.72	41.93	54.00	12.07	average
4	2517.2997	41.51	13.77	55.28	74.00	18.72	peak
		28.45	13.77	42.22	54.00	11.78	average
5	2537.4077	41.42	13.87	55.29	74.00	18.71	peak
		28.36	13.87	42.23	54.00	11.77	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT20	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2333.0416	40.95	13.20	54.15	74.00	19.85	peak
		27.86	13.20	41.06	54.00	12.94	average
2	2363.9080	40.36	13.48	53.84	74.00	20.16	peak
		28.12	13.48	41.60	54.00	12.40	average
3	2379.5099	40.68	13.66	54.34	74.00	19.66	peak
		28.24	13.66	41.90	54.00	12.10	average
4	2386.3545	41.06	13.74	54.80	74.00	19.20	peak
		28.33	13.74	42.07	54.00	11.93	average
5	2390.0000	39.65	13.75	53.40	74.00	20.60	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT20	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2344.9869	41.22	13.34	54.56	74.00	19.44	peak
		28.02	13.34	41.36	54.00	12.64	average
2	2364.3205	40.59	13.49	54.08	74.00	19.92	peak
		27.64	13.49	41.13	54.00	12.87	average
3	2378.8911	40.71	13.66	54.37	74.00	19.63	peak
		28.04	13.66	41.70	54.00	12.30	average
4	2383.5042	40.89	13.71	54.60	74.00	19.40	peak
		27.91	13.71	41.62	54.00	12.38	average
5	2390.0000	40.22	13.75	53.97	74.00	20.03	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT20	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	39.79	13.51	53.30	74.00	20.70	peak
2	2499.6040	41.87	13.67	55.54	74.00	18.46	peak
		27.54	13.67	41.21	54.00	12.79	average
3	2516.2196	40.99	13.76	54.75	74.00	19.25	peak
		27.65	13.76	41.41	54.00	12.59	average
4	2524.5005	41.55	13.80	55.35	74.00	18.65	peak
		27.42	13.80	41.22	54.00	12.78	average
5	2549.4149	41.48	13.94	55.42	74.00	18.58	peak
		27.51	13.94	41.45	54.00	12.55	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT20	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	39.61	13.51	53.12	74.00	20.88	peak
2	2494.5856	42.25	13.60	55.85	74.00	18.15	peak
		28.52	13.60	42.12	54.00	11.88	average
3	2516.6018	41.08	13.77	54.85	74.00	19.15	peak
		27.88	13.77	41.65	54.00	12.35	average
4	2530.6350	41.20	13.85	55.05	74.00	18.95	peak
		27.79	13.85	41.64	54.00	12.36	average
5	2544.3065	41.94	13.91	55.85	74.00	18.15	peak
		28.10	13.91	42.01	54.00	11.99	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT40	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2342.8430	41.89	13.31	55.20	74.00	18.80	peak
		29.44	13.31	42.75	54.00	11.25	average
2	2358.5574	41.12	13.45	54.57	74.00	19.43	peak
		29.60	13.45	43.05	54.00	10.95	average
3	2366.9210	41.24	13.50	54.74	74.00	19.26	peak
		29.67	13.50	43.17	54.00	10.83	average
4	2381.2103	41.82	13.69	55.51	74.00	18.49	peak
		29.71	13.69	43.40	54.00	10.60	average
5	2390.0000	39.15	13.75	52.90	74.00	21.10	peak

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT40	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2340.5089	41.54	13.29	54.83	74.00	19.17	peak
		29.43	13.29	42.72	54.00	11.28	average
2	2349.9413	41.59	13.38	54.67	74.00	19.03	peak
		29.49	13.38	42.87	54.00	11.13	average
3	2376.0071	41.34	13.61	54.95	74.00	19.05	peak
		29.69	13.61	43.30	54.00	10.70	average
4	2381.4265	41.05	13.69	54.74	74.00	19.26	peak
		29.71	13.69	43.40	54.00	10.60	average
5	2390.0000	40.86	13.75	54.61	74.00	19.39	peak
		29.85	13.75	43.60	54.00	10.40	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT40	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	42.67	13.50	56.17	74.00	17.83	peak
		29.09	13.50	42.59	54.00	11.41	average
2	2496.0437	41.25	13.61	54.86	74.00	19.14	peak
		28.42	13.61	42.03	54.00	11.97	average
3	2503.1822	41.26	13.68	54.94	74.00	19.06	peak
		28.23	13.68	41.91	54.00	12.09	average
4	2519.5130	41.34	13.78	55.12	74.00	18.88	peak
		27.79	13.78	41.57	54.00	12.43	average
5	2558.3011	41.67	14.00	55.67	74.00	18.33	peak
		28.34	14.00	42.34	54.00	11.66	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



Test Mode	Channel	Polarization	Verdict
11N HT40	HCH	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.5000	40.33	13.51	53.84	74.00	20.16	peak
2	2491.8013	41.87	13.59	55.46	74.00	18.54	peak
		28.56	13.59	42.15	54.00	11.85	average
3	2497.8717	41.32	13.65	54.97	74.00	19.03	peak
		28.43	13.65	42.08	54.00	11.92	average
4	2508.6188	41.41	13.72	55.13	74.00	18.87	peak
		28.10	13.72	41.82	54.00	12.18	average
5	2544.4063	41.13	13.91	55.04	74.00	18.96	peak
		28.07	13.91	41.98	54.00	12.02	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit



7.6.4.SPURIOUS EMISSIONS

Test Result Table:

1) For 1GHz~18GHz

Test Mode	Channel	Puw(dBm)	Verdict
11B	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS
11G	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS
11N HT20	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS
11N HT40	LCH	<Limit	PASS
	MCH	<Limit	PASS
	HCH	<Limit	PASS

2) For 9KHz~30MHz

Test Mode	Channel	Puw(dBm)	Verdict
11B	HCH	<Limit	PASS

Remark:

1) Through pre-testing all the test modes and test channels, but only the data of the worst case is included in this test report.

3) For 30MHz~1GHz

Test Mode	Channel	Puw(dBm)	Verdict
11B	HCH	<Limit	PASS

Remark:

1) Through pre-testing all the test modes and test channels, but only the data of the worst case is included in this test report.

4) For 18GHz~26.5GHz

Test Mode	Channel	Puw(dBm)	Verdict
11B	HCH	<Limit	PASS

Remark:


1) Through pre-testing all the test modes and test channels, but only the data of the worst case is included in this test report.



Part I: 1GHz~3GHz

HARMONICS AND SPURIOUS EMISSIONS

Test Mode	Channel	Polarization	Verdict
11B	LCH	Horizontal	PASS




No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1195.5244	45.43	-5.54	39.89	74.00	34.11	peak
2	1287.0359	43.08	-5.66	37.42	74.00	36.58	peak
3	1631.0789	43.42	-5.09	38.33	74.00	35.67	peak
4	1781.0976	42.77	-3.92	38.85	74.00	35.15	peak
5	2037.8797	41.88	-2.56	39.32	74.00	34.68	peak
6	2657.9572	43.17	-0.77	42.40	74.00	31.60	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1165.5207	44.35	-5.49	38.86	74.00	35.14	peak
2	1199.2749	45.93	-5.54	40.39	74.00	33.61	peak
3	1286.7858	45.16	-5.65	39.51	74.00	34.49	peak
4	1330.7913	46.62	-5.62	41.00	74.00	33.00	peak
5	2101.3877	42.09	-2.51	39.58	74.00	34.42	peak
6	2655.9570	44.61	-0.78	43.83	74.00	30.17	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1195.7745	45.95	-5.54	40.41	74.00	33.59	peak
2	1286.7858	43.08	-5.65	37.43	74.00	36.57	peak
3	1597.8247	42.15	-5.23	36.92	74.00	37.08	peak
4	1784.5981	42.35	-3.95	38.40	74.00	35.60	peak
5	2053.3817	41.82	-2.59	39.23	74.00	34.77	peak
6	2859.7325	42.87	0.10	42.97	74.00	31.03	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1198.2748	46.36	-5.54	40.82	74.00	33.18	peak
2	1287.0359	45.33	-5.66	39.67	74.00	34.33	peak
3	1327.5409	45.70	-5.62	40.08	74.00	33.92	peak
4	1405.5507	45.23	-5.64	39.59	74.00	34.41	peak
5	1965.6207	42.75	-3.24	39.51	74.00	34.49	peak
6	2666.9584	44.25	-0.76	43.49	74.00	30.51	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1195.5244	44.48	-5.54	38.94	74.00	35.06	peak
2	1286.7858	43.81	-5.65	38.16	74.00	35.84	peak
3	1570.3213	42.42	-5.42	37.00	74.00	37.00	peak
4	1782.5978	42.51	-3.93	38.58	74.00	35.42	peak
5	2227.4034	41.99	-2.16	39.83	74.00	34.17	peak
6	2512.1890	42.92	-0.58	42.34	74.00	31.66	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1195.5244	46.46	-5.54	40.92	74.00	33.08	peak
2	1287.2859	45.18	-5.66	39.52	74.00	34.48	peak
3	1330.2913	46.66	-5.62	41.04	74.00	32.96	peak
4	1782.5978	43.03	-3.93	39.10	74.00	34.90	peak
5	2226.4033	42.45	-2.18	40.27	74.00	33.73	peak
6	2665.2082	44.43	-0.76	43.67	74.00	30.33	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1200.5251	47.33	-5.55	41.78	74.00	32.22	peak
2	1287.2859	43.65	-5.66	37.99	74.00	36.01	peak
3	1659.5824	42.24	-4.96	37.28	74.00	36.72	peak
4	2046.6308	42.16	-2.52	39.64	74.00	34.36	peak
5	2223.1529	42.42	-2.23	40.19	74.00	33.81	peak
6	2755.2194	41.83	-0.36	41.47	74.00	32.53	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	LCH	Vertical	PASS




No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1194.2743	47.39	-5.55	41.84	74.00	32.16	peak
2	1333.5417	45.38	-5.63	39.75	74.00	34.25	peak
3	1405.3007	44.23	-5.64	38.59	74.00	35.41	peak
4	1781.8477	43.56	-3.93	39.63	74.00	34.37	peak
5	2041.3802	42.14	-2.52	39.62	74.00	34.38	peak
6	2660.2075	43.83	-0.76	43.07	74.00	30.93	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1199.0249	46.24	-5.54	40.70	74.00	33.30	peak
2	1287.0359	43.68	-5.66	38.02	74.00	35.98	peak
3	1636.3295	43.10	-5.05	38.05	74.00	35.95	peak
4	1904.6131	42.41	-3.41	39.00	74.00	35.00	peak
5	2038.3798	41.98	-2.55	39.43	74.00	34.57	peak
6	2869.7337	42.99	0.11	43.10	74.00	30.90	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1195.0244	46.80	-5.55	41.25	74.00	32.75	peak
2	1328.2910	46.58	-5.62	40.96	74.00	33.04	peak
3	1407.3009	47.16	-5.67	41.49	74.00	32.51	peak
4	1617.3272	42.89	-5.16	37.73	74.00	36.27	peak
5	1997.3747	42.90	-3.04	39.86	74.00	34.14	peak
6	2654.7068	45.83	-0.79	45.04	74.00	28.96	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	HCH	Horizontal	PASS




No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1197.5247	45.00	-5.54	39.46	74.00	34.54	peak
2	1287.0359	43.59	-5.66	37.93	74.00	36.07	peak
3	1641.0801	42.82	-5.02	37.80	74.00	36.20	peak
4	1799.0999	42.72	-3.89	38.83	74.00	35.17	peak
5	2110.1388	42.78	-2.56	40.22	74.00	33.78	peak
6	2772.7216	42.18	-0.25	41.93	74.00	32.07	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1198.0248	44.97	-5.54	39.43	74.00	34.57	peak
2	1327.7910	47.29	-5.62	41.67	74.00	32.33	peak
3	1409.0511	45.95	-5.70	40.25	74.00	33.75	peak
4	1782.0978	42.64	-3.93	38.71	74.00	35.29	peak
5	2034.3793	42.05	-2.64	39.41	74.00	34.59	peak
6	2654.2068	44.23	-0.79	43.44	74.00	30.56	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1199.2749	44.24	-5.54	38.70	74.00	35.30	peak
2	1287.0359	44.30	-5.66	38.64	74.00	35.36	peak
3	1550.8189	42.61	-5.50	37.11	74.00	36.89	peak
4	1793.5992	42.81	-3.95	38.86	74.00	35.14	peak
5	2103.3879	42.13	-2.52	39.61	74.00	34.39	peak
6	2918.2398	42.74	0.57	43.31	74.00	30.69	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1196.7746	46.54	-5.54	41.00	74.00	33.00	peak
2	1328.2910	47.14	-5.62	41.52	74.00	32.48	peak
3	1407.3009	47.97	-5.67	42.30	74.00	31.70	peak
4	1810.6013	42.47	-3.93	38.54	74.00	35.46	peak
5	1993.3742	43.41	-3.08	40.33	74.00	33.67	peak
6	2659.7075	44.92	-0.76	44.16	74.00	29.84	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1200.2750	45.60	-5.54	40.06	74.00	33.94	peak
2	1287.0359	43.72	-5.66	38.06	74.00	35.94	peak
3	1550.3188	42.31	-5.49	36.82	74.00	37.18	peak
4	1895.1119	43.02	-3.57	39.45	74.00	34.55	peak
5	2101.6377	42.31	-2.51	39.80	74.00	34.20	peak
6	2662.9579	43.88	-0.76	43.12	74.00	30.88	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1194.5243	48.94	-5.55	43.39	74.00	30.61	peak
2	1287.0359	45.10	-5.66	39.44	74.00	34.56	peak
3	1331.7915	47.00	-5.62	41.38	74.00	32.62	peak
4	1790.8489	43.37	-3.98	39.39	74.00	34.61	peak
5	2047.6310	42.48	-2.52	39.96	74.00	34.04	peak
6	2663.2079	44.01	-0.76	43.25	74.00	30.75	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1197.2747	45.14	-5.54	39.60	74.00	34.40	peak
2	1287.2859	43.49	-5.66	37.83	74.00	36.17	peak
3	1745.0931	42.76	-4.40	38.36	74.00	35.64	peak
4	2044.6306	42.56	-2.52	40.04	74.00	33.96	peak
5	2613.7017	42.00	-0.55	41.45	74.00	32.55	peak
6	2908.4886	41.98	0.47	42.45	74.00	31.55	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1199.7750	45.32	-5.54	39.78	74.00	34.22	peak
2	1286.7858	44.99	-5.65	39.34	74.00	34.66	peak
3	1330.2913	47.10	-5.62	41.48	74.00	32.52	peak
4	1786.3483	42.92	-3.96	38.96	74.00	35.04	peak
5	2117.3897	42.83	-2.51	40.32	74.00	33.68	peak
6	2661.7077	44.03	-0.76	43.27	74.00	30.73	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1194.7743	45.65	-5.55	40.10	74.00	33.90	peak
2	1286.7858	43.67	-5.65	38.02	74.00	35.98	peak
3	1472.3090	43.67	-5.75	37.92	74.00	36.08	peak
4	2063.1329	42.23	-2.73	39.50	74.00	34.50	peak
5	2221.4027	42.49	-2.26	40.23	74.00	33.77	peak
6	2921.2402	42.32	0.58	42.90	74.00	31.10	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1162.5203	44.98	-5.55	39.43	74.00	34.57	peak
2	1198.0248	45.54	-5.54	40.00	74.00	34.00	peak
3	1332.7916	47.04	-5.63	41.41	74.00	32.59	peak
4	1837.8547	43.04	-3.90	39.14	74.00	34.86	peak
5	2173.3967	42.94	-2.40	40.54	74.00	33.46	peak
6	2659.2074	44.56	-0.76	43.80	74.00	30.20	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1195.5244	45.27	-5.54	39.73	74.00	34.27	peak
2	1286.5358	43.32	-5.65	37.67	74.00	36.33	peak
3	1716.5896	42.65	-4.52	38.13	74.00	35.87	peak
4	2032.8791	43.26	-2.67	40.59	74.00	33.41	peak
5	2663.4579	43.15	-0.76	42.39	74.00	31.61	peak
6	2860.2325	42.21	0.10	42.31	74.00	31.69	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1194.2743	45.54	-5.55	39.99	74.00	34.01	peak
2	1328.7911	47.50	-5.62	41.88	74.00	32.12	peak
3	1646.5808	43.85	-5.01	38.84	74.00	35.16	peak
4	2063.3829	42.45	-2.73	39.72	74.00	34.28	peak
5	2666.7083	45.84	-0.76	45.08	74.00	28.92	peak
6	2962.7453	42.41	0.87	43.28	74.00	30.72	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1199.5249	46.97	-5.54	41.43	74.00	32.57	peak
2	1287.0359	43.69	-5.66	38.03	74.00	35.97	peak
3	1754.5943	42.70	-4.38	38.32	74.00	35.68	peak
4	2047.6310	42.17	-2.52	39.65	74.00	34.35	peak
5	2658.4573	42.31	-0.77	41.54	74.00	32.46	peak
6	2901.9877	42.01	0.37	42.38	74.00	31.62	peak

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	HCH	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1194.5243	49.69	-5.55	44.14	74.00	29.86	peak
2	1327.5409	48.07	-5.62	42.45	74.00	31.55	peak
3	1408.8011	46.34	-5.70	40.64	74.00	33.36	peak
4	1781.8477	43.42	-3.93	39.49	74.00	34.51	peak
5	2054.3818	42.63	-2.61	40.02	74.00	33.98	peak
6	2664.2080	43.83	-0.76	43.07	74.00	30.93	peak


- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For below 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band Reject Filter losses.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Part II: 3GHz~18GHz

HARMONICS AND SPURIOUS EMISSIONS

Test Mode	Channel	Polarization	Verdict
11B	LCH	Horizontal	PASS




No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5782.8479	42.79	5.36	48.15	74.00	25.85	peak
2	7521.1901	39.23	9.16	48.39	74.00	25.61	peak
3	10797.2247	38.13	12.04	50.17	74.00	23.83	peak
4	11909.2387	38.18	12.76	50.94	74.00	23.06	peak
5	13865.1081	38.23	14.91	53.14	74.00	20.86	peak
6	16938.6173	36.98	19.34	56.32	74.00	17.68	peak
		27.19	19.34	46.53	54.00	7.47	average
7	17516.1895	37.48	18.41	55.89	74.00	18.11	peak
		27.31	18.41	45.72	54.00	8.28	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5452.8066	41.13	5.51	46.64	74.00	27.36	peak
2	7425.5532	39.51	9.08	48.59	74.00	25.41	peak
3	8918.2398	39.43	9.05	48.48	74.00	25.52	peak
4	10808.4761	37.81	12.10	49.91	74.00	24.09	peak
5	14015.1269	36.92	15.24	52.16	74.00	21.84	peak
6	17030.5038	36.50	19.50	56.00	74.00	18.00	peak
		26.74	19.50	46.24	54.00	7.76	average
7	17638.0798	37.23	18.66	55.89	74.00	18.11	peak
		27.43	18.66	46.09	54.00	7.91	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5145.2682	40.14	5.03	45.17	74.00	28.83	peak
2	7429.3037	38.86	9.10	47.96	74.00	26.04	peak
3	9087.0109	38.52	9.29	47.81	74.00	26.19	peak
4	11065.3832	37.44	12.71	50.15	74.00	23.85	peak
5	14333.9167	37.02	15.24	52.26	74.00	21.74	peak
6	17028.6286	37.11	19.47	56.58	74.00	17.42	peak
		27.15	19.47	46.62	54.00	7.38	average
7	17636.2045	36.53	18.71	55.24	74.00	18.76	peak
		27.25	18.71	45.96	54.00	8.04	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5447.1809	40.45	5.40	45.85	74.00	28.15	peak
2	7491.1864	38.76	9.04	47.80	74.00	26.20	peak
3	9229.5287	38.96	9.11	48.07	74.00	25.93	peak
4	10842.2303	37.90	12.14	50.04	74.00	23.96	peak
5	13973.8717	37.38	15.06	52.44	74.00	21.56	peak
6	17165.5207	37.10	18.55	55.65	74.00	18.35	peak
		26.53	18.55	45.08	54.00	8.92	average
7	17617.4522	37.34	18.71	56.05	74.00	17.95	peak
		27.23	18.71	45.94	54.00	8.06	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4923.9905	41.33	5.08	46.41	74.00	27.59	peak
2	7491.1864	39.20	9.04	48.24	74.00	25.76	peak
3	9002.6253	38.98	9.51	48.49	74.00	25.51	peak
4	11140.3925	37.79	12.47	50.26	74.00	23.74	peak
5	13958.8699	37.82	15.01	52.83	74.00	21.17	peak
6	16974.2468	36.84	19.73	56.57	74.00	17.43	peak
		26.36	19.73	46.09	54.00	7.91	average
7	17626.8284	37.27	18.82	56.09	74.00	17.91	peak
		27.31	18.82	46.13	54.00	7.87	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11B	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4850.8564	40.89	4.78	45.67	74.00	28.33	peak
2	7359.9200	38.89	8.73	47.62	74.00	26.38	peak
3	8955.7445	38.72	9.33	48.05	74.00	25.95	peak
4	11026.0033	38.28	12.45	50.73	74.00	23.27	peak
5	14005.7507	37.16	15.18	52.34	74.00	21.66	peak
6	16970.4963	36.16	19.88	56.04	74.00	17.96	peak
		26.91	19.88	46.79	54.00	7.21	average
7	17593.0741	37.08	18.76	55.84	74.00	18.16	peak
		27.03	18.76	45.79	54.00	8.21	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4607.0759	41.48	4.91	46.39	74.00	27.61	peak
2	5587.8235	40.53	5.38	45.91	74.00	28.09	peak
3	7457.4322	38.77	9.28	48.05	74.00	25.95	peak
4	8963.2454	38.65	9.33	47.98	74.00	26.02	peak
5	13572.5716	38.17	13.74	51.91	74.00	22.09	peak
6	16964.8706	36.35	19.83	56.18	74.00	17.82	peak
		26.59	19.83	46.42	54.00	7.58	average
7	17598.6998	37.62	18.72	56.34	74.00	17.66	peak
		27.13	18.72	45.85	54.00	8.15	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5784.7231	41.56	5.37	46.93	74.00	27.07	peak
2	7404.9256	40.22	9.04	49.26	74.00	24.74	peak
3	8955.7445	38.89	9.33	48.22	74.00	25.78	peak
4	10868.4836	38.04	12.19	50.23	74.00	23.77	peak
5	14045.1306	37.21	15.59	52.80	74.00	21.20	peak
6	16966.7458	36.34	19.85	56.19	74.00	17.81	peak
		26.79	19.85	46.64	54.00	7.36	average
7	17621.2027	37.33	18.73	56.06	74.00	17.94	peak
		27.59	18.73	46.32	54.00	7.68	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4462.6828	41.08	5.12	46.20	74.00	27.80	peak
2	7331.7915	39.42	8.64	48.06	74.00	25.94	peak
3	9124.5156	38.42	9.29	47.71	74.00	26.29	peak
4	11099.1374	37.39	12.74	50.13	74.00	23.87	peak
5	13983.2479	37.93	15.14	53.07	74.00	20.93	peak
6	16938.6173	36.86	19.34	56.20	74.00	17.80	peak
		27.26	19.34	46.60	54.00	7.40	average
7	17684.9606	38.33	18.06	56.39	74.00	17.61	peak
		27.63	18.06	45.69	54.00	8.31	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5036.5046	41.38	5.00	46.38	74.00	27.62	peak
2	7335.5419	39.77	8.64	48.41	74.00	25.59	peak
3	8957.6197	39.44	9.32	48.76	74.00	25.24	peak
4	10883.4854	37.60	12.28	49.88	74.00	24.12	peak
5	14116.3895	37.09	15.35	52.44	74.00	21.56	peak
6	17053.0066	36.46	19.71	56.17	74.00	17.83	peak
		26.29	19.71	46.00	54.00	8.00	average
7	17653.0816	37.14	18.72	55.86	74.00	18.14	peak
		26.67	18.72	45.39	54.00	8.61	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5145.2682	41.18	5.03	46.21	74.00	27.79	peak
2	7511.8140	39.48	9.13	48.61	74.00	25.39	peak
3	8985.7482	38.44	9.36	47.80	74.00	26.20	peak
4	10969.7462	38.34	12.62	50.96	74.00	23.04	peak
5	14305.7882	38.40	15.04	53.44	74.00	20.56	peak
6	16974.2468	37.12	19.73	56.85	74.00	17.15	peak
		26.36	19.73	46.09	54.00	7.91	average
7	17643.7055	37.48	18.66	56.14	74.00	17.86	peak
		27.43	18.66	46.09	54.00	7.91	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11G	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5332.7916	40.04	5.20	45.24	74.00	28.76	peak
2	7459.3074	39.34	9.34	48.68	74.00	25.32	peak
3	8933.2417	38.94	9.13	48.07	74.00	25.93	peak
4	10845.9807	38.85	12.14	50.99	74.00	23.01	peak
5	14054.5068	36.81	15.68	52.49	74.00	21.51	peak
6	16940.4926	37.08	19.40	56.48	74.00	17.52	peak
		28.32	19.40	47.72	54.00	6.28	average
7	17516.1895	37.74	18.41	56.15	74.00	17.85	peak
		26.99	18.41	45.40	54.00	8.60	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4421.4277	40.59	4.97	45.56	74.00	28.44	peak
2	5359.0449	40.59	5.20	45.79	74.00	28.21	peak
3	7742.4678	39.60	8.56	48.16	74.00	25.84	peak
4	10791.5990	38.03	11.96	49.99	74.00	24.01	peak
5	14007.6260	37.01	15.20	52.21	74.00	21.79	peak
6	17030.5038	36.41	19.50	55.91	74.00	18.09	peak
		27.12	19.50	46.62	54.00	7.38	average
7	17518.0648	37.47	18.37	55.84	74.00	18.16	peak
		27.34	18.37	45.71	54.00	8.29	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	LCH	Vertical	PASS




No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4329.5412	41.89	4.76	46.65	74.00	27.35	peak
2	6210.4013	40.20	6.34	46.54	74.00	27.46	peak
3	7517.4397	39.18	9.13	48.31	74.00	25.69	peak
4	10847.8560	38.73	12.13	50.86	74.00	23.14	peak
5	14020.7526	37.49	15.26	52.75	74.00	21.25	peak
6	16972.3715	35.79	19.80	55.59	74.00	18.41	peak
		26.72	19.80	46.52	54.00	7.48	average
7	17602.4503	37.41	18.71	56.12	74.00	17.88	peak
		27.63	18.71	46.34	54.00	7.66	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4434.5543	40.85	4.97	45.82	74.00	28.18	peak
2	6478.5598	39.64	7.52	47.16	74.00	26.84	peak
3	7515.5644	38.93	9.13	48.06	74.00	25.94	peak
4	10900.3625	37.88	12.34	50.22	74.00	23.78	peak
5	14005.7507	37.45	15.18	52.63	74.00	21.37	peak
6	16964.8706	36.69	19.83	56.52	74.00	17.48	peak
		26.47	19.83	46.30	54.00	7.70	average
7	17626.8284	37.66	18.82	56.48	74.00	17.52	peak
		28.05	18.82	46.87	54.00	7.13	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4920.2400	40.53	5.03	45.56	74.00	28.44	peak
2	7410.5513	38.66	9.20	47.86	74.00	26.14	peak
3	8944.4931	38.97	9.25	48.22	74.00	25.78	peak
4	10967.8710	37.31	12.62	49.93	74.00	24.07	peak
5	14011.3764	37.32	15.23	52.55	74.00	21.45	peak
6	16940.4926	36.50	19.40	55.90	74.00	18.10	peak
		26.98	19.40	46.38	54.00	7.62	average
7	17626.8284	37.49	18.82	56.31	74.00	17.69	peak
		27.94	18.82	46.76	54.00	7.24	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4623.9530	40.55	4.91	45.46	74.00	28.54	peak
2	7558.6948	38.57	9.35	47.92	74.00	26.08	peak
3	8951.9940	38.72	9.33	48.05	74.00	25.95	peak
4	11273.5342	38.22	11.98	50.20	74.00	23.80	peak
5	13692.5866	38.51	14.23	52.74	74.00	21.26	peak
6	16966.7458	36.00	19.85	55.85	74.00	18.15	peak
		27.17	19.85	47.02	54.00	6.98	average
7	17611.8265	36.69	18.72	55.41	74.00	18.59	peak
		27.09	18.72	45.81	54.00	8.19	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT20	HCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4352.0440	41.62	4.67	46.29	74.00	27.71	peak
2	7483.6855	39.15	9.00	48.15	74.00	25.85	peak
3	9351.4189	38.96	8.68	47.64	74.00	26.36	peak
4	10830.9789	38.15	12.06	50.21	74.00	23.79	peak
5	14007.6260	37.17	15.20	52.37	74.00	21.63	peak
6	16972.3715	36.43	19.80	56.23	74.00	17.77	peak
		26.78	19.80	46.58	54.00	7.42	average
7	17613.7017	37.41	18.71	56.12	74.00	17.88	peak
		27.41	18.71	46.12	54.00	7.88	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	LCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	5070.2588	40.87	4.92	45.79	74.00	28.21	peak
2	7509.9387	39.56	9.13	48.69	74.00	25.31	peak
3	8974.4968	38.79	9.35	48.14	74.00	25.86	peak
4	10875.9845	38.18	12.23	50.41	74.00	23.59	peak
5	13964.4956	37.45	15.01	52.46	74.00	21.54	peak
6	17026.7533	36.69	19.42	56.11	74.00	17.89	peak
		26.63	19.42	46.05	54.00	7.95	average
7	17593.0741	37.30	18.76	56.06	74.00	17.94	peak
		27.01	18.76	45.77	54.00	8.23	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	LCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4809.6012	40.96	4.85	45.81	74.00	28.19	peak
2	7464.9331	38.85	9.30	48.15	74.00	25.85	peak
3	9043.8805	39.69	9.48	49.17	74.00	24.83	peak
4	11108.5136	37.86	12.59	50.45	74.00	23.55	peak
5	14303.9130	38.03	15.04	53.07	74.00	20.93	peak
6	17126.1408	38.33	18.41	56.74	74.00	17.26	peak
		26.67	18.41	45.08	54.00	8.92	average
7	17600.5751	37.29	18.71	56.00	74.00	18.00	peak
		27.31	18.71	46.02	54.00	7.98	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	MCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4487.0609	40.97	4.84	45.81	74.00	28.19	peak
2	7423.6780	39.14	9.07	48.21	74.00	25.79	peak
3	9042.0053	39.69	9.49	49.18	74.00	24.82	peak
4	10812.2265	37.99	12.08	50.07	74.00	23.93	peak
5	13990.7488	37.56	15.12	52.68	74.00	21.32	peak
6	16962.9954	36.21	19.80	56.01	74.00	17.99	peak
		26.52	19.80	46.32	54.00	7.68	average
7	17611.8265	37.39	18.72	56.11	74.00	17.89	peak
		27.31	18.72	46.03	54.00	7.97	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	MCH	Vertical	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4715.8395	42.05	4.94	46.99	74.00	27.01	peak
2	5745.3432	40.57	5.53	46.10	74.00	27.90	peak
3	7740.5926	39.72	8.61	48.33	74.00	25.67	peak
4	10870.3588	37.59	12.20	49.79	74.00	24.21	peak
5	14011.3764	37.48	15.23	52.71	74.00	21.29	peak
6	16962.9954	36.74	19.80	56.54	74.00	17.46	peak
		26.24	19.80	46.04	54.00	7.96	average
7	17623.0779	38.10	18.76	56.86	74.00	17.14	peak
		27.30	18.76	46.06	54.00	7.94	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	HCH	Horizontal	PASS




No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4428.9286	41.12	5.00	46.12	74.00	27.88	peak
2	5782.8479	41.56	5.36	46.92	74.00	27.08	peak
3	7498.6873	38.83	9.16	47.99	74.00	26.01	peak
4	8963.2454	38.63	9.33	47.96	74.00	26.04	peak
5	10697.8372	38.52	12.02	50.54	74.00	23.46	peak
6	17034.2543	36.97	19.50	56.47	74.00	17.53	peak
		26.47	19.50	45.97	54.00	8.03	average
7	17608.0760	37.17	18.72	55.89	74.00	18.11	peak
		27.41	18.72	46.13	54.00	7.87	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11N HT40	HCH	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	4387.6735	41.18	4.72	45.90	74.00	28.10	peak
2	7403.0504	38.85	8.98	47.83	74.00	26.17	peak
3	8931.3664	38.54	9.12	47.66	74.00	26.34	peak
4	11207.9010	38.59	12.32	50.91	74.00	23.09	peak
5	14260.7826	37.70	15.30	53.00	74.00	21.00	peak
6	17054.8819	35.76	19.79	55.55	74.00	18.45	peak
		26.84	19.79	46.63	54.00	7.37	average
7	17654.9569	37.31	18.70	56.01	74.00	17.99	peak
		27.31	18.70	46.01	54.00	7.99	average


- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. For above 3GHz part, filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for HPF losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Part III: 18GHz~26.5GHz

SPURIOUS EMISSIONS 18GHz TO 26.5GHz (WORST-CASE CONFIGURATION)

Test Mode	Channel	Polarization	Verdict
11B	HCH	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	18889.1889	49.68	-1.10	48.58	74.00	25.42	peak
2	20234.8735	48.30	-0.62	47.68	74.00	26.32	peak
3	21651.9652	48.12	-0.30	47.82	74.00	26.18	peak
4	22636.3636	48.36	0.94	49.30	74.00	24.70	peak
5	24391.7892	48.85	-0.72	48.13	74.00	25.87	peak
6	25399.9900	49.11	0.68	49.79	74.00	24.21	peak

- Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.