

Appendix E

Test Results of Radiated Emissions


Radiated Emission Test Data (9 KHz ~ 30 MHz):

The amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required to be report.


Radiated Emission Test Data (30 MHz ~ 1 GHz):

Worst-Case Configuration

Horizontal



No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector
1	32.640	27.71	-4.78	22.93	40.00	17.07	QP
2	43.845	33.16	-10.40	22.76	40.00	17.24	QP
3	213.103	47.48	-10.93	36.55	43.50	6.95	QP
4	338.855	29.21	-5.69	23.52	46.00	22.48	QP
5	723.793	25.93	1.79	27.72	46.00	18.28	QP
6	893.656	25.48	4.26	29.74	46.00	16.26	QP



Radiated Emission Test Data (Above 1GHz):

SISO_Chain 0_IEEE 802.11a_Channel 36

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Antenna Polaxis
1	10360	41.93	6.24	48.17	74	25.83	Peak	Horizontal
2	10360	24.93	6.24	31.17	54	22.83	Average	Horizontal
3	15540	39.87	11.27	51.14	74	22.86	Peak	Horizontal
4	15540	24.24	11.27	35.51	54	18.49	Average	Horizontal
5	10360	40.56	6.24	46.80	74	27.20	Peak	Vertical
6	10360	23.91	6.24	30.15	54	23.85	Average	Vertical
7	15540	39.31	11.27	50.58	74	23.42	Peak	Vertical
8	15540	23.58	11.27	34.85	54	19.15	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 44

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Antenna Polaxis
1	10440	40.38	6.30	46.68	74	27.32	Peak	Horizontal
2	10440	23.48	6.30	29.78	54	24.22	Average	Horizontal
3	15660	38.10	11.40	49.50	74	24.50	Peak	Horizontal
4	15660	22.15	11.40	33.55	54	20.45	Average	Horizontal
5	10440	41.54	6.30	47.84	74	26.16	Peak	Vertical
6	10440	24.64	6.30	30.94	54	23.06	Average	Vertical
7	15660	39.27	11.40	50.67	74	23.33	Peak	Vertical
8	15660	23.13	11.40	34.53	54	19.47	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 48

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Antenna Polaxis
1	10480	40.92	6.33	47.25	74	26.75	Peak	Horizontal
2	10480	23.68	6.33	30.01	54	23.99	Average	Horizontal
3	15720	39.28	11.48	50.76	74	23.24	Peak	Horizontal
4	15720	23.67	11.48	35.15	54	18.85	Average	Horizontal
5	10480	42.10	6.33	48.43	74	25.57	Peak	Vertical
6	10480	25.29	6.33	31.62	54	22.38	Average	Vertical
7	15720	39.41	11.48	50.89	74	23.11	Peak	Vertical
8	15720	23.71	11.48	35.19	54	18.81	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 52

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10520	41.31	6.39	47.70	74	26.30	Peak	Horizontal
2	10520	24.06	6.39	30.45	54	23.55	Average	Horizontal
3	15780	38.40	11.56	49.96	74	24.04	Peak	Horizontal
4	15780	22.57	11.56	34.13	54	19.87	Average	Horizontal
5	10520	41.76	6.39	48.15	74	25.85	Peak	Vertical
6	10520	24.81	6.39	31.20	54	22.80	Average	Vertical
7	15780	36.80	11.56	48.36	74	25.64	Peak	Vertical
8	15780	20.92	11.56	32.48	54	21.52	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 60

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10600	41.26	6.56	47.82	74	26.18	Peak	Horizontal
2	10600	24.27	6.56	30.83	54	23.17	Average	Horizontal
3	15900	38.73	11.71	50.44	74	23.56	Peak	Horizontal
4	15900	23.07	11.71	34.78	54	19.22	Average	Horizontal
5	10600	41.42	6.56	47.98	74	26.02	Peak	Vertical
6	10600	24.38	6.56	30.94	54	23.06	Average	Vertical
7	15900	38.54	11.71	50.25	74	23.75	Peak	Vertical
8	15900	22.64	11.71	34.35	54	19.65	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 64

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10640	40.78	6.64	47.42	74	26.58	Peak	Horizontal
2	10640	23.61	6.64	30.25	54	23.75	Average	Horizontal
3	15960	37.19	11.77	48.96	74	25.04	Peak	Horizontal
4	15960	21.34	11.77	33.11	54	20.89	Average	Horizontal
5	10640	40.87	6.64	47.51	74	26.49	Peak	Vertical
6	10640	23.70	6.64	30.34	54	23.66	Average	Vertical
7	15960	39.24	11.77	51.01	74	22.99	Peak	Vertical
8	15960	23.24	11.77	35.01	54	18.99	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 100

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11000	40.58	7.42	48.00	74	26.00	Peak	Horizontal
2	11000	23.95	7.42	31.37	54	22.63	Average	Horizontal
3	16500	37.35	12.35	49.70	74	24.30	Peak	Horizontal
4	16500	21.52	12.35	33.87	54	20.13	Average	Horizontal
5	11000	39.27	7.42	46.69	74	27.31	Peak	Vertical
6	11000	22.36	7.42	29.78	54	24.22	Average	Vertical
7	16500	37.47	12.35	49.82	74	24.18	Peak	Vertical
8	16500	21.62	12.35	33.97	54	20.03	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 116

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11160	40.32	7.32	47.64	74	26.36	Peak	Horizontal
2	11160	23.49	7.32	30.81	54	23.19	Average	Horizontal
3	16740	37.17	12.55	49.72	74	24.28	Peak	Horizontal
4	16740	21.05	12.55	33.60	54	20.40	Average	Horizontal
5	11160	41.43	7.32	48.75	74	25.25	Peak	Vertical
6	11160	24.73	7.32	32.05	54	21.95	Average	Vertical
7	16740	38.66	12.55	51.21	74	22.79	Peak	Vertical
8	16740	22.87	12.55	35.42	54	18.58	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 140

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11400	39.82	7.15	46.97	74	27.03	Peak	Horizontal
2	11400	23.22	7.15	30.37	54	23.63	Average	Horizontal
3	17100	37.44	12.92	50.36	74	23.64	Peak	Horizontal
4	17100	21.54	12.92	34.46	54	19.54	Average	Horizontal
5	11400	40.29	7.15	47.44	74	26.56	Peak	Vertical
6	11400	23.58	7.15	30.73	54	23.27	Average	Vertical
7	17100	36.87	12.92	49.79	74	24.21	Peak	Vertical
8	17100	20.94	12.92	33.86	54	20.14	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 149

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11490	41.11	7.09	48.20	74	25.80	Peak	Horizontal
2	11490	24.53	7.09	31.62	54	22.38	Average	Horizontal
3	17235	37.94	13.12	51.06	74	22.94	Peak	Horizontal
4	17235	22.04	13.12	35.16	54	18.84	Average	Horizontal
5	11490	40.80	7.09	47.89	74	26.11	Peak	Vertical
6	11490	23.95	7.09	31.04	54	22.96	Average	Vertical
7	17235	36.39	13.12	49.51	74	24.49	Peak	Vertical
8	17235	20.76	13.12	33.88	54	20.12	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 157

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11570	40.89	7.19	48.08	74	25.92	Peak	Horizontal
2	11570	23.62	7.19	30.81	54	23.19	Average	Horizontal
3	17355	36.86	13.29	50.15	74	23.85	Peak	Horizontal
4	17355	21.19	13.29	34.48	54	19.52	Average	Horizontal
5	11570	40.61	7.19	47.80	74	26.20	Peak	Vertical
6	11570	23.36	7.19	30.55	54	23.45	Average	Vertical
7	17355	37.50	13.29	50.79	74	23.21	Peak	Vertical
8	17355	21.71	13.29	35.00	54	19.00	Average	Vertical

SISO_Chain 0_IEEE 802.11a_Channel 165

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11650	40.33	7.31	47.64	74	26.36	Peak	Horizontal
2	11650	23.10	7.31	30.41	54	23.59	Average	Horizontal
3	17475	36.85	13.46	50.31	74	23.69	Peak	Horizontal
4	17475	20.70	13.46	34.16	54	19.84	Average	Horizontal
5	11650	40.53	7.31	47.84	74	26.16	Peak	Vertical
6	11650	23.67	7.31	30.98	54	23.02	Average	Vertical
7	17475	36.28	13.46	49.74	74	24.26	Peak	Vertical
8	17475	20.32	13.46	33.78	54	20.22	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 36

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Antenna Polaxis
1	10360	41.73	6.24	47.97	74	26.03	Peak	Horizontal
2	10360	25.10	6.24	31.34	54	22.66	Average	Horizontal
3	15540	37.97	11.27	49.24	74	24.76	Peak	Horizontal
4	15540	21.86	11.27	33.13	54	20.87	Average	Horizontal
5	10360	40.96	6.24	47.20	74	26.80	Peak	Vertical
6	10360	24.23	6.24	30.47	54	23.53	Average	Vertical
7	15540	38.49	11.27	49.76	74	24.24	Peak	Vertical
8	15540	22.39	11.27	33.66	54	20.34	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 44

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Antenna Polaxis
1	10440	40.13	6.30	46.43	74	27.57	Peak	Horizontal
2	10440	23.56	6.30	29.86	54	24.14	Average	Horizontal
3	15660	38.27	11.40	49.67	74	24.33	Peak	Horizontal
4	15660	22.38	11.40	33.78	54	20.22	Average	Horizontal
5	10440	41.01	6.30	47.31	74	26.69	Peak	Vertical
6	10440	24.21	6.30	30.51	54	23.49	Average	Vertical
7	15660	38.34	11.40	49.74	74	24.26	Peak	Vertical
8	15660	22.65	11.40	34.05	54	19.95	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 48

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Detector	Antenna Polaxis
1	10480	41.20	6.33	47.53	74	26.47	Peak	Horizontal
2	10480	24.04	6.33	30.37	54	23.63	Average	Horizontal
3	15720	38.01	11.48	49.49	74	24.51	Peak	Horizontal
4	15720	22.30	11.48	33.78	54	20.22	Average	Horizontal
5	10480	40.60	6.33	46.93	74	27.07	Peak	Vertical
6	10480	23.41	6.33	29.74	54	24.26	Average	Vertical
7	15720	39.21	11.48	50.69	74	23.31	Peak	Vertical
8	15720	23.25	11.48	34.73	54	19.27	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 52

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10520	40.88	6.39	47.27	74	26.73	Peak	Horizontal
2	10520	23.74	6.39	30.13	54	23.87	Average	Horizontal
3	15780	37.69	11.56	49.25	74	24.75	Peak	Horizontal
4	15780	22.03	11.56	33.59	54	20.41	Average	Horizontal
5	10520	41.22	6.39	47.61	74	26.39	Peak	Vertical
6	10520	24.31	6.39	30.70	54	23.30	Average	Vertical
7	15780	38.38	11.56	49.94	74	24.06	Peak	Vertical
8	15780	22.31	11.56	33.87	54	20.13	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 60

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10600	40.35	6.56	46.91	74	27.09	Peak	Horizontal
2	10600	23.09	6.56	29.65	54	24.35	Average	Horizontal
3	15900	38.41	11.71	50.12	74	23.88	Peak	Horizontal
4	15900	22.77	11.71	34.48	54	19.52	Average	Horizontal
5	10600	41.11	6.56	47.67	74	26.33	Peak	Vertical
6	10600	23.85	6.56	30.41	54	23.59	Average	Vertical
7	15900	38.07	11.71	49.78	74	24.22	Peak	Vertical
8	15900	22.02	11.71	33.73	54	20.27	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 64

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10640	40.81	6.64	47.45	74	26.55	Peak	Horizontal
2	10640	23.48	6.64	30.12	54	23.88	Average	Horizontal
3	15960	38.40	11.77	50.17	74	23.83	Peak	Horizontal
4	15960	22.66	11.77	34.43	54	19.57	Average	Horizontal
5	10640	40.16	6.64	46.80	74	27.20	Peak	Vertical
6	10640	23.36	6.64	30.00	54	24.00	Average	Vertical
7	15960	38.31	11.77	50.08	74	23.92	Peak	Vertical
8	15960	22.28	11.77	34.05	54	19.95	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 100

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11000	40.21	7.42	47.63	74	26.37	Peak	Horizontal
2	11000	22.88	7.42	30.30	54	23.70	Average	Horizontal
3	16500	37.60	12.35	49.95	74	24.05	Peak	Horizontal
4	16500	21.52	12.35	33.87	54	20.13	Average	Horizontal
5	11000	38.90	7.42	46.32	74	27.68	Peak	Vertical
6	11000	21.58	7.42	29.00	54	25.00	Average	Vertical
7	16500	38.52	12.35	50.87	74	23.13	Peak	Vertical
8	16500	22.83	12.35	35.18	54	18.82	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 116

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11160	40.82	7.32	48.14	74	25.86	Peak	Horizontal
2	11160	24.24	7.32	31.56	54	22.44	Average	Horizontal
3	16740	38.25	12.55	50.80	74	23.20	Peak	Horizontal
4	16740	22.59	12.55	35.14	54	18.86	Average	Horizontal
5	11160	40.47	7.32	47.79	74	26.21	Peak	Vertical
6	11160	23.69	7.32	31.01	54	22.99	Average	Vertical
7	16740	36.64	12.55	49.19	74	24.81	Peak	Vertical
8	16740	20.68	12.55	33.23	54	20.77	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 140

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11400	40.01	7.15	47.16	74	26.84	Peak	Horizontal
2	11400	23.41	7.15	30.56	54	23.44	Average	Horizontal
3	17100	38.35	12.92	51.27	74	22.73	Peak	Horizontal
4	17100	22.56	12.92	35.48	54	18.52	Average	Horizontal
5	11400	39.29	7.15	46.44	74	27.56	Peak	Vertical
6	11400	22.61	7.15	29.76	54	24.24	Average	Vertical
7	17100	37.66	12.92	50.58	74	23.42	Peak	Vertical
8	17100	21.98	12.92	34.90	54	19.10	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 149

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11490	40.43	7.09	47.52	74	26.48	Peak	Horizontal
2	11490	23.21	7.09	30.30	54	23.70	Average	Horizontal
3	17235	37.23	13.12	50.35	74	23.65	Peak	Horizontal
4	17235	21.35	13.12	34.47	54	19.53	Average	Horizontal
5	11490	40.62	7.09	47.71	74	26.29	Peak	Vertical
6	11490	23.69	7.09	30.78	54	23.22	Average	Vertical
7	17235	37.60	13.12	50.72	74	23.28	Peak	Vertical
8	17235	21.92	13.12	35.04	54	18.96	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 157

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11570	40.32	7.19	47.51	74	26.49	Peak	Horizontal
2	11570	23.20	7.19	30.39	54	23.61	Average	Horizontal
3	17355	37.82	13.29	51.11	74	22.89	Peak	Horizontal
4	17355	22.03	13.29	35.32	54	18.68	Average	Horizontal
5	11570	40.76	7.19	47.95	74	26.05	Peak	Vertical
6	11570	23.50	7.19	30.69	54	23.31	Average	Vertical
7	17355	37.18	13.29	50.47	74	23.53	Peak	Vertical
8	17355	21.07	13.29	34.36	54	19.64	Average	Vertical

SISO_Chain 1_ IEEE 802.11a_Channel 165

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11650	40.21	7.31	47.52	74	26.48	Peak	Horizontal
2	11650	23.59	7.31	30.90	54	23.10	Average	Horizontal
3	17475	36.55	13.46	50.01	74	23.99	Peak	Horizontal
4	17475	20.65	13.46	34.11	54	19.89	Average	Horizontal
5	11650	39.78	7.31	47.09	74	26.91	Peak	Vertical
6	11650	22.88	7.31	30.19	54	23.81	Average	Vertical
7	17475	38.31	13.46	51.77	74	22.23	Peak	Vertical
8	17475	22.25	13.46	35.71	54	18.29	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 36

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10360	39.70	6.24	45.94	74	28.06	Peak	Horizontal
2	10360	23.08	6.24	29.32	54	24.68	Average	Horizontal
3	15540	38.02	11.27	49.29	74	24.71	Peak	Horizontal
4	15540	22.35	11.27	33.62	54	20.38	Average	Horizontal
5	10360	41.24	6.24	47.48	74	26.52	Peak	Vertical
6	10360	24.36	6.24	30.60	54	23.40	Average	Vertical
7	15540	38.11	11.27	49.38	74	24.62	Peak	Vertical
8	15540	22.40	11.27	33.67	54	20.33	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 44

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10440	41.10	6.30	47.40	74	26.60	Peak	Horizontal
2	10440	23.95	6.30	30.25	54	23.75	Average	Horizontal
3	15660	39.36	11.40	50.76	74	23.24	Peak	Horizontal
4	15660	23.73	11.40	35.13	54	18.87	Average	Horizontal
5	10440	42.42	6.30	48.72	74	25.28	Peak	Vertical
6	10440	25.44	6.30	31.74	54	22.26	Average	Vertical
7	15660	38.64	11.40	50.04	74	23.96	Peak	Vertical
8	15660	22.90	11.40	34.30	54	19.70	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 48

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10480	39.76	6.33	46.09	74	27.91	Peak	Horizontal
2	10480	22.63	6.33	28.96	54	25.04	Average	Horizontal
3	15720	37.82	11.48	49.30	74	24.70	Peak	Horizontal
4	15720	21.66	11.48	33.14	54	20.86	Average	Horizontal
5	10480	41.30	6.33	47.63	74	26.37	Peak	Vertical
6	10480	24.54	6.33	30.87	54	23.13	Average	Vertical
7	15720	38.44	11.48	49.92	74	24.08	Peak	Vertical
8	15720	22.67	11.48	34.15	54	19.85	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 52

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10520	41.06	6.39	47.45	74	26.55	Peak	Horizontal
2	10520	24.22	6.39	30.61	54	23.39	Average	Horizontal
3	15780	38.18	11.56	49.74	74	24.26	Peak	Horizontal
4	15780	22.22	11.56	33.78	54	20.22	Average	Horizontal
5	10520	41.68	6.39	48.07	74	25.93	Peak	Vertical
6	10520	24.39	6.39	30.78	54	23.22	Average	Vertical
7	15780	38.27	11.56	49.83	74	24.17	Peak	Vertical
8	15780	22.54	11.56	34.10	54	19.90	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 60

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10600	40.28	6.56	46.84	74	27.16	Peak	Horizontal
2	10600	22.97	6.56	29.53	54	24.47	Average	Horizontal
3	15900	39.10	11.71	50.81	74	23.19	Peak	Horizontal
4	15900	23.11	11.71	34.82	54	19.18	Average	Horizontal
5	10600	41.33	6.56	47.89	74	26.11	Peak	Vertical
6	10600	24.36	6.56	30.92	54	23.08	Average	Vertical
7	15900	39.45	11.71	51.16	74	22.84	Peak	Vertical
8	15900	23.73	11.71	35.44	54	18.56	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 64

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10640	40.93	6.64	47.57	74	26.43	Peak	Horizontal
2	10640	24.10	6.64	30.74	54	23.26	Average	Horizontal
3	15960	38.99	11.77	50.76	74	23.24	Peak	Horizontal
4	15960	23.06	11.77	34.83	54	19.17	Average	Horizontal
5	10640	41.53	6.64	48.17	74	25.83	Peak	Vertical
6	10640	24.49	6.64	31.13	54	22.87	Average	Vertical
7	15960	38.22	11.77	49.99	74	24.01	Peak	Vertical
8	15960	22.41	11.77	34.18	54	19.82	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 100

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margi n (dB)	Detector	Antenna Polaxis
1	11000	41.41	7.42	48.83	74	25.17	Peak	Horizontal
2	11000	24.74	7.42	32.16	54	21.84	Average	Horizontal
3	16500	36.22	12.35	48.57	74	25.43	Peak	Horizontal
4	16500	20.42	12.35	32.77	54	21.23	Average	Horizontal
5	11000	39.10	7.42	46.52	74	27.48	Peak	Vertical
6	11000	22.00	7.42	29.42	54	24.58	Average	Vertical
7	16500	37.45	12.35	49.80	74	24.20	Peak	Vertical
8	16500	21.33	12.35	33.68	54	20.32	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 116

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margi n (dB)	Detector	Antenna Polaxis
1	11160	42.07	7.32	49.39	74	24.61	Peak	Horizontal
2	11160	25.10	7.32	32.42	54	21.58	Average	Horizontal
3	16740	36.62	12.55	49.17	74	24.83	Peak	Horizontal
4	16740	20.81	12.55	33.36	54	20.64	Average	Horizontal
5	11160	40.40	7.32	47.72	74	26.28	Peak	Vertical
6	11160	23.63	7.32	30.95	54	23.05	Average	Vertical
7	16740	36.83	12.55	49.38	74	24.62	Peak	Vertical
8	16740	21.19	12.55	33.74	54	20.26	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 140

No.	Frequency (MHz)	Reading (dBµV/m)	Correction factor (dB/m)	Result (dBµV/m)	Limit (dBµV/m)	Margi n (dB)	Detector	Antenna Polaxis
1	11400	39.87	7.15	47.02	74	26.98	Peak	Horizontal
2	11400	23.18	7.15	30.33	54	23.67	Average	Horizontal
3	17100	37.55	12.92	50.47	74	23.53	Peak	Horizontal
4	17100	21.65	12.92	34.57	54	19.43	Average	Horizontal
5	11400	39.91	7.15	47.06	74	26.94	Peak	Vertical
6	11400	23.12	7.15	30.27	54	23.73	Average	Vertical
7	17100	37.42	12.92	50.34	74	23.66	Peak	Vertical
8	17100	21.37	12.92	34.29	54	19.71	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 149

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11490	39.64	7.09	46.73	74	27.27	Peak	Horizontal
2	11490	22.54	7.09	29.63	54	24.37	Average	Horizontal
3	17235	37.91	13.12	51.03	74	22.97	Peak	Horizontal
4	17235	22.24	13.12	35.36	54	18.64	Average	Horizontal
5	11490	40.66	7.09	47.75	74	26.25	Peak	Vertical
6	11490	23.40	7.09	30.49	54	23.51	Average	Vertical
7	17235	37.51	13.12	50.63	74	23.37	Peak	Vertical
8	17235	21.79	13.12	34.91	54	19.09	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 157

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11570	39.42	7.19	46.61	74	27.39	Peak	Horizontal
2	11570	22.38	7.19	29.57	54	24.43	Average	Horizontal
3	17355	35.03	13.29	48.32	74	25.68	Peak	Horizontal
4	17355	19.32	13.29	32.61	54	21.39	Average	Horizontal
5	11570	39.74	7.19	46.93	74	27.07	Peak	Vertical
6	11570	22.68	7.19	29.87	54	24.13	Average	Vertical
7	17355	36.60	13.29	49.89	74	24.11	Peak	Vertical
8	17355	20.65	13.29	33.94	54	20.06	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT20_Channel 165

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11650	40.27	7.31	47.58	74	26.42	Peak	Horizontal
2	11650	23.08	7.31	30.39	54	23.61	Average	Horizontal
3	17475	36.61	13.46	50.07	74	23.93	Peak	Horizontal
4	17475	20.98	13.46	34.44	54	19.56	Average	Horizontal
5	11650	38.13	7.31	45.44	74	28.56	Peak	Vertical
6	11650	21.31	7.31	28.62	54	25.38	Average	Vertical
7	17475	35.50	13.46	48.96	74	25.04	Peak	Vertical
8	17475	19.59	13.46	33.05	54	20.95	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 38

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10380	49.61	6.25	55.86	74	18.14	Peak	Horizontal
2	10380	32.58	6.25	38.83	54	15.17	Average	Horizontal
3	15570	37.31	11.29	48.60	74	25.40	Peak	Horizontal
4	15570	21.99	11.29	33.28	54	20.72	Average	Horizontal
5	10380	39.59	6.25	45.84	74	28.16	Peak	Vertical
6	10380	22.94	6.25	29.19	54	24.81	Average	Vertical
7	15570	38.47	11.29	49.76	74	24.24	Peak	Vertical
8	15570	22.69	11.29	33.98	54	20.02	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 46

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10460	41.04	6.32	47.36	74	26.64	Peak	Horizontal
2	10460	23.95	6.32	30.27	54	23.73	Average	Horizontal
3	15690	35.55	11.45	47.00	74	27.00	Peak	Horizontal
4	15690	19.72	11.45	31.17	54	22.83	Average	Horizontal
5	10460	40.03	6.32	46.35	74	27.65	Peak	Vertical
6	10460	22.72	6.32	29.04	54	24.96	Average	Vertical
7	15690	35.67	11.45	47.12	74	26.88	Peak	Vertical
8	15690	19.86	11.45	31.31	54	22.69	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 54

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10540	40.05	6.42	46.47	74	27.53	Peak	Horizontal
2	10540	22.80	6.42	29.22	54	24.78	Average	Horizontal
3	15810	36.28	11.59	47.87	74	26.13	Peak	Horizontal
4	15810	20.25	11.59	31.84	54	22.16	Average	Horizontal
5	10540	39.27	6.42	45.69	74	28.31	Peak	Vertical
6	10540	22.71	6.42	29.13	54	24.87	Average	Vertical
7	15810	38.78	11.59	50.37	74	23.63	Peak	Vertical
8	15810	23.16	11.59	34.75	54	19.25	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 62

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10620	39.56	6.61	46.17	74	27.83	Peak	Horizontal
2	10620	23.00	6.61	29.61	54	24.39	Average	Horizontal
3	15930	37.80	11.75	49.55	74	24.45	Peak	Horizontal
4	15930	21.73	11.75	33.48	54	20.52	Average	Horizontal
5	10620	40.40	6.61	47.01	74	26.99	Peak	Vertical
6	10620	23.74	6.61	30.35	54	23.65	Average	Vertical
7	15930	37.78	11.75	49.53	74	24.47	Peak	Vertical
8	15930	21.91	11.75	33.66	54	20.34	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 102

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11020	39.09	7.41	46.50	74	27.50	Peak	Horizontal
2	11020	22.35	7.41	29.76	54	24.24	Average	Horizontal
3	16530	36.73	12.38	49.11	74	24.89	Peak	Horizontal
4	16530	20.55	12.38	32.93	54	21.07	Average	Horizontal
5	11020	39.17	7.41	46.58	74	27.42	Peak	Vertical
6	11020	22.19	7.41	29.60	54	24.40	Average	Vertical
7	16530	37.96	12.38	50.34	74	23.66	Peak	Vertical
8	16530	22.00	12.38	34.38	54	19.62	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 110

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11100	40.77	7.35	48.12	74	25.88	Peak	Horizontal
2	11100	23.47	7.35	30.82	54	23.18	Average	Horizontal
3	16650	36.14	12.48	48.62	74	25.38	Peak	Horizontal
4	16650	20.05	12.48	32.53	54	21.47	Average	Horizontal
5	11100	40.21	7.35	47.56	74	26.44	Peak	Vertical
6	11100	23.00	7.35	30.35	54	23.65	Average	Vertical
7	16650	38.14	12.48	50.62	74	23.38	Peak	Vertical
8	16650	22.10	12.48	34.58	54	19.42	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 134

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11340	39.22	7.19	46.41	74	27.59	Peak	Horizontal
2	11340	22.10	7.19	29.29	54	24.71	Average	Horizontal
3	17010	37.77	12.80	50.57	74	23.43	Peak	Horizontal
4	17010	21.69	12.80	34.49	54	19.51	Average	Horizontal
5	11340	40.46	7.19	47.65	74	26.35	Peak	Vertical
6	11340	23.33	7.19	30.52	54	23.48	Average	Vertical
7	17010	37.80	12.80	50.60	74	23.40	Peak	Vertical
8	17010	22.07	12.80	34.87	54	19.13	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 151

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11510	39.18	7.10	46.28	74	27.72	Peak	Horizontal
2	11510	21.90	7.10	29.00	54	25.00	Average	Horizontal
3	17265	35.68	13.16	48.84	74	25.16	Peak	Horizontal
4	17265	19.80	13.16	32.96	54	21.04	Average	Horizontal
5	11510	40.97	7.10	48.07	74	25.93	Peak	Vertical
6	11510	23.97	7.10	31.07	54	22.93	Average	Vertical
7	17265	37.04	13.16	50.20	74	23.80	Peak	Vertical
8	17265	20.99	13.16	34.15	54	19.85	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11n-HT40_Channel 159

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11590	40.42	7.22	47.64	74	26.36	Peak	Horizontal
2	11590	23.50	7.22	30.72	54	23.28	Average	Horizontal
3	17385	37.71	13.33	51.04	74	22.96	Peak	Horizontal
4	17385	22.08	13.33	35.41	54	18.59	Average	Horizontal
5	11590	39.69	7.22	46.91	74	27.09	Peak	Vertical
6	11590	22.71	7.22	29.93	54	24.07	Average	Vertical
7	17385	35.12	13.33	48.45	74	25.55	Peak	Vertical
8	17385	19.49	13.33	32.82	54	21.18	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11ac-VHT80_Channel 42

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10420	38.72	6.32	45.04	74	28.96	Peak	Horizontal
2	10420	22.11	6.32	28.43	54	25.57	Average	Horizontal
3	15630	38.67	11.45	50.12	74	23.88	Peak	Horizontal
4	15630	22.49	11.45	33.94	54	20.06	Average	Horizontal
5	10420	41.63	6.32	47.95	74	26.05	Peak	Vertical
6	10420	24.69	6.32	31.01	54	22.99	Average	Vertical
7	15630	35.79	11.45	47.24	74	26.76	Peak	Vertical
8	15630	19.65	11.45	31.10	54	22.90	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11ac-VHT80_Channel 58

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	10580	39.26	6.51	45.77	74	28.23	Peak	Horizontal
2	10580	22.63	6.51	29.14	54	24.86	Average	Horizontal
3	15870	38.00	11.67	49.67	74	24.33	Peak	Horizontal
4	15870	22.31	11.67	33.98	54	20.02	Average	Horizontal
5	10580	39.94	6.51	46.45	74	27.55	Peak	Vertical
6	10580	22.90	6.51	29.41	54	24.59	Average	Vertical
7	15870	36.47	11.67	48.14	74	25.86	Peak	Vertical
8	15870	20.30	11.67	31.97	54	22.03	Average	Vertical

MIMO_Chain 0+1_IEEE 802.11ac-VHT80_Channel 106

No.	Frequency (MHz)	Reading (dB μ V/m)	Correction factor (dB/m)	Result (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Antenna Polaxis
1	11060	38.44	7.38	45.82	74	28.18	Peak	Horizontal
2	11060	21.18	7.38	28.56	54	25.44	Average	Horizontal
3	16590	37.97	12.43	50.40	74	23.60	Peak	Horizontal
4	16590	22.26	12.43	34.69	54	19.31	Average	Horizontal
5	11060	40.13	7.38	47.51	74	26.49	Peak	Vertical
6	11060	23.09	7.38	30.47	54	23.53	Average	Vertical
7	16590	36.24	12.43	48.67	74	25.33	Peak	Vertical
8	16590	20.51	12.43	32.94	54	21.06	Average	Vertical

MIMO_Chain 0+1_ IEEE 802.11ac-VHT80_Channel 122

No.	Frequency (MHz)	Reading (dBμV/m)	Correction factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Antenna Polaxis
1	11220	40.81	7.28	48.09	74	25.91	Peak	Horizontal
2	11220	24.08	7.28	31.36	54	22.64	Average	Horizontal
3	16830	38.53	12.63	51.16	74	22.84	Peak	Horizontal
4	16830	22.66	12.63	35.29	54	18.71	Average	Horizontal
5	11220	39.70	7.28	46.98	74	27.02	Peak	Vertical
6	11220	22.93	7.28	30.21	54	23.79	Average	Vertical
7	16830	36.93	12.63	49.56	74	24.44	Peak	Vertical
8	16830	21.27	12.63	33.90	54	20.10	Average	Vertical

MIMO_Chain 0+1_ IEEE 802.11ac-VHT80_Channel 155



No.	Frequency (MHz)	Reading (dBμV/m)	Correction factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Antenna Polaxis
1	11550	40.12	7.16	47.28	74	26.72	Peak	Horizontal
2	11550	22.94	7.16	30.10	54	23.90	Average	Horizontal
3	17325	37.19	13.24	50.43	74	23.57	Peak	Horizontal
4	17325	21.31	13.24	34.55	54	19.45	Average	Horizontal
5	11550	40.78	7.16	47.94	74	26.06	Peak	Vertical
6	11550	23.68	7.16	30.84	54	23.16	Average	Vertical
7	17325	36.86	13.24	50.10	74	23.90	Peak	Vertical
8	17325	21.08	13.24	34.32	54	19.68	Average	Vertical



Remark:



1. Correct Factor = Antenna Factor + Cable Loss - Amplifier Gain, the value was added to Original Receiver Reading by the software automatically.
2. Result = Reading + Correct Factor.
3. Margin = Limit- Result
4. The worst-case emission is reported however emission whose levels were not within 20dB of the respective limited were not reported



Band Edge Measurements (Radiated)



SISO_Chain 0_IEEE 802.11a

























SISO_Chain 1_ IEEE 802.11a

























MIMO_Chain 0+1_ IEEE 802.11n-HT20

























MIMO_Chain 0+1_ IEEE 802.11n-HT40

























MIMO_Chain 0+1_ IEEE 802.11ac-VHT80













Appendix F





Remark: 1. Factor = LISN Factor + Cable Loss, the value was added to Original Receiver Reading by the software automatically.

2. Level = Reading + Factor


3. Margin = Limit - Level



Appendix G

Test Results of Dynamic frequency selection


BW / Channel	Test Item	Test Result	Limit	Pass/Fail
20 MHz / 5300 MHz	Channel Move Time	0.7168 s	< 10s	Pass
	Channel Closing Transmission Time	6.5 ms	< 200+60ms	Pass
	Non-Occupancy Period	No transmission	30 minutes	Pass
20 MHz / 5500 MHz	Channel Move Time	0.9986 s	< 10s	Pass
	Channel Closing Transmission Time	13.3 ms	< 200+60ms	Pass
	Non-Occupancy Period	No transmission	30 minutes	Pass
80 MHz / 5290 MHz	Channel Move Time	0.8156 s	< 10s	Pass
	Channel Closing Transmission Time	4.8 ms	< 200+60ms	Pass
	Non-Occupancy Period	No transmission	30 minutes	Pass
80 MHz / 5530 MHz	Channel Move Time	0.906 s	< 10s	Pass
	Channel Closing Transmission Time	18.5 ms	< 200+60ms	Pass
	Non-Occupancy Period	No transmission	30 minutes	Pass

Radar Waveform calibration Plot






**Channel Move Time & Channel Closing Transmission Time
802.11a_5300 MHz**




Non-Occupancy Period_802.11a_CH60_5300 MHz




**Channel Move Time & Channel Closing Transmission Time
802.11a_5500 MHz**




Non-Occupancy Period_802.11a_CH100_5500 MHz



Channel Move Time & Channel Closing Transmission Time
802.11ac_5290 MHz



Non-Occupancy Period_802.11ac_CH58_5290 MHz



Channel Move Time & Channel Closing Transmission Time
802.11ac_5530 MHz



Non-Occupancy Period_802.11ac_CH106_5530 MHz

