



Test Mode	Channel	Polarization	Verdict
11NSISO20	LCH	Vertical	PASS



No.	Frequency (MHz)	Factor[dB] (dB)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Remark
1	2332.0711	35.96	61.05	74.00	12.95	peak
			47.44	54.00	6.56	average
2	2366.9867	36.06	60.50	74.00	13.50	peak
			47.01	54.00	6.99	average
3	2390.0000	36.22	61.12	74.00	12.88	peak
			47.32	54.00	6.68	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.


Test Mode	Channel	Polarization	Verdict
11NSISO20	HCH	Horizontal	PASS



No.	Frequency (MHz)	Factor [dB]	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Remark
1	2486.5000	36.75	61.67	74.00	-12.33	peak
	2486.5000	36.75	48.43	54.00	-5.57	average
2	2509.6295	36.73	61.32	74.00	-12.68	peak
	2509.6295	36.73	48.08	54.00	-5.92	average
3	2542.1455	36.80	61.52	74.00	-12.48	peak
	2542.1455	36.80	47.96	54.00	-6.04	average
4	2545.7186	36.80	61.09	74.00	-12.91	peak
	2545.7186	36.80	48.03	54.00	-5.97	average

- Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.


Test Mode	Channel	Polarization	Verdict
11NSISO20	HCH	Vertical	PASS



No.	Frequency (MHz)	Factor[dB] (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.5000	36.77	62.09	74.00	-11.91	peak
	2483.5000	36.77	48.44	54.00	-5.56	average
2	2490.5153	36.73	62.20	74.00	-11.80	peak
	2490.5153	36.73	48.51	54.00	-5.49	average
3	2513.8981	36.75	61.41	74.00	-12.59	peak
	2513.8981	36.75	48.00	54.00	-6.00	average
4	2533.5746	36.79	60.95	74.00	-13.05	peak
	2533.5746	36.79	47.83	54.00	-6.17	average
5	2542.0912	36.80	61.59	74.00	-12.41	peak
	2542.0912	36.80	48.33	54.00	-5.67	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.


Test Mode	Channel	Polarization	Verdict
11NSISO40	LCH	Horizontal	PASS



No.	Frequency (MHz)	Factor [dB]	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2329.3098	35.95	60.59	74.00	-13.41	peak
			46.66	54.00	-7.34	average
2	2350.6971	36.01	60.77	74.00	-13.23	peak
			46.82	54.00	-7.18	average
3	2390.0000	36.22	61.25	74.00	-12.75	peak
			47.29	54.00	-6.71	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.


Test Mode	Channel	Polarization	Verdict
11NSISO40	LCH	Vertical	PASS



No.	Frequency (MHz)	Factor [dB] (dB)	Result (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Remark
1	2342.2216	35.99	60.16	74.00	-13.84	peak
			46.82	54.00	-7.18	average
2	2352.0009	36.02	60.04	74.00	-13.96	peak
			46.88	54.00	-7.12	average
3	2387.1634	36.19	60.79	74.00	-13.21	peak
			47.27	54.00	-6.73	average
4	2390.0000	36.22	61.47	74.00	-12.53	peak
			47.52	54.00	-6.48	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.


Test Mode	Channel	Polarization	Verdict
11NSISO40	HCH	Horizontal	PASS



No.	Frequency (MHz)	Factor [dB] (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.5000	36.77	61.83	74.00	-12.17	peak
	2483.5000	36.77	48.34	54.00	-5.66	average
2	2521.7459	36.78	61.13	74.00	-12.87	peak
	2521.7459	36.78	47.84	54.00	-6.16	average
3	2537.6067	36.80	61.38	74.00	-12.62	peak
	2537.6067	36.80	47.80	54.00	-6.20	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.

Test Mode	Channel	Polarization	Verdict
11NSISO40	HCH	Vertical	PASS



No.	Frequency (MHz)	Factor[dB] (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.5000	36.77	62.72	74.00	-11.28	peak
	2483.5000	36.77	49.19	54.00	-4.81	average
2	2493.9476	36.70	61.95	74.00	-12.05	peak
	2493.9476	36.70	48.26	54.00	-5.74	average
3	2532.1360	36.79	61.46	74.00	-12.54	peak
	2532.1360	36.79	47.75	54.00	-6.25	average

Note: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 3. For average power measurement, set the VBW to Minimum VBW=10 Hz.


6.6.3.SPURIOUS EMISSIONS

Part I: 1GHz~18GHz

HARMONICS AND SPURIOUS EMISSIONS

Adapter1: NBS05B050100VUU with Consumer Camera


Test Mode	Channel	Polarization	Verdict
11B	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2698.4698	29.66	-11.06	74.00	-44.34	54.00	-24.34	peak
2	4823.6824	38.93	-5.19	74.00	-35.07	54.00	-15.07	peak
3	6139.6140	38.06	-1.03	74.00	-35.94	54.00	-15.94	peak
4	10454.6455	44.14	6.37	74.00	-29.86	54.00	-9.86	peak
5	13965.4966	48.80	12.14	74.00	-25.20	54.00	-5.2	peak
6	16260.7261	53.71	15.90	74.00	-20.29	54.00	-0.29	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBµV/m)	Factor (dB)	Limit (Peak) (dBµV/m)	Margin (Peak) (dB)	Limit (Ave) (dBµV/m)	Margin (Ave) (dB)	Remark
1	3069.1069	31.01	-10.20	74.00	-42.99	54.00	-22.99	peak
2	4823.6824	35.58	-5.19	74.00	-38.42	54.00	-18.42	peak
3	6136.2136	38.48	-1.02	74.00	-35.52	54.00	-15.52	peak
4	9692.9693	43.71	4.83	74.00	-30.29	54.00	-10.29	peak
5	13970.5971	49.58	12.16	74.00	-24.42	54.00	-4.42	peak
6	15293.3293	52.23	15.12	74.00	-21.77	54.00	-1.77	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2409.4409	32.22	-12.52	74.00	-41.78	54.00	-21.78	peak
2	3495.8496	32.94	-7.79	74.00	-41.06	54.00	-21.06	peak
3	4872.9873	37.15	-5.19	74.00	-36.85	54.00	-16.85	peak
4	9172.7173	41.93	4.16	74.00	-32.07	54.00	-12.07	peak
5	11510.4510	45.35	7.09	74.00	-28.65	54.00	-8.65	peak
6	16405.2405	53.71	16.26	74.00	-20.29	54.00	-0.29	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBµV/m)	Factor (dB)	Limit (Peak) (dBµV/m)	Margin (Peak) (dB)	Limit (Ave) (dBµV/m)	Margin (Ave) (dB)	Remark
1	3167.7168	31.52	-9.75	74.00	-42.48	54.00	-22.48	peak
2	4187.8188	34.13	-6.15	74.00	-39.87	54.00	-19.87	peak
3	5852.2852	38.37	-1.91	74.00	-35.63	54.00	-15.63	peak
4	8460.3460	41.63	2.83	74.00	-32.37	54.00	-12.37	peak
5	13613.5614	49.81	11.07	74.00	-24.19	54.00	-4.19	peak
6	15568.7569	52.36	14.87	74.00	-21.64	54.00	-1.64	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	HCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2987.4988	29.86	-10.50	74.00	-44.14	54.00	-24.14	peak
2	3919.1919	33.29	-6.55	74.00	-40.71	54.00	-20.71	peak
3	5238.5239	35.76	-3.74	74.00	-38.24	54.00	-18.24	peak
4	7977.4978	40.30	1.87	74.00	-33.70	54.00	-13.7	peak
5	11267.3267	44.46	7.01	74.00	-29.54	54.00	-9.54	peak
6	16389.9390	53.32	16.31	74.00	-20.68	54.00	-0.68	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Test Mode	Channel	Polarization	Verdict
11B	HCH	Vertical	PASS




No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3189.8190	30.72	-9.51	74.00	-43.28	54.00	-23.28	peak
2	4296.6297	33.84	-5.93	74.00	-40.16	54.00	-20.16	peak
3	5859.0859	38.09	-1.86	74.00	-35.91	54.00	-15.91	peak
4	7717.3717	40.30	1.19	74.00	-33.70	54.00	-13.7	peak
5	11372.7373	44.36	7.04	74.00	-29.64	54.00	-9.64	peak
6	16383.1383	53.25	16.33	74.00	-20.75	54.00	-0.75	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Test Mode	Channel	Polarization	Verdict
-----------	---------	--------------	---------


11G	HCH	Horizontal	PASS
-----	-----	------------	------



No.	Frequency (MHz)	Result (dBµV/m)	Factor (dB)	Limit (Peak) (dBµV/m)	Margin (Peak) (dB)	Limit (Ave) (dBµV/m)	Margin (Ave) (dB)	Remark
1	3069.1069	30.85	-10.20	74.00	-43.15	54.00	-23.15	peak
2	4923.9924	35.01	-5.17	74.00	-38.99	54.00	-18.99	peak
3	8159.4159	41.15	2.54	74.00	-32.85	54.00	-12.85	peak
4	10335.6336	44.16	6.19	74.00	-29.84	54.00	-9.84	peak
5	13950.1950	49.10	12.05	74.00	-24.90	54.00	-4.9	peak
6	16362.7363	53.79	16.28	74.00	-20.21	54.00	-0.21	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	HCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3271.4271	30.86	-9.29	74.00	-43.14	54.00	-23.14	peak
2	3917.4917	33.61	-6.54	74.00	-40.39	54.00	-20.39	peak
3	5996.7997	38.07	-1.81	74.00	-35.93	54.00	-15.93	peak
4	8150.9151	41.37	2.46	74.00	-32.63	54.00	-12.63	peak
5	13994.3994	48.95	12.13	74.00	-25.05	54.00	-5.05	peak
6	15118.2118	52.99	14.68	74.00	-21.01	54.00	-1.01	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2407.7408	28.81	-12.54	74.00	-45.19	54.00	-25.19	peak
2	4075.6076	34.09	-6.40	74.00	-39.91	54.00	-19.91	peak
3	6139.6140	38.41	-1.03	74.00	-35.59	54.00	-15.59	peak
4	10055.1055	43.63	5.78	74.00	-30.37	54.00	-10.37	peak
5	14001.2001	49.40	12.12	74.00	-24.60	54.00	-4.6	peak
6	15026.4026	52.30	14.52	74.00	-21.70	54.00	-1.7	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3053.8054	30.77	-10.35	74.00	-43.23	54.00	-23.23	peak
2	3606.3606	32.98	-7.60	74.00	-41.02	54.00	-21.02	peak
3	5884.5885	38.25	-1.73	74.00	-35.75	54.00	-15.75	peak
4	9159.1159	41.95	4.15	74.00	-32.05	54.00	-12.05	peak
5	13197.0197	47.80	10.14	74.00	-26.20	54.00	-6.2	peak
6	15538.1538	52.21	14.79	74.00	-21.79	54.00	-1.79	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3497.5498	33.21	-7.75	74.00	-40.79	54.00	-20.79	peak
2	4823.6824	34.85	-5.19	74.00	-39.15	54.00	-19.15	peak
3	5955.9956	37.28	-1.73	74.00	-36.72	54.00	-16.72	peak
4	10480.1480	44.10	6.42	74.00	-29.90	54.00	-9.9	peak
5	13610.1610	48.20	11.07	74.00	-25.80	54.00	-5.8	peak
6	15223.6224	51.76	15.01	74.00	-22.24	54.00	-2.24	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3194.9195	30.70	-9.45	74.00	-43.30	54.00	-23.3	peak
2	4789.6790	35.36	-5.13	74.00	-38.64	54.00	-18.64	peak
3	5666.9667	37.90	-1.99	74.00	-36.10	54.00	-16.1	peak
4	10441.0441	43.54	6.35	74.00	-30.46	54.00	-10.46	peak
5	14025.0025	48.75	12.07	74.00	-25.25	54.00	-5.25	peak
6	15704.7705	52.36	14.96	74.00	-21.64	54.00	-1.64	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3070.8071	29.74	-10.18	74.00	-44.26	54.00	-24.26	peak
2	3609.7610	32.86	-7.60	74.00	-41.14	54.00	-21.14	peak
3	4823.6824	35.08	-5.19	74.00	-38.92	54.00	-18.92	peak
4	6146.4146	38.14	-1.05	74.00	-35.86	54.00	-15.86	peak
5	8237.6238	40.57	2.21	74.00	-33.43	54.00	-13.43	peak
6	13973.9974	48.77	12.16	74.00	-25.23	54.00	-5.23	peak
7	16345.7346	53.87	16.22	74.00	-20.13	54.00	-0.13	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3069.1069	29.64	-10.20	74.00	-44.36	54.00	-24.36	peak
2	3528.1528	33.37	-8.01	74.00	-40.63	54.00	-20.63	peak
3	4677.4677	36.46	-5.23	74.00	-37.54	54.00	-17.54	peak
4	6098.8099	38.02	-1.17	74.00	-35.98	54.00	-15.98	peak
5	11163.6164	45.27	6.97	74.00	-28.73	54.00	-8.73	peak
6	15969.9970	52.16	15.34	74.00	-21.84	54.00	-1.84	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2411.1411	31.15	-12.51	74.00	-42.85	54.00	-22.85	peak
2	3336.0336	31.69	-8.99	74.00	-42.31	54.00	-22.31	peak
3	5719.6720	37.49	-2.19	74.00	-36.51	54.00	-16.51	peak
4	8948.2948	41.92	3.73	74.00	-32.08	54.00	-12.08	peak
5	13547.2547	48.46	10.96	74.00	-25.54	54.00	-5.54	peak
6	15696.2696	52.58	14.96	74.00	-21.42	54.00	-1.42	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2604.9605	28.27	-11.70	74.00	-45.73	54.00	-25.73	peak
2	3822.2822	32.78	-7.15	74.00	-41.22	54.00	-21.22	peak
3	6166.8167	38.05	-1.11	74.00	-35.95	54.00	-15.95	peak
4	8992.4993	42.45	3.82	74.00	-31.55	54.00	-11.55	peak
5	11274.1274	44.60	7.02	74.00	-29.40	54.00	-9.4	peak
6	15578.9579	52.99	14.90	74.00	-21.01	54.00	-1.01	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	HCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3631.8632	32.98	-7.62	74.00	-41.02	54.00	-21.02	peak
2	4439.4439	34.91	-5.59	74.00	-39.09	54.00	-19.09	peak
3	6185.5186	38.21	-1.23	74.00	-35.79	54.00	-15.79	peak
4	10398.5399	43.94	6.29	74.00	-30.06	54.00	-10.06	peak
5	13945.0945	49.38	12.02	74.00	-24.62	54.00	-4.62	peak
6	16396.7397	53.89	16.29	74.00	-20.11	54.00	-0.11	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	HCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3259.5260	30.35	-9.32	74.00	-43.65	54.00	-23.65	peak
2	4007.6008	33.65	-6.59	74.00	-40.35	54.00	-20.35	peak
3	5680.5681	37.70	-2.07	74.00	-36.30	54.00	-16.3	peak
4	9018.0018	42.07	3.85	74.00	-31.93	54.00	-11.93	peak
5	13504.7505	47.16	10.70	74.00	-26.84	54.00	-6.84	peak
6	14830.8831	52.22	14.28	74.00	-21.78	54.00	-1.78	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO40	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3405.7406	32.46	-8.53	74.00	-41.54	54.00	-21.54	peak
2	4745.4745	35.52	-5.05	74.00	-38.48	54.00	-18.48	peak
3	6603.7604	37.52	-1.02	74.00	-36.48	54.00	-16.48	peak
4	10301.6302	43.13	6.12	74.00	-30.87	54.00	-10.87	peak
5	13960.3960	49.42	12.11	74.00	-24.58	54.00	-4.58	peak
6	16425.6426	53.36	16.20	74.00	-20.64	54.00	-0.64	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO40	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3206.8207	30.67	-9.36	74.00	-43.33	54.00	-23.33	peak
2	4182.7183	33.57	-6.16	74.00	-40.43	54.00	-20.43	peak
3	5595.5596	36.48	-2.32	74.00	-37.52	54.00	-17.52	peak
4	8524.9525	41.83	2.97	74.00	-32.17	54.00	-12.17	peak
5	14689.7690	49.74	13.22	74.00	-24.26	54.00	-4.26	peak
6	16388.2388	53.81	16.32	74.00	-20.19	54.00	-0.19	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO40	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2417.9418	29.37	-12.47	74.00	-44.63	54.00	-24.63	peak
2	3213.6214	31.76	-9.37	74.00	-42.24	54.00	-22.24	peak
3	4565.2565	35.64	-4.99	74.00	-38.36	54.00	-18.36	peak
4	6102.2102	38.03	-1.13	74.00	-35.97	54.00	-15.97	peak
5	10769.1769	44.32	6.78	74.00	-29.68	54.00	-9.68	peak
6	15255.9256	51.39	15.11	74.00	-22.61	54.00	-2.61	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO40	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2440.0440	28.00	-12.37	74.00	-46.00	54.00	-26	peak
2	4036.5037	34.08	-6.49	74.00	-39.92	54.00	-19.92	peak
3	5675.4675	37.92	-2.04	74.00	-36.08	54.00	-16.08	peak
4	8904.0904	42.39	3.65	74.00	-31.61	54.00	-11.61	peak
5	11503.6504	44.96	7.08	74.00	-29.04	54.00	-9.04	peak
6	15174.3174	52.22	14.85	74.00	-21.78	54.00	-1.78	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO40	HCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2950.0950	30.22	-10.69	74.00	-43.78	54.00	-23.78	peak
2	4903.5904	35.30	-5.24	74.00	-38.70	54.00	-18.7	peak
3	6177.0177	37.81	-1.14	74.00	-36.19	54.00	-16.19	peak
4	10107.8108	43.11	5.88	74.00	-30.89	54.00	-10.89	peak
5	13987.5988	48.29	12.14	74.00	-25.71	54.00	-5.71	peak
6	15539.8540	51.93	14.79	74.00	-22.07	54.00	-2.07	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Test Mode	Channel	Polarization	Verdict
11NSISO40	HCH	Vertical	PASS




No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3069.1069	30.63	-10.20	74.00	-43.37	54.00	-23.37	peak
2	3626.7627	32.73	-7.62	74.00	-41.27	54.00	-21.27	peak
3	5908.3908	38.04	-1.71	74.00	-35.96	54.00	-15.96	peak
4	9414.1414	43.23	4.26	74.00	-30.77	54.00	-10.77	peak
5	13982.4983	48.95	12.15	74.00	-25.05	54.00	-5.05	peak
6	15208.3208	52.53	14.96	74.00	-21.47	54.00	-1.47	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Adapter2: ED1-050100UA with Consumer Camera


Test Mode	Channel	Polarization	Verdict
11B	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3069.1069	30.47	-10.20	74.00	-43.53	54.00	-23.53	peak
2	4823.6824	38.92	-5.19	74.00	-35.08	54.00	-15.08	peak
3	5670.3670	38.94	-2.01	74.00	-35.06	54.00	-15.06	peak
4	8200.2200	41.49	2.39	74.00	-32.51	54.00	-12.51	peak
5	10191.1191	43.93	6.00	74.00	-30.07	54.00	-10.07	peak
6	15589.1589	52.27	14.92	74.00	-21.73	54.00	-1.73	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2594.7595	28.56	-11.70	74.00	-45.44	54.00	-25.44	peak
2	3303.7304	31.26	-9.25	74.00	-42.74	54.00	-22.74	peak
3	4823.6824	35.38	-5.19	74.00	-38.62	54.00	-18.62	peak
4	6177.0177	38.47	-1.14	74.00	-35.53	54.00	-15.53	peak
5	10417.2417	44.12	6.32	74.00	-29.88	54.00	-9.88	peak
6	15296.7297	52.00	15.11	74.00	-22.00	54.00	-2	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3594.4594	32.53	-7.56	74.00	-41.47	54.00	-21.47	peak
2	4872.9873	37.37	-5.19	74.00	-36.63	54.00	-16.63	peak
3	6185.5186	37.71	-1.23	74.00	-36.29	54.00	-16.29	peak
4	8917.6918	41.52	3.68	74.00	-32.48	54.00	-12.48	peak
5	10833.7834	44.38	6.77	74.00	-29.62	54.00	-9.62	peak
6	15121.6122	52.36	14.69	74.00	-21.64	54.00	-1.64	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2496.1496	28.13	-12.18	74.00	-45.87	54.00	-25.87	peak
2	3341.1341	30.88	-8.97	74.00	-43.12	54.00	-23.12	peak
3	6110.7111	37.67	-1.02	74.00	-36.33	54.00	-16.33	peak
4	8570.8571	42.00	3.21	74.00	-32.00	54.00	-12	peak
5	11950.7951	44.57	7.90	74.00	-29.43	54.00	-9.43	peak
6	14869.9870	51.72	14.29	74.00	-22.28	54.00	-2.28	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11B	HCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3208.5209	31.24	-9.36	74.00	-42.76	54.00	-22.76	peak
2	4923.9924	35.52	-5.17	74.00	-38.48	54.00	-18.48	peak
3	7390.9391	39.24	0.60	74.00	-34.76	54.00	-14.76	peak
4	10007.5008	43.37	5.70	74.00	-30.63	54.00	-10.63	peak
5	12777.0777	46.51	9.15	74.00	-27.49	54.00	-7.49	peak
6	15313.7314	51.93	15.04	74.00	-22.07	54.00	-2.07	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Test Mode	Channel	Polarization	Verdict
11B	HCH	Vertical	PASS




No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2967.0967	29.58	-10.61	74.00	-44.42	54.00	-24.42	peak
2	4046.7047	33.53	-6.46	74.00	-40.47	54.00	-20.47	peak
3	6139.6140	37.64	-1.03	74.00	-36.36	54.00	-16.36	peak
4	8572.5573	41.99	3.22	74.00	-32.01	54.00	-12.01	peak
5	12797.4797	46.84	9.18	74.00	-27.16	54.00	-7.16	peak
6	15249.1249	52.06	15.09	74.00	-21.94	54.00	-1.94	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Test Mode	Channel	Polarization	Verdict
-----------	---------	--------------	---------


11G	HCH	Horizontal	PASS
-----	-----	------------	------



No.	Frequency (MHz)	Result (dBµV/m)	Factor (dB)	Limit (Peak) (dBµV/m)	Margin (Peak) (dB)	Limit (Ave) (dBµV/m)	Margin (Ave) (dB)	Remark
1	3878.3878	32.37	-6.92	74.00	-41.63	54.00	-21.63	peak
2	5099.1099	35.55	-4.18	74.00	-38.45	54.00	-18.45	peak
3	8526.6527	41.90	2.98	74.00	-32.10	54.00	-12.1	peak
4	10706.2706	43.84	6.66	74.00	-30.16	54.00	-10.16	peak
5	13933.1933	48.97	11.96	74.00	-25.03	54.00	-5.03	peak
6	15080.8081	52.15	14.62	74.00	-21.85	54.00	-1.85	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	HCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2411.1411	30.12	-12.51	74.00	-43.88	54.00	-23.88	peak
2	3604.6605	32.73	-7.59	74.00	-41.27	54.00	-21.27	peak
3	4923.9924	36.67	-5.17	74.00	-37.33	54.00	-17.33	peak
4	6139.6140	38.36	-1.03	74.00	-35.64	54.00	-15.64	peak
5	10762.3762	43.76	6.76	74.00	-30.24	54.00	-10.24	peak
6	15043.4043	52.13	14.55	74.00	-21.87	54.00	-1.87	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2433.2433	28.22	-12.39	74.00	-45.78	54.00	-25.78	peak
2	3640.3640	32.61	-7.62	74.00	-41.39	54.00	-21.39	peak
3	5000.5001	35.71	-4.75	74.00	-38.29	54.00	-18.29	peak
4	5906.6907	37.89	-1.71	74.00	-36.11	54.00	-16.11	peak
5	10838.8839	44.13	6.77	74.00	-29.87	54.00	-9.87	peak
6	15223.6224	52.06	15.01	74.00	-21.94	54.00	-1.94	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2411.1411	29.00	-12.51	74.00	-45.00	54.00	-25	peak
2	3618.2618	32.47	-7.61	74.00	-41.53	54.00	-21.53	peak
3	5009.0009	34.98	-4.71	74.00	-39.02	54.00	-19.02	peak
4	6139.6140	37.87	-1.03	74.00	-36.13	54.00	-16.13	peak
5	10891.5892	45.14	6.73	74.00	-28.86	54.00	-8.86	peak
6	15237.2237	51.77	15.05	74.00	-22.23	54.00	-2.23	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	3898.7899	33.66	-6.61	74.00	-40.34	54.00	-20.34	peak
2	4823.6824	36.49	-5.19	74.00	-37.51	54.00	-17.51	peak
3	5872.6873	38.00	-1.77	74.00	-36.00	54.00	-16	peak
4	8734.0734	42.01	3.30	74.00	-31.99	54.00	-11.99	peak
5	10459.7460	44.63	6.38	74.00	-29.37	54.00	-9.37	peak
6	15272.9273	51.90	15.17	74.00	-22.10	54.00	-2.1	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11G	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2587.9588	28.14	-11.78	74.00	-45.86	54.00	-25.86	peak
2	5066.8067	35.51	-4.45	74.00	-38.49	54.00	-18.49	peak
3	6996.4997	38.50	-0.50	74.00	-35.50	54.00	-15.5	peak
4	9752.4752	43.19	5.05	74.00	-30.81	54.00	-10.81	peak
5	12746.4746	45.80	9.10	74.00	-28.20	54.00	-8.2	peak
6	15204.9205	51.54	14.95	74.00	-22.46	54.00	-2.46	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2411.1411	29.86	-12.51	74.00	-44.14	54.00	-24.14	peak
2	4058.6059	33.64	-6.42	74.00	-40.36	54.00	-20.36	peak
3	4823.6824	35.03	-5.19	74.00	-38.97	54.00	-18.97	peak
4	7754.7755	40.20	1.43	74.00	-33.80	54.00	-13.8	peak
5	10820.1820	44.77	6.78	74.00	-29.23	54.00	-9.23	peak
6	15186.2186	51.79	14.89	74.00	-22.21	54.00	-2.21	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	LCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2412.8413	31.37	-12.50	74.00	-42.63	54.00	-22.63	peak
2	4070.5071	33.96	-6.39	74.00	-40.04	54.00	-20.04	peak
3	6139.6140	38.55	-1.03	74.00	-35.45	54.00	-15.45	peak
4	8445.0445	41.00	2.84	74.00	-33.00	54.00	-13	peak
5	10825.2825	44.21	6.78	74.00	-29.79	54.00	-9.79	peak
6	15033.2033	51.92	14.53	74.00	-22.08	54.00	-2.08	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	MCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2409.4409	28.55	-12.52	74.00	-45.45	54.00	-25.45	peak
2	3711.7712	33.09	-7.51	74.00	-40.91	54.00	-20.91	peak
3	5774.0774	36.97	-2.16	74.00	-37.03	54.00	-17.03	peak
4	7841.4841	39.91	1.30	74.00	-34.09	54.00	-14.09	peak
5	11168.7169	44.34	6.97	74.00	-29.66	54.00	-9.66	peak
6	15315.4315	51.98	15.03	74.00	-22.02	54.00	-2.02	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	MCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2421.3421	30.52	-12.45	74.00	-43.48	54.00	-23.48	peak
2	3606.3606	32.57	-7.60	74.00	-41.43	54.00	-21.43	peak
3	4757.3757	35.14	-5.06	74.00	-38.86	54.00	-18.86	peak
4	6136.2136	38.49	-1.02	74.00	-35.51	54.00	-15.51	peak
5	10784.4784	44.06	6.80	74.00	-29.94	54.00	-9.94	peak
6	15565.3565	53.13	14.86	74.00	-20.87	54.00	-0.87	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	HCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV /m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2429.8430	30.76	-12.41	74.00	-43.24	54.00	-23.24	peak
2	3915.7916	33.16	-6.52	74.00	-40.84	54.00	-20.84	peak
3	6170.2170	38.10	-1.12	74.00	-35.90	54.00	-15.9	peak
4	8987.3987	42.32	3.81	74.00	-31.68	54.00	-11.68	peak
5	11853.8854	44.37	7.75	74.00	-29.63	54.00	-9.63	peak
6	15318.8319	51.94	15.02	74.00	-22.06	54.00	-2.06	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.


Test Mode	Channel	Polarization	Verdict
11NSISO20	HCH	Vertical	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2407.7408	29.68	-12.54	74.00	-44.32	54.00	-24.32	peak
2	4311.9312	35.19	-5.83	74.00	-38.81	54.00	-18.81	peak
3	5886.2886	38.10	-1.73	74.00	-35.90	54.00	-15.9	peak
4	8494.3494	41.61	2.81	74.00	-32.39	54.00	-12.39	peak
5	11180.6181	44.49	6.98	74.00	-29.51	54.00	-9.51	peak
6	14053.9054	49.58	12.01	74.00	-24.42	54.00	-4.42	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

Test Mode	Channel	Polarization	Verdict
11NSISO40	LCH	Horizontal	PASS



No.	Frequency (MHz)	Result (dBuV/m)	Factor (dB)	Limit (Peak) (dBuV/m)	Margin (Peak) (dB)	Limit (Ave) (dBuV/m)	Margin (Ave) (dB)	Remark
1	2411.1411	31.62	-12.51	74.00	-42.38	54.00	-22.38	peak
2	3633.5634	32.84	-7.62	74.00	-41.16	54.00	-21.16	peak
3	4844.0844	35.19	-5.18	74.00	-38.81	54.00	-18.81	peak
4	6124.3124	38.06	-0.98	74.00	-35.94	54.00	-15.94	peak
5	10452.9453	44.27	6.37	74.00	-29.73	54.00	-9.73	peak
6	15502.4502	52.44	14.69	74.00	-21.56	54.00	-1.56	peak

Note: 1.If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.