




# **Appendix I**

## **External Photographs**

## ALL View of EUT



## Front View of EUT



Back View of EUT




Left View of EUT





Right View of EUT




Top View of EUT



Bottom View of EUT



View of Power Adapter-1





The image shows a black rectangular Lipo Charger for Drones, model FC320. The device is placed on a blue surface next to a ruler. The label on the device provides the following information:

- Model:** FC320
- DC Input:** 100-240V 5.5A 50/60Hz
- DC Output:** 7.4V-20V 3.0V Max. 60-60Hz
- Output current:** 1.5-2.0A
- Features:**
  - 1. Constant Current, Voltage Protection
  - 2. Overload Protection
  - 3. Overheat Protection
  - 4. Short Circuit Protection
  - 5. Protection Against Reverse Polarity
  - 6. Protection Against Overcharge
  - 7. Protection Against Overcurrent
  - 8. Protection Against Overvoltage
  - 9. Protection Against Under Voltage
  - 10. Protection Against Under Current
  - 11. Protection Against Under Voltage
  - 12. Protection Against Under Current
- CE Marking:** CE, RoHS, WEEE, TSM
- Serial Number:** SN: 001424587
- Manufacturer:** Made in China

View of Power Battery-1



View of Power Battery-2



## Detail View of Power Battery

