


Annex C. LTE Transmitter Occupied Bandwidth(SA)

1. LTE_Band2


1.1. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.1	RMS	1.16	1.35	1.4	Pass



1.2. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.1	RMS	1.15	1.34	1.4	Pass




1.3. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	1.16	1.36	1.4	Pass




1.4. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	1.16	1.34	1.4	Pass



1.5. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.1	RMS	1.16	1.36	1.4	Pass




1.6. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.1	RMS	1.16	1.35	1.4	Pass




1.7. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.1	RMS	2.72	2.97	3	Pass




1.8. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.1	RMS	2.72	2.96	3	Pass




1.9. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	2.73	2.98	3	Pass




1.10. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	2.73	2.98	3	Pass




1.11. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.1	RMS	2.73	2.99	3	Pass




1.12. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.1	RMS	2.72	2.98	3	Pass




1.13. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	RMS	4.5	4.89	5	Pass




1.14. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	RMS	4.5	4.86	5	Pass




1.15. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	4.5	4.92	5	Pass




1.16. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	4.5	4.9	5	Pass




1.17. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	RMS	4.5	4.92	5	Pass




1.18. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	RMS	4.5	4.89	5	Pass




1.19. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.1	RMS	8.93	9.45	10	Pass



1.20. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.1	RMS	8.92	9.4	10	Pass




1.21. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	8.92	9.49	10	Pass




1.22. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	8.92	9.4	10	Pass



1.23. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.1	RMS	8.93	9.42	10	Pass




1.24. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.1	RMS	8.92	9.4	10	Pass




1.25. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.1	RMS	13.39	14.01	15	Pass




1.26. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.1	RMS	13.39	13.99	15	Pass



1.27. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	13.39	14.1	15	Pass




1.28. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	13.38	14.04	15	Pass




1.29. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.1	RMS	13.38	14.12	15	Pass



1.30. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.1	RMS	13.38	14	15	Pass



1.31. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.1	RMS	17.85	18.49	20	Pass




1.32. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.1	RMS	17.84	18.51	20	Pass



1.33. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	17.83	18.62	20	Pass




1.34. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	RMS	17.83	18.48	20	Pass



1.35. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.1	RMS	17.84	18.59	20	Pass



1.36. LTE Transmitter Occupied Bandwidth(SA)(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down(dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.1	RMS	17.84	18.56	20	Pass



END