TEST REPORT

KOSTEC Co., Ltd.

28(175-20, Annyeong-dong) 406-gil sejaro, Hwaseong-si, Gyeonggi-do, Korea Tel:031-222-4251, Fax:031-222-4252

Report No.: KST-FCR-180009(1)



1. Applicant

• Name :

Dogtra Co., Ltd.

• Address :

#715-2(146BL-3L) Gojan-dong, Namdong-gu, Incheon, Korea

2. Test Item

• Product Name:

DOG TRAINING DEVICE

Model Name:

BALL TRAINER

· Brand:

None

• FCC ID:

SWN-BT10U

3. Manufacturer

• Name :

Dogtra Co., Ltd.

· Address :

#715-2(146BL-3L) Gojan-dong, Namdong-gu, Incheon, Korea

4. Date of Test:

2018. 03. 20. ~ 2018. 03. 21.

5. Test Method Used:

FCC CFR 47, Part 15. Subpart C-15.249

ANSI C63.10:2013

6. Test Result:

Compliance

7. Note:

None

Supplementary Information

The device bearing the brand name and FCC ID specified above has been shown to comply with the applicable technical standards as indicated in the measurement report and was tested in accordance with measurement procedures specified in ANSI C 63.10-2013.

We attest to the accuracy of data and all measurements reported herein were performed by KOSTEC Co., Ltd. and were made under Chief Engineer's supervision. We assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

Affirmation

Tested by

Name: Lee, Mi-Young

Technical Manager

Name: Park, Gyeong-Hyeon

(Signature)

2018. 03. 29.

KOSTEC Co., Ltd.



Table of Contents

1. GENERAL INFORMATION	
1.1 Test Facility	
1.2 Location	
1.3 Revision History of test report	4
2. EQUIPMENT DESCRIPTION	
3. SYSTEM CONFIGURATION FOR TEST	6
3.1 Characteristics of equipment	6
3.2 Used peripherals list	
3.3 Product Modification	6
3.4 Operating Mode	6
3.5 Test Setup of EUT	6
3.6 Duty Cycle Of Test signal	6
3.7 Used Test Equipment List	7
4. SUMMARY TEST RESULTS	9
5. MEASUREMENT RESULTS	10
5.1 20 dB Bandwidth	10
5.2 Spurious RF Radiated emissions & Field strength of fundamental	11
5.3 Antenna requirement	16
5.4 AC Power Conducted emissions	17



1. GENERAL INFORMATION

1.1 Test Facility

Test laboratory and address

KOSTEC Co., Ltd.


128(175-20, Annyeong-dong) 406-gil sejaro, Hwaseong-si Gyeonggi-do, Korea

Registration information

KOLAS No.: 232

FCC Designation No. : KR0041 IC Registration Site No. : 8305A-1

1.2 Location



KST-FCR-RFS-Rev.0.3 Page: 3 / 18



1.3 Revision History of test report

Rev.	Revisions	Effect page	Reviewed	Date
-	Initial issue	All	Gyeong Hyeon, Park	2018. 03. 26.
1	It was add max fundamental field strength value in the summary section It was add test setup and procedure of occupied bandwidth in the section 5 Annotations were added to the table of the fundamental field strength in 14 page	5, 10, 14	Gyeong Hyeon, Park	2018. 03. 29.

KST-FCR-RFS-Rev.0.3 Page: 4 / 18



2. EQUIPMENT DESCRIPTION

The product specification described herein was declared by manufacturer. And refer to user's manual for the details.

Equipment Name	DOG TRAINING DEVICE
Model No	BALL TRAINER
Usage	DOG TRAINING DEVICE
Serial Number	Proto type
Modulation type	FSK
Emission Type	F1D
Operated Frequency	915 MHz
Max fundamental field strength	80.08 dBμV /m
Channel Number	1
Operation temperature	-20 °C ~ 55 °C
Power Source	AAA 1.5 V alkaline batterie x 2ea
Antenna Description	Internal PCB antenna, gain : -4.016 dBi
	1. The device was operating at its maximum output power for all measurements.
Remark	2. The radiation measurements are performed in X, Y, Z axis positioning. Only the worst case (X) is shown in the report.
	3. The above DUT's information was declared by manufacturer. Please refer to the specifications or user manual for more detailed description.
FCC ID	SWN-BT10U

KST-FCR-RFS-Rev.0.3 Page: 5 / 18

3. SYSTEM CONFIGURATION FOR TEST

3.1 Characteristics of equipment

The EUT is a dog training device that launches and drops balls, designed for training working dogs.

3.2 Used peripherals list

Description	Model No.	Serial No.	Manufacture	Remark

3.3 Product Modification

N/A

3.4 Operating Mode

Constantly transmitting with a modulated carrier at maximum power.


3.5 Test Setup of EUT

EUT (Standalone)

3.6 Duty Cycle Of Test signal

Duty cycle is < 98%, duty factor shall be considered. Duty cycle = Tx on/(Tx on+ Tx off), Duty factor = 10*log(1/duty cycle)

Freq	Tx on	Tx on+Tx off	Duty cycle	Duty Cycle Factor
915 MHz	36.391 ms	46.957 ms	0.7749	1.1



KST-FCR-RFS-Rev.0.3 Page: 6 / 18



3.7 Used Test Equipment List

1 T. 8. H. Chamber EY-101 90:14200 TABAL ESPEC. 2018.09.06 1 year □ 2 T.8. H. Chamber RCT-V11HC-403-1(H) 20303210 R. C.T □ 2018.09.06 1 year □ 3 T.8. H. Chamber SH-641 92006831 ESPEC CORP 2019.02.14 1 year □ 4 Spectrum Analyzer 8659.E 3710A02839 ESPEC CORP 2019.02.14 1 year □ 5 Spectrum Analyzer 8659.E 3046A00527 Aglient Technology 2019.02.01 1 year □ 6 Signal Analyzer FSV13 101247 Rohde & Schwarz 2019.02.01 1 year □ 7 Spectrum Analyzer FSV13 101247 Rohde & Schwarz 2019.02.01 1 year □ 8 Signal Analyzer N9010A MY56070441 Aglient Technologies 2018.05.15 1 year □ 8 Signal Analyzer N9010A MY56070441 Aglient Technologies 2018.05.15 1 year □ 10 EMI Test Receiver ESI 837514004 Rohde & Schwarz 2019.02.01 1 year □ 11 Vector Signal Analyzer 875955 US39172348 AGILENT 2018.09.05 1 year □ 12 Network Analyzer 875955 US39172348 AGILENT 2018.09.05 1 year □ 13 EPM Series Power meter E4418B G839512547 Aglient Technology 2019.01.20 11 year □ 14 RF Power Sensor E3900A MY4149631 Aglient Technology 2019.01.31 1 year □ 15 Microwave Frequency Counter 5352B 2086A00480 Aglient Technology 2019.01.31 1 year □ 16 Autol Analyzer 80038 3314416919 Aglient Technology 2019.01.31 1 year □ 17 Autolo Telephone Analyzer B0-5601CID 520010281 CREDIX 2019.01.30 1 year □ 18 Modulation Analyzer 8001A 3041A0076 H.P 2019.01.31 1 year □ 19 Olgital Storage Oscilloscope TDS39052 B015962 Rehtwick 2019.01.31 1 year □ 20 ES-G-0 Series Signal Generator E4438B US39280458 Aglient Technology 2019.01.31 1 year □ 21 Vector Signal Generator E4438B US39280458 Aglient Technology 2019.01.31 1 year □ 22 Signal Generator E4438B US39280458 Aglient Technology 2019.01.31 1 year □ 23 Tracking Source 85645A 070521-A1 Aglient Technology 2019.01.31 1 year □ 24 SLIDAC None 0207-4 Myoung sung Ele. 2019.01.31 1 year □ 25 DC Power supply B6332B MY40004 275657 Rohde & Schwarz 2018.05.16 1 year □ 26 SC-0 Series Signal Generator E4438B US39280458 Aglient Technology 2019.01.31 1 year □ 26 DC Power supply B6332B MY40004 275657 Rohde & Schwarz 2018.05.16 1 year □ 27 DC Power supply B6338	No.	Instrument	Model	S/N	Manufacturer	Due to cal date	Cal interval	used
3 T.A. H. Chamber	1	T & H Chamber	EY-101	90E14260	TABAI ESPEC	2018.09.06	1 year	
Spectrum Analyzer	2	T & H Chamber	RCT-V-THC-403-1(H)	20030210	R.C.T	2018.09.06	1 year	
5 Spectrum Analyzer 8563EC 3046A00527 Agilent Technology 2019.02.01 1 year □ 6 Signal Analyzer FSV13 101247 Ronde & Schwarz 2019.02.01 1 year □ 7 Spectrum Analyzer N9010A MY56070441 Agilent Technologies 2018.05.15 1 year ☑ 8 Signal Analyzer N9010A MY56070441 Agilent Technologies 2019.01.29 1 year ☑ 10 EMI Test Receiver ESCI7 100823 Rohde& Schwarz 2019.01.29 1 year ☑ 11 Vector Signal Analyzer 8753ES US39172348 AGILENT 2018.09.05 1 year □ 12 Network Analyzer 8753ES US39172348 AGILENT 2018.09.04 1 year □ 13 EPM Series Power meter E4418B G839512547 Agilent Technology 2019.01.31 1 year □ 14 RF Power Sensor E9300A MY41496631 Agilent Technology2019.01.30 1 year □ <	3	T & H Chamber	SH-641	92006831	ESPEC CORP	2019.02.14	1 year	
6 Signal Analyzer FSV33 101247 Rohde & Schwarz 2019.02.01 1 year □ 7 Spectrum Analyzer FSV30 20.353063 Rohde & Schwarz 2019.02.01 1 year □ 8 Signal Analyzer N9010A MY56070441 Aglient Technologis 2018.05.61 5 1 year □ 1	4	Spectrum Analyzer	8593E	3710A02859	Agilent Technology	2019.02.01	1 year	
7 Spectrum Analyzer	5	Spectrum Analyzer	8563EC	3046A00527	Agilent Technology	2019.02.01	1 year	
8 Signal Analyzer N9010A MY56070441 Agilent Technologies 2018.05.15 1 year ☑ 9 EMI Test Receiver ESI 837514004 Rohde& Schwarz 2018.09.05 1 year ☑ 11 Vector Signal Analyzer 89441A 3416A02820 Agilent Technology 2019.02.01 1 year ☑ 12 Network Analyzer 8753ES US39172348 AGILENT 2018.09.05 1 year ☐ 13 EPM Series Power meter E4418B GB39512547 Agilent Technology 2019.01.31 1 year ☐ 14 R F Power Sensor E9300A MV41496631 Agilent Technology 2019.01.31 1 year ☐ 15 Microwave Frequency Counter 5352B 2908.00480 Agilent Technology 2019.01.30 1 year ☐ 16 Audio Telephone Analyzer B903B 3514A16919 Agilent Technology 2019.01.30 1 year ☐ 17 Audio Telephone Analyzer B904A 3041A0576 H.P 2019.01.31	6	Signal Analyzer	FSV13	101247	Rohde & Schwarz	2019.02.01	1 year	
Self Test Receiver ESCI7 100823 Rohde& Schwarz 2019.01.29 1 year □	7	Spectrum Analyzer	FSV30	20-353063	Rohde& Schwarz	2019.02.01	1 year	\boxtimes
The International Content	8	Signal Analyzer	N9010A	MY56070441	Agilent Technologies	2018.05.15	1 year	\boxtimes
11 Vector Signal Analyzer 89441A 3416A02620 Agilent Technology 2019.02.01 1 year	9	EMI Test Receiver	ESCI7	100823	Rohde& Schwarz	2019.01.29	1 year	\boxtimes
12	10	EMI Test Receiver	ESI	837514/004	Rohde& Schwarz	2018.09.05	1 year	\boxtimes
13 EPM Series Power meter	11	Vector Signal Analyzer	89441A	3416A02620	Agilent Technology	2019.02.01	1 year	
14 RF Power Sensor E9300A MY41496631 Aglient Technology 2019.01.31 1 year □ 15 Microwave Frequency Counter 5352B 2908A00480 Aglient Technology 2019.01.30 1 year □ 16 Audio Analyzer 8903B 3514A16919 Aglient Technology 2019.01.30 1 year □ 17 Audio Telephone Analyzer 8901A 3041A0576 H.P 2019.01.31 1 year □ 18 Modulation Analyzer 8901A 3041A0576 H.P 2019.01.31 1 year □ 19 Digital storage Oscilloscope TDS3052 B015062 Tektronix 2018.09.13 1 year □ 20 ESC-D Senes Signal Generator SMBY00A 257557 Rohde & Schwarz 2019.01.31 1 year □ 21 Vector Signal Generator SMBY00A 179628 Rohde & Schwarz 2019.01.31 1 year □ 22 Signal Generator SMBY00A 179628 Rohde & Schwarz 2019.01.29 1 year	12	Network Analyzer	8753ES	US39172348	AGILENT	2018.09.04	1 year	
15	13	EPM Series Power meter	E4418B	GB39512547	Agilent Technology	2019.01.31	1 year	
16	14	RF Power Sensor	E9300A	MY41496631	Agilent Technology	2019.01.31	1 year	
16	15	Microwave Frequency Counter	5352B	2908A00480	Agilent Technology	2019.01.30	1 year	
17	16	Audio Analyzer	8903B	3514A16919		2019.01.30	1 year	
19 Digital storage Oscilloscope TDS3052 B015962 Tektronix 2018.09.04 1 year □	17	Audio Telephone Analyzer	DD-5601CID	520010281		2019.01.30	1 year	
20	18	Modulation Analyzer	8901A	3041A0576	H.P	2019.01.31	1 year	
Vector Signal Generator	19	Digital storage Oscilloscope	TDS3052	B015962	Tektronix	2018.09.04	1 year	
Vector Signal Generator	20	, ,	E4436B	US39260458	Agilent Technology	2019.01.31		
22 Signal Generator SMB100A 179628 Rohde & Schwarz 2018.05.18 1 year □ 23 Tracking Source 85645A 070521-A1 Aglient Technology 2019.02.01 1 year □ 24 SLIDAC None 0207-4 Myoung sung Ele. 2019.01.29 1 year □ 25 DC Power supply DRP-5030 9028029 Digital Electronic Co.,Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Aglient Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Aglient Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power supply 6632B MY43004005 Aglient Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004005 Aglient Technology 2019.01.31 1 year □ 32 Termination 1432-3 UM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 36 Step Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 37 Attenuator 18850W-20F 64671 INMET 2019.01.31 1 year □ 39 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 56-10 66920 WEINSCHEL 2018.09.04 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.09.10 1 year □ 44 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 44 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 44 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 44 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 44 AWay Power divider 11636B	_	Vector Signal Generator			0,	+		
23 Tracking Source 85645A 070521-A1 Agilent Technology 2019.02.01 1 year □ 24 SLIDAC None 0207-4 Myoung sung Ele. 2019.01.29 1 year □ 25 DC Power supply DRP-5030 9028029 Digital Electronic Co., Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 29 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year	22		SMB100A	179628	Rohde & Schwarz	2018.05.18		
24 SLIDAC None 0207-4 Myoung sung Ele. 2019.01.29 1 year □ 25 DC Power supply DRP-5030 9028029 Digital Electronic Co.,Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.31 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004037 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □				070521-A1		+		
25 DC Power supply DRP-5030 9028029 Digital Electronic Co.,Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 30 DC Power Supply 6632B MY430040137 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFILEXWEINSCHEL 2018.07.20 1 year □ <td>24</td> <td></td> <td>None</td> <td>0207-4</td> <td>, , , , , , , , , , , , , , , , , , ,</td> <td>2019.01.29</td> <td></td> <td>-=-</td>	24		None	0207-4	, , , , , , , , , , , , , , , , , , ,	2019.01.29		-=-
26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTONIKA 2019.01.29 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 35<		DC Power supply	DRP-5030	9028029	, , ,	1		
27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.07.20 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36					, ,	1		
28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Att					0 07			
29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 38 Attenuator<		,	1		0,			
30 DC Power supply		,				1		
31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 54A-10 <t< td=""><td></td><td>1.,</td><td>6632B</td><td>MY43004005</td><td>Agilent Technology</td><td>1</td><td></td><td></td></t<>		1.,	6632B	MY43004005	Agilent Technology	1		
32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year		,			0,	1		
33 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year 39 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year 39 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year 30 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year 30 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year 30 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year 30 Attenuator 34 Attenuator 34 Attenuator 34 Attenuator 34 Attenuator 34 Attenuator 35 Attenuator		'''			•	1		-=-
34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year		Termination	1432-3	1		1		
35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year	_			1		+		
36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 45 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350	35	Attenuator	8498A	3318A09485	HP	2019.01.31		
37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year 46 Power divider 11636B 51212 HP 2019.02.01 1 year 47 3Way Power divider KPDSU3W						+		
38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365<	37	· · · · · · · · · · · · · · · · · · ·	18B50W-20F	64671	INMET	2019.01.31		
39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173			+			+		
40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □				2				
41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □	40			3			•	
42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year								
43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □	42	Attenuator	54A-10	74564	WEINSCHEL	+	•	
44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □	_							
45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □								
46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □							•	
47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □	_			1	 	+		
48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year	_							
							•	
	49	3Way Power divider	1580	SQ361	WEINSCHEL	2018.05.18	1 year	

KST-FCR-RFS-Rev.0.3 Page: 7 / 18



No.	Instrument	Model	S/N	Manufacturer	Due to cal date	Cal interval	used
50	OSP	OSP120	101577	Rohde & Schwarz	2018.05.19	1 year	
51	White noise audio filter	ST31EQ	101902	SoundTech	2018.09.04	1 year	
52	Dual directional coupler	778D	17693	HEWLETT PACKARD	2019.01.31	1 year	
53	Dual directional coupler	772D	2839A00924	HEWLETT PACKARD	2019.01.31	1 year	
54	Band rejection filter	3TNF-0006	26	DOVER Tech	2019.02.01	1 year	
55	Band rejection filter	3TNF-0007	311	DOVER Tech	2019.02.01	1 year	
56	Band rejection filter	WTR-BRF2442-84NN	09020001	WAVE TECH Co.,LTD	2019.01.31	1 year	
57	Band rejection filter	WRCJV12-5695-5725-5825- 5855-50SS	1	Wainwright Instruments GmbH	2018.05.18	1 year	
58	Band rejection filter	WRCJV12-5120-5150-5350- 5380-40SS	4	Wainwright Instruments GmbH	2018.05.18	1 year	
59	Band rejection filter	WRCGV10-2360-2400-2500- 2540-50SS	2	Wainwright Instruments GmbH	2018.05.18	1 year	
60	Highpass Filter	WHJS1100-10EF	1	WAINWRIGHT	2019.01.31	1 year	\boxtimes
61	Highpass Filter	WHJS3000-10EF	1	WAINWRIGHT	2019.01.31	1 year	
62	Highpass Filter	WHNX6-5530-7000-26500- 40CC	2	Wainwright Instruments GmbH	2018.05.19	1 year	
63	Highpass Filter	WHNX6-2370-3000-26500- 40CC	4	Wainwright Instruments GmbH	2018.05.19	1 year	
64	WideBand Radio Communication Tester	CMW500	102276	Rohde & Schwarz	2019.02.01	1 year	
65	Radio Communication Tester	CMU 200	112026	Rohde & Schwarz	2019.01.31	1 year	
66	Bluetooth Tester	TC-3000B	3000B6A0166	TESCOM CO., LTD.	2019.01.31	1 year	
67	Loop Antenna	6502	9203-0493	EMCO	2019.05.29	2 year	\boxtimes
68	BiconiLog Antenna	3142B	1745	EMCO	2018.07.11	2 year	\boxtimes
69	Biconical Antenna	VUBA9117	9117-342	Schwarz beck	2020.03.12	2 year	
70	Trilog-Broadband Antenna	VULB 9168	9168-606	SCHWARZBECK	2018.09.09	2 year	
71	Horn Antenna	3115	2996	EMCO	2020.02.14	2 year	\boxtimes
72	Horn Antenna	3115	9605-4834	EMCO	2020.03.12	2 year	
73	Horn Antenna	BBHA9170	743	SCHWARZBECK	2019.04.25	2 year	
74	Antenna Master(3)	AT13	None	AUDIX	N/A	N/A	
75	Turn Table(3)	None	None	AUDIX	N/A	N/A	
76	PREAMPLIFIER(3)	8449B	3008A02577	Agilent	2019.02.02	1 year	
77	Antenna Master(10)	MA4000-EP	None	innco systems GmbH	N/A	N/A	\boxtimes
78	Turn Table(10)	None	None	innco systems GmbH	N/A	N/A	
79	AMPLIFIER(10)	TK-PA6S	120009	TESTEK	2019.01.29	1 year	
80	AMPLIFIER	TK-PA18	150003	TESTEK	2018.05.19	1 year	
81	AMPLIFIER	TK-PA1840H	160010-L	TESTEK	2018.07.15	1 year	
82	AMPLIFIER	8447D	2944A07881	H.P	2019.01.29	1 year	
83	Antenna Mast	MA2000-EP	None	innco systems GmbH	N/A	N/A	
84	Turn Device	DE3700-RH	None	innco systems GmbH	N/A	N/A	

 ${\sf KST\text{-}FCR\text{-}RFS\text{-}Rev.0.3}\atop {\sf This\ report\ shall\ not\ be\ reproduced\ except\ in\ full\ without\ the\ written\ approval\ of\ {\sf KOSTEC\ Co.,\ Ltd,}}$ Page: 8 / 18



4. SUMMARY TEST RESULTS

Description of Test	FCC Rule	Reference Clause	Used	Test Result
20 dB Bandwidth	15.215(c)	Clause 5.1		Compliance
Spurious RF radiated emissions & Field strength of fundamental	15.205(a) & 15.209(a) & 15.249(a)	Clause 5.2	\boxtimes	Compliance
Antenna requirement	15.203	Clause 5.3		Compliance
AC Power Conducted emissions	15.207	Clause 5.4		N/A: This EUT uses alkaline batteries.

Compliance/pass : The EUT complies with the essential requirements in the standard.

Not Compliance: The EUT does not comply with the essential requirements in the standard.

N/A: The test was not applicable in the standard.

Procedure Reference

FCC CFR 47, Part 15. Subpart C-15.249 ANSI C 63.10-2013

KST-FCR-RFS-Rev.0.3 Page: 9 / 18



5. MEASUREMENT RESULTS

5.1 20 dB Bandwidth

5.1.1 Standard Applicable [FCC §15.215(c)]

(c) Intentional radiators operating under the alternative provisions to the general emission limits, as contained in §§15.217 through 15.257 and in subpart E of this part, must be designed to ensure that the 20 dB bandwidth of the emission, or whatever bandwidth may otherwise be specified in the specific rule section under which the equipment operates, is contained within the frequency band designated in the rule section under which the equipment is operated.

5.1.2 Test Environment conditions

• Ambient temperature : 22 °C • Relative Humidity : (52 ~ 55) % R.H.

5.1.3 Measurement Procedure

The 20 dB bandwidth is measured with a spectrum analyzer connected via a receive antenna placed near the EUT while the EUT is operating in transmission mode.


The spectrum analyzer is set to the as follows:

- Set RBW = 10 kHz.
- Set the video bandwidth (VBW) ≥ 3 x RBW.
- Detector = Peak.
- Trace mode = max hold.
- Sweep = auto couple.
- Allow the trace to stabilize.
- Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.1.4 Measurement Result

Channel	Frequency [MHz]	20 dB Bandwidth [KHz]	99 % Bandwidth [KHz]	Test Results
-	915	258.7	301.78	No limit (for information only)

5.1.5 Test Plot



KST-FCR-RFS-Rev.0.3 Page: 10 / 18

5.2 Spurious RF Radiated emissions & Field strength of fundamental

5.2.1 Standard Applicable [FCC §15.249(a)]

(a) Except as provided in paragraph (b) of this section, the field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following:

Fundamental frequency	Field strength of fundamental (millivolts/meter)	Field strength of harmonics (microvolts/meter)
902-928 MHz	<u>50</u>	<u>500</u>
2400-2483.5 MHz	50	500
5725-5875 MHz	50	500
24.0-24.25 GHz	250	2500

§15.209 limits for radiated emissions measurements (distance at 3 m)

Frequency Band [MHz]	DISTANCE [Meters]	Limit [µV/m]	Limit [dBµV/m]	Detector	
0.009 ~ 0.490	300	2400/F(kHz)	67.6-20log(F)	Peak	
0.490 ~ 1.705	30	24000/F(kHz)	87.6-20log(F)	Peak	
1.705 ~ 30.0	30	30	29.54	Peak	
30 - 88	3	100 **	40.00	Quasi peak	
88 - 216	3	150 **	43.52	Quasi peak	
216 - 960	3	200 **	46.02	Quasi peak	
Above 960	3	500	54.00	Average	
Above 1000	3	74.0 dB μ V/m (Peak), 54.0 dB μ V/m (Average)			
			ation shall not be be started in	` ,	

^{**} fundamental emissions from intentional radiators operation under this Section shall not be located in the frequency bands 54-72 MHz, 76-88 MHz, 174-216 MHz, or 470-806 MHz. However, operation within these Frequency bands is permitted under other sections of this Part Section 15.231 and 15.241

§15.205. Restrict Band of Operation

[MHz]	[MHz]	[MHz]	[GHz]
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
0.495 - 0.505**	16.694 75 - 16.695 25	608 - 614	5.35 - 5.46
2.173 5 - 2.190 5	16.804 25 - 16.804 75	960 – 1 240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1 300 – 1 427	8.025 - 8.
4.177 25 - 4.177 75	37.5 -38.25	1 435 – 1 626.5	9.0 - 9.2
4.207 25 - 4.207 75	73 - 74.6	1 645.5 – 1 646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1 660 – 1 710	10.6 - 12.7
6.267 75 - 6.268 25	108 - 121.94	1 718.8 -1 722.2	13.25 - 13.4
6.311 75 - 6.312 25	123 - 138	2 200 – 2 300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2 310 – 2 390	15.35 - 16.2
8.362 - 8.366	156.524 75 - 156.525 25	2 483.5 – 2 500	17.7 - 21.4
8.376 25 - 8.38 6 75	156.7 - 156.9	2 690 – 2 900	22.01 - 23.12
8.414 25 - 8.414 75	162.012 5 - 167.17	3 260 – 3 267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3 332 – 3 339	31.2 - 31.8
12.519 75 - 12.520 25	240 - 285	3 345.8 – 3 358	36.43 - 36.5
12.576 75 - 12.577 25	322 - 335.4	3 600 – 4 400	Above 38.6
13.36 - 13.41			

 $^{^{\}star\star}$ Until February 1, 1999, this restricted band shall be 0.490-0.510

KST-FCR-RFS-Rev.0.3 Page: 11 / 18



5.2.2 Test Environment conditions

• Ambient temperature : (21 ~ 22) °C • Relative Humidity : (50 ~ 52) % R.H.

5.2.3 Measurement Procedure

The measurements procedure of the Spurious RF Radiated emissions is as following describe method.

- 1. The EUT was placed on the top of a rotating table (0.8 meters for below 1 GHz and 1.5 meters for above 1 GHz) above the ground at a 3 meter camber. The table was rotated 360 degree to determine the position of the highest radiation.
- 2. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna master.
- 3. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both Horizontal and vertical polarizations of the antenna are set to make the measurement.
- 4. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotating table was turned from 0 360 degrees to find the maximum reading.
- 5. The measuring receiver was set to peak detector and specified bandwidth with max hold function.
- 6. Low, Middle and high channels were measured, and radiation measurements are performed in X, Y, Z axis positioning. And found the worst axis position and only the test worst case mode is recorded in the report.
- The measurement results are obtained as described below:
 Result(dBµV/m) = Reading(dBµV) + Antenna factor(dB/m)+ CL(dB) + other applicable factor (dB)
- The resolution bandwidth of test receiver/spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz for RMS Average (Duty cycle < 98 %) for Average detection (AV) at frequency above 1 GHz, then the measurement results was added to a correction factor (10 log(1/duty cycle)).
- The resolution bandwidth of test receiver/spectrum analyzer is 1 MHz and the video bandwidth is 10 Hz (Duty cycle ≥ 98 %) for Average detection (AV) at frequency above 1 GHz.
- According to §15.33 (a)(1), Frequency range of radiated measurement is performed the tenth harmonic.

5.2.4 Measurement Uncertainty

Radiated Emission measurement: Below 1 GHz: 3.66 dB (CL: Approx 95 %, k=2)


Above 1 GHz: 4.04 dB (CL: Approx 95 %, k=2)

KST-FCR-RFS-Rev.0.3 Page: 12 / 18




5.2.5 Test Configuration


Radiated emission setup, below 30 MHz



Radiated emission setup, below 1 000 MHz



Radiated emission setup, above 1 GHz



KST-FCR-RFS-Rev.0.3 Page: 13 / 18



5.2.6 Measurement Result

Field strength of fundamental

Freq.	Reading	Reading Table	Antenna			CL	AMP	Meas	Limit	Mgn	- "
(MHz)	(dBµV/m)	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB/m)	(dB)	(dB)	Result (dBµV /m)	(dBµV/m)	(dB)	Result
915	90.30	170	1.5	V	23.89	4.21	-38.32	80.08	94	13.92	Compliance
915	88.82	170	1.8	Н	23.89	4.21	-38.32	78.60	94	15.40	Compliance

Note: Peak detector was used as an alternative to CISPR quasi-peak measurements for the fundamental signal level. The peak value below quasi-peak limit, the quasi-peak test didn't perform.

Band Edge

Freg.	Reading	Table	Antenna			CL	AMP	Meas	Limit	Mgn	
(MHz)	(dBµV/m)	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB/m)	(dB)	(dB)	Result (dBµV /m)	(dBµV/m)	(dB)	Result
902	31.93	160	1.5	V	23.81	4.17	-38.31	25.30	46	20.70	Compliance
902	30.74	170	1.6	Н	23.81	4.17	-38.31	24.11	46	21.89	Compliance
928	32.83	170	1.5	V	23.97	4.25	-38.33	26.50	46	19.50	Compliance
928	32.13	170	1.6	Н	23.97	4.25	-38.33	25.80	46	20.20	Compliance

Note: Peak detector was used as an alternative to CISPR quasi-peak measurements for the band edge. The peak value below quasi-peak limit, the quasi-peak test didn't perform.

Harmonic

- Below 1 GHz

Freq.	Reading	Reading Table	Table	Antenna			CL	AMP	Meas	Limit	Mgn	.
(MHz)	(dBµV/m)	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB/m)	(dB)	(dB)	Result (dBµV /m)	(dBµV/m)	(dB)	Result	
-	-	-	-	-	-	-	-	-	-	-	Compliance	
-	-	-	-	-	-	-	-	-	-	-	Compliance	

Note: quasi-peak was used. There is no spurious emission.

Above 1 GHz

Freq.	Reading q. (dB μ V/m) Tab		O I Δητέρης		CL	AMP	Meas Result (dBµV/m)		Limit (dB <i>µ</i> V/m)		Mgn. (dB)		Result		
(GHz)	PK	AV	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB/m)	(dB)	(dB)	PK	AV	PK	AV	PK	AV	Resuit
1.828	55.18	50.37	160	1.5	V	27.27	5.91	-40.51	47.84	43.03	74	54	26.16	10.97	Compliance
1.828	53.59	48.45	160	1.5	Н	27.27	5.91	-40.51	46.25	41.11	74	54	27.75	12.89	Compliance
2.743	57.26	49.50	180	1.5	V	29.09	7.57	-42.82	51.10	43.34	74	54	22.90	10.66	Compliance
2.743	56.02	47.31	180	1.6	Н	29.09	7.57	-42.82	49.86	41.15	74	54	24.14	12.85	Compliance
3.656	57.99	52.95	170	1.5	V	31.53	8.31	-42.40	55.43	50.39	74	54	18.57	3.61	Compliance
3.656	55.94	50.99	170	1.6	Н	31.53	8.31	-42.40	53.38	48.43	74	54	20.62	5.57	Compliance
4.583	51.13	44.27	160	1.5	V	32.40	10.19	-38.93	54.80	47.94	74	54	19.20	6.06	Compliance
4.583	49.00	42.19	160	1.5	Н	32.40	10.19	-38.93	52.67	45.86	74	54	21.33	8.14	Compliance

₩ Note


- It is not recorded on the report that the reading of emissions are attenuated more than 20 dB below the permissible limits or the field strength is too small to measured.
- For the below 30 MHz and above 4.583 GHz, measured any other signal is not detected on test receiver
- The Reading values are already added value of the duty cycle factor and correction Factor was applied for Average Field Strength.
- The transmitter radiated spectrum was investigated from 9 kHz to 10 GHz.

KST-FCR-RFS-Rev.0.3 Page: 14 / 18




5.2.7 Plots

■ Below 1 GHz



Above 1 GHz



^{*} The worst case only.

KST-FCR-RFS-Rev.0.3 Page: 15 / 18



5.3 Antenna requirement

5.3.1 Standard applicable [FCC §15.203]


For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by responsible party shall be used with the device.

The use of a permanently attached antenna or of an antenna that user a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

The manufacturer may design the unit so that broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

5.3.2 Antenna details

Frequency Band	Antenna Type	Gain [dBi]	Results
915	Internal PCB antenna	-4.016	Compliance



KST-FCR-RFS-Rev.0.3 Page: 16 / 18



5.4 AC Power Conducted emissions

5.4.1 Standard Applicable [FCC §15.207(a)]

For intentional radiator that is designed to be connected to the public utility(AC)power line, the radio frequency. Voltage that is conducted back onto the AC power line on any frequencies hopping mode within the band 150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 ohms line Impedance stabilization network(LISN). Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the boundary between the frequency ranges.

§15.207 limits for AC line conducted emissions;

Fraguency of Emission(ML)	Conducted	l Limit (dBμV)
Frequency of Emission(Mb)	Quasi-peak	Average
0.15 ~ 0.5	66 to 56 *	56 to 46 *
0.5 ~ 5	56	46
5 ~ 30	60	50

^{*} Decreases with the logarithm of the frequency

5.4.2 Test Environment conditions

• Ambient temperature : - • Relative Humidity : -

5.4.3 Measurement Procedure

EUT was placed on a non- metallic table height of 0.8 m above the reference ground plane. Cables connected to EUT were fixed to cause maximum emission. Test was made with the antenna positioned in both the horizontal and vertical planes of polarization. The measurement antenna was varied in height above the conducting ground plane to obtain the Maximum signal strength.

5.4.4 Used equipment

Equipment	Model No.	Serial No.	Manufacturer	Next cal date	Cal interval	Used
Test receiver	ESCS30	100111	Rohde & Schwarz	2019. 01. 29	1 year	
LISN	ESH2-Z5	100044	R&S	2019. 01. 29	1 year	
LISIN	ESH3-Z5	100147	R&S	2019. 01. 29	1 year	

^{*}Test Program: "ESXS-K1 V2.2" Measurement uncertainty

Conducted Emission measurement: 4.48 dB (CL: Approx 95 %, k=2)

KST-FCR-RFS-Rev.0.3 Page: 17 / 18



5.4.5 Measurement Result

- N/A

Freq.	Fa	actor			QP			CISPR AV		
rieq.	[4	dB]	POL	Limit	Reading	Result	Limit	Reading	Result	
[MHz]	LISN	CABLE +P/L	FOL	[dB#V]	[dB#V]	[dB#V]	[dB#V]	[dB#V]	[dB#V]	

- * LISN: LISN insertion Loss, Cable: Cable Loss, P/L:pulse limiter factor
- * L: Line. Live, N: Line. Neutral
- * Reading: test receiver reading value (with cable loss & pulse limiter factor)
- * Result = LISN + Reading

KST-FCR-RFS-Rev.0.3 Page: 18 / 18