







## Appendix D: SAR Test Setup

<p>Photo 1: Measurement System SATIMO</p>	<p>Photo 2: Left Cheek</p>
 <p>A photograph of the measurement system in a laboratory. A white KUKA robotic arm is mounted on a yellow stand, positioned over a white mannequin head. Various electronic equipment and cables are visible on a table in the background.</p>	 <p>A close-up photograph of the left cheek area of the mannequin head. A black sensor or antenna is mounted on the head, secured with a red strap. The sensor is connected to a white plastic structure.</p>
<p>Photo 3: Left Tilt 15°</p>	<p>Photo 4: Right Cheek</p>
 <p>A close-up photograph of the left cheek area of the mannequin head, tilted at a 15-degree angle. The black sensor and white plastic structure are visible.</p>	 <p>A close-up photograph of the right cheek area of the mannequin head. The black sensor and white plastic structure are visible.</p>
<p>Photo 5: Right Tilt 15°</p>	<p>Photo 6: Face upward 10mm</p>
 <p>A close-up photograph of the right cheek area of the mannequin head, tilted at a 15-degree angle. The black sensor and white plastic structure are visible.</p>	 <p>A close-up photograph of the mannequin head with a ruler placed vertically next to it. The ruler shows a measurement of 10 mm, indicating the distance from the top of the head to the sensor.</p>

<p>Photo 7: Back Upward 10mm</p>	<p>Photo 8: Edge A 10mm</p>
<p>Photo 9: Edge B 10mm</p>	<p>Photo 10: Edge C 10mm</p>
<p>Photo 11: Edge D 10mm</p>	<p>Photo 12: Liquid deep(15cm)</p>

