




Undesirable Emissions, Point-to-Multipoint, Emission Mask




Plot 568. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 10M, 5730




Plot 569. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 10M, 5790




Plot 570. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 10M, 5845




Plot 571. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 20M, 5735




Plot 572. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 20M, 5790




Plot 573. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 20M, 5840




Plot 574. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 30M, 5740




Plot 575. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 30M, 5790




Plot 576. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 30M, 5835




Plot 577. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 40M, 5745




Plot 578. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 40M, 5790




Plot 579. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 40M, 5830




Plot 580. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 50M, 5750




Plot 581. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 50M, 5790




Plot 582. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 50M, 5825




Plot 583. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 60M, 5755




Plot 584. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 60M, 5790




Plot 585. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 60M, 5820




Plot 586. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 80M, 5765




Plot 587. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 80M, 5790




Plot 588. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 80M, 5810




Plot 589. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 100M, 5775




Plot 590. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 100M, 5790




Plot 591. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 34dBi, 100M, 5800




Plot 592. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 10M, 5730




Plot 593. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 10M, 5790




Plot 594. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 10M, 5845




Plot 595. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 20M, 5735




Plot 596. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 20M, 5790




Plot 597. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 20M, 5840




Plot 598. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 30M, 5740




Plot 599. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 30M, 5790




Plot 600. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 30M, 5835




Plot 601. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 40M, 5745




Plot 602. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 40M, 5790




Plot 603. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 40M, 5830




Plot 604. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 50M, 5750




Plot 605. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 50M, 5790




Plot 606. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 50M, 5825




Plot 607. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 60M, 5755




Plot 608. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 60M, 5790




Plot 609. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 60M, 5820




Plot 610. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 80M, 5765




Plot 611. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 80M, 5790




Plot 612. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 80M, 5810




Plot 613. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 100M, 5775




Plot 614. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 100M, 5790




Plot 615. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 22dBi, 100M, 5800




Plot 616. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 10M, 5730




Plot 617. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 10M, 5790




Plot 618. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 10M, 5845




Plot 619. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 20M, 5735




Plot 620. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 20M, 5790




Plot 621. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 20M, 5840




Plot 622. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 30M, 5740




Plot 623. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 30M, 5790




Plot 624. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 30M, 5835




Plot 625. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 40M, 5745




Plot 626. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 40M, 5790




Plot 627. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 40M, 5830




Plot 628. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 50M, 5750




Plot 629. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 50M, 5790




Plot 630. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 50M, 5825




Plot 631. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 60M, 5755




Plot 632. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 60M, 5790




Plot 633. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 60M, 5820




Plot 634. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 80M, 5765




Plot 635. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 80M, 5790




Plot 636. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 80M, 5810



Plot 637. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 100M, 5775




Plot 638. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 100M, 5790




Plot 639. Undesirable Emissions, Point-to-Multipoint, UNII-3, emission mask, 13dBi, 100M, 5800


Undesirable Emissions, Point-to-Multipoint, 13 dBi




Plot 640. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 10M, 5730M, 1-7GHz




Plot 641. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 10M, 5790M, 1-7GHz




Plot 642. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 10M, 5845M, 1-7GHz




Plot 643. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, worst case, 7-18GHz




Plot 644. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 20M, 5735M, 1-7GHz




Plot 645. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 20M, 5790M, 1-7GHz




Plot 646. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 20M, 5840M, 1-7GHz




Plot 647. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 30M, 5740M, 1-7GHz




Plot 648. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 30M, 5790M, 1-7GHz




Plot 649. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 30M, 5835M, 1-7GHz




Plot 650. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 40M, 5745M, 1-7GHz




Plot 651. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 40M, 5790M, 1-7GHz




Plot 652. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 40M, 5830M, 1-7GHz




Plot 653. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 50M, 5750M, 1-7GHz




Plot 654. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 50M, 5790M, 1-7GHz




Plot 655. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 50M, 5825M, 1-7GHz




Plot 656. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 60M, 5755M, 1-7GHz




Plot 657. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 60M, 5790M, 1-7GHz




Plot 658. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 60M, 5820M, 1-7GHz




Plot 659. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 80M, 5765M, 1-7GHz




Plot 660. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 80M, 5790M, 1-7GHz




Plot 661. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 80M, 5810M, 1-7GHz




Plot 662. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 100M, 5775M, 1-7GHz




Plot 663. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 100M, 5790M, 1-7GHz




Plot 664. Undesirable Emissions, Point-to-Multipoint, AVG, 13dBi, radiated spurious emissions, 100M, 5800M, 1-7GHz




Plot 665. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 10M, 5730M, 1-7GHz




Plot 666. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 10M, 5790M, 1-7GHz




Plot 667. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 10M, 5845M, 1-7GHz




Plot 668. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, worst case, 7-18GHz




Plot 669. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 20M, 5735M, 1-7GHz




Plot 670. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 20M, 5790M, 1-7GHz




Plot 671. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 20M, 5840M, 1-7GHz




Plot 672. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 30M, 5740M, 1-7GHz




Plot 673. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 30M, 5790M, 1-7GHz




Plot 674. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 30M, 5835M, 1-7GHz




Plot 675. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 40M, 5745M, 1-7GHz




Plot 676. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 40M, 5790M, 1-7GHz




Plot 677. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 40M, 5830M, 1-7GHz




Plot 678. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 50M, 5750M, 1-7GHz




Plot 679. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 50M, 5790M, 1-7GHz




Plot 680. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 50M, 5825M, 1-7GHz




Plot 681. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 60M, 5755M, 1-7GHz




Plot 682. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 60M, 5790M, 1-7GHz




Plot 683. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 60M, 5820M, 1-7GHz




Plot 684. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 80M, 5765M, 1-7GHz




Plot 685. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 80M, 5790M, 1-7GHz




Plot 686. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 80M, 5810M, 1-7GHz



Plot 687. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 100M, 5775M, 1-7GHz




Plot 688. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 100M, 5790M, 1-7GHz




Plot 689. Undesirable Emissions, Point-to-Multipoint, PK, 13dBi, radiated spurious emissions, 100M, 5800M, 1-7GHz


Undesirable Emissions, Point-to-Multipoint, 22 dBi




Plot 690. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 10M, 5730M, 1-18GHz




Plot 691. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 10M, 5790M, 1-18GHz




Plot 692. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 10M, 5845M, 1-18GHz




Plot 693. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 20M, 5735M, 1-18GHz




Plot 694. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 20M, 5790M, 1-18GHz




Plot 695. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 20M, 5840M, 1-18GHz




Plot 696. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 30M, 5740M, 1-18GHz




Plot 697. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 30M, 5790M, 1-18GHz




Plot 698. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 30M, 5835M, 1-18GHz




Plot 699. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 40M, 5745M, 1-18GHz




Plot 700. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 40M, 5790M, 1-18GHz




Plot 701. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 40M, 5830M, 1-18GHz




Plot 702. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 50M, 5750M, 1-18GHz




Plot 703. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 50M, 5790M, 1-18GHz




Plot 704. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 50M, 5825M, 1-18GHz




Plot 705. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 60M, 5755M, 1-18GHz




Plot 706. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 60M, 5790M, 1-18GHz




Plot 707. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 60M, 5820M, 1-18GHz




Plot 708. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 80M, 5765M, 1-18GHz




Plot 709. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 80M, 5790M, 1-18GHz




Plot 710. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 80M, 5810M, 1-18GHz




Plot 711. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 100M, 5775M, 1-18GHz




Plot 712. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 100M, 5790M, 1-18GHz




Plot 713. Undesirable Emissions, Point-to-Multipoint, AVG, 22dBi, radiated spurious emissions, 100M, 5800M, 1-18GHz




Plot 714. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 10M, 5730M, 1-18GHz




Plot 715. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 10M, 5790M, 1-18GHz




Plot 716. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 10M, 5845M, 1-18GHz




Plot 717. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 20M, 5735M, 1-18GHz




Plot 718. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 20M, 5790M, 1-18GHz




Plot 719. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 20M, 5840M, 1-18GHz




Plot 720. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 30M, 5740M, 1-18GHz




Plot 721. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 30M, 5790M, 1-18GHz




Plot 722. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 30M, 5835M, 1-18GHz




Plot 723. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 40M, 5745M, 1-18GHz




Plot 724. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 40M, 5790M, 1-18GHz




Plot 725. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 40M, 5830M, 1-18GHz




Plot 726. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 50M, 5750M, 1-18GHz




Plot 727. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 50M, 5790M, 1-18GHz




Plot 728. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 50M, 5825M, 1-18GHz




Plot 729. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 60M, 5755M, 1-18GHz




Plot 730. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 60M, 5790M, 1-18GHz




Plot 731. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 60M, 5820M, 1-18GHz




Plot 732. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 80M, 5765M, 1-18GHz




Plot 733. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 80M, 5790M, 1-18GHz




Plot 734. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 80M, 5810M, 1-18GHz



Plot 735. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 100M, 5775M, 1-18GHz



Plot 736. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 100M, 5790M, 1-18GHz



Plot 737. Undesirable Emissions, Point-to-Multipoint, PK, 22dBi, radiated spurious emissions, 100M, 5800M, 1-18GHz

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.407(b)(6) Conducted Emissions

Test Requirement(s): § 15.407 (b)(6): Any U-NII devices using an AC power line are required to comply also with the conducted limits set forth in §15.207.

§ 15.207 (a): For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies, within the band 150 kHz to 30MHz, shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN). Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the boundary between the frequency ranges.

Frequency range (MHz)	§ 15.207(a), Conducted Limit (dB μ V)	
	Quasi-Peak	Average
* 0.15- 0.45	66 – 56	56 - 46
0.45 - 0.5	56	46
0.5 - 30	60	50


Table 18. Conducted Limits for Intentional Radiators from FCC Part 15 § 15.207(a)

Test Procedure: The EUT was placed on a non-metallic table inside a screen room. The EUT was situated such that the back of the EUT was 0.4 m from one wall of the vertical ground plane, and the remaining sides of the EUT were no closer than 0.8 m from any other conductive surface. The EUT was powered from a 50 Ω /50 μ H Line Impedance Stabilization Network (LISN). The EMC receiver scanned the frequency range from 150 kHz to 30 MHz. Conducted Emissions measurements were made in accordance with *ANSI C63.4-2014 "Methods and Measurements of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40 GHz"*. Scans were performed with the transmitter on.


Test Results: The EUT was compliant with requirements of this section.

Test Engineer(s): Donald Salguero

Test Date(s): August 30, 2017



Plot 738. Conducted Emissions, Phase Line



Plot 739. Conducted Emissions, Neutral Line

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15. 407(e) 6 dB Bandwidth


Test Requirements: § 15.407(e): Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

Test Procedure: The transmitter was set to low, mid, and high operating frequencies at the highest output power and connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured with the spectrum analyzer using a RBW approximately equal to 1% of the total emission bandwidth, VBW > RBW. The 6 dB Bandwidth was measured and recorded.

Test Results The 6 dB Bandwidth was compliant with the requirements of this section.


Test Engineer(s): Donald Salguero

Test Date(s): August 30, 2017




Nominal Channel Bandwidth (MHz)	Center Frequency (MHz)	6dB BW (MHz)
10	5730	9.475
	5790	9.466
	5845	9.468
20	5735	18.957
	5790	18.911
	5840	18.883
30	5740	28.388
	5790	28.391
	5835	28.407
40	5745	37.771
	5790	37.887
	5830	37.292
50	5750	47.457
	5790	47.383
	5825	47.462
60	5755	56.703
	5790	56.916
	5820	56.845
80	5765	75.791
	5790	75.953
	5810	76.016
100	5775	94.614
	5790	94.58
	5800	94.898


Table 19. 26 dB and 6 dB Occupied Bandwidth, Test Results




Plot 740. 6 dB Occupied Bandwidth, 10M, 5730M, chain0




Plot 741. 6 dB Occupied Bandwidth, 10M, 5790M, chain0




Plot 742. 6 dB Occupied Bandwidth, 10M, 5845M, chain0




Plot 743. 6 dB Occupied Bandwidth, 20M, 5735M, chain0




Plot 744. 6 dB Occupied Bandwidth, 20M, 5790M, chain0




Plot 745.6 dB Occupied Bandwidth, 20M, 5840M, chain0




Plot 746.6 dB Occupied Bandwidth, 30M, 5740M, chain0




Plot 747. 6 dB Occupied Bandwidth, 30M, 5790M, chain0




Plot 748. 6 dB Occupied Bandwidth, 30M, 5835M, chain0




Plot 749. 6 dB Occupied Bandwidth, 40M, 5745M, chain0




Plot 750. 6 dB Occupied Bandwidth, 40M, 5790M, chain0




Plot 751. 6 dB Occupied Bandwidth, 40M, 5830M, chain0




Plot 752. 6 dB Occupied Bandwidth, 50M, 5750M, chain0




Plot 753. 6 dB Occupied Bandwidth, 50M, 5790M, chain0




Plot 754. 6 dB Occupied Bandwidth, 50M, 5825M, chain0




Plot 755. 6 dB Occupied Bandwidth, 60M, 5755M, chain0




Plot 756. 6 dB Occupied Bandwidth, 60M, 5790M, chain0




Plot 757. 6 dB Occupied Bandwidth, 60M, 5820M, chain0




Plot 758. 6 dB Occupied Bandwidth, 80M, 5765M, chain0




Plot 759. 6 dB Occupied Bandwidth, 80M, 5790M, chain0




Plot 760. 6 dB Occupied Bandwidth, 80M, 5810M, chain0




Plot 761. 6 dB Occupied Bandwidth, 100M, 5775M, chain0



Plot 762. 6 dB Occupied Bandwidth, 100M, 5790M, chain0



Plot 763. 6 dB Occupied Bandwidth, 100M, 5800M, chain0



Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.407(f) Maximum Permissible Exposure

Test Requirement(s): §15.407(f): U-NII devices are subject to the radio frequency radiation exposure requirements specified in §1.1307(b), §2.1091 and §2.1093 of this chapter, as appropriate. All equipment shall be considered to operate in a “general population/uncontrolled” environment.

RF Exposure Requirements: §1.1307(b)(1) and §1.1307(b)(2): Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess of the Commission’s guidelines.

RF Radiation Exposure Limit: §1.1310: As specified in this section, the Maximum Permissible Exposure (MPE) Limit shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in Sec. 1.1307(b), except in the case of portable devices which shall be evaluated according to the provisions of Sec. 2.1093 of this chapter.

MPE Limit: EUT’s operating frequencies @ 5725 - 5850 MHz; **Limit for Uncontrolled exposure: 1 mW/cm² or 10 W/m²**

Equation from page 18 of OET 65, Edition 97-01

$$S = PG / 4\pi R^2 \quad \text{or} \quad R = \sqrt{PG / 4\pi S}$$

where, S = Power Density (mW/cm²)
P = Power Input to antenna (mW)
G = Antenna Gain (numeric value)
R = Distance (cm)

Test Results:

FCC									
Frequency (MHz)	Con. Pwr. (dBm)	Con. Pwr. (mW)	Ant. Gain (dBi)	Ant. Gain numeric	Pwr. Density (mW/cm ²)	Limit (mW/cm ²)	Margin	Distance (cm)	Result
5790	29.61	914.113	22	158.489	1	1	0	107.373	Pass

The safe distance where Power Density is less than the MPE Limit listed above was found to be 107.373 cm.

Electromagnetic Compatibility Criteria for Intentional Radiators

§ 15.407(g) Frequency Stability

Test Requirements: Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

Test Results: Data for frequency stability compliance with the requirements of this section is provided by the customer as a separate exhibit.

IV. Test Equipment

Test Equipment

Calibrated test equipment utilized during testing was maintained in a current state of calibration per the requirements of ISO/IEC 17025:2005.

Asset	Equipment	Manufacturer	Model	Calibration Date	Calibration Due Date
1T4771	PSA Spectrum Analyzer	Agilent Technologies	E4446A	8/10/2016	2/10/2018
1T4409	EMI Receiver	Rohde & Schwarz	ESIB7	12/7/2016	12/7/2018
1T4483	Antenna; Horn	ETS-Lindgren	3117	4/19/2017	10/19/2018
1T4753	Antenna - Bilog	Sunol Sciences	JB6	10/24/2016	4/24/2018
1T4442	Pre-amplifier, Microwave	Miteq	AFS42-01001800-30-10P	See Note	
1T4612	Spectrum Analyzer	Agilent Technologies	E4407B	3/30/2017	9/30/2018
1T4565	LISN (24 AMP)	Solar Electronics Company	9252-50-R-24-BNC	8/15/2017	8/15/2018
1T4149	High-Frequency Anechoic Chamber	Ray Proof	81	Not Required	
1T4300	SEMI-ANECHOIC CHAMBER # 1 (NSA)	EMC TEST SYSTEMS	NONE	2/6/2015	2/6/2018

Table 20. Test Equipment List

Note: Functionally tested equipment is verified using calibrated instrumentation at the time of testing.

V. Certification & User's Manual Information

Certification & User's Manual Information

K. Certification Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart I — Marketing of Radio frequency devices:

§ 2.801 Radio-frequency device defined.

As used in this part, a radio-frequency device is any device which in its operation is capable of Emitting radio-frequency energy by radiation, conduction, or other means. Radio- frequency devices include, but are not limited to:

- (a) The various types of radio communication transmitting devices described throughout this chapter.
- (b) *The incidental, unintentional and intentional radiators defined in Part 15 of this chapter.*
- (c) The industrial, scientific, and medical equipment described in Part 18 of this chapter.
- (d) Any part or component thereof which in use emits radio-frequency energy by radiation, conduction, or other means.

§ 2.803 Marketing of radio frequency devices prior to equipment authorization.

- (a) Except as provided elsewhere in this chapter, no person shall sell or lease, or offer for sale or lease (including advertising for sale or lease), or import, ship or distribute for the purpose of selling or leasing or offering for sale or lease, any radio frequency device unless:
 - (1) In the case of a device subject to certification, such device has been authorized by the Commission in accordance with the rules in this chapter and is properly identified and labeled as required by §2.925 and other relevant sections in this chapter; or
 - (2) In the case of a device that is not required to have a grant of equipment authorization issued by the Commission, but which must comply with the specified technical standards prior to use, such device also complies with all applicable administrative (including verification of the equipment or authorization under a Declaration of Conformity, where required), technical, labeling and identification requirements specified in this chapter.
- (d) Notwithstanding the provisions of paragraph (a) of this section, the offer for sale solely to business, commercial, industrial, scientific or medical users (but not an offer for sale to other parties or to end users located in a residential environment) of a radio frequency device that is in the conceptual, developmental, design or pre-production stage is permitted prior to equipment authorization or, for devices not subject to the equipment authorization requirements, prior to a determination of compliance with the applicable technical requirements *provided* that the prospective buyer is advised in writing at the time of the offer for sale that the equipment is subject to the FCC rules and that the equipment will comply with the appropriate rules before delivery to the buyer or to centers of distribution.

- (e)(1) Notwithstanding the provisions of paragraph (a) of this section, prior to equipment authorization or determination of compliance with the applicable technical requirements any radio frequency device may be operated, but not marketed, for the following purposes and under the following conditions:
- (i) *Compliance testing;*
 - (ii) Demonstrations at a trade show provided the notice contained in paragraph (c) of this section is displayed in a conspicuous location on, or immediately adjacent to, the device;
 - (iii) Demonstrations at an exhibition conducted at a business, commercial, industrial, scientific or medical location, but excluding locations in a residential environment, provided the notice contained in paragraphs (c) or (d) of this section, as appropriate, is displayed in a conspicuous location on, or immediately adjacent to, the device;
 - (iv) Evaluation of product performance and determination of customer acceptability, provided such operation takes place at the manufacturer's facilities during developmental, design or pre-production states; or
 - (v) Evaluation of product performance and determination of customer acceptability where customer acceptability of a radio frequency device cannot be determined at the manufacturer's facilities because of size or unique capability of the device, provided the device is operated at a business, commercial, industrial, scientific or medical user's site, but not at a residential site, during the development, design or pre-production stages.
- (e)(2) For the purpose of paragraphs (e)(1)(iv) and (e)(1)(v) of this section, the term *manufacturer's facilities* includes the facilities of the party responsible for compliance with the regulations and the manufacturer's premises, as well as the facilities of other entities working under the authorization of the responsible party in connection with the development and manufacture, but not the marketing, of the equipment.
- (f) For radio frequency devices subject to verification and sold solely to business, commercial, industrial, scientific and medical users (excluding products sold to other parties or for operation in a residential environment), parties responsible for verification of the devices shall have the option of ensuring compliance with the applicable technical specifications of this chapter at each end user's location after installation, provided that the purchase or lease agreement includes a proviso that such a determination of compliance be made and is the responsibility of the party responsible for verification of the equipment.

Certification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 2, Subpart J — Equipment Authorization Procedures:

§ 2.901 Basis and Purpose

- (a) In order to carry out its responsibilities under the Communications Act and the various treaties and international regulations, and in order to promote efficient use of the radio spectrum, the Commission has developed technical standards for radio frequency equipment and parts or components thereof. The technical standards applicable to individual types of equipment are found in that part of the rules governing the service wherein the equipment is to be operated.¹ *In addition to the technical standards provided, the rules governing the service may require that such equipment be verified by the manufacturer or importer, be authorized under a Declaration of Conformity, or receive an equipment authorization from the Commission by one of the following procedures: certification or registration.*
- (b) The following sections describe the verification procedure, the procedure for a Declaration of Conformity, and the procedures to be followed in obtaining certification from the Commission and the conditions attendant to such a grant.

§ 2.907 Certification.

- (a) Certification is an equipment authorization issued by the Commission, based on representation and test data submitted by the applicant.
- (b) Certification attaches to all units subsequently marketed by the grantee which are identical (see Section 2.908) to the sample tested except for permissive changes or other variations authorized by the Commission pursuant to Section 2.1043.

¹ In this case, the equipment is subject to the rules of Part 15. More specifically, the equipment falls under Subpart B (of Part 15), which deals with unintentional radiators.

Certification & User's Manual Information

§ 2.948 Description of measurement facilities.

- (a) Each party making measurements of equipment that is subject to an equipment authorization under Part 15 or Part 18 of this chapter, regardless of whether the measurements are filed with the Commission or kept on file by the party responsible for compliance of equipment marketed within the U.S. or its possessions, shall compile a description of the measurement facilities employed.
 - (1) If the measured equipment is subject to the verification procedure, the description of the measurement facilities shall be retained by the party responsible for verification of the equipment.
 - (i) *If the equipment is verified through measurements performed by an independent laboratory, it is acceptable for the party responsible for verification of the equipment to rely upon the description of the measurement facilities retained by or placed on file with the Commission by that laboratory. In this situation, the party responsible for the verification of the equipment is not required to retain a duplicate copy of the description of the measurement facilities.*
 - (ii) If the equipment is verified based on measurements performed at the installation site of the equipment, no specific site calibration data is required. It is acceptable to retain the description of the measurement facilities at the site at which the measurements were performed.
 - (2) If the equipment is to be authorized by the Commission under the certification procedure, the description of the measurement facilities shall be filed with the Commission's Laboratory in Columbia, Maryland. The data describing the measurement facilities need only be filed once but must be updated as changes are made to the measurement facilities or as otherwise described in this section. At least every three years, the organization responsible for filing the data with the Commission shall certify that the data on file is current.

Certification & User's Manual Information

Label and User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart A — General:

§ 15.19 Labeling requirements.

(a) *In addition to the requirements in Part 2 of this chapter, a device subject to certification or verification shall be labeled as follows:*

- (1) Receivers associated with the operation of a licensed radio service, e.g., FM broadcast under Part 73 of this chapter, land mobile operation under Part 90, etc., shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

- (2) A stand-alone cable input selector switch, shall bear the following statement in a conspicuous location on the device:

This device is verified to comply with Part 15 of the FCC Rules for use with cable television service.

- (3) All other devices shall bear the following statement in a conspicuous location on the device:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

- (4) Where a device is constructed in two or more sections connected by wires and marketed together, the statement specified under paragraph (a) of this section is required to be affixed only to the main control unit.
- (5) When the device is so small or for such use that it is not practicable to place the statement specified under paragraph (a) of this section on it, the information required by this paragraph shall be placed in a prominent location in the instruction manual or pamphlet supplied to the user or, alternatively, shall be placed on the container in which the device is marketed. However, the FCC identifier or the unique identifier, as appropriate, must be displayed on the device.

§ 15.21 Information to user.

The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Verification & User's Manual Information

The following is extracted from Title 47 of the Code of Federal Regulations, Part 15, Subpart B — Unintentional Radiators:

§ 15.105 Information to the user.

- (a) For a Class A digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at own expense.

- (b) For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a residential environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

End of Report