

Emissions in restricted frequency bands (Average)(2) (5270 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5270.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5040.250000	-42.2	1.0	-41.2
4944.250000	-42.2	1.0	-41.2
5040.750000	-42.4	1.2	-41.2
4944.750000	-42.8	1.6	-41.2
5049.750000	-43.2	2.0	-41.2
4975.250000	-43.4	2.2	-41.2
4945.250000	-43.4	2.2	-41.2
5039.750000	-43.4	2.2	-41.2
4958.750000	-43.4	2.2	-41.2
4959.250000	-43.5	2.3	-41.2
5039.250000	-43.5	2.3	-41.2
4988.250000	-43.6	2.4	-41.2
5035.750000	-43.6	2.4	-41.2
4963.750000	-43.6	2.4	-41.2
5049.250000	-43.6	2.4	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5270 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5270.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
19908.750000	-29.6	8.4	-21.2
19879.250000	-29.9	8.7	-21.2
19907.250000	-30.3	9.1	-21.2
19900.750000	-30.6	9.4	-21.2
18876.750000	-30.7	9.5	-21.2
17878.250000	-30.8	9.6	-21.2
20230.250000	-30.8	9.6	-21.2
20198.750000	-30.9	9.7	-21.2
18863.250000	-30.9	9.7	-21.2
19908.250000	-30.9	9.7	-21.2
18211.750000	-31.0	9.8	-21.2
19873.750000	-31.1	9.9	-21.2
19535.750000	-31.1	9.9	-21.2
20230.750000	-31.1	9.9	-21.2
20211.250000	-31.1	9.9	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak)(2) (5270 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5270.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
19896.750000	-30.4	9.2	-21.2
15813.250000	-30.5	9.3	-21.2
19922.750000	-30.9	9.7	-21.2
19868.250000	-30.9	9.7	-21.2
19894.750000	-31.0	9.8	-21.2
17893.250000	-31.1	9.9	-21.2
19922.250000	-31.1	9.9	-21.2
20267.750000	-31.1	9.9	-21.2
20268.250000	-31.1	9.9	-21.2
19548.250000	-31.2	10.0	-21.2
19878.750000	-31.3	10.1	-21.2
17914.250000	-31.3	10.1	-21.2
18246.250000	-31.3	10.1	-21.2
15568.750000	-31.3	10.1	-21.2
19561.250000	-31.4	10.2	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Average) (5300 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5351.250000	-42.7	1.5	-41.2
5352.750000	-43.0	1.8	-41.2
5351.750000	-43.0	1.8	-41.2
5354.250000	-43.0	1.8	-41.2
5353.250000	-43.0	1.8	-41.2
5354.750000	-43.2	2.0	-41.2
5353.750000	-43.2	2.0	-41.2
5350.750000	-43.3	2.1	-41.2
5352.250000	-43.4	2.2	-41.2
5358.750000	-43.7	2.5	-41.2
5120.250000	-43.7	2.5	-41.2
5358.250000	-43.7	2.5	-41.2
5355.250000	-43.8	2.6	-41.2
5356.750000	-43.8	2.6	-41.2
4816.750000	-43.9	2.7	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5300 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5040.250000	-41.2	-44.2	-41.2	3.0	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5040.250000	-41.2	0.0	-41.2
5423.750000	-41.4	0.2	-41.2
5424.250000	-41.8	0.6	-41.2
5039.750000	-42.2	1.0	-41.2
4944.750000	-42.7	1.5	-41.2
4944.250000	-42.9	1.7	-41.2
5069.750000	-43.0	1.8	-41.2
4943.750000	-43.1	1.9	-41.2
5040.750000	-43.3	2.1	-41.2
4991.750000	-43.3	2.1	-41.2
4995.750000	-43.3	2.1	-41.2
5046.750000	-43.5	2.3	-41.2
4945.250000	-43.6	2.4	-41.2
4972.250000	-43.6	2.4	-41.2
5068.750000	-43.6	2.4	-41.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Peak) (5300 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
19894.750000	-30.2	9.0	-21.2
19907.750000	-30.2	9.0	-21.2
17860.750000	-30.5	9.3	-21.2
19862.750000	-30.5	9.3	-21.2
19862.250000	-30.6	9.4	-21.2
19924.250000	-30.6	9.4	-21.2
19884.750000	-31.0	9.8	-21.2
18894.750000	-31.0	9.8	-21.2
20189.250000	-31.0	9.8	-21.2
18896.750000	-31.1	9.9	-21.2
19896.750000	-31.1	9.9	-21.2
19896.250000	-31.1	9.9	-21.2
17884.750000	-31.1	9.9	-21.2
18897.250000	-31.1	9.9	-21.2
19873.250000	-31.2	10.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak)(2) (5300 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
17916.250000	-29.4	8.2	-21.2
19893.250000	-30.0	8.8	-21.2
17915.750000	-30.2	9.0	-21.2
20234.250000	-30.4	9.2	-21.2
19566.250000	-30.6	9.4	-21.2
15884.250000	-30.6	9.4	-21.2
20216.750000	-30.6	9.4	-21.2
20216.250000	-30.8	9.6	-21.2
19916.750000	-30.8	9.6	-21.2
16194.250000	-30.9	9.7	-21.2
19490.750000	-30.9	9.7	-21.2
19928.750000	-30.9	9.7	-21.2
19547.750000	-31.1	9.9	-21.2
17899.250000	-31.2	10.0	-21.2
20192.250000	-31.2	10.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Tx Spurious Emission (5320 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5320.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39873.250000	-32.0	5.0	-27.0
39875.750000	-34.1	7.1	-27.0
39933.750000	-34.1	7.1	-27.0
39930.750000	-34.6	7.6	-27.0
39921.750000	-34.6	7.6	-27.0
39694.750000	-34.6	7.6	-27.0
39878.750000	-34.6	7.6	-27.0
39345.250000	-34.7	7.7	-27.0
39898.750000	-34.7	7.7	-27.0
39873.750000	-34.8	7.8	-27.0
39983.750000	-34.9	7.9	-27.0
39345.750000	-34.9	7.9	-27.0
39887.250000	-34.9	7.9	-27.0
39897.250000	-35.0	8.0	-27.0
39922.250000	-35.0	8.0	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	5250.000000	2	2
5250.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5725.000000	2	2
5725.000000	5850.000000	2	2
5850.000000	7000.000000	2	2
7000.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Tx Spurious Emission(2) (5320 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5320.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39723.750000	-33.6	6.6	-27.0
39699.250000	-34.2	7.2	-27.0
38799.750000	-34.4	7.4	-27.0
39333.250000	-34.4	7.4	-27.0
39728.750000	-34.6	7.6	-27.0
38903.750000	-34.6	7.6	-27.0
39863.750000	-34.6	7.6	-27.0
38903.250000	-34.8	7.8	-27.0
39803.750000	-34.8	7.8	-27.0
39493.250000	-34.8	7.8	-27.0
39343.750000	-34.9	7.9	-27.0
39895.750000	-35.0	8.0	-27.0
39835.250000	-35.0	8.0	-27.0
38828.250000	-35.1	8.1	-27.0
39866.750000	-35.2	8.2	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	5250.000000	2	2
5250.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5725.000000	2	2
5725.000000	5850.000000	2	2
5850.000000	7000.000000	2	2
7000.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Average) (5320 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5320.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5350.000000	-41.0	-41.7	-41.2	0.5	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5350.000000	-41.0	-0.2	-41.2
5355.750000	-41.6	0.4	-41.2
5352.250000	-41.7	0.5	-41.2
5352.750000	-41.7	0.5	-41.2
5355.250000	-41.9	0.7	-41.2
5350.750000	-41.9	0.7	-41.2
5356.250000	-42.0	0.8	-41.2
5350.250000	-42.0	0.8	-41.2
5354.750000	-42.1	0.9	-41.2
5351.250000	-42.1	0.9	-41.2
5351.750000	-42.1	0.9	-41.2
5353.250000	-42.1	0.9	-41.2
5356.750000	-42.5	1.3	-41.2
5357.250000	-42.6	1.4	-41.2
5354.250000	-42.6	1.4	-41.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Average)(2) (5320 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5320.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5354.750000	-41.4	0.2	-41.2
5040.250000	-41.4	0.2	-41.2
5354.250000	-41.4	0.2	-41.2
5355.250000	-41.7	0.5	-41.2
5350.000000	-41.7	0.5	-41.2
5350.250000	-41.7	0.5	-41.2
5353.750000	-41.8	0.6	-41.2
5355.750000	-41.8	0.6	-41.2
5040.750000	-41.9	0.7	-41.2
5350.750000	-41.9	0.7	-41.2
5424.250000	-42.1	0.9	-41.2
5353.250000	-42.1	0.9	-41.2
5423.750000	-42.1	0.9	-41.2
5356.250000	-42.2	1.0	-41.2
5358.250000	-42.2	1.0	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5320 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5320.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
19877.750000	-30.0	8.8	-21.2
20266.250000	-30.3	9.1	-21.2
15796.750000	-30.3	9.1	-21.2
15897.250000	-30.6	9.4	-21.2
16179.750000	-30.6	9.4	-21.2
19544.750000	-30.7	9.5	-21.2
19893.750000	-30.7	9.5	-21.2
17868.250000	-30.9	9.7	-21.2
19822.750000	-30.9	9.7	-21.2
19980.750000	-30.9	9.7	-21.2
19904.250000	-30.9	9.7	-21.2
20307.750000	-31.0	9.8	-21.2
17901.750000	-31.1	9.9	-21.2
19886.250000	-31.1	9.9	-21.2
18206.750000	-31.2	10.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak)(2) (5320 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5320.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
20219.750000	-30.5	9.3	-21.2
19885.250000	-30.7	9.5	-21.2
17905.750000	-30.8	9.6	-21.2
17876.750000	-30.9	9.7	-21.2
17886.750000	-30.9	9.7	-21.2
17891.750000	-30.9	9.7	-21.2
19885.750000	-31.0	9.8	-21.2
19929.750000	-31.2	10.0	-21.2
19852.250000	-31.2	10.0	-21.2
19882.250000	-31.3	10.1	-21.2
19887.750000	-31.3	10.1	-21.2
19878.750000	-31.4	10.2	-21.2
19548.750000	-31.4	10.2	-21.2
19924.250000	-31.4	10.2	-21.2
17886.250000	-31.4	10.2	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Tx Spurious Emission (5290 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5290.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5374.250000	-33.4	6.4	-27.0
5373.750000	-33.5	6.5	-27.0
39309.750000	-33.6	6.6	-27.0
39456.750000	-33.7	6.7	-27.0
39831.250000	-34.2	7.2	-27.0
39031.250000	-34.3	7.3	-27.0
39519.750000	-34.4	7.4	-27.0
39719.250000	-34.5	7.5	-27.0
38861.750000	-34.5	7.5	-27.0
39718.250000	-34.7	7.7	-27.0
39888.250000	-34.7	7.7	-27.0
38792.250000	-34.8	7.8	-27.0
39969.250000	-34.8	7.8	-27.0
39918.750000	-34.8	7.8	-27.0
39312.750000	-34.9	7.9	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	5250.000000	2	2
5250.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5725.000000	2	2
5725.000000	5850.000000	2	2
5850.000000	7000.000000	2	2
7000.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Tx Spurious Emission(2) (5290 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5290.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5383.750000	-32.7	5.7	-27.0
5383.250000	-32.8	5.8	-27.0
5353.750000	-32.9	5.9	-27.0
5354.250000	-33.0	6.0	-27.0
39322.250000	-33.4	6.4	-27.0
39501.750000	-33.7	6.7	-27.0
39753.750000	-34.1	7.1	-27.0
39867.750000	-34.2	7.2	-27.0
39727.750000	-34.4	7.4	-27.0
39699.750000	-34.4	7.4	-27.0
39880.750000	-34.4	7.4	-27.0
39999.750000	-34.5	7.5	-27.0
40000.000000	-34.5	7.5	-27.0
39794.750000	-34.6	7.6	-27.0
5384.250000	-34.7	7.7	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	5250.000000	2	2
5250.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5725.000000	2	2
5725.000000	5850.000000	2	2
5850.000000	7000.000000	2	2
7000.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Average) (5290 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5290.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5364.250000	-40.5	-41.4	-41.2	0.2	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5364.250000	-40.5	-0.7	-41.2
5364.750000	-40.6	-0.6	-41.2
5366.750000	-40.8	-0.4	-41.2
5363.750000	-40.8	-0.4	-41.2
5350.000000	-40.9	-0.3	-41.2
5365.250000	-41.1	-0.1	-41.2
5375.750000	-41.1	-0.1	-41.2
5367.250000	-41.2	0.0	-41.2
5375.250000	-41.4	0.2	-41.2
5366.250000	-41.4	0.2	-41.2
5398.250000	-41.4	0.2	-41.2
5397.750000	-41.4	0.2	-41.2
5392.250000	-41.5	0.3	-41.2
5373.750000	-41.5	0.3	-41.2
5374.250000	-41.5	0.3	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit
x Final Critical
- - - Threshold
◆ Fail
x Critical
◆ Pass
— Sum Level

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5290 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5290.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
5367.250000	-40.7	-41.7	-41.2	0.5	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5367.250000	-40.7	-0.5	-41.2
5372.250000	-40.7	-0.5	-41.2
5374.750000	-40.7	-0.5	-41.2
5378.750000	-40.8	-0.4	-41.2
5379.250000	-40.8	-0.4	-41.2
5364.750000	-40.8	-0.4	-41.2
5364.250000	-40.8	-0.4	-41.2
5367.750000	-40.8	-0.4	-41.2
5374.250000	-40.9	-0.3	-41.2
5375.250000	-40.9	-0.3	-41.2
5372.750000	-40.9	-0.3	-41.2
5373.750000	-40.9	-0.3	-41.2
5360.750000	-40.9	-0.3	-41.2
5378.250000	-40.9	-0.3	-41.2
5365.250000	-41.0	-0.2	-41.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Peak) (5290 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5290.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
18891.750000	-30.3	9.1	-21.2
15881.250000	-30.3	9.1	-21.2
19871.750000	-30.4	9.2	-21.2
18539.250000	-30.6	9.4	-21.2
17879.250000	-30.6	9.4	-21.2
19906.750000	-30.8	9.6	-21.2
18211.250000	-30.9	9.7	-21.2
19587.250000	-30.9	9.7	-21.2
19890.250000	-31.0	9.8	-21.2
19860.250000	-31.0	9.8	-21.2
18193.250000	-31.1	9.9	-21.2
19883.250000	-31.1	9.9	-21.2
19883.750000	-31.2	10.0	-21.2
20268.750000	-31.2	10.0	-21.2
17860.250000	-31.2	10.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak)(2) (5290 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5290.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5377.250000	-24.3	3.1	-21.2
5377.750000	-24.7	3.5	-21.2
5378.250000	-25.5	4.3	-21.2
5380.250000	-26.0	4.8	-21.2
5379.750000	-26.1	4.9	-21.2
5380.750000	-26.3	5.1	-21.2
5381.250000	-26.9	5.7	-21.2
5378.750000	-27.0	5.8	-21.2
5382.250000	-27.1	5.9	-21.2
5379.250000	-27.1	5.9	-21.2
5382.750000	-27.2	6.0	-21.2
5381.750000	-27.2	6.0	-21.2
5383.250000	-28.0	6.8	-21.2
5376.750000	-28.3	7.1	-21.2
5383.750000	-29.2	8.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Tx Spurious Emission (5300 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39878.750000	-33.6	6.6	-27.0
5366.750000	-33.7	6.7	-27.0
5366.250000	-34.0	7.0	-27.0
5367.250000	-34.1	7.1	-27.0
39892.750000	-34.4	7.4	-27.0
39321.250000	-34.4	7.4	-27.0
39907.250000	-34.4	7.4	-27.0
39421.250000	-34.6	7.6	-27.0
39998.250000	-34.7	7.7	-27.0
39909.750000	-34.7	7.7	-27.0
39667.250000	-34.8	7.8	-27.0
38161.250000	-34.8	7.8	-27.0
38842.750000	-34.9	7.9	-27.0
39319.750000	-34.9	7.9	-27.0
39715.750000	-34.9	7.9	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	5250.000000	2	2
5250.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5725.000000	2	2
5725.000000	5850.000000	2	2
5850.000000	7000.000000	2	2
7000.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Tx Spurious Emission(2) (5300 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39626.250000	-33.9	6.9	-27.0
39625.750000	-34.1	7.1	-27.0
39492.250000	-34.2	7.2	-27.0
38789.250000	-34.2	7.2	-27.0
39908.750000	-34.3	7.3	-27.0
39930.750000	-34.3	7.3	-27.0
39509.250000	-34.5	7.5	-27.0
39509.750000	-34.5	7.5	-27.0
39566.250000	-34.6	7.6	-27.0
39572.250000	-34.6	7.6	-27.0
38788.750000	-34.6	7.6	-27.0
39834.250000	-34.7	7.7	-27.0
38808.250000	-34.8	7.8	-27.0
39559.750000	-34.9	7.9	-27.0
39427.750000	-35.1	8.1	-27.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5150.000000	2	2
5150.000000	5250.000000	2	2
5250.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5725.000000	2	2
5725.000000	5850.000000	2	2
5850.000000	7000.000000	2	2
7000.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Spurious




— Limit - - - Threshold X Critical — Sum Level X Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Average) (5300 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5351.250000	-44.1	2.9	-41.2
5351.750000	-44.1	2.9	-41.2
4824.250000	-44.1	2.9	-41.2
5350.750000	-44.3	3.1	-41.2
5352.250000	-44.3	3.1	-41.2
5144.250000	-44.5	3.3	-41.2
5350.000000	-44.5	3.3	-41.2
5350.250000	-44.5	3.3	-41.2
5143.250000	-44.5	3.3	-41.2
5140.750000	-44.6	3.4	-41.2
5148.250000	-44.7	3.5	-41.2
5142.750000	-44.7	3.5	-41.2
5145.250000	-44.7	3.5	-41.2
5140.250000	-44.7	3.5	-41.2
5144.750000	-44.7	3.5	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Average)(2) (5300 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5372.250000	-43.3	2.1	-41.2
5372.750000	-43.4	2.2	-41.2
5371.750000	-43.5	2.3	-41.2
5375.750000	-43.8	2.6	-41.2
5373.250000	-43.8	2.6	-41.2
5376.250000	-43.8	2.6	-41.2
5424.250000	-43.9	2.7	-41.2
5423.750000	-44.0	2.8	-41.2
5126.750000	-44.0	2.8	-41.2
5371.250000	-44.0	2.8	-41.2
5363.750000	-44.0	2.8	-41.2
5061.750000	-44.0	2.8	-41.2
4944.750000	-44.0	2.8	-41.2
4948.250000	-44.1	2.9	-41.2
5364.750000	-44.1	2.9	-41.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.090000	2	2
0.090000	0.110000	2	2
0.110000	0.150000	2	2
0.150000	0.490000	2	2
0.490000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	5150.000000	1	1
5150.000000	5350.000000	1	1
5350.000000	5470.000000	1	1
5470.000000	13000.000000	1	1
13000.000000	18000.000000	1	1
18000.000000	26000.000000	1	1
26000.000000	40000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2

Emissions in restricted frequency bands (Peak) (5300 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
19883.250000	-29.6	8.4	-21.2
19883.750000	-29.8	8.6	-21.2
20185.750000	-30.0	8.8	-21.2
19871.250000	-30.5	9.3	-21.2
19913.250000	-30.9	9.7	-21.2
19897.750000	-30.9	9.7	-21.2
19856.250000	-30.9	9.7	-21.2
19518.750000	-30.9	9.7	-21.2
19950.750000	-30.9	9.7	-21.2
20186.250000	-31.0	9.8	-21.2
17904.750000	-31.0	9.8	-21.2
19884.250000	-31.1	9.9	-21.2
18239.750000	-31.1	9.9	-21.2
18239.250000	-31.1	9.9	-21.2
19861.250000	-31.2	10.0	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Emissions in restricted frequency bands (Peak)(2) (5300 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5300.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
19934.250000	-29.9	8.7	-21.2
20222.750000	-30.3	9.1	-21.2
19890.750000	-30.4	9.2	-21.2
19869.750000	-30.8	9.6	-21.2
15887.250000	-30.9	9.7	-21.2
19891.250000	-30.9	9.7	-21.2
19858.750000	-31.0	9.8	-21.2
15892.750000	-31.1	9.9	-21.2
19874.750000	-31.1	9.9	-21.2
17903.250000	-31.2	10.0	-21.2
18261.250000	-31.3	10.1	-21.2
19885.750000	-31.3	10.1	-21.2
17870.250000	-31.4	10.2	-21.2
19556.250000	-31.4	10.2	-21.2
17861.250000	-31.4	10.2	-21.2

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	0.150000	1	1
0.150000	30.000000	1	1
30.000000	1000.000000	1	1
1000.000000	5150.000000	2	2
5150.000000	5350.000000	2	2
5350.000000	5470.000000	2	2
5470.000000	5850.000000	2	2
5850.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2

Restricted Band




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector2

Attenuation



— Connector2