

UNII -2C

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	5485.000	30.0	20.000000	PASS
RF output power	5485.000	30.0	20.000000	PASS
Power Spectral Density	5485.000	30.0	20.000000	PASS
Occupied Channel Bandwidth 99%	5485.000	30.0	20.000000	PASS
Frequency Error	5485.000	30.0	20.000000	PASS
Emission Bandwidth 26 dB	5600.000	30.0	20.000000	PASS
RF output power	5600.000	30.0	20.000000	PASS
Power Spectral Density	5600.000	30.0	20.000000	PASS
Occupied Channel Bandwidth 99%	5600.000	30.0	20.000000	PASS
Emission Bandwidth 26 dB	5710.000	30.0	20.000000	PASS
RF output power	5710.000	30.0	20.000000	PASS
Power Spectral Density	5710.000	30.0	20.000000	PASS
Occupied Channel Bandwidth 99%	5710.000	30.0	20.000000	PASS
Frequency Error	5710.000	30.0	20.000000	PASS
Emission Bandwidth 26 dB	5500.000	30.0	40.000000	PASS
RF output power	5500.000	30.0	40.000000	PASS
Power Spectral Density	5500.000	30.0	40.000000	PASS
Occupied Channel Bandwidth 99%	5500.000	30.0	40.000000	PASS
Emission Bandwidth 26 dB	5600.000	30.0	40.000000	PASS
RF output power	5600.000	30.0	40.000000	PASS
Power Spectral Density	5600.000	30.0	40.000000	PASS
Occupied Channel Bandwidth 99%	5600.000	30.0	40.000000	PASS
Emission Bandwidth 26 dB	5700.000	30.0	40.000000	PASS
RF output power	5700.000	30.0	40.000000	PASS
Power Spectral Density	5700.000	30.0	40.000000	PASS
Occupied Channel Bandwidth 99%	5700.000	30.0	40.000000	PASS
Emission Bandwidth 26 dB	5520.000	30.0	80.000000	PASS
RF output power	5520.000	30.0	80.000000	PASS
Power Spectral Density	5520.000	30.0	80.000000	PASS
Occupied Channel Bandwidth 99%	5520.000	30.0	80.000000	PASS
Emission Bandwidth 26 dB	5600.000	30.0	80.000000	PASS
RF output power	5600.000	30.0	80.000000	PASS
Power Spectral Density	5600.000	30.0	80.000000	PASS
Occupied Channel Bandwidth 99%	5600.000	30.0	80.000000	PASS
Emission Bandwidth 26 dB	5690.000	30.0	80.000000	PASS
RF output power	5690.000	30.0	80.000000	PASS
Power Spectral Density	5690.000	30.0	80.000000	PASS
Occupied Channel Bandwidth 99%	5690.000	30.0	80.000000	PASS

Emission Bandwidth 26 dB (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5485.000000	18.800000	---	---	5475.650000	5494.450000


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5485.000000	3.8	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:32:07

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	5.50500 GHz	5.50500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	28.477 µs	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5485.000000	19.5	---	29.5	95.660	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

Power Spectral Density (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5485.000000	5487.376238	5.933	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.47500 GHz	5.47500 GHz
Stop Frequency	5.49500 GHz	5.49500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	2.020 ms	2.020 ms
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Occupied Channel Bandwidth 99% (5485 MHz; 30.000 dBm; 20 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5485.000000	16.500000	---	---	5476.750000	5493.250000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5485.000000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 14:32:59

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	5.50500 GHz	5.50500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	>= 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	28.477 µs	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Frequency Error (5485 MHz; 30.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5485.000000	5484.994001	1.094	-5.999000	---	---	PASS

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.47500 GHz	5.47500 GHz
Stop Frequency	5.49500 GHz	5.49500 GHz
Span	20.000 MHz	20.000 MHz
RBW	20.000 kHz	<= 20.000 kHz
VBW	100.000 kHz	>= 60.000 kHz
SweepPoints	10001	~ 10001
Sweeptime	474.291 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	1.00 dB	1.00 dB
Run	2 / max. 150	max. 150
Stable	1 / 1	1
Max Stable Difference	0.00 dB	1.00 dB

Emission Bandwidth 26 dB (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	19.000000	---	---	5590.450000	5609.450000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5600.000000	3.9	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:33:37

RF output power (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5600.000000	19.6	---	29.6	95.131	PASS

Power Spectral Density (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5600.000000	5602.178218	6.205	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5600 MHz; 30.000 dBm; 20 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	16.500000	---	---	5591.750000	5608.250000


(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5600.000000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 14:34:29

Emission Bandwidth 26 dB (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5710.000000	18.900000	18.900000	0.000000	---	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5710.000000	5700.550000	5719.450000	4.1	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:34:51

RF output power (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5710.000000	20.0	---	30.0	95.656	PASS

Power Spectral Density (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5710.000000	5711.980198	6.653	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5710 MHz; 30.000 dBm; 20 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5710.000000	16.500000	16.500000	0.000000	---	---

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5710.000000	5701.750000	5718.250000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 14:35:42

Frequency Error (5710 MHz; 30.000 dBm; 20 MHz)**Result**

DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5710.000000	5709.996000	0.701	-4.000000	---	---	PASS

Emission Bandwidth 26 dB (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5500.000000	38.123828	---	---	5480.938086	5519.061914

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5500.000000	3.9	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:36:45

RF output power (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5500.000000	19.2	---	29.2	95.547	PASS

Power Spectral Density (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5500.000000	5488.118812	4.852	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5500 MHz; 30.000 dBm; 40 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5500.000000	35.250000	---	---	5482.375000	5517.625000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5500.000000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 14:37:36

Emission Bandwidth 26 dB (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	38.273922	---	---	5580.938086	5619.212008


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5600.000000	3.5	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:41:49

RF output power (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5600.000000	19.2	---	29.2	95.541	PASS

Power Spectral Density (5600 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5600.000000	5611.881188	5.052	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5600 MHz; 30.000 dBm; 40 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	35.500000	---	---	5582.375000	5617.875000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5600.000000	PASS



Bandwidth



Date: 17.MAR.2020 14:42:40

Emission Bandwidth 26 dB (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5700.000000	38.574109	38.574109	0.000000	---	---


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5700.000000	5680.787992	5719.362101	3.8	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:43:32

RF output power (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5700.000000	17.6	---	27.6	95.559	PASS

Power Spectral Density (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5700.000000	5711.881188	1.403	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5700 MHz; 30.000 dBm; 40 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5700.000000	35.500000	35.500000	0.000000	---	---

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5700.000000	5682.375000	5717.875000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 14:52:37

Emission Bandwidth 26 dB (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5520.000000	82.000000	---	---	5479.750000	5561.750000


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5520.000000	2.9	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:54:51

RF output power (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5520.000000	17.1	---	27.1	95.437	PASS

Power Spectral Density (5520 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5520.000000	5511.750000	-1.414	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5520 MHz; 30.000 dBm; 80 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5520.000000	75.500000	---	---	5482.250000	5557.750000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5520.000000	PASS



Bandwidth



Date: 17.MAR.2020 14:55:44

Emission Bandwidth 26 dB (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	84.000000	---	---	5558.750000	5642.750000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5600.000000	4.9	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 14:56:50

RF output power (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5600.000000	19.9	---	29.9	95.426	PASS

Power Spectral Density (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5600.000000	5623.250000	1.766	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5600 MHz; 30.000 dBm; 80 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	75.500000	---	---	5562.250000	5637.750000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5600.000000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 15:11:34

Emission Bandwidth 26 dB (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5690.000000	82.000000	75.250000	6.750000	---	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5690.000000	5649.750000	5731.750000	2.8	PASS

26 dB Bandwidth



Bandwidth



Date: 17.MAR.2020 15:36:17

RF output power (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5690.000000	16.3	---	26.3	95.447	PASS

Power Spectral Density (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5690.000000	5715.750000	-1.462	7.0	PASS

Ports

Port	Duty Cycle (%)
1	0.000
2	0.000

Occupied Channel Bandwidth 99% (5690 MHz; 30.000 dBm; 80 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5690.000000	76.000000	72.750000	3.250000	---	---

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5690.000000	5652.250000	5728.250000	PASS

99 % Bandwidth



Bandwidth



Date: 17.MAR.2020 15:38:59