



# Radio Exposure Evaluation Report

**FCC ID** : SWX-LAPGPS  
**Equipment** : LiteAP GPS  
**Brand Name** : UBIQUITI  
**Model Name** : LAP-GPS  
**Applicant/** : Ubiquiti Networks, Inc.  
**Manufacturer** : 685 Third Avenue, 27th Floor New York,  
New York 10017 USA  
**Standard** : 47 CFR Part 2.1091

The product was received on Apr. 25, 2018 and testing was started from May 03, 2018 and completed on May 14, 2018. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in 47 CFR Part 2.1091 and shown compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of United States government.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Approved by: Allen Lin

**SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory**

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



## Table of Contents

<b>HISTORY OF THIS TEST REPORT</b> .....	<b>3</b>
<b>1 GENERAL DESCRIPTION</b> .....	<b>4</b>
1.1 EUT General Information .....	4
1.2 Table for Permissive Change .....	4
1.3 Testing Location .....	4
<b>2 MAXIMUM PERMISSIBLE EXPOSURE</b> .....	<b>5</b>
2.1 Limit of Maximum Permissible Exposure .....	5
2.2 MPE Calculation Method .....	5
2.3 Calculated Result and Limit .....	6
2.4 MPE Measurement Method .....	7
2.5 Measurement Result and Limit .....	8
2.6 List of Measuring Equipments .....	37
<b>Photographs of EUT V01</b>	



History of this test report

Report No.	Version	Description	Issued Date
FA720828-05	01	Initial issue of report	Aug. 13, 2018

Reviewed by: Jeremy Lin

Report Producer: Michelle Tsai

# 1 General Description

## 1.1 EUT General Information

RF General Information			
Evaluation Mode	Frequency Range (MHz)	Operating Frequency (MHz)	Modulation Type
2.4GHz WLAN	2400-2483.5	2412-2462	802.11b: DSSS (DBPSK, DQPSK, CCK) 802.11g/n: OFDM (BPSK, QPSK, 16QAM, 64QAM)
5GHz WLAN	5150-5250 5250-5350 5475-5725 5725-5850	5160-5245 5255-5340 5480-5715 5735-5840	802.11a/n: OFDM (BPSK, QPSK, 16QAM, 64QAM) 802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)

## 1.2 Table for Permissive Change

This product is an extension of original one reported under Sporton project number: FA720828-04

Below is the table for the change of the product with respect to the original one.

Modifications	Performance Checking
Add UNII-2A/UNII-2C	N/A

## 1.3 Testing Location

Testing Location			
<input checked="" type="checkbox"/>	HWA YA	ADD : No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)	
		TEL : 886-3-327-3456	FAX : 886-3-327-0973
Test site Designation No. TW1190 with FCC.			
<input type="checkbox"/>	JHUBEI	ADD : No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County, Taiwan (R.O.C.)	
		TEL : 886-3-656-9065	FAX : 886-3-656-9085
Test site Designation No. TW0006 with FCC.			

## 2 Maximum Permissible Exposure

### 2.1 Limit of Maximum Permissible Exposure

(A) Limits for Occupational / Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> , H  <sup>2</sup> or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842 / f	4.89 / f	(900 / f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	-	-	F/300	6
1500-100,000	-	-	5	6

(B) Limits for General Population / Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> , H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	-	-	F/1500	30
1500-100,000	-	-	1.0	30

Note: f = frequency in MHz ; \*Plane-wave equivalent power density

### 2.2 MPE Calculation Method

The MPE was calculated at 43 cm to show compliance with the power density limit.

The following formula was used to calculate the Power Density:

$$E \text{ (V/m)} = \frac{\sqrt{30 \times P \times G}}{d} \quad \text{Power Density: } Pd \text{ (W/m}^2\text{)} = \frac{E^2}{377}$$

**E** = Electric field (V/m)

**P** = RF output power (W)

**G** = EUT Antenna numeric gain (numeric)

**d** = Separation distance between radiator and human body (m)

The formula can be changed to

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

### 2.3 Calculated Result and Limit

Exposure Environment: **General Population / Uncontrolled Exposure**

<Point-to-point >

Mode	DG (dBi)	Power (dBm)	EIRP (dBm)	Tolerance (dB)	Tune-up EIRP (dBm)	Tune-up EIRP (W)	Distance (cm)	S (mW/cm <sup>2</sup> )	S Limit (mW/cm <sup>2</sup> )
2.4G;G1D	2.00	11.59	13.59	0.00	13.59	0.02286	43	0.00098	1.00000
2.4G;D1D	2.00	12.67	14.67	0.00	14.67	0.02931	43	0.00126	1.00000
5.2G;D1D	17.00	25.96	42.96	0.00	42.96	19.76970	43	0.85085	1.00000
5.8G;D1D	17.00	25.74	42.74	0.00	42.74	18.79317	43	0.80882	1.00000


<Outdoor>

Mode	DG (dBi)	Power (dBm)	EIRP (dBm)	Tolerance (dB)	Tune-up EIRP (dBm)	Tune-up EIRP (W)	Distance (cm)	S (mW/cm <sup>2</sup> )	S Limit (mW/cm <sup>2</sup> )
2.4G;G1D	2.00	11.59	13.59	0.00	13.59	0.02286	43	0.00098	1.00000
2.4G;D1D	2.00	12.67	14.67	0.00	14.67	0.02931	43	0.00126	1.00000
5.2G;D1D	17.00	3.97	20.97	0.00	20.94	0.12417	43	0.00534	1.00000
5.8G;D1D	17.00	18.79	35.79	0.00	35.74	3.74973	43	0.16138	1.00000

<Indoor>

Mode	DG (dBi)	Power (dBm)	EIRP (dBm)	Tolerance (dB)	Tune-up EIRP (dBm)	Tune-up EIRP (W)	Distance (cm)	S (mW/cm <sup>2</sup> )	S Limit (mW/cm <sup>2</sup> )
2.4G;G1D	2.00	11.59	13.59	0.00	13.59	0.02286	43	0.00098	1.00000
2.4G;D1D	2.00	12.67	14.67	0.00	14.67	0.02931	43	0.00126	1.00000
5.2G;D1D	17.00	18.35	35.35	0.00	35.35	3.42768	43	0.14752	1.00000
5.8G;D1D	17.00	18.79	35.79	0.00	35.79	3.79315	43	0.16325	1.00000

## 2.4 MPE Measurement Method



### Horizontal Plane

1. Align Probe with antenna axis. Probe should same height as Antenna axis.  
And take power density measurement with Probe.
2. Rotate table 45 degree (30 degree if MPE distance is more 60cm).  
Take power density measurement again.
3. Repeat step 2, until complete 360 degree.  
Each measured power density should be less than MPE limit.

### Vertical Plane

1. Align Probe with antenna axis. Move probe to height of 10cm above ground plane.  
Take power density measurement.  
Then repeat measure with 10cm increment of probe height until 180 cm.
2. Rotate table 45 degree (30 degree if MPE distance is more 60cm).  
Repeat the power density measure from 10cm to 180cm
3. Repeat step 2, until complete 360 degree.  
Spatial Average of same vertical plane should be less then MPE limit.

For Probe or measurement equipment requirement, please see FCC OET Bulletin 65 97-01

#### Note:

Either peak or spatially averaged results may be applied to determine compliance; and with respect to plane-wave equivalent power density limits when  $\geq 300$  MHz, and electric and magnetic field strength limits when  $< 300$  MHz.



### 2.5 Measurement Result and Limit

Test Mode	VHT10	Test Frequency (MHz)	5200	MPE Distance (cm)	43	Power Setting	23.5		
EUT Plane	Horizontal								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
192.9	0.62612	0.01286	0.00053	0.00016	0.00093	0.00025	0.00957	0.63720	
Max PSD (mW/cm <sup>2</sup> )	0.63720								
MPE Limit (mW/cm <sup>2</sup> )	1								
EUT Plane	Vertical								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
10	0.00185	0.00112	0.00086	0.00171	0.00099	0.00084	0.00108	0.00188	
20	0.00507	0.00426	0.00160	0.00156	0.00164	0.00162	0.00425	0.00511	
30	0.00588	0.00434	0.00077	0.00201	0.00167	0.00675	0.00480	0.00589	
40	0.01502	0.00788	0.00187	0.00292	0.00211	0.00826	0.00728	0.01487	
50	0.05104	0.00400	0.00112	0.00253	0.00082	0.00188	0.00903	0.05220	
60	0.16364	0.00944	0.00204	0.00195	0.00092	0.00131	0.00603	0.16211	
70	0.29971	0.00907	0.00169	0.00192	0.00260	0.00199	0.00967	0.30223	
80	0.22325	0.00815	0.00118	0.00254	0.00152	0.00614	0.01045	0.21800	
90	0.14396	0.00821	0.00219	0.00169	0.00094	0.00213	0.00620	0.14319	
100	0.06356	0.00630	0.00296	0.00045	0.00119	0.00153	0.00567	0.06319	
110	0.02818	0.00670	0.00224	0.00060	0.00190	0.00193	0.00710	0.02775	
120	0.01103	0.00224	0.00084	0.00210	0.00113	0.00231	0.00604	0.01055	
130	0.00387	0.00171	0.00166	0.00154	0.00119	0.00162	0.00256	0.00447	
140	0.00271	0.00098	0.00064	0.00121	0.00125	0.00087	0.00244	0.00318	
150	0.00077	0.00180	0.00125	0.00145	0.00126	0.00154	0.00191	0.00222	
160	0.00036	0.00046	0.00091	0.00194	0.00050	0.00088	0.00112	0.00184	
170	0.00028	0.00089	0.00101	0.00169	0.00122	0.00041	0.00132	0.00089	
180	0.00136	0.00042	0.00080	0.00143	0.00061	0.00051	0.00138	0.00132	
Spatial Average (mW/cm <sup>2</sup> )	0.05776	0.00542	0.00208	0.00251	0.00281	0.00278	0.00584	0.05796	
Max Spatial Average (mW/cm <sup>2</sup> )	0.05796								
MPE Limit (mW/cm <sup>2</sup> )	1								





<b>Test Mode</b>	VHT10	<b>Test Frequency (MHz)</b>	5245	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	26.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
190.2	0.81800	0.00795	0.00122	0.00031	0.00052	0.00043	0.01874	190.2
<b>Max PSD (mW/cm²)</b>	0.81800							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00532	0.00430	0.00448	0.00381	0.00329	0.00345	0.00522	0.00147
<b>20</b>	0.00556	0.00298	0.00436	0.00227	0.00355	0.00660	0.00894	0.00685
<b>30</b>	0.00542	0.00148	0.00310	0.00377	0.00619	0.00823	0.00993	0.00657
<b>40</b>	0.00803	0.00512	0.00739	0.00525	0.00683	0.01041	0.01782	0.01615
<b>50</b>	0.00268	0.00361	0.00515	0.00269	0.00357	0.00608	0.05412	0.05112
<b>60</b>	0.01236	0.00482	0.00484	0.00316	0.00278	0.00970	0.16490	0.16338
<b>70</b>	0.01228	0.00235	0.00187	0.00475	0.00320	0.01175	0.30266	0.30184
<b>80</b>	0.01106	0.00291	0.00589	0.00432	0.00840	0.01175	0.21894	0.21764
<b>90</b>	0.00933	0.00528	0.00449	0.00506	0.00430	0.00770	0.14574	0.14344
<b>100</b>	0.00640	0.00463	0.00388	0.00362	0.00546	0.00854	0.06687	0.06518
<b>110</b>	0.00932	0.00313	0.00363	0.00441	0.00276	0.01031	0.02933	0.02694
<b>120</b>	0.00510	0.00292	0.00292	0.00536	0.00344	0.00650	0.01211	0.01216
<b>130</b>	0.00406	0.00313	0.00177	0.00256	0.00471	0.00421	0.00665	0.00501
<b>140</b>	0.00355	0.00299	0.00166	0.00233	0.00349	0.00663	0.00496	0.00426
<b>150</b>	0.00405	0.00013	0.00223	0.00471	0.00263	0.00287	0.00210	0.00158
<b>160</b>	0.00354	0.00282	0.00282	0.00319	0.00283	0.00049	0.00337	0.00182
<b>170</b>	0.00455	0.00202	0.00166	0.00224	0.00069	0.00232	0.00518	0.00188
<b>180</b>	0.00366	0.00104	0.00358	0.00365	0.00389	0.00467	0.00216	0.00203
<b>Spatial Average (mW/cm²)</b>	0.00646	0.00309	0.00365	0.00373	0.00400	0.00679	0.05895	0.05718
<b>Max Spatial Average (mW/cm²)</b>	0.05895							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	VHT10	<b>Test Frequency (MHz)</b>	5735	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	21.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
189	0.21761	0.00132	0.00028	0.00018	0.00024	0.00009	0.00178	0.21966	
<b>Max PSD (mW/cm²)</b>	0.21966								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00066	0.00066	0.00196	0.00026	0.00055	0.00029	-0.00076	0.00057	
20	0.00289	0.00173	0.00093	0.00057	0.00088	0.00189	0.00244	0.00495	
30	0.00628	0.00252	0.00088	0.00094	0.00101	0.00198	0.00620	0.00555	
40	0.01282	0.00642	0.00349	0.00213	0.00188	0.00414	0.00615	0.01606	
50	0.04944	0.00226	0.00137	0.00223	0.00042	0.00066	0.00397	0.04997	
60	0.16236	0.00877	0.00229	0.00075	0.00079	0.00213	0.00730	0.16259	
70	0.29690	0.00884	0.00201	0.00116	0.00165	0.00120	0.00864	0.30175	
80	0.22222	0.00666	0.00023	0.00183	0.00032	0.00551	0.00885	0.21722	
90	0.14151	0.00733	0.00216	0.00217	0.00034	0.00060	0.00592	0.14286	
100	0.06272	0.00529	0.00190	0.00055	0.00114	0.00147	0.00605	0.06379	
110	0.02563	0.00635	0.00007	0.00046	0.00098	0.00094	0.00740	0.02682	
120	0.00962	0.00040	0.00218	0.00002	0.00116	0.00064	0.00411	0.01071	
130	0.00213	0.00345	0.00056	0.00020	0.00077	0.00018	0.00148	0.00394	
140	0.00096	0.00059	0.00064	0.00083	0.00054	0.00075	0.00245	0.00327	
150	0.00093	0.00167	0.00018	0.00127	0.00010	0.00054	0.00057	0.00080	
160	0.00009	0.00122	0.00028	0.00099	0.00082	0.00208	0.00049	0.00012	
170	0.00040	0.00023	0.00235	0.00129	0.00131	0.00236	0.00117	0.00064	
180	0.00131	0.00116	0.00292	0.00008	0.00088	0.00039	0.00046	0.00037	
<b>Spatial Average (mW/cm²)</b>	0.05549	0.00364	0.00147	0.00098	0.00086	0.00154	0.00405	0.05622	
<b>Max Spatial Average (mW/cm²)</b>	0.05622								
<b>MPE Limit (mW/cm²)</b>	1								



Test Mode	VHT10	Test Frequency (MHz)	5790	MPE Distance (cm)	43	Power Setting	25	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
188	0.28730	0.00268	0.00028	0.00034	0.00041	0.00014	0.00396	0.28623
Max PSD (mW/cm <sup>2</sup> )	0.28730							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00217	0.00131	0.00271	0.00228	0.00088	0.00086	0.00322	0.00100
20	0.00318	0.00150	0.00207	0.00215	0.00197	0.00364	0.00602	0.00354
30	0.00452	0.00036	0.00107	0.00278	0.00376	0.00723	0.00900	0.00460
40	0.00717	0.00475	0.00450	0.00177	0.00512	0.00705	0.01541	0.01421
50	0.00185	0.00112	0.00324	0.00128	0.00029	0.00430	0.05160	0.04982
60	0.00993	0.00347	0.00229	0.00145	0.00012	0.00746	0.16375	0.16195
70	0.01036	0.00038	0.00007	0.00434	0.00159	0.00969	0.30120	0.30038
80	0.00931	0.00044	0.00251	0.00335	0.00592	0.00948	0.21803	0.21687
90	0.00704	0.00273	0.00160	0.00185	0.00107	0.00609	0.14346	0.14264
100	0.00615	0.00274	0.00063	0.00172	0.00289	0.00631	0.06478	0.06243
110	0.00708	0.00044	0.00173	0.00200	0.00198	0.00907	0.02707	0.02527
120	0.00301	0.00023	0.00173	0.00221	0.00192	0.00396	0.01121	0.00884
130	0.00274	0.00094	0.00090	0.00126	0.00311	0.00168	0.00456	0.00359
140	0.00116	0.00077	0.00173	0.00073	0.00174	0.00355	0.00348	0.00137
150	0.00189	0.00003	0.00014	0.00278	0.00037	0.00223	0.00165	0.00109
160	0.00193	0.00032	0.00115	0.00191	0.00016	0.00032	0.00076	0.00098
170	0.00286	0.00082	0.00087	0.00033	0.00003	0.00033	0.00286	0.00053
180	0.00262	0.00068	0.00181	0.00089	0.00187	0.00235	0.00066	0.00030
Spatial Average (mW/cm <sup>2</sup> )	0.00472	0.00128	0.00171	0.00195	0.00193	0.00476	0.05715	0.05552
Max Spatial Average (mW/cm <sup>2</sup> )	0.05715							
MPE Limit (mW/cm <sup>2</sup> )	1							



Test Mode	VHT10	Test Frequency (MHz)	5840	MPE Distance (cm)	43	Power Setting	23	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
190	0.31260	0.00442	0.00036	0.00042	0.00051	0.00019	0.00412	0.30420
Max PSD (mW/cm <sup>2</sup> )	0.31260							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00123	0.00107	0.00204	0.00217	0.00059	0.00002	0.00125	0.00123
20	0.00308	0.00009	0.00075	0.00082	0.00053	0.00350	0.00526	0.00308
30	0.00275	0.00025	0.00082	0.00244	0.00327	0.00531	0.00711	0.00275
40	0.00687	0.00419	0.00431	0.00134	0.00455	0.00644	0.01411	0.00687
50	0.00013	0.00025	0.00285	0.00002	0.00015	0.00250	0.05158	0.00013
60	0.00840	0.00183	0.00039	0.00130	0.00119	0.00696	0.16353	0.00840
70	0.01023	0.00023	0.00105	0.00362	0.00076	0.00931	0.30024	0.01023
80	0.00893	0.00132	0.00124	0.00263	0.00473	0.00822	0.21619	0.00893
90	0.00505	0.00102	0.00038	0.00163	0.00017	0.00437	0.14301	0.00505
100	0.00518	0.00130	0.00026	0.00075	0.00229	0.00434	0.06406	0.00518
110	0.00528	0.00033	0.00152	0.00122	0.00023	0.00823	0.02643	0.00528
120	0.00272	0.00022	0.00003	0.00100	0.00007	0.00266	0.00953	0.00272
130	0.00193	0.00059	0.00002	0.00098	0.00262	0.00031	0.00354	0.00193
140	0.00064	0.00102	0.00367	0.00055	0.00064	0.00337	0.00272	0.00064
150	0.00088	0.00195	0.00066	0.00183	0.00052	0.00118	0.00015	0.00088
160	0.00061	0.00059	0.00082	0.00012	0.00079	0.00150	0.00006	0.00061
170	0.00254	0.00045	0.00040	0.00081	0.00147	0.00018	0.00129	0.00254
180	0.00217	0.00129	0.00096	0.00021	0.00129	0.00048	0.00002	0.00217
Spatial Average (mW/cm <sup>2</sup> )	0.00381	0.00100	0.00123	0.00130	0.00144	0.00383	0.05611	0.00381
Max Spatial Average (mW/cm <sup>2</sup> )	0.05611							
MPE Limit (mW/cm <sup>2</sup> )	1							



Test Mode	VHT20	Test Frequency (MHz)	5200	MPE Distance (cm)	43	Power Setting	29	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
198.4	0.81100	0.01679	0.00118	0.00135	0.00049	0.00054	0.01089	0.81300
Max PSD (mW/cm <sup>2</sup> )	0.81300							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00263	0.00219	0.00366	0.00365	0.00258	0.00266	0.00357	0.00150
20	0.00370	0.00224	0.00331	0.00287	0.00249	0.00385	0.00624	0.00499
30	0.00546	0.00057	0.00178	0.00458	0.00420	0.00766	0.01032	0.00634
40	0.00852	0.00659	0.00550	0.00375	0.00607	0.00811	0.01543	0.01484
50	0.00378	0.00273	0.00501	0.00143	0.00061	0.00623	0.05269	0.05022
60	0.01078	0.00536	0.00328	0.00282	0.00066	0.00929	0.16574	0.16296
70	0.01074	0.00207	0.00135	0.00475	0.00299	0.01076	0.30241	0.30072
80	0.00934	0.00240	0.00347	0.00404	0.00657	0.01044	0.21823	0.21738
90	0.00707	0.00436	0.00324	0.00290	0.00142	0.00642	0.14429	0.14399
100	0.00670	0.00402	0.00089	0.00207	0.00402	0.00763	0.06522	0.06410
110	0.00738	0.00069	0.00372	0.00299	0.00293	0.00923	0.02710	0.02646
120	0.00367	0.00073	0.00214	0.00292	0.00343	0.00567	0.01306	0.00994
130	0.00390	0.00201	0.00270	0.00190	0.00507	0.00320	0.00457	0.00559
140	0.00266	0.00114	0.00111	0.00231	0.00226	0.00441	0.00453	0.00220
150	0.00264	0.00178	0.00129	0.00401	0.00234	0.00383	0.00341	0.00263
160	0.00256	0.00076	0.00235	0.00359	0.00192	0.00074	0.00079	0.00116
170	0.00290	0.00216	0.00116	0.00150	0.00039	0.00044	0.00445	0.00188
180	0.00457	0.00165	0.00367	0.00162	0.00327	0.00308	0.00220	0.00182
Spatial Average (mW/cm <sup>2</sup> )	0.00550	0.00241	0.00276	0.00298	0.00296	0.00576	0.05801	0.05660
Max Spatial Average (mW/cm <sup>2</sup> )	0.05801							
MPE Limit (mW/cm <sup>2</sup> )	1							



Test Mode	VHT20	Test Frequency (MHz)	5240	MPE Distance (cm)	43	Power Setting	30	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
197	0.80400	0.01642	0.00136	0.00036	0.00186	0.00077	0.01324	0.78428
Max PSD (mW/cm <sup>2</sup> )	0.80400							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00250	0.00161	0.00236	0.00211	0.00116	0.00048	0.00104	0.00133
20	0.00428	0.00235	0.00141	0.00086	0.00094	0.00218	0.00299	0.00604
30	0.00717	0.00276	0.00097	0.00225	0.00134	0.00214	0.00746	0.00565
40	0.01284	0.00685	0.00514	0.00340	0.00239	0.00609	0.00670	0.01693
50	0.05025	0.00343	0.00229	0.00329	0.00196	0.00068	0.00498	0.05176
60	0.16256	0.00911	0.00332	0.00127	0.00134	0.00257	0.00774	0.16346
70	0.29776	0.00953	0.00206	0.00315	0.00318	0.00183	0.00884	0.30245
80	0.22375	0.00733	0.00145	0.00317	0.00057	0.00568	0.00947	0.21777
90	0.14284	0.00845	0.00291	0.00353	0.00039	0.00188	0.00603	0.14335
100	0.06318	0.00617	0.00246	0.00118	0.00292	0.00235	0.00698	0.06530
110	0.02589	0.00676	0.00154	0.00101	0.00225	0.00274	0.00858	0.02767
120	0.00997	0.00182	0.00399	0.00031	0.00232	0.00242	0.00536	0.01144
130	0.00242	0.00481	0.00109	0.00025	0.00138	0.00021	0.00327	0.00395
140	0.00269	0.00230	0.00141	0.00238	0.00083	0.00257	0.00442	0.00377
150	0.00206	0.00282	0.00167	0.00201	0.00113	0.00181	0.00140	0.00172
160	0.00150	0.00187	0.00113	0.00177	0.00241	0.00400	0.00230	0.00070
170	0.00185	0.00119	0.00367	0.00145	0.00166	0.00407	0.00132	0.00177
180	0.00269	0.00127	0.00321	0.00145	0.00266	0.00124	0.00107	0.00186
Spatial Average (mW/cm <sup>2</sup> )	0.05646	0.00447	0.00234	0.00194	0.00171	0.00250	0.00500	0.05705
Max Spatial Average (mW/cm <sup>2</sup> )	0.05705							
MPE Limit (mW/cm <sup>2</sup> )	1							



<b>Test Mode</b>	VHT20	<b>Test Frequency (MHz)</b>	5740	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	25.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
199.1	0.24900	0.00683	0.00048	0.00059	0.00047	0.00031	0.00319	0.25280	
<b>Max PSD (mW/cm²)</b>	0.25280								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
<b>10</b>	0.00274	0.00231	0.00303	0.00120	0.00245	0.00248	0.00079	0.00354	
<b>20</b>	0.00540	0.00373	0.00254	0.00380	0.00407	0.00311	0.00458	0.00666	
<b>30</b>	0.00749	0.00330	0.00318	0.00319	0.00384	0.00478	0.00747	0.00694	
<b>40</b>	0.01442	0.00926	0.00533	0.00489	0.00283	0.00759	0.00793	0.01681	
<b>50</b>	0.05115	0.00385	0.00317	0.00392	0.00380	0.00275	0.00735	0.05262	
<b>60</b>	0.16443	0.01134	0.00421	0.00259	0.00176	0.00317	0.00961	0.16441	
<b>70</b>	0.29918	0.01163	0.00304	0.00374	0.00510	0.00351	0.01104	0.30465	
<b>80</b>	0.22306	0.00941	0.00284	0.00444	0.00148	0.00868	0.01270	0.22058	
<b>90</b>	0.14362	0.01092	0.00355	0.00468	0.00256	0.00255	0.00833	0.14564	
<b>100</b>	0.06512	0.00889	0.00429	0.00306	0.00240	0.00412	0.00824	0.06554	
<b>110</b>	0.02622	0.00879	0.00085	0.00088	0.00229	0.00279	0.00769	0.02889	
<b>120</b>	0.01089	0.00219	0.00450	0.00237	0.00241	0.00392	0.00651	0.01217	
<b>130</b>	0.00358	0.00391	0.00311	0.00141	0.00238	0.00125	0.00528	0.00527	
<b>140</b>	0.00279	0.00197	0.00305	0.00438	0.00432	0.00406	0.00457	0.00436	
<b>150</b>	0.00339	0.00434	0.00285	0.00402	0.00057	0.00112	0.00366	0.00175	
<b>160</b>	0.00215	0.00381	0.00242	0.00114	0.00364	0.00394	0.00299	0.00207	
<b>170</b>	0.00222	0.00320	0.00382	0.00374	0.00324	0.00589	0.00217	0.00415	
<b>180</b>	0.00327	0.00396	0.00412	0.00183	0.00291	0.00169	0.00228	0.00209	
<b>Spatial Average (mW/cm²)</b>	0.05728	0.00593	0.00333	0.00307	0.00289	0.00374	0.00629	0.05823	
<b>Max Spatial Average (mW/cm²)</b>	0.05823								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT20	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
200	0.24900	0.00845	0.00046	0.00052	0.00031	0.00042	0.00397	0.24460	
<b>Max PSD (mW/cm²)</b>	0.24900								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00139	0.00092	0.00187	0.00032	0.00119	0.00111	0.00046	0.00096	
20	0.00331	0.00276	0.00068	0.00087	0.00208	0.00297	0.00109	0.00356	
30	0.00681	0.00194	0.00160	0.00190	0.00191	0.00337	0.00583	0.00644	
40	0.01249	0.00675	0.00318	0.00175	0.00142	0.00493	0.00566	0.01450	
50	0.04918	0.00274	0.00135	0.00172	0.00080	0.00058	0.00464	0.05174	
60	0.16202	0.00864	0.00147	0.00062	0.00030	0.00188	0.00834	0.16211	
70	0.29655	0.00811	0.00229	0.00099	0.00252	0.00193	0.00818	0.30269	
80	0.22125	0.00718	0.00051	0.00139	0.00105	0.00591	0.01020	0.21860	
90	0.14036	0.00866	0.00200	0.00194	0.00016	0.00057	0.00638	0.14398	
100	0.06311	0.00669	0.00120	0.00128	0.00137	0.00107	0.00459	0.06447	
110	0.02471	0.00684	0.00126	0.00040	0.00105	0.00025	0.00605	0.02742	
120	0.00891	0.00099	0.00208	0.00026	0.00175	0.00081	0.00460	0.01185	
130	0.00175	0.00325	0.00163	0.00052	0.00057	0.00014	0.00259	0.00365	
140	0.00037	0.00112	0.00003	0.00147	0.00097	0.00144	0.00320	0.00347	
150	0.00107	0.00080	0.00107	0.00171	0.00081	0.00102	0.00008	0.00113	
160	0.00068	0.00173	0.00002	0.00076	0.00180	0.00251	0.00041	0.00051	
170	0.00062	0.00016	0.00180	0.00122	0.00013	0.00318	0.00004	0.00211	
180	0.00130	0.00090	0.00222	0.00047	0.00099	0.00091	0.00036	0.00031	
<b>Spatial Average (mW/cm²)</b>	0.05533	0.00390	0.00146	0.00109	0.00116	0.00192	0.00404	0.05664	
<b>Max Spatial Average (mW/cm²)</b>	0.05664								
<b>MPE Limit (mW/cm²)</b>	1								





<b>Test Mode</b>	VHT20	<b>Test Frequency (MHz)</b>	5835	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
199.1	0.31200	0.00886	0.00039	0.00048	0.00036	0.00047	0.00402	0.24920	
<b>Max PSD (mW/cm²)</b>	0.31200								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
<b>10</b>	0.00210	0.00134	0.00364	0.00047	0.00241	0.00171	0.00233	0.00254	
<b>20</b>	0.00366	0.00295	0.00231	0.00099	0.00216	0.00371	0.00281	0.00491	
<b>30</b>	0.00714	0.00195	0.00255	0.00265	0.00212	0.00339	0.00594	0.00757	
<b>40</b>	0.01385	0.00817	0.00484	0.00329	0.00267	0.00614	0.00761	0.01632	
<b>50</b>	0.05088	0.00463	0.00150	0.00356	0.00195	0.00082	0.00490	0.05242	
<b>60</b>	0.16282	0.00880	0.00259	0.00073	0.00110	0.00308	0.00853	0.16366	
<b>70</b>	0.29686	0.00901	0.00395	0.00237	0.00298	0.00274	0.01005	0.30412	
<b>80</b>	0.22233	0.00851	0.00090	0.00321	0.00281	0.00683	0.01141	0.21938	
<b>90</b>	0.14151	0.01042	0.00256	0.00330	0.00037	0.00242	0.00703	0.14490	
<b>100</b>	0.06420	0.00796	0.00242	0.00236	0.00192	0.00274	0.00502	0.06611	
<b>110</b>	0.02618	0.00794	0.00167	0.00185	0.00128	0.00159	0.00718	0.02852	
<b>120</b>	0.00951	0.00156	0.00347	0.00216	0.00276	0.00235	0.00610	0.01323	
<b>130</b>	0.00203	0.00459	0.00178	0.00244	0.00154	0.00205	0.00314	0.00445	
<b>140</b>	0.00119	0.00142	0.00154	0.00162	0.00185	0.00172	0.00494	0.00498	
<b>150</b>	0.00108	0.00223	0.00128	0.00193	0.00184	0.00292	0.00066	0.00311	
<b>160</b>	0.00179	0.00217	0.00125	0.00241	0.00190	0.00256	0.00188	0.00092	
<b>170</b>	0.00252	0.00178	0.00277	0.00200	0.00143	0.00397	0.00170	0.00308	
<b>180</b>	0.00294	0.00131	0.00360	0.00104	0.00175	0.00202	0.00104	0.00198	
<b>Spatial Average (mW/cm²)</b>	0.05626	0.00482	0.00248	0.00213	0.00194	0.00293	0.00513	0.05790	
<b>Max Spatial Average (mW/cm²)</b>	0.05790								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT30	<b>Test Frequency (MHz)</b>	5200	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	25.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
194	0.76253	0.01852	0.00061	0.00024	0.00143	0.00029	0.01147	0.77200	
<b>Max PSD (mW/cm²)</b>	0.77200								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00128	0.00009	0.00147	0.00023	0.00044	0.00101	0.00029	0.00083	
20	0.00321	0.00143	0.00056	0.00023	0.00187	0.00168	0.00072	0.00298	
30	0.00514	0.00135	0.00036	0.00174	0.00122	0.00164	0.00416	0.00507	
40	0.01116	0.00477	0.00306	0.00010	0.00016	0.00400	0.00499	0.01434	
50	0.04858	0.00123	0.00094	0.00017	0.00096	0.00123	0.00395	0.05124	
60	0.16060	0.00805	0.00091	0.00117	0.00131	0.00151	0.00815	0.16052	
70	0.29579	0.00771	0.00074	0.00093	0.00127	0.00116	0.00769	0.30105	
80	0.22097	0.00588	0.00021	0.00064	0.00073	0.00508	0.00909	0.21662	
90	0.13859	0.00698	0.00082	0.00027	0.00036	0.00095	0.00542	0.14376	
100	0.06133	0.00561	0.00117	0.00077	0.00051	0.00058	0.00418	0.06249	
110	0.02311	0.00521	0.00059	0.00028	0.00063	0.00063	0.00491	0.02550	
120	0.00887	0.00088	0.00087	0.00067	0.00065	0.00026	0.00453	0.01014	
130	0.00131	0.00232	0.00010	0.00050	0.00094	0.00155	0.00149	0.00170	
140	0.00152	0.00002	0.00144	0.00044	0.00052	0.00086	0.00310	0.00170	
150	0.00085	0.00022	0.00101	0.00126	0.00059	0.00075	0.00014	0.00080	
160	0.00106	0.00025	0.00168	0.00068	0.00065	0.00159	0.00155	0.00035	
170	0.00032	0.00175	0.00069	0.00027	0.00033	0.00212	0.00169	0.00125	
180	0.00020	0.00086	0.00174	0.00087	0.00023	0.00077	0.00119	0.00038	
<b>Spatial Average (mW/cm²)</b>	0.05466	0.00303	0.00102	0.00062	0.00074	0.00152	0.00374	0.05560	
<b>Max Spatial Average (mW/cm²)</b>	0.05560								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT30	<b>Test Frequency (MHz)</b>	5235	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
191	0.89400	0.01500	0.00197	0.00038	0.00057	0.00115	0.02123	0.88700	
<b>Max PSD (mW/cm²)</b>	0.89400								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00273	0.00252	0.00325	0.00346	0.00308	0.00212	0.00262	0.00369	
20	0.00633	0.00460	0.00107	0.00328	0.00298	0.00403	0.00453	0.00687	
30	0.00764	0.00562	0.00219	0.00328	0.00312	0.00449	0.00734	0.00775	
40	0.01624	0.00791	0.00361	0.00468	0.00375	0.00534	0.00835	0.01710	
50	0.05219	0.00414	0.00346	0.00428	0.00135	0.00192	0.00593	0.05351	
60	0.16469	0.01115	0.00390	0.00315	0.00375	0.00107	0.00810	0.16389	
70	0.30031	0.01012	0.00160	0.00141	0.00284	0.00208	0.01008	0.30395	
80	0.22471	0.00969	0.00283	0.00384	0.00294	0.00788	0.01090	0.21967	
90	0.14431	0.00901	0.00351	0.00258	0.00285	0.00411	0.00731	0.14354	
100	0.06490	0.00641	0.00386	0.00211	0.00334	0.00320	0.00752	0.06498	
110	0.02825	0.00759	0.00295	0.00224	0.00299	0.00178	0.00785	0.02794	
120	0.01112	0.00381	0.00090	0.00222	0.00250	0.00232	0.00668	0.01211	
130	0.00494	0.00388	0.00112	0.00189	0.00258	0.00267	0.00256	0.00530	
140	0.00296	0.00305	0.00106	0.00192	0.00133	0.00146	0.00422	0.00376	
150	0.00230	0.00296	0.00179	0.00244	0.00189	0.00151	0.00239	0.00315	
160	0.00173	0.00301	0.00122	0.00289	0.00180	0.00107	0.00131	0.00265	
170	0.00169	0.00253	0.00047	0.00085	0.00087	0.00095	0.00154	0.00200	
180	0.00176	0.00141	0.00077	0.00334	0.00251	0.00076	0.00237	0.00230	
<b>Spatial Average (mW/cm²)</b>	0.05771	0.00552	0.00220	0.00277	0.00258	0.00271	0.00564	0.05801	
<b>Max Spatial Average (mW/cm²)</b>	0.05801								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT30	<b>Test Frequency (MHz)</b>	5745	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	27		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
198.6	0.26500	0.00718	0.00054	0.00059	0.00043	0.00031	0.00431	0.26490	
<b>Max PSD (mW/cm²)</b>	0.26500								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
<b>10</b>	0.00153	0.00105	0.00297	0.00081	0.00061	0.00147	0.00055	0.00178	
<b>20</b>	0.00346	0.00327	0.00223	0.00196	0.00233	0.00303	0.00297	0.00501	
<b>30</b>	0.00692	0.00262	0.00257	0.00244	0.00286	0.00360	0.00667	0.00672	
<b>40</b>	0.01327	0.00741	0.00401	0.00334	0.00193	0.00612	0.00623	0.01642	
<b>50</b>	0.05063	0.00368	0.00200	0.00235	0.00193	0.00171	0.00580	0.05190	
<b>60</b>	0.16388	0.00950	0.00236	0.00138	0.00112	0.00287	0.00901	0.16404	
<b>70</b>	0.29719	0.00994	0.00253	0.00246	0.00337	0.00197	0.00936	0.30331	
<b>80</b>	0.22226	0.00824	0.00102	0.00293	0.00034	0.00690	0.01076	0.21912	
<b>90</b>	0.14194	0.00910	0.00287	0.00275	0.00088	0.00241	0.00781	0.14417	
<b>100</b>	0.06340	0.00699	0.00249	0.00212	0.00196	0.00221	0.00644	0.06488	
<b>110</b>	0.02599	0.00820	0.00022	0.00084	0.00199	0.00149	0.00754	0.02869	
<b>120</b>	0.00977	0.00128	0.00403	0.00122	0.00218	0.00239	0.00462	0.01193	
<b>130</b>	0.00244	0.00385	0.00188	0.00105	0.00106	0.00051	0.00345	0.00515	
<b>140</b>	0.00167	0.00165	0.00107	0.00255	0.00239	0.00265	0.00331	0.00385	
<b>150</b>	0.00192	0.00237	0.00133	0.00252	0.00031	0.00091	0.00180	0.00162	
<b>160</b>	0.00119	0.00199	0.00072	0.00109	0.00232	0.00351	0.00118	0.00065	
<b>170</b>	0.00221	0.00135	0.00321	0.00217	0.00173	0.00429	0.00126	0.00255	
<b>180</b>	0.00223	0.00209	0.00309	0.00043	0.00233	0.00041	0.00120	0.00138	
<b>Spatial Average (mW/cm²)</b>	0.05622	0.00470	0.00226	0.00191	0.00176	0.00269	0.00500	0.05740	
<b>Max Spatial Average (mW/cm²)</b>	0.05740								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT30	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
188.6	0.32598	0.00355	0.00055	0.00049	0.00051	0.00021	0.00479	0.33280	
<b>Max PSD (mW/cm²)</b>	0.33280								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00191	0.00023	0.00259	0.00122	0.00059	0.00287	0.00081	0.00191	
20	0.00382	0.00315	0.00106	0.00072	0.00375	0.00206	0.00154	0.00382	
30	0.00639	0.00302	0.00153	0.00297	0.00206	0.00325	0.00524	0.00639	
40	0.01275	0.00557	0.00348	0.00021	0.00031	0.00494	0.00550	0.01275	
50	0.04924	0.00256	0.00276	0.00075	0.00240	0.00184	0.00585	0.04924	
60	0.16255	0.00905	0.00094	0.00229	0.00228	0.00316	0.00937	0.16255	
70	0.29722	0.00771	0.00221	0.00230	0.00217	0.00223	0.00873	0.29722	
80	0.22143	0.00608	0.00218	0.00194	0.00174	0.00591	0.00915	0.22143	
90	0.13909	0.00884	0.00239	0.00206	0.00081	0.00195	0.00625	0.13909	
100	0.06231	0.00654	0.00217	0.00214	0.00167	0.00159	0.00510	0.06231	
110	0.02411	0.00572	0.00213	0.00144	0.00161	0.00073	0.00595	0.02411	
120	0.00967	0.00108	0.00095	0.00227	0.00214	0.00200	0.00519	0.00967	
130	0.00269	0.00289	0.00192	0.00136	0.00112	0.00290	0.00322	0.00269	
140	0.00339	0.00141	0.00160	0.00109	0.00157	0.00138	0.00470	0.00339	
150	0.00260	0.00182	0.00294	0.00277	0.00232	0.00210	0.00178	0.00260	
160	0.00125	0.00201	0.00223	0.00193	0.00083	0.00224	0.00192	0.00125	
170	0.00091	0.00345	0.00180	0.00114	0.00212	0.00232	0.00300	0.00091	
180	0.00032	0.00118	0.00228	0.00207	0.00105	0.00153	0.00221	0.00032	
<b>Spatial Average (mW/cm²)</b>	0.05565	0.00402	0.00206	0.00170	0.00170	0.00250	0.00475	0.05565	
<b>Max Spatial Average (mW/cm²)</b>	0.05646								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT30	<b>Test Frequency (MHz)</b>	5830	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
188.6	0.34220	0.00378	0.00061	0.00051	0.00062	0.00033	0.00482	0.35260	
<b>Max PSD (mW/cm²)</b>	0.35260								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00168	0.00180	0.00419	0.00171	0.00063	0.00205	0.00193	0.00249	
20	0.00468	0.00430	0.00272	0.00274	0.00374	0.00357	0.00325	0.00647	
30	0.00718	0.00457	0.00265	0.00324	0.00457	0.00448	0.00805	0.00743	
40	0.01394	0.00916	0.00565	0.00441	0.00200	0.00623	0.00801	0.01816	
50	0.05135	0.00520	0.00371	0.00417	0.00339	0.00268	0.00648	0.05328	
60	0.16402	0.01015	0.00427	0.00259	0.00206	0.00379	0.01057	0.16441	
70	0.29734	0.01009	0.00351	0.00288	0.00376	0.00233	0.00962	0.30510	
80	0.22388	0.01020	0.00120	0.00404	0.00201	0.00728	0.01152	0.21931	
90	0.14389	0.01003	0.00366	0.00282	0.00216	0.00260	0.00808	0.14479	
100	0.06433	0.00810	0.00363	0.00244	0.00330	0.00241	0.00683	0.06657	
110	0.02621	0.00998	0.00081	0.00194	0.00269	0.00323	0.00803	0.03050	
120	0.01040	0.00294	0.00424	0.00207	0.00328	0.00432	0.00462	0.01231	
130	0.00399	0.00425	0.00296	0.00156	0.00298	0.00059	0.00436	0.00548	
140	0.00298	0.00208	0.00246	0.00447	0.00305	0.00293	0.00528	0.00476	
150	0.00345	0.00327	0.00286	0.00337	0.00119	0.00120	0.00194	0.00211	
160	0.00130	0.00253	0.00195	0.00304	0.00312	0.00513	0.00244	0.00144	
170	0.00248	0.00182	0.00363	0.00225	0.00371	0.00538	0.00159	0.00283	
180	0.00315	0.00318	0.00393	0.00144	0.00254	0.00071	0.00252	0.00161	
<b>Spatial Average (mW/cm²)</b>	0.05701	0.00576	0.00322	0.00284	0.00279	0.00338	0.00584	0.05828	
<b>Max Spatial Average (mW/cm²)</b>	0.05828								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT40	<b>Test Frequency (MHz)</b>	5230	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	29	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
197.6	0.79388	0.01428	0.00179	0.00041	0.00128	0.00078	0.01146	0.78460
<b>Max PSD (mW/cm²)</b>	0.79388							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00175	0.00098	0.00595	0.00116	0.00087	0.00388	0.00161	0.00331
<b>20</b>	0.00416	0.00526	0.00106	0.00160	0.00389	0.00383	0.00262	0.00521
<b>30</b>	0.00767	0.00489	0.00202	0.00206	0.00634	0.00449	0.00899	0.00620
<b>40</b>	0.01480	0.00997	0.00461	0.00427	0.00187	0.00702	0.00827	0.01943
<b>50</b>	0.05084	0.00418	0.00385	0.00278	0.00276	0.00338	0.00613	0.05322
<b>60</b>	0.16357	0.01035	0.00561	0.00131	0.00241	0.00530	0.00995	0.16474
<b>70</b>	0.29777	0.00864	0.00355	0.00431	0.00458	0.00068	0.01037	0.30643
<b>80</b>	0.22318	0.01134	0.00103	0.00314	0.00218	0.00717	0.01031	0.21836
<b>90</b>	0.14370	0.00925	0.00438	0.00391	0.00116	0.00302	0.00621	0.14622
<b>100</b>	0.06519	0.00705	0.00371	0.00392	0.00288	0.00197	0.00703	0.06822
<b>110</b>	0.02512	0.01018	0.00039	0.00221	0.00214	0.00271	0.00786	0.03143
<b>120</b>	0.00977	0.00483	0.00256	0.00221	0.00504	0.00484	0.00488	0.01136
<b>130</b>	0.00505	0.00575	0.00220	0.00119	0.00457	0.00006	0.00538	0.00418
<b>140</b>	0.00350	0.00229	0.00147	0.00426	0.00271	0.00319	0.00496	0.00497
<b>150</b>	0.00172	0.00317	0.00341	0.00456	0.00139	0.00088	0.00104	0.00295
<b>160</b>	0.00090	0.00368	0.00142	0.00290	0.00361	0.00508	0.00075	0.00001
<b>170</b>	0.00190	0.00138	0.00339	0.00188	0.00327	0.00524	0.00150	0.00327
<b>180</b>	0.00354	0.00344	0.00408	0.00009	0.00315	0.00011	0.00288	0.00110
<b>Spatial Average (mW/cm²)</b>	0.05690	0.00592	0.00304	0.00265	0.00305	0.00349	0.00560	0.05837
<b>Max Spatial Average (mW/cm²)</b>	0.05837							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	VHT40	<b>Test Frequency (MHz)</b>	5750	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	26.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
199.1	0.23820	0.00628	0.00047	0.00061	0.00045	0.00032	0.00332	0.24200	
<b>Max PSD (mW/cm²)</b>	0.24200								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
<b>10</b>	0.00155	0.00236	0.00248	0.00169	0.00177	0.00161	0.00103	0.00155	
<b>20</b>	0.00435	0.00292	0.00001	0.00166	0.00105	0.00285	0.00427	0.00435	
<b>30</b>	0.00678	0.00406	0.00063	0.00164	0.00289	0.00324	0.00693	0.00678	
<b>40</b>	0.01457	0.00663	0.00357	0.00397	0.00321	0.00512	0.00705	0.01457	
<b>50</b>	0.05032	0.00231	0.00195	0.00336	0.00075	0.00110	0.00548	0.05032	
<b>60</b>	0.16412	0.00919	0.00239	0.00168	0.00247	0.00065	0.00808	0.16412	
<b>70</b>	0.29889	0.01002	0.00019	0.00029	0.00272	0.00207	0.00993	0.29889	
<b>80</b>	0.22272	0.00809	0.00161	0.00269	0.00180	0.00676	0.00973	0.22272	
<b>90</b>	0.14329	0.00835	0.00300	0.00255	0.00211	0.00213	0.00610	0.14329	
<b>100</b>	0.06437	0.00606	0.00301	0.00078	0.00140	0.00223	0.00690	0.06437	
<b>110</b>	0.02738	0.00659	0.00138	0.00106	0.00258	0.00141	0.00776	0.02738	
<b>120</b>	0.00995	0.00219	0.00019	0.00051	0.00204	0.00105	0.00501	0.00995	
<b>130</b>	0.00391	0.00359	0.00065	0.00069	0.00138	0.00132	0.00194	0.00391	
<b>140</b>	0.00281	0.00206	0.00097	0.00001	0.00027	0.00086	0.00324	0.00281	
<b>150</b>	0.00183	0.00227	0.00006	0.00047	0.00103	0.00043	0.00224	0.00183	
<b>160</b>	0.00042	0.00185	0.00058	0.00153	0.00179	0.00044	0.00032	0.00042	
<b>170</b>	0.00078	0.00205	0.00136	0.00068	0.00004	0.00096	0.00042	0.00078	
<b>180</b>	0.00160	0.00083	0.00118	0.00187	0.00076	0.00059	0.00137	0.00160	
<b>Spatial Average (mW/cm²)</b>	0.05665	0.00452	0.00140	0.00151	0.00167	0.00193	0.00488	0.05665	
<b>Max Spatial Average (mW/cm²)</b>	0.05709								
<b>MPE Limit (mW/cm²)</b>	1								





<b>Test Mode</b>	VHT40	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
199	0.24812	0.00787	0.00053	0.00067	0.00051	0.00032	0.00485	0.24120	
<b>Max PSD (mW/cm²)</b>	0.24812								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00190	0.00184	0.00609	0.00189	0.00078	0.00391	0.00283	0.00409	
20	0.00493	0.00588	0.00280	0.00345	0.00497	0.00547	0.00374	0.00689	
30	0.00796	0.00636	0.00337	0.00339	0.00643	0.00480	0.00929	0.00773	
40	0.01490	0.01100	0.00658	0.00540	0.00269	0.00817	0.00935	0.01975	
50	0.05145	0.00611	0.00544	0.00462	0.00432	0.00358	0.00769	0.05440	
60	0.16529	0.01076	0.00620	0.00323	0.00251	0.00575	0.01178	0.16520	
70	0.29848	0.01049	0.00445	0.00456	0.00533	0.00261	0.01087	0.30692	
80	0.22431	0.01140	0.00196	0.00411	0.00358	0.00809	0.01161	0.21959	
90	0.14507	0.01056	0.00556	0.00423	0.00265	0.00417	0.00818	0.14650	
100	0.06592	0.00890	0.00563	0.00435	0.00371	0.00324	0.00769	0.06825	
110	0.02690	0.01052	0.00151	0.00349	0.00384	0.00328	0.00943	0.03151	
120	0.01083	0.00491	0.00453	0.00384	0.00528	0.00591	0.00578	0.01291	
130	0.00505	0.00624	0.00342	0.00269	0.00494	0.00113	0.00608	0.00566	
140	0.00470	0.00291	0.00284	0.00470	0.00429	0.00412	0.00645	0.00666	
150	0.00358	0.00328	0.00382	0.00469	0.00222	0.00254	0.00296	0.00362	
160	0.00232	0.00383	0.00319	0.00305	0.00511	0.00624	0.00274	0.00188	
170	0.00281	0.00182	0.00373	0.00372	0.00454	0.00571	0.00231	0.00416	
180	0.00389	0.00352	0.00559	0.00197	0.00387	0.00104	0.00339	0.00296	
<b>Spatial Average (mW/cm²)</b>	0.05779	0.00668	0.00426	0.00374	0.00395	0.00443	0.00679	0.05937	
<b>Max Spatial Average (mW/cm²)</b>	0.05937								
<b>MPE Limit (mW/cm²)</b>	1								



Test Mode	VHT40	Test Frequency (MHz)	5825	MPE Distance (cm)	43	Power Setting	31.5	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
187.4	0.28822	0.00362	0.00049	0.00038	0.00044	0.00025	0.00543	0.28725
Max PSD (mW/cm <sup>2</sup> )	0.28822							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00232	0.00358	0.00638	0.00321	0.00193	0.00426	0.00437	0.00458
20	0.00576	0.00590	0.00412	0.00355	0.00682	0.00607	0.00400	0.00737
30	0.00807	0.00799	0.00361	0.00398	0.00793	0.00564	0.00966	0.00787
40	0.01605	0.01214	0.00673	0.00557	0.00463	0.00872	0.01002	0.02115
50	0.05162	0.00661	0.00636	0.00501	0.00587	0.00521	0.00894	0.05549
60	0.16574	0.01260	0.00774	0.00444	0.00401	0.00578	0.01366	0.16586
70	0.29960	0.01229	0.00550	0.00605	0.00579	0.00366	0.01254	0.30697
80	0.22611	0.01299	0.00261	0.00579	0.00527	0.00851	0.01213	0.22031
90	0.14583	0.01189	0.00705	0.00499	0.00295	0.00514	0.00899	0.14847
100	0.06744	0.00902	0.00723	0.00573	0.00454	0.00337	0.00931	0.06889
110	0.02775	0.01209	0.00210	0.00453	0.00472	0.00472	0.01069	0.03247
120	0.01220	0.00601	0.00633	0.00474	0.00541	0.00640	0.00602	0.01309
130	0.00678	0.00661	0.00537	0.00325	0.00616	0.00275	0.00782	0.00684
140	0.00553	0.00342	0.00352	0.00588	0.00629	0.00435	0.00798	0.00808
150	0.00462	0.00388	0.00503	0.00640	0.00348	0.00285	0.00416	0.00522
160	0.00386	0.00405	0.00348	0.00358	0.00550	0.00655	0.00311	0.00232
170	0.00471	0.00329	0.00523	0.00571	0.00506	0.00635	0.00354	0.00479
180	0.00451	0.00485	0.00747	0.00370	0.00434	0.00189	0.00379	0.00436
Spatial Average (mW/cm <sup>2</sup> )	0.05881	0.00773	0.00533	0.00478	0.00504	0.00512	0.00782	0.06023
Max Spatial Average (mW/cm <sup>2</sup> )	0.06023							
MPE Limit (mW/cm <sup>2</sup> )	1							



<b>Test Mode</b>	VHT50	<b>Test Frequency (MHz)</b>	5225	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	25.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
193.5	0.64200	0.01441	0.00103	0.00027	0.00045	0.00068	0.01120	0.63870	
<b>Max PSD (mW/cm²)</b>	0.64200								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
<b>10</b>	0.00293	0.00448	0.00330	0.00527	0.00416	0.00336	0.00327	0.00428	
<b>20</b>	0.00689	0.00472	0.00280	0.00494	0.00466	0.00519	0.00511	0.00784	
<b>30</b>	0.00953	0.00598	0.00313	0.00474	0.00439	0.00612	0.00885	0.00777	
<b>40</b>	0.01806	0.00962	0.00373	0.00514	0.00506	0.00638	0.00939	0.01769	
<b>50</b>	0.05288	0.00433	0.00375	0.00435	0.00137	0.00313	0.00696	0.05458	
<b>60</b>	0.16615	0.01269	0.00542	0.00388	0.00485	0.00192	0.00929	0.16559	
<b>70</b>	0.30032	0.01080	0.00244	0.00289	0.00422	0.00401	0.01129	0.30398	
<b>80</b>	0.22623	0.01132	0.00441	0.00400	0.00479	0.00884	0.01283	0.22075	
<b>90</b>	0.14615	0.00976	0.00382	0.00358	0.00460	0.00437	0.00813	0.14412	
<b>100</b>	0.06673	0.00702	0.00452	0.00290	0.00337	0.00431	0.00796	0.06632	
<b>110</b>	0.03024	0.00891	0.00488	0.00320	0.00432	0.00326	0.00962	0.02934	
<b>120</b>	0.01192	0.00405	0.00241	0.00415	0.00301	0.00281	0.00862	0.01282	
<b>130</b>	0.00608	0.00445	0.00307	0.00262	0.00347	0.00299	0.00456	0.00662	
<b>140</b>	0.00442	0.00318	0.00248	0.00274	0.00146	0.00172	0.00593	0.00474	
<b>150</b>	0.00344	0.00306	0.00309	0.00402	0.00274	0.00213	0.00268	0.00359	
<b>160</b>	0.00273	0.00390	0.00192	0.00430	0.00292	0.00159	0.00146	0.00275	
<b>170</b>	0.00203	0.00291	0.00236	0.00281	0.00239	0.00138	0.00208	0.00368	
<b>180</b>	0.00255	0.00245	0.00254	0.00492	0.00434	0.00144	0.00386	0.00261	
<b>Spatial Average (mW/cm²)</b>	0.05885	0.00631	0.00334	0.00391	0.00367	0.00361	0.00677	0.05884	
<b>Max Spatial Average (mW/cm²)</b>	0.05885								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT50	<b>Test Frequency (MHz)</b>	5755	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	26		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
199.8	0.22510	0.00589	0.00039	0.00065	0.00050	0.00035	0.00295	0.23100	
<b>Max PSD (mW/cm²)</b>	0.23100								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00184	0.00110	0.00667	0.00184	0.00128	0.00578	0.00291	0.00502	
20	0.00472	0.00543	0.00239	0.00253	0.00548	0.00466	0.00370	0.00608	
30	0.00807	0.00532	0.00266	0.00321	0.00822	0.00458	0.00954	0.00782	
40	0.01625	0.01183	0.00625	0.00495	0.00336	0.00706	0.00972	0.02104	
50	0.05195	0.00470	0.00395	0.00374	0.00287	0.00391	0.00748	0.05474	
60	0.16453	0.01164	0.00660	0.00306	0.00321	0.00622	0.01131	0.16625	
70	0.29945	0.00870	0.00447	0.00558	0.00626	0.00144	0.01078	0.30810	
80	0.22448	0.01168	0.00174	0.00451	0.00408	0.00766	0.01144	0.21982	
90	0.14377	0.01099	0.00575	0.00492	0.00300	0.00326	0.00811	0.14719	
100	0.06522	0.00793	0.00512	0.00494	0.00442	0.00340	0.00759	0.06982	
110	0.02586	0.01125	0.00070	0.00385	0.00363	0.00461	0.00792	0.03168	
120	0.01116	0.00583	0.00449	0.00364	0.00572	0.00658	0.00685	0.01258	
130	0.00659	0.00766	0.00330	0.00186	0.00638	0.00082	0.00693	0.00538	
140	0.00475	0.00404	0.00224	0.00478	0.00377	0.00421	0.00508	0.00645	
150	0.00223	0.00459	0.00428	0.00484	0.00263	0.00215	0.00175	0.00423	
160	0.00110	0.00520	0.00224	0.00369	0.00500	0.00689	0.00187	0.00060	
170	0.00299	0.00152	0.00530	0.00344	0.00342	0.00528	0.00181	0.00367	
180	0.00541	0.00355	0.00581	0.00094	0.00384	0.00130	0.00364	0.00184	
<b>Spatial Average (mW/cm²)</b>	0.05780	0.00683	0.00411	0.00368	0.00425	0.00443	0.00658	0.05957	
<b>Max Spatial Average (mW/cm²)</b>	0.05957								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT50	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
188	0.33300	0.00286	0.00038	0.00043	0.00049	0.00024	0.00457	0.32760	
<b>Max PSD (mW/cm²)</b>	0.33300								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00376	0.00405	0.00859	0.00299	0.00282	0.00772	0.00617	0.00552	
20	0.00629	0.00738	0.00470	0.00444	0.00748	0.00802	0.00626	0.00850	
30	0.01095	0.00710	0.00450	0.00366	0.00855	0.00661	0.01124	0.01045	
40	0.01925	0.01350	0.00780	0.00814	0.00503	0.00969	0.01230	0.02225	
50	0.05349	0.00604	0.00672	0.00498	0.00497	0.00637	0.01076	0.05857	
60	0.16592	0.01499	0.00837	0.00379	0.00468	0.00796	0.01329	0.16686	
70	0.30142	0.00983	0.00615	0.00764	0.00862	0.00240	0.01136	0.30955	
80	0.22787	0.01356	0.00423	0.00711	0.00534	0.01092	0.01288	0.22235	
90	0.14505	0.01299	0.00641	0.00631	0.00564	0.00580	0.01036	0.15034	
100	0.06781	0.00906	0.00843	0.00633	0.00567	0.00535	0.00800	0.07279	
110	0.02817	0.01266	0.00309	0.00616	0.00473	0.00745	0.00900	0.03452	
120	0.01184	0.00837	0.00567	0.00559	0.00852	0.01002	0.00941	0.01539	
130	0.00853	0.00961	0.00479	0.00380	0.00839	0.00360	0.00878	0.00733	
140	0.00617	0.00504	0.00455	0.00647	0.00634	0.00618	0.00768	0.00749	
150	0.00380	0.00510	0.00620	0.00746	0.00474	0.00265	0.00565	0.00719	
160	0.00265	0.00616	0.00534	0.00617	0.00744	0.00790	0.00352	0.00347	
170	0.00513	0.00314	0.00624	0.00676	0.00453	0.00639	0.00263	0.00481	
180	0.00786	0.00555	0.00733	0.00142	0.00590	0.00170	0.00573	0.00395	
<b>Spatial Average (mW/cm²)</b>	0.05978	0.00856	0.00606	0.00551	0.00608	0.00649	0.00861	0.06174	
<b>Max Spatial Average (mW/cm²)</b>	0.06174								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT50	<b>Test Frequency (MHz)</b>	5820	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
188.2	0.31120	0.00330	0.00038	0.00043	0.00041	0.00022	0.00523	0.31300	
<b>Max PSD (mW/cm²)</b>	0.31300								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00199	0.00260	0.00790	0.00242	0.00164	0.00614	0.00447	0.00515	
20	0.00494	0.00577	0.00320	0.00391	0.00558	0.00648	0.00514	0.00691	
30	0.00927	0.00584	0.00299	0.00360	0.00841	0.00623	0.01102	0.00951	
40	0.01774	0.01286	0.00671	0.00681	0.00420	0.00864	0.01053	0.02163	
50	0.05316	0.00477	0.00505	0.00426	0.00466	0.00480	0.00917	0.05667	
60	0.16507	0.01329	0.00731	0.00364	0.00414	0.00734	0.01319	0.16641	
70	0.30092	0.00946	0.00508	0.00713	0.00686	0.00227	0.01114	0.30909	
80	0.22633	0.01209	0.00309	0.00557	0.00510	0.00914	0.01227	0.22071	
90	0.14475	0.01274	0.00590	0.00520	0.00393	0.00454	0.00883	0.14842	
100	0.06687	0.00825	0.00645	0.00540	0.00459	0.00364	0.00778	0.07159	
110	0.02775	0.01217	0.00179	0.00449	0.00388	0.00578	0.00815	0.03365	
120	0.01139	0.00671	0.00492	0.00401	0.00760	0.00832	0.00869	0.01441	
130	0.00713	0.00844	0.00357	0.00380	0.00761	0.00245	0.00715	0.00548	
140	0.00583	0.00499	0.00389	0.00552	0.00455	0.00545	0.00576	0.00726	
150	0.00280	0.00475	0.00495	0.00602	0.00277	0.00247	0.00372	0.00526	
160	0.00121	0.00553	0.00365	0.00463	0.00618	0.00773	0.00292	0.00205	
170	0.00474	0.00297	0.00603	0.00518	0.00431	0.00623	0.00248	0.00371	
180	0.00672	0.00460	0.00727	0.00138	0.00476	0.00158	0.00512	0.00237	
<b>Spatial Average (mW/cm²)</b>	0.05881	0.00766	0.00499	0.00461	0.00504	0.00551	0.00764	0.06057	
<b>Max Spatial Average (mW/cm²)</b>	0.06057								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT60	<b>Test Frequency (MHz)</b>	5760	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	26		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
188	0.28200	0.00245	0.00030	0.00041	0.00033	0.00025	0.00318	0.27950	
<b>Max PSD (mW/cm²)</b>	0.28200								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00144	0.00204	0.00749	0.00065	0.00149	0.00550	0.00410	0.00384	
20	0.00390	0.00569	0.00245	0.00246	0.00378	0.00508	0.00402	0.00563	
30	0.00868	0.00416	0.00265	0.00270	0.00653	0.00615	0.01036	0.00779	
40	0.01666	0.01225	0.00629	0.00611	0.00379	0.00798	0.00909	0.02138	
50	0.05201	0.00350	0.00456	0.00284	0.00457	0.00398	0.00853	0.05589	
60	0.16481	0.01329	0.00557	0.00320	0.00255	0.00550	0.01253	0.16443	
70	0.29992	0.00813	0.00322	0.00679	0.00515	0.00126	0.01046	0.30873	
80	0.22481	0.01184	0.00186	0.00514	0.00320	0.00914	0.01174	0.21911	
90	0.14396	0.01266	0.00561	0.00500	0.00196	0.00377	0.00798	0.14783	
100	0.06535	0.00813	0.00472	0.00491	0.00289	0.00327	0.00680	0.07146	
110	0.02646	0.01133	0.00117	0.00417	0.00381	0.00389	0.00716	0.03274	
120	0.01012	0.00478	0.00356	0.00243	0.00642	0.00656	0.00785	0.01425	
130	0.00652	0.00842	0.00314	0.00207	0.00761	0.00242	0.00672	0.00420	
140	0.00565	0.00314	0.00274	0.00526	0.00334	0.00376	0.00503	0.00571	
150	0.00202	0.00447	0.00306	0.00569	0.00168	0.00175	0.00356	0.00492	
160	0.00029	0.00506	0.00230	0.00269	0.00495	0.00643	0.00258	0.00179	
170	0.00455	0.00229	0.00551	0.00349	0.00292	0.00553	0.00247	0.00200	
180	0.00636	0.00406	0.00540	0.00053	0.00413	0.00139	0.00387	0.00124	
<b>Spatial Average (mW/cm²)</b>	0.05797	0.00696	0.00396	0.00367	0.00393	0.00463	0.00694	0.05961	
<b>Max Spatial Average (mW/cm²)</b>	0.05961								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	VHT60	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
188.3	0.33500	0.00281	0.00033	0.00043	0.00047	0.00025	0.00497	0.33400	
<b>Max PSD (mW/cm²)</b>	0.33500								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00295	0.00539	0.00882	0.00160	0.00291	0.00778	0.00673	0.00700	
20	0.00533	0.00774	0.00277	0.00285	0.00661	0.00678	0.00484	0.00698	
30	0.01062	0.00579	0.00430	0.00426	0.00805	0.00725	0.01253	0.00939	
40	0.01880	0.01369	0.00828	0.00908	0.00562	0.01078	0.01060	0.02443	
50	0.05266	0.00598	0.00716	0.00388	0.00590	0.00588	0.01067	0.05693	
60	0.16755	0.01641	0.00610	0.00475	0.00385	0.00766	0.01529	0.16591	
70	0.30136	0.01114	0.00356	0.00804	0.00670	0.00216	0.01170	0.31159	
80	0.22567	0.01445	0.00434	0.00718	0.00642	0.01103	0.01339	0.22100	
90	0.14621	0.01359	0.00840	0.00666	0.00424	0.00766	0.01020	0.15030	
100	0.06701	0.01012	0.00648	0.00752	0.00409	0.00465	0.00816	0.07380	
110	0.02876	0.01326	0.00391	0.00610	0.00499	0.00781	0.00776	0.03502	
120	0.01072	0.00542	0.00595	0.00348	0.00936	0.00947	0.00961	0.01618	
130	0.01011	0.00998	0.00577	0.00326	0.00951	0.00432	0.00873	0.00716	
140	0.00922	0.00499	0.00592	0.00750	0.00617	0.00531	0.00620	0.00702	
150	0.00514	0.00702	0.00590	0.00859	0.00242	0.00334	0.00381	0.00723	
160	0.00108	0.00739	0.00324	0.00377	0.00701	0.00857	0.00338	0.00509	
170	0.00785	0.00387	0.00802	0.00526	0.00481	0.00883	0.00384	0.00423	
180	0.00723	0.00663	0.00720	0.00270	0.00547	0.00369	0.00559	0.00442	
<b>Spatial Average (mW/cm²)</b>	0.05990	0.00905	0.00590	0.00536	0.00578	0.00683	0.00850	0.06187	
<b>Max Spatial Average (mW/cm²)</b>	0.06187								
<b>MPE Limit (mW/cm²)</b>	1								





<b>Test Mode</b>	VHT60	<b>Test Frequency (MHz)</b>	5815	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	31.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
187.9	0.31300	0.00361	0.00043	0.00037	0.00045	0.00027	0.00503	0.31440	
<b>Max PSD (mW/cm²)</b>	0.31440								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00248	0.00398	0.00767	0.00150	0.00170	0.00600	0.00588	0.00548	
20	0.00429	0.00612	0.00253	0.00266	0.00535	0.00602	0.00410	0.00589	
30	0.00969	0.00576	0.00372	0.00293	0.00661	0.00634	0.01107	0.00791	
40	0.01734	0.01276	0.00680	0.00717	0.00455	0.00911	0.01019	0.02279	
50	0.05237	0.00441	0.00642	0.00326	0.00507	0.00502	0.00876	0.05631	
60	0.16667	0.01486	0.00588	0.00373	0.00341	0.00610	0.01445	0.16444	
70	0.30135	0.00947	0.00348	0.00775	0.00625	0.00193	0.01114	0.31068	
80	0.22531	0.01292	0.00334	0.00645	0.00507	0.00989	0.01269	0.21952	
90	0.14433	0.01352	0.00699	0.00511	0.00235	0.00574	0.00993	0.14934	
100	0.06652	0.00881	0.00553	0.00651	0.00298	0.00457	0.00802	0.07214	
110	0.02756	0.01192	0.00295	0.00609	0.00419	0.00582	0.00747	0.03376	
120	0.01037	0.00508	0.00448	0.00243	0.00833	0.00790	0.00807	0.01499	
130	0.00836	0.00888	0.00400	0.00223	0.00880	0.00313	0.00712	0.00581	
140	0.00755	0.00444	0.00405	0.00591	0.00431	0.00401	0.00565	0.00612	
150	0.00392	0.00570	0.00468	0.00743	0.00233	0.00296	0.00362	0.00561	
160	0.00064	0.00643	0.00294	0.00323	0.00625	0.00719	0.00330	0.00326	
170	0.00650	0.00307	0.00750	0.00354	0.00302	0.00739	0.00335	0.00275	
180	0.00702	0.00543	0.00631	0.00139	0.00466	0.00180	0.00461	0.00286	
<b>Spatial Average (mW/cm²)</b>	0.05902	0.00798	0.00496	0.00441	0.00474	0.00561	0.00775	0.06054	
<b>Max Spatial Average (mW/cm²)</b>	0.06054								
<b>MPE Limit (mW/cm²)</b>	1								



Test Mode	VHT80	Test Frequency (MHz)	5770	MPE Distance (cm)	43	Power Setting	25	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
188	0.25190	0.00185	0.00025	0.00029	0.00032	0.00015	0.00325	0.25300
Max PSD (mW/cm <sup>2</sup> )	0.25300							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00086	0.00261	0.00622	0.00035	0.00140	0.00519	0.00573	0.00543
20	0.00333	0.00482	0.00105	0.00066	0.00466	0.00577	0.00234	0.00519
30	0.00869	0.00426	0.00214	0.00162	0.00554	0.00539	0.01067	0.00617
40	0.01637	0.01124	0.00577	0.00633	0.00439	0.00727	0.00857	0.02248
50	0.05081	0.00376	0.00560	0.00142	0.00478	0.00492	0.00737	0.05574
60	0.16532	0.01436	0.00422	0.00243	0.00253	0.00559	0.01261	0.16374
70	0.29936	0.00863	0.00316	0.00597	0.00565	0.00185	0.00943	0.30872
80	0.22437	0.01254	0.00285	0.00635	0.00342	0.00985	0.01158	0.21929
90	0.14417	0.01158	0.00617	0.00472	0.00066	0.00493	0.00957	0.14887
100	0.06534	0.00803	0.00535	0.00579	0.00218	0.00283	0.00791	0.07082
110	0.02656	0.01127	0.00233	0.00575	0.00389	0.00490	0.00602	0.03339
120	0.00860	0.00436	0.00419	0.00128	0.00699	0.00615	0.00803	0.01313
130	0.00678	0.00824	0.00236	0.00087	0.00860	0.00244	0.00622	0.00535
140	0.00622	0.00401	0.00354	0.00535	0.00279	0.00338	0.00518	0.00465
150	0.00257	0.00424	0.00418	0.00581	0.00124	0.00187	0.00305	0.00515
160	0.00028	0.00580	0.00145	0.00203	0.00577	0.00646	0.00251	0.00183
170	0.00470	0.00219	0.00649	0.00267	0.00208	0.00623	0.00236	0.00234
180	0.00520	0.00495	0.00526	0.00128	0.00454	0.00026	0.00290	0.00161
Spatial Average (mW/cm <sup>2</sup> )	0.05775	0.00705	0.00402	0.00337	0.00395	0.00474	0.00678	0.05966
Max Spatial Average (mW/cm <sup>2</sup> )	0.05966							
MPE Limit (mW/cm <sup>2</sup> )	1							



Test Mode	VHT80	Test Frequency (MHz)	5790	MPE Distance (cm)	43	Power Setting	27	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
188	0.26200	0.00276	0.00032	0.00027	0.00036	0.00024	0.00351	0.25900
Max PSD (mW/cm <sup>2</sup> )	0.26200							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00221	0.00519	0.00873	0.00012	0.00362	0.00852	0.00692	0.00885
20	0.00557	0.00600	0.00286	0.00140	0.00544	0.00735	0.00497	0.00725
30	0.01175	0.00670	0.00283	0.00549	0.00817	0.00661	0.01200	0.00831
40	0.01738	0.01233	0.00822	0.00944	0.00591	0.00852	0.01149	0.02302
50	0.05272	0.00541	0.00708	0.00248	0.00656	0.00717	0.00872	0.05652
60	0.16789	0.01653	0.00691	0.00372	0.00512	0.00809	0.01482	0.16458
70	0.30101	0.01140	0.00641	0.00768	0.00643	0.00289	0.01255	0.31139
80	0.22742	0.01382	0.00469	0.00794	0.00516	0.01072	0.01319	0.22138
90	0.14489	0.01344	0.00864	0.00625	0.00403	0.00588	0.01145	0.14951
100	0.06551	0.00981	0.00801	0.00728	0.00349	0.00488	0.01037	0.07248
110	0.02858	0.01260	0.00386	0.00954	0.00675	0.00679	0.00883	0.03389
120	0.01126	0.00483	0.00622	0.00327	0.00881	0.00917	0.01099	0.01389
130	0.00916	0.01015	0.00442	0.00314	0.01009	0.00563	0.00782	0.00567
140	0.00801	0.00731	0.00616	0.00678	0.00550	0.00712	0.00704	0.00757
150	0.00315	0.00552	0.00581	0.00837	0.00341	0.00323	0.00543	0.00805
160	0.00167	0.00795	0.00377	0.00222	0.00700	0.00895	0.00425	0.00386
170	0.00534	0.00424	0.00727	0.00502	0.00364	0.00709	0.00445	0.00361
180	0.00575	0.00830	0.00739	0.00344	0.00580	0.00340	0.00543	0.00325
Spatial Average (mW/cm <sup>2</sup> )	0.05940	0.00897	0.00607	0.00520	0.00583	0.00678	0.00893	0.06128
Max Spatial Average (mW/cm <sup>2</sup> )	0.06128							
MPE Limit (mW/cm <sup>2</sup> )	1							



<b>Test Mode</b>	VHT80	<b>Test Frequency (MHz)</b>	5805	<b>MPE Distance (cm)</b>	43	<b>Power Setting</b>	26.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
187.9	0.25900	0.00218	0.00030	0.00034	0.00027	0.00015	0.00349	0.26200	
<b>Max PSD (mW/cm²)</b>	0.26200								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	
10	0.00179	0.00419	0.00682	0.00017	0.00297	0.00655	0.00611	0.00734	
20	0.00458	0.00545	0.00245	0.00125	0.00505	0.00707	0.00330	0.00618	
30	0.01002	0.00540	0.00279	0.00355	0.00643	0.00636	0.01129	0.00725	
40	0.01638	0.01146	0.00719	0.00816	0.00455	0.00788	0.01024	0.02290	
50	0.05138	0.00498	0.00634	0.00209	0.00580	0.00517	0.00777	0.05585	
60	0.16635	0.01521	0.00577	0.00259	0.00351	0.00706	0.01310	0.16427	
70	0.29938	0.01021	0.00471	0.00647	0.00605	0.00242	0.01055	0.30979	
80	0.22563	0.01317	0.00387	0.00760	0.00445	0.01049	0.01255	0.21947	
90	0.14482	0.01201	0.00768	0.00541	0.00259	0.00580	0.00985	0.14945	
100	0.06536	0.00920	0.00674	0.00724	0.00248	0.00455	0.00895	0.07095	
110	0.02701	0.01192	0.00259	0.00769	0.00540	0.00591	0.00766	0.03347	
120	0.01016	0.00476	0.00598	0.00231	0.00767	0.00791	0.00961	0.01367	
130	0.00846	0.00878	0.00424	0.00115	0.00983	0.00411	0.00632	0.00562	
140	0.00743	0.00573	0.00456	0.00629	0.00387	0.00512	0.00628	0.00652	
150	0.00301	0.00467	0.00474	0.00674	0.00296	0.00284	0.00454	0.00607	
160	0.00014	0.00682	0.00214	0.00218	0.00697	0.00801	0.00256	0.00269	
170	0.00516	0.00238	0.00660	0.00343	0.00321	0.00691	0.00252	0.00303	
180	0.00535	0.00637	0.00670	0.00272	0.00569	0.00189	0.00393	0.00214	
<b>Spatial Average (mW/cm²)</b>	0.05847	0.00793	0.00511	0.00428	0.00497	0.00589	0.00762	0.06037	
<b>Max Spatial Average (mW/cm²)</b>	0.06037								
<b>MPE Limit (mW/cm²)</b>	1								



## 2.6 List of Measuring Equipments

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	30MHz ~ 1GHz 3m	20/Oct/2017	19/Oct/2018
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	1GHz ~ 18GHz 3m	27/Oct/2017	26/Oct/2018
Isotropic Probe	ETS-LINDGREN	HI-6005	S 00052473	100kHz-6GHz	23/Apr/2018	22/Apr/2019
RF Cable-R03m	Jye Bao	RG142	CB017	9kHz ~ 1GHz	19/Jan/2018	18/Jan/2019
RF Cable-high	SUHNER	SUCOFLEX104	MY34918/4	1GHz ~ 40GHz	19/Jan/2018	18/Jan/2019

—————THE END—————