



EIRP dBm	Elevation degrees	Antenna Loss dB	Resulting EIRP dBm	Limit dBm	Delta from Limit dB
28.7	0	-0.198			
28.7	2	-0.2654			
28.7	4	-0.377			
28.7	6	-0.4897			
28.7	8	-0.6737			
28.7	10	-0.9422			
28.7	12	-1.3806			
28.7	14	-1.9791			
28.7	16	-2.7387			
28.7	18	-3.7589			
28.7	20	-4.7401			
28.7	22	-5.7209			
28.7	24	-6.6805			
28.7	26	-7.8802			
28.7	28	-9.3625			
28.7	30	-10.884	17.82	21	-3.18
28.7	32	-12.396	16.30	21	-4.70
28.7	34	-13.906	14.79	21	-6.21
28.7	36	-16.243	12.46	21	-8.54
28.7	38	-19.166	9.53	21	-11.47
28.7	40	-20.982	7.72	21	-13.28
28.7	42	-21.543	7.16	21	-13.84
28.7	44	-19.828	8.87	21	-12.13
28.7	46	-17.397	11.30	21	-9.70
28.7	48	-15.578	13.12	21	-7.88
28.7	50	-14.465	14.23	21	-6.77
28.7	52	-13.476	15.22	21	-5.78
28.7	54	-12.721	15.98	21	-5.02
28.7	56	-12.271	16.43	21	-4.57
28.7	58	-11.723	16.98	21	-4.02
28.7	60	-11.129	17.57	21	-3.43
28.7	62	-11.111	17.59	21	-3.41
28.7	64	-10.643	18.06	21	-2.94
28.7	66	-10.382	18.32	21	-2.68
28.7	68	-10.576	18.12	21	-2.88
28.7	70	-10.336	18.36	21	-2.64
28.7	72	-10.429	18.27	21	-2.73
28.7	74	-10.46	18.24	21	-2.76
28.7	76	-10.43	18.27	21	-2.73
28.7	78	-10.754	17.95	21	-3.05
28.7	80	-10.666	18.03	21	-2.97
28.7	82	-11.237	17.46	21	-3.54
28.7	84	-11.174	17.53	21	-3.47
28.7	86	-11.179	17.52	21	-3.48



Ele

28.7	88	-11.377	17.32	21	-3.68
28.7	90	-11.146	17.55	21	-3.45
28.7	92	-11.433	17.27	21	-3.73
28.7	94	-11.881	16.82	21	-4.18
28.7	96	-12.709	15.99	21	-5.01
28.7	98	-13.407	15.29	21	-5.71
28.7	100	-13.941	14.76	21	-6.24
28.7	102	-14.074	14.63	21	-6.37
28.7	104	-13.994	14.71	21	-6.29
28.7	106	-14.245	14.45	21	-6.55
28.7	108	-14.256	14.44	21	-6.56
28.7	110	-15.447	13.25	21	-7.75
28.7	112	-16.134	12.57	21	-8.43
28.7	114	-16.284	12.42	21	-8.58
28.7	116	-16.376	12.32	21	-8.68
28.7	118	-15.651	13.05	21	-7.95
28.7	120	-16.835	11.87	21	-9.13
28.7	122	-17.278	11.42	21	-9.58
28.7	124	-19.187	9.51	21	-11.49
28.7	126	-19.172	9.53	21	-11.47
28.7	128	-19.177	9.52	21	-11.48
28.7	130	-17.374	11.33	21	-9.67
28.7	132	-17.253	11.45	21	-9.55
28.7	134	-16.419	12.28	21	-8.72
28.7	136	-16.093	12.61	21	-8.39
28.7	138	-18.731	9.97	21	-11.03
28.7	140	-21.149	7.55	21	-13.45
28.7	142	-21.554	7.15	21	-13.85
28.7	144	-21.826	6.87	21	-14.13
28.7	146	-23.756	4.94	21	-16.06
28.7	148	-26.836	1.86	21	-19.14
28.7	150	-30.113	-1.41	21	-22.41
28.7	152	-25.939	2.76	21	-18.24
28.7	154	-25.169	3.53	21	-17.47
28.7	156	-22.972	5.73	21	-15.27
28.7	158	-21.057	7.64	21	-13.36
28.7	160	-21.553	7.15	21	-13.85
28.7	162	-22.451	6.25	21	-14.75
28.7	164	-21.869	6.83	21	-14.17
28.7	166	-21.298	7.40	21	-13.60
28.7	168	-22.708	5.99	21	-15.01
28.7	170	-25.645	3.06	21	-17.94
28.7	172	-26.572	2.13	21	-18.87
28.7	174	-27.616	1.08	21	-19.92
28.7	176	-31.314	-2.61	21	-23.61
28.7	178	-34.255	-5.56	21	-26.56
28.7	180	-30.765	-2.07	21	-23.07

EIRP dBm	Elevation degrees	Antenna	Resulting	Delta from	
		Loss dB	EIRP dBm	Limit dBm	Limit dB
28.7	0				
28.7	2				
28.7	4				
28.7	6				
28.7	8				
28.7	10				
28.7	12				
28.7	14				
28.7	16				
28.7	18				
28.7	20				
28.7	22				
28.7	24				
28.7	26				
28.7	28				
28.7	30	-8.5086	20.19	21	-0.81
28.7	32	-9.8475	18.85	21	-2.15
28.7	34	-11.398	17.30	21	-3.70
28.7	36	-12.946	15.75	21	-5.25
28.7	38	-14.275	14.43	21	-6.57
28.7	40	-15.878	12.82	21	-8.18
28.7	42	-18.602	10.10	21	-10.90
28.7	44	-22.221	6.48	21	-14.52
28.7	46	-23.473	5.23	21	-15.77
28.7	48	-24.272	4.43	21	-16.57
28.7	50	-24.814	3.89	21	-17.11
28.7	52	-23.581	5.12	21	-15.88
28.7	54	-22.111	6.59	21	-14.41
28.7	56	-20.683	8.02	21	-12.98
28.7	58	-19.287	9.41	21	-11.59
28.7	60	-17.891	10.81	21	-10.19
28.7	62	-16.744	11.96	21	-9.04
28.7	64	-15.823	12.88	21	-8.12
28.7	66	-14.809	13.89	21	-7.11
28.7	68	-14.477	14.22	21	-6.78
28.7	70	-14.292	14.41	21	-6.59
28.7	72	-14.033	14.67	21	-6.33
28.7	74	-14.395	14.31	21	-6.69
28.7	76	-14.137	14.56	21	-6.44
28.7	78	-14.205	14.49	21	-6.51
28.7	80	-14.227	14.47	21	-6.53
28.7	82	-13.702	15.00	21	-6.00
28.7	84	-13.892	14.81	21	-6.19
28.7	86	-13.704	15.00	21	-6.00



Ele

28.7	88	-13.762	14.94	21	-6.06
28.7	90	-13.598	15.10	21	-5.90
28.7	92	-13.463	15.24	21	-5.76
28.7	94	-13.242	15.46	21	-5.54
28.7	96	-13.12	15.58	21	-5.42
28.7	98	-13.202	15.50	21	-5.50
28.7	100	-13.495	15.20	21	-5.80
28.7	102	-13.932	14.77	21	-6.23
28.7	104	-14.479	14.22	21	-6.78
28.7	106	-14.968	13.73	21	-7.27
28.7	108	-14.986	13.71	21	-7.29
28.7	110	-14.826	13.87	21	-7.13
28.7	112	-14.861	13.84	21	-7.16
28.7	114	-15.063	13.64	21	-7.36
28.7	116	-14.92	13.78	21	-7.22
28.7	118	-15.654	13.05	21	-7.95
28.7	120	-15.99	12.71	21	-8.29
28.7	122	-17.056	11.64	21	-9.36
28.7	124	-18.088	10.61	21	-10.39
28.7	126	-18.482	10.22	21	-10.78
28.7	128	-21.115	7.59	21	-13.41
28.7	130	-22.123	6.58	21	-14.42
28.7	132	-22.118	6.58	21	-14.42
28.7	134	-22.621	6.08	21	-14.92
28.7	136	-22.9	5.80	21	-15.20
28.7	138	-21.683	7.02	21	-13.98
28.7	140	-22.214	6.49	21	-14.51
28.7	142	-23.912	4.79	21	-16.21
28.7	144	-24.269	4.43	21	-16.57
28.7	146	-23.623	5.08	21	-15.92
28.7	148	-25.847	2.85	21	-18.15
28.7	150	-27.208	1.49	21	-19.51
28.7	152	-24.491	4.21	21	-16.79
28.7	154	-23.786	4.91	21	-16.09
28.7	156	-25.523	3.18	21	-17.82
28.7	158	-25.405	3.29	21	-17.71
28.7	160	-22.347	6.35	21	-14.65
28.7	162	-21.716	6.98	21	-14.02
28.7	164	-24.574	4.13	21	-16.87
28.7	166	-28.014	0.69	21	-20.31
28.7	168	-25.376	3.32	21	-17.68
28.7	170	-24.121	4.58	21	-16.42
28.7	172	-26.198	2.50	21	-18.50
28.7	174	-32.927	-4.23	21	-25.23
28.7	176	-37.412	-8.71	21	-29.71
28.7	178	-34.272	-5.57	21	-26.57
28.7	180	-32.632	-3.93	21	-24.93