

Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 1 of 150

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT AND INDUSTRY CANADA RSS 210

OF

AirMax AP **Product Name:**

UBIQUITI Brand Name:

NBE-M5-16 Model No.:

N/A **Model Difference:**

FCC ID: SWX-NBM5

IC: 6545A-NBM5

E2/2013/90040 **Report No.:**

Issue Date: Nov. 21, 2013

FCC Rule Part: §15.407

RSS-210 issue 8:2010, Annex 9 IC Rule Part:

Ubiquiti Networks, Inc. **Prepared for FCC:**

12F, No. 105, Song Ren Rd., Sin Yi District,

Taipei 110, Taiwan

Prepared for IC: UBIOUITI NETWORKS

12F, No. 105, Song Ren Rd., Sin Yi District,

Taipei 110, Taiwan

SGS Taiwan Ltd. Prepared by:

Electronics & Communication Laboratory

No.2, Keji 1st Rd., Guishan Township, Taoyuan

County, Taiwan 333



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 2 of 150

VERIFICATION OF COMPLIANCE

Ubiquiti Networks, Inc. **Applicant for FCC:**

12F, No. 105, Song Ren Rd., Sin Yi District, Taipei 110, Taiwan

UBIQUITI NETWORKS Applicant for IC:

12F, No. 105, Song Ren Rd., Sin Yi District, Taipei 110, Taiwan

Product Name: AirMax AP

Brand Name: UBIQUITI

Model No.: NBE-M5-16

Model Difference: N/A

FCC ID: SWX-NBM5

IC: 6545A-NBM5

File Number: E2/2013/90040

Date of test: Oct. 30, 2013 ~ Nov. 21, 2013

Date of EUT Received: Oct. 30, 2013

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.407 and RSS-210 issue 8: 2010 Annex 9. The test results of this report relate only to the tested sample identified in this report.

Test By:	Jazz Huang	Date:	Nov. 21, 2013	
Prepared By:	Jazz Huang / Sr.Engineer Julia Chang	Date:	Nov. 21, 2013	
Approved By:	Julia Chang / Clerk Jim Chang / Supervisor	Date:	Nov. 21, 2013	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the testites within the light of the sample (s) tested and social sample (s) are retained for 50 days only. Express otherwise stated the results shown in this estate the other of the sample (s) are retained for 50 days only. Express otherwise stated the results are stated in 50 days only. Express otherwise stated the retained for 50 days only on the retained for 50 days on the retained for 50 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 3 of 150

Version

Version No.	Date	Description
00 Nov. 21, 2013		Initial creation of document

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

www.tw.sqs.com



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 4 of 150

Table of Contents

1.	GEN	ERAL INFORMATION	7
	1.1.	Product Description	7
	1.2.	Related Submittal(s) / Grant (s)	11
	1.3.	Test Methodology	11
	1.4.	Test Facility	11
	1.5.	Special Accessories	11
	1.6.	Equipment Modifications	11
2.	SYST	ΓΕΜ TEST CONFIGURATION	12
	2.1.	EUT Configuration	12
	2.2.	EUT Exercise	12
	2.3.	Test Procedure	12
	2.4.	Configuration of Tested System	13
3.	SUM	MARY OF TEST RESULT	14
4.	DES	CRIPTION OF TEST MODES	15
5.	MEA	ASUREMENT UNCERTAINTY	20
6.	CON	DUCTED EMISSION TEST	21
	6.1.	Standard Applicable	21
	6.2.	Measurement Equipment Used:	21
	6.3.	EUT Setup	21
	6.4.	Test SET-UP (Block Diagram of Configuration)	22
	6.5.	Measurement Procedure	22
	6.6.	Measurement Result	22
7.	26dB	and 99%EMISSION BANDWIDTH MEASUREMENT	25
	7.1	Standard Applicable	25
	7.2	Measurement Procedure	25
	7.3	Measurement Equipment Used:	26
	7.4	Test Set-up:	26
	7.5	Measurement Result	27
	7.6	Measurement Result	37
8.	The I	MAXIMUM OUTPUT POWER MEASUREMENT	47
	8.1	Standard Applicable	47
	8.2	Measurement Procedure	49
	8.3	Measurement Equipment Used:	50
	8.4	Test Set-up:	50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 5 of 150

	8.5	Measurement Result	51
9.	PEAI	K POWER SPECTRAL DENSITY	63
	9.1	Standard Applicable	63
	9.2	Measurement Procedure (following procedure F, & E) d) method SA-2 in KDB789033 D01)	65
	9.3	Measurement Equipment Used:	65
	9.4	Test Set-up:	65
	9.5	Measurement Result	66
10.	PEAI	K EXCURSION MEASUREMENT	72
	10.1	Standard Applicable	72
	10.2 N	Measurement Procedure (following procedure G in KDB789033)	72
	Note:	The test mode to be performed is circle in red as presents above	75
	10.3	Measurement Equipment Used:	75
	10.4	Test Set-up:	75
	10.5	Test Results:	76
11.	UND	ESIRABLE EMISSION - CONDUCTED MEASUREMENT	96
	11.1	Standard Applicable	96
	11.2	Measurement Procedure	97
	11.3	Measurement Equipment Used:	97
	11.4	Test Set-up:	97
	11.5	Measurement Result:	97
12.	UND	ESIRABLE EMISSION - RADIATED MEASUREMENT	.117
	12.1	Standard Applicable	117
	12.2	EUT Setup	. 123
	12.3	Measurement Procedure	. 123
	12.4	Test SET-UP (Block Diagram of Configuration)	. 124
	12.5	Measurement Equipment Used:	. 125
	12.6	Field Strength Calculation.	. 126
	12.7	Measurement Result	. 126
13.	TRA	NSMISSION IN THE ABSENCE OF DATA	. 146
	13.1	Standard Applicable	. 146
	13.2	Result:	. 146
14.	FRE(QUENCY STABILITY	. 147
	14.1	Standard Applicable	. 147
	14.2	Result:	. 147

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 6 of 150

15.	ANTI	ENNA REQUIREMENT	150
	15.1	Standard Applicable	150
	15.2	Antenna Connected Construction	150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 7 of 150

GENERAL INFORMATION

1.1. Product Description

General:

Product Name:	AirMax AP					
Brand Name:	UBIQUITI					
Model No.:	NBE-M5-16					
Model Difference:	N/A					
Hardware Version:	N/A					
Software Version:	N/A					
Power Supply:	24Vdc from AC/DC adapter					
1 ower suppry.	Adapter: Model No.: GP-A240-050, Supplier: UBIQUITI					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 8 of 150

WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Rated Power (Avg.) / Average Rated Power(EIRP)	Modulation Technology	Type of Emission		
11a	5150~5250	4	Avg. Power: (Main)10.80dBm (Aux) 9.99dBm EIRP: (Main)16.11dBm (Aux) 15.35dBm	OFDM	16M5D1D		
11n	HT20 5150~5250	4	Avg. Power: (Main)10.49dBm (Aux) 9.81dBm (MIMO Chain 0): 11.23dBm (MIMO Chain 1): 10.44dBm (MIMO Chain 0+1): 13.86dBm EIRP: (Main)15.80dBm (Aux) 15.17dBm (MIMO Chain 0): 20.49dBm (MIMO Chain 1): 19.70dBm (MIMO Chain 0+1): 23.12dBm	OFDM	17M7D1D		
11n	HT40 5150-5250	2	Avg. Power: (Main)9.44dBm (Aux) 8.89dBm (MIMO Chain 0): 9.85dBm (MIMO Chain 1): 9.05dBm (MIMO Chain 0+1): 12.48dBm EIRP (Main)14.75dBm (Aux) 14.25dBm (MIMO Chain 0): 19.11dBm (MIMO Chain 1): 18.31dBm (MIMO Chain 0+1): 21.74dBm	OFDM	36M3D1D		
Antenna Designation			Array of patch Antenna 5GHz Gain(Main): 5.31dBi (5150MHz-5250MHz) 5GHz Gain(Aux): 5.36dBi (5150MHz-5250MHz) 5GHz Gain(MIMO):9.26 dBi (5150MHz-5250MHz)				
Modulation type			64QAM, 16QAM, QPSK, BPSK for OFDM				
Transition Rate:			802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 144Mbps 802.11 n_40MHz: 13.5 – 300Mbps				

This report applies for frequency bands 5150MHz-5250MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 9 of 150

IEEE 802.11n Spec:

MCS					NG	NCBPS		NDBPS		Datarate(Mbps)			
Index	Nss	Modulation	R	NBPSC	NC.	BPS	ND	BPS	800:	nsGI	400	nsGI	
					20MHz	40MHz	20MHz	40MHz	20MHz	40MHz	20MHz	40MHz	
0	1	BPSK	1/2	1	52	108	26	54	6.5	13.5	7.200	15	
1	1	QPSK	1/2	2	104	216	52	108	13.0	27.0	14.400	30	
2	1	QPSK	3/4	2	104	216	78	162	19.5	40.5	21.700	45	
3	1	16-QAM	1/2	4	208	432	104	216	26.0	54.0	28.900	60	
4	1	16-QAM	3/4	4	208	432	156	324	39.0	81.0	43.300	90	
5	1	64-QAM	2/3	6	312	648	208	432	52.0	108.0	57.800	120	
6	1	64-QAM	3/4	6	312	648	234	486	58.5	121.5	65.000	135	
7	1	64-QAM	5/6	6	312	648	260	540	65.0	135.0	72.200	150	

Symbol	Explanation
NSS	Number of spatial streams
R	Code rate
NBPSC	Number of coded bite per single carrier
NCBPS	Number of coded bite per symbol
NDBPS	Number of data bite per symbol
GI	Guard interval

802.11n_HT20 MCS8 -15

MCS Index		R	N _{BPSCS} (i _{SS})	N _{SD}	N_{SP}	N_{CBPS}	N_{DBPS}	Data rate (Mb/s)		
	Modulation							800 ns GI	400 ns GI (see NOTE)	
8	BPSK	1/2	1	52	4	104	52	13.0	14.4	
9	QPSK	1/2	2	52	4	208	104	26.0	28.9	
10	QPSK	3/4	2	52	4	208	156	39.0	43.3	
11	16-QAM	1/2	4	52	4	416	208	52.0	57.8	
12	16-QAM	3/4	4	52	4	416	312	78.0	86.7	
13	64-QAM	2/3	6	52	4	624	416	104.0	115.6	
14	64-QAM	3/4	6	52	4	624	468	117.0	130.0	
15	64-QAM	5/6	6	52	4	624	520	130.0	144.4	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 10 of 150

802.11n HT40 MCS8 -15

MCS			N ()	N_{SD} N_{SP} N_{CBPS}	V			Data rate (Mb/s)	
Index	Modulation	R	$N_{BPSCS}(i_{SS})$		N _{CBPS} N _{DBPS}		800 ns GI	400 ns GI	
8	BPSK	1/2	1	108	6	216	108	27.0	30.0
9	QPSK	1/2	2	108	6	432	216	54.0	60.0
10	QPSK	3/4	2	108	6	432	324	81.0	90.0
11	16-QAM	1/2	4	108	6	864	432	108.0	120.0
12	16-QAM	3/4	4	108	6	864	648	162.0	180.0
13	64-QAM	2/3	6	108	6	1296	864	216.0	240.0
14	64-QAM	3/4	6	108	6	1296	972	243.0	270.0
15	64-QAM	5/6	6	108	6	1296	1080	270.0	300.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 11 of 150

1.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: SWX-NBM5 filing to comply with Section 15.407 of the FCC Part 15, Subpart C Rules. And IC: 6545A-NBM5 filing to comply with Industry Canada RSS-210 issue 8: 2010 Annex 9. The composite system (digital device) is compliance with Subpart B is authorized under a DoC procedure.

1.3. Test Methodology

Both conducted and radiated testing were performed according to the procedures in ANSI C63.4:2009 & KDB 789033 D01published on 04, 08, 2013. Radiated testing was performed at an antenna to EUT distance 3 meters.

Tested in accordance with FCC KDB789033 D01 for compliance to FCC 47CFR 15.407 requirements.

1.4. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan 333 which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4:2009. FCC Registration Number is: 990257. Canada Registration Number: 4620A-4.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

1.5. Special Accessories

There are no special accessories used while test was conducted.

1.6. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 12 of 150

SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3. Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to neral criterion in Section 7.1 of ANSI C63.4:2009. Conducted emissions from the EUT ired in the frequency range between 0.15 MHz and 30MHz, and the measurement dure 7.3 in ANSI 63.4:2009 & 6.2.2, is followed to carry out the test. The CISPR -Peak and Average detector mode is employed according to §15.107

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13 and of ANSI C63.4:2009 and DA 00-705.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 13 of 150

2.4. Configuration of Tested System

Fig. 2-1 Radiated Emission & Conducted (Antenna Port) Configuration



Fig. 2-3 AC Power Line Conducted Emission



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L430	LR-7HXZA	Shielding	Un-Shielding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角或明 小見報告題未僅對測或之樣态負責 | 阿時武様命理体質切欠。本報告未經本交可書面評可 | 不可能仍複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

司 t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 14 of 150

SUMMARY OF TEST RESULT

FCC/IC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted	Compliant
RSS-Gen §7.2.4	Emission	
§15.407(a) (1) (2)	26 dB and 99% Emission	Compliant
RSS 210 A9.2	Bandwidth	
RSS-Gen §4.6.1	Bandwidth	
§15.407(a) (1) (2)	The Maximum Output Pow-	Compliant
RSS 210 A9.2(1)(2)(3)	er Measurement	
§15.407(a) (5)	Peak Power Spectral Density	Compliant
RSS 210 A9.2(1)(2)(3)	Measurement	
15.407(a)(6)	Peak Excursion Measurement	Compliant
§15.407(b) (1) (2) (3)	Undesirable Emission – Con-	Compliant
RSS 210 A9.2(1)(2)(3)	ducted Measurement	
§15.407(b) (1) (2) (3)(6) (7)	Undesirable Emission – Radiated	Compliant
RSS 210 A9.2 (1) (2)(3)	Measurement	
RSS-Gen 7.2.5		
§15.407(c)	Transmission in case of Absence	Compliant
RSS 210 A9.4(4)	of Information	
§15.407(g)	Frequency Stability	Compliant
§15.203	Antenna Requirement	Compliant
RSS-Gen 7.1.2		
§15.407(h)	TPC and DFS Measurement	Compliant
RSS 210 A9.3		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 15 of 150

4. DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting mode is programmed.

a mode:

5150MHz-5250MHz: Channel lowest(5180MHz) \cdot Mid(5220MHz) and Highest(5240MHz). and with 6Mbps data rate are chosen for full testing.

n HT 20 mode:

5150MHz-5250MHz: Channel lowest(5180MHz) \cdot Mid(5220MHz) and Highest(5240MHz). with 6.5Mbps data rate are chosen for full testing

n HT 40 mode:

5150MHz-5250MHz: Channel lowest (5190MHz) and Highest (5230MHz). with 13.5Mbps data rate are chosen for full testing

The worst case is determined by the output power that generates the highest emission. As examined in the section of output power measurement, the section 7.5, the lowest data rate at a/b/g/n HT20/n HT40 resulted the highest level of fundamental emission, and therefore, the lowest data rate is chosen as the worst-case to conduct the remaining of other mandatory test cases.

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n WLAN Transmitter for channel Low, Mid and High, the worst case E1 position was reported.

Pre-scanned was done on Main antenna and Aux antenna, and Aux antenna results higher emission at 5GHz. Therefore, the completed set of measurement was done on Aux antenna to be presented on this test repot.

For radiation spurious emission test relevant n_HT20&HT40, MIMO mode that generates the higher emission is chosen to be tested in comparison with transmission at SISO mode.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 16 of 150

Duty Cycle Analysis:

Pre-anaysis Check: While conducting average power measurement, duty cycle of each mode (a/n_ht20/n_ht40) shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, resulted as obtained below, and showed only the most representative ones

Tabular results as indicates below entails the results of duty factor for all supported modes.

Formula:

 $Duty\ Cycle = Ton/(Ton+Toff)$

Test Procedure:

Set span = 0, RBW = 8MHz, the largest as possible, VBW = 8MHz, Detector = Peak, and RBW, and VBW= the highest RBW the spectrum is capable of, where zero-span is permissible, that > 50/T, where T is \sim 4.3ms

Duty Cycle:

5150-5725MHz	Antenna	Antenna Duty Cycle	
802.11a	Single- Main	0.943	0.2528
802.11n 20	MIMO-Main	0.906	0.4266
802.1111_20	MIMO-Aux	0.906	0.4266
902 11 - 40	MIMO-Main	0.912	0.4023
802.11n_40	MIMO-Aux	0.912	0.4023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 17 of 150

DUTY CYCLE OF TEST SIGNAL 802.11a, CH Low 5180 MHz



802.11n HT20, CH Low 5180 MHz, MIMO-Main



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 18 of 150

802.11n HT20, CH Low 5180 MHz, MIMO-Aux



802.11n HT40, CH Low 5190 MHz, MIMO-Main



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 19 of 150

802.11n HT40, CH Low 5190 MHz, MIMO-Aux



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 20 of 150

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty	
AC Power Line Conducted Emission	+/- 2.586 dB	
26 dB and 99% Emission Bandwidth	+/- 123.36 Hz	
The Maximum Output Power Measurement	+/- 1.42 dB	
Peak Power Spectral Density Measurement	+/- 1.55 dB	
Peak Excursion Measurement	+/- 1.55 dB	
Undesirable Emission –	+/- 1.55 dB	
Conducted Measurement		
Transmission in case of Absence of Information	+/- 1.55 dB	
Frequency Stability	+/- 123.36 Hz	
TPC and DFS Measurement	+/- 123.36 Hz	
Temperature	+/- 0.8 °C	
Humidity	+/- 4.7 %	
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%	

Radiated Spurious Emission:

	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279



Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 21 of 150

6. CONDUCTED EMISSION TEST

6.1. Standard Applicable

According to §15.207 and RSS-Gen §7.2.4, frequency range within 150 KHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)			
MHz	Quasi-peak	Average		
0.15 to 0.50	66 to 56	56 to 46		
0.50 to 5	56	46		
5 to 30	60	50		

Note

6.2. Measurement Equipment Used:

SGS Conducted Emission Test Site No.A							
EQUIPMENT MFR MODEL SERIAL				LAST	CAL DUE.		
ТҮРЕ		NUMBER	NUMBER	CAL.			
EMI Test Receiver	R&S	ESCI 7	100924	05/10/2013	05/09/2014		
Coaxial Cables	N/A	N30N30-1042-150cm	N/A	02/07/2013	02/06/2014		
LISN	SCHWARZBEC K	NSLK 8127	8127-648	06/17/2012	06/16/2014		
Pulse Limit	narda	PL01	1110X30602	08/14/2013	08/13/2014		
Test Software	Farad	EZ-EMC	Ver. SGS-03A1	N.C.R.	N.C.R.		

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.

^{1.} The lower limit shall apply at the transition frequencies


^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 22 of 150

6.4. Test SET-UP (Block Diagram of Configuration)



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 23 of 150

AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	Operation mode			Test Date:	Nov. 15, 2013
Temperature:	23 ℃	Humidity:	60 %	Test By:	Jazz
EUT:	NBE-M5-16			Probe:	L1/N




No	Mk	Frequa	Reading	Factor.	Measurement.	Limit.	Over.	Detector.	Comment.
a.	a	(MHz).1	dBuX.	(dB).1	(dBuV)	(dBuV)	(dB).1	a	a
1↔	*47	0.1620₽	48.99₽	0.52₽	49.51₽	65.36₽	-15.85↔	QP₄□	₽
2↩	t)	0.1860₽	45.20₽	0.51₽	45.71₽	64.21₽	-18.50₽	QP₄□	₽
34□	t)	0.2140₽	40.46↔	0.51₽	40.97₽	63.05₽	-22.08↩	QP₄□	₽
442	٦	0.2860₽	37.93₽	0.51₽	38.44₽	60.64₽	-22.20₽	QP₽	₽
542	٦	0.4540₽	39.58₽	0.53₽	40.11₽	56.80₽	-16.69₽	QP₽	₽
64□	47	20.2620₽	41.46₽	1.54₽	43.00₽	60.00₽	-17.00↔	QP₄⋾	₽

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 24 of 150



Non	Mk.	Frequa	Reading	Factor.	Measurement.	Limit.	Over.	Detector.	Comment.
.1	.a	(MHz).1	dBuV.	(dB).1	(dBuV)	(dBuV)	(dB).1	a	a
1₽	٠	0.1620₽	48.33₽	0.16₽	48.49₽	65.36₽	-16.87₽	QP₄□	₽
2₽	٠	0.1860₽	44.24₽	0.16₽	44.40↩	64.21₽	-19.81₽	QP₄□	₽
3₽	٠	0.2180₽	41.93₽	0.16₽	42.09₽	62.89₽	-20.80₽	QP₄□	₽
4₽	*	0.4540₽	40.42↔	0.18₽	40.60₽	56.80₽	-16.20₽	QP₄□	₽
5₽	÷	20.2620₽	40.03₽	0.93₽	40.96₽	60.00₽	-19.04↔	QP₄⋾	₽
64□	47	23.1300₽	41.21₽	1.04₽	42.25₽	60.00₽	-17.75₽	QP↩	₽

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 25 of 150

7. 26dB and 99%EMISSION BANDWIDTH MEASUREMENT

7.1 Standard Applicable

According to §15.407(a). No Limit required.

According to RSS 210 A9.2 (1), No Limit required

RSS-Gen §4.6, the transmitter shall be operated at its maximum carrier power measured under normal test conditions. The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1% of the selected span as is possible without being below 1%. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual.

The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5% of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded.

7.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.

3.

- a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
- b. A) 99% Bandwidth Measurement: set resolution BW as close to 1% of the selected span without it is being lower than 1%, & VBW = 3 XRBW. Detector = Peak or Sample, where sample must be selected whenever it is appropriate, Trace Mode = Max Hold
 - B) Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 26 of 150

7.3 Measurement Equipment Used:

SGS Conducted Room						
EQUIPMENT MFR		MODEL SERIAL		LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	N9010A	MY51440121	02/13/2012	02/12/2014	
Power Meter	Anritsu	ML2495A	1326001	01/28/2012	01/27/2014	
Power Sensor	Anritsu	MA2411B	917032	02/08/2012	02/07/2014	
DC Power Supply	HOLA	DP-3003	001	N.C.R.	N.C.R.	
Coaxial Cable	WOKEN	conducted #2	001	12/21/2012	12/20/2013	
DC Block	Mini-Circuits	BLK-18-S+	002	12/21/2012	12/20/2013	
Splitter	RF-LAMBAD	RFLT2W1G18 G	11-JSPF412-01 8	12/21/2012	12/20/2013	
Attenuator	Mini-Circuits	BW-S10W2+	002	12/21/2012	12/20/2013	
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/20/2013	06/19/2014	

Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 27 of 150

7.5 Measurement Result

26dB Bandwidth

802.11a, 5150~5250 MHz

Frequency (MHz)	26dB Bandwidth (B) (MHz)	10 Log (B) (dB)
5180	21.47	13.32
5220	21.75	13.37
5240	21.62	13.35

802.11n HT20, 5150~5250 MHz MIMO-Main

Frequency (MHz)	26dB Bandwidth (B) (MHz)	10 Log (B) (dB)
5180	21.78	13.38
5220	21.67	13.36
5240	21.92	13.41

802.11n HT20, 5150~5250 MHz MIMO-Aux

Frequency (MHz)	26dB Bandwidth (B) (MHz)	10 Log (B) (dB)
5180	21.53	13.33
5220	21.62	13.35
5240	21.00	13.22

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 28 of 150

802.11n HT40, 5150~5250 MHz MIMO-Main

Frequency (MHz)	26dB Bandwidth (B) (MHz)	10 Log (B) (dB)
5190	43.28	16.36
5230	43.09	16.34

802.11n HT40, 5150~5250 MHz MIMO-Aux

Frequency (MHz)	26dB Bandwidth (B) (MHz)	10 Log (B) (dB)
5190	42.830	16.32
5230	42.940	16.33

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 29 of 150

802.11a, 5150~5250 MHz 26dB Band Width Test Data CH-Low (5180MHz)



26dB Band Width Test Data CH-Mid (5220MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 30 of 150

26dB Band Width Test Data CH-High (5240MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 31 of 150

802.11n HT20, 5150~5250 MHz, MIMO-Main 26dB Band Width Test Data CH-Low (5180 MHz)



26dB Band Width Test Data CH-Mid (5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


www.tw.sgs.com



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 32 of 150

26dB Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 33 of 150

802.11n HT20, 5150~5250 MHz, MIMO-Aux 26dB Band Width Test Data CH-Low (5180 MHz)



26dB Band Width Test Data CH-Mid (5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 34 of 150

26dB Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 35 of 150

802.11n HT40, 5150~5250 MHz, MIMO-Main 26dB Band Width Test Data CH-Low (5190 MHz)



26dB Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 36 of 150

802.11n HT40, 5150~5250 MHz, MIMO-Aux 26dB Band Width Test Data CH-Low (5190 MHz)



26dB Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 37 of 150

7.6 Measurement Result

99% Bandwidth

802.11a, 5150~5250 MHz

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5180	16.445	12.16
5220	16.517	12.18
5240	16.480	12.17

802.11n HT20, 5150~5250 MHz, MIMO-Main

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5180	16.647	12.21
5220	16.776	12.25
5240	17.722	12.49

802.11n HT20, 5150~5250 MHz, MIMO-Aux

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5180	15.964	12.03
5220	17.493	12.43
5240	15.730	11.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 38 of 150

802.11n HT40, 5150~5250 MHz, MIMO-Main

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5190	36.374	15.61
5230	36.232	15.59

802.11n HT40, 5150~5250 MHz, MIMO-Aux


Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5190	34.929	15.43
5230	36.262	15.59




Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 39 of 150

802.11a, 5150~5250 MHz 99% Band Width Test Data CH-Low (5180MHz)



99% Band Width Test Data CH-Mid (5220MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sgs.com



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 40 of 150

99% Band Width Test Data CH-High (5240MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 41 of 150

802.11n HT20, 5150~5250 MHz, MIMO-Main 99% Band Width Test Data CH-Low (5180 MHz)



99% Band Width Test Data CH-Mid (5220 MHz)



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the control of the contro Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488 www.tw.sgs.com



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 42 of 150

99% Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 43 of 150

802.11n HT20, 5150~5250 MHz, MIMO-Aux 99% Band Width Test Data CH-Low (5180 MHz)



99% Band Width Test Data CH-Mid (5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 44 of 150

99% Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 45 of 150

802.11n HT40, 5150~5250 MHz, MIMO-Main 99% Band Width Test Data CH-Low (5190 MHz)



99% Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 46 of 150

802.11n HT40, 5150~5250 MHz, MIMO-Aux 99% Band Width Test Data CH-Low (5190 MHz)



99% Band Width Test Data CH-High (5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 47 of 150

8. The MAXIMUM OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

According to §15.407(a)

- 1. For the band 5.15-5.25 GHz, the maximum conducted power over the frequency of operation shall not exceed the lesser of 50 mW (17dBm) or 4 dBm + 10log B.
- 2. For the band 5.25-5.35 GHz and 5.47-5.725GMHz, the maximum conducted power over the frequency of operation shall not exceed the lesser of 250 mW (24dBm) or 11 dBm + 10log B.
- 3. For the band 5.725-5.825 GHz, the maximum conducted power over the frequency of operation shall not exceed the lesser of 1W (30dBm) or 17 dBm + 10log B.

According to RSS-210 A9.2

- 1. For the band 5150-5250 MHz, the maximum equivalent isotropically radiated power (e.i.r.p.) shall not exceed 200 mW or 10 + 10 log10 B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz. The e.i.r.p. spectral density shall not exceed 10 dBm in any 1.0 MHz band.
- 2. For the bands 5250-5350 MHz and 5470-5725 MHz, the maximum conducted output power shall not exceed 250 mW or 11 + 10 log10 B, dBm, whichever power is less. The power spectral density shall not exceed 11 dBm in any 1.0 MHz band. The maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log10 B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.

In addition, devices with maximum e.i.r.p. greater than 500 mW shall implement TPC in order to have the capability to operate at least 6 dB below the maximum permitted e.i.r.p. of 1 W.

In addition to the above requirements, devices operating in the band 5250-5350 MHz with maximum e.i.r.p. greater than 200 mW shall comply with the following e.i.r.p. elevation mask where θ is the angle above the local horizontal plane (of the earth) as shown below:

- (i) -13 dB(W/MHz) for $0o \le \theta < 8o$
- (ii) -13 0.716 (θ -8) dB(W/MHz) for $80 \le \theta < 400$
- (iii) -35.9 1.22 (θ -40) dB(W/MHz) for $40o < \theta < 45o$
- (iv) -42 dB(W/MHz) for $\theta > 45$ o

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms an jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 48 of 150

3. For the band 5725-5825 MHz, the maximum conducted output power shall not exceed 1.0 W or 17 + 10 log 10 B, dBm, whichever power is less. The power spectral density shall not exceed 17 dBm in any 1.0 MHz band. The maximum e.i.r.p. shall not exceed 4.0 W or 23 + 10 log10 B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.

Fixed point-to-point systems for this band are permitted to have an e.i.r.p. greater than 4 W, provided that the higher e.i.r.p. is achieved by employing higher gain antennas, but not higher transmitter output powers. Point-to-multipoint systems, omni-directional applications and multiple co-located transmitters transmitting the same information are prohibited from exceeding 4 W e.i.r.p. However, remote stations of point-to-multipoint systems shall be permitted to operate at greater than 4 W e.i.r.p, under the same conditions as for point-to-point systems.

where B is the 26dB emission bandwidth in MHz...

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note: The antenna gain is granter than 6 dBi in MIMO mode the limit reduce as below:

5180-5240 MHz

Antenna Gain: 9.26dBi - 6dBi = 3.26

1+(3.26/6)=1.543

Limit: 50mW = 16.99dBm

16.99 - 1.543 = 15.447

15.447dBm = 35.05mW



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 49 of 150

8.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Set the offset 10*log(1/x), n_HT20=0.43, n_HT40=0.40 3.
- 4. Record the max. reading.
- 5. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
- Employing step 1 to 4 obtaining per-chain basis in MIMO operation, and sum the power in linear to result the output of MIMO operation at frequency of interest (, where MIMO is applicable).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013


Page 50 of 150

Note: For EIRP/ERP measurement complying with RSS-210 9.2, the formula as deduced in 1.3.2 of KDB 412172 D01 is used to calculate. ERP/EIRP = Pt + Gt - Lc, where Pt= transmitter output power measured directly at antenna port, expressing in dBm, and Gt = gain of the transmitting antenna in dBi that can be referred in antenna spec provided by the manufacturer in section 1.1, Lc = signal attenuation in the cable between the transmitting port and antenna.

8.3 Measurement Equipment Used:

Refer to section 7.3 for details.

8.4 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 51 of 150

8.5 Measurement Result

802 11a (Main)

002	2.11a (Maiii)									
Cal	ole $loss = 0$									
СН	Frequency (MHz)			Required Limit						
	(17112)	6	9	12	18	24	36	48	54	Required Limit
36	5180	10.59	10.08	10.06	9.90	9.86	9.58	9.38	9.45	16.99dBm or 4+10log(B) = 17.32dBm
44	5220	10.77	10.75	10.55	10.40	10.32	10.11	9.95	9.86	16.99dBm or 4+10log(B) = 17.37dBm
48	5240	10.80	10.56	10.38	10.21	10.13	9.86	9.85	9.70	16.99dBm or 4+10log(B) = 17.35dBm

802.11a (Aux)

	ble loss = 0									
СН	Frequency (MHz)			Required Limit						
	(141112)	6	9	12	18	24	36	48	54	-Kequirea Linni
36	5180	9.45	9.43	9.40	9.04	9.12	8.97	8.69	8.35	16.99dBm or 4+10log(B) = 17.32dBm
44	5220	9.99	9.95	9.63	9.51	9.38	9.02	8.86	8.43	16.99dBm or 4+10log(B) = 17.37dBm
48	5240	9.61	9.58	9.31	9.08	8.86	8.57	8.46	8.37	16.99dBm or 4+10log(B) = 17.35dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKunoRoad New TaineiIndustrialPark WukupDistrict.NewTaipeiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 52 of 150

802.11n (5GHz) 20M (Main)

002	002.1111 (SG112)_20101 (Iviain)												
Cat	ole $loss = 0$												
СН	Frequency (MHz)		Data Rate										
	(1/112)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	Required Limit			
36	5180	10.49	10.27	10.12	10.10	9.96	9.73	9.68	9.64	16.99dBm or 4+10log(B) = 17.38dBm			
44	5220	10.47	10.41	10.38	10.36	10.21	9.89	9.63	9.42	16.99dBm or 4+10log(B) = 17.36dBm			
48	5240	10.45	10.40	10.36	10.35	10.18	9.91	9.76	9.65	16.99dBm or 4+10log(B) = 17.41dBm			

802 11n (5GHz) 20M (Aux)

002.	802.11fi (SGHZ)_Z0M (Aux)												
Cat	ole $loss = 0$												
СН	Frequency (MHz)				Required Limit								
	(1.222)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	rioquii cu Ziiiit			
36	5180	9.48	9.23	9.04	9.04	8.87	8.63	8.64	8.59	16.99dBm or 4+10log(B) = 17.33dBm			
44	5220	9.76	9.66	9.51	9.29	8.96	8.73	8.54	8.25	16.99dBm or 4+10log(B) = 17.35dBm			
48	5240	9.81	9.63	9.49	9.38	9.09	8.87	8.64	8.23	16.99dBm or 4+10log(B) = 17.22dBm			

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 53 of 150

802.11n (5GHz) 20M MIMO Chain 0

Cal	ole $loss = 0$			(CH 0)										
СН	Frequency (MHz)				Required Limit									
	(MIIIE)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	Required Ellint				
36	5180	10.84	10.39	10.33	10.46	10.10	9.71	9.69	9.53	15.45dBm or 4+10log(B) = 17.38dBm				
44	5220	11.19	10.72	10.61	10.56	10.48	10.39	10.16	9.74	15.45dBm or 4+10log(B) = 17.36dBm				
48	5240	11.23	10.89	10.81	10.49	10.42	10.39	10.02	9.67	15.45dBm or 4+10log(B) = 17.41dBm				

802 11n (5GHz) 20M MIMO Chain 1

0	802.11n (5GHz)_20M MIMO Chain 1														
Cal	ole $loss = 0$		The Maximum Output Power (CH 1)												
СН	Frequency (MHz)				Required Limit										
	(11222)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	required 2mm					
36	5180	10.14	9.54	9.53	9.59	9.37	8.91	8.81	8.77	15.45dBm or 4+10log(B) = 17.38dBm					
44	5220	10.44	10.12	9.73	9.57	9.52	9.53	9.41	8.74	15.45dBm or 4+10log(B) = 17.36dBm					
48	5240	10.43	10.20	9.83	9.45	9.43	9.41	9.33	8.62	15.45dBm or 4+10log(B) = 17.41dBm					

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 54 of 150

802.11n (5GHz) 20M MIMO Chain 0+ Chain1

_	ole loss = 0	<u> </u>					Jutnut	Dormon	(CH A	CU 1)
Cai)IC 1035 — U			11	(CHU-	+ CH 1)				
СН	Frequency (MHz)			Required Limit						
	(11222)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	riequirea Emili
36	5180	13.51	13.00	12.96	13.06	12.76	12.34	12.28	12.18	15.45dBm or 4+10log(B) = 17.38dBm
44	5220	13.84	13.44	13.20	13.10	13.04	12.99	12.81	12.28	15.45dBm or 4+10log(B) = 17.36dBm
48	5240	13.86	13.57	13.36	13.01	12.96	12.94	12.70	12.19	15.45dBm or 4+10log(B) = 17.41dBm

802.11n (5GHz) 40M (Main)

00.	2.1111 (3G112)	_+01AT (1A	maili)							
Cat	ole loss = 0			The	Maxii	mum O	utput I	Power		
СН	Frequency (MHz)				Data	Rate				Required Limit
	,	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	-
38	5190	9.33	9.07	8.86	8.77	8.30	8.09	8.07	8.03	16.99dBm or 4+10log(B) = 20.36dBm
46	5230	9.44	9.32	9.25	9.23	9.06	8.96	8.83	8.86	16.99dBm or 4+10log(B) = 20.34dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 55 of 150

802.11n (5GHz) 40M (Aux)

	2:11 11 (3 G 112)									
Cal	ole $loss = 0$									
СН	Frequency (MHz)				Required Limit					
	(1/111)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	required Elline
38	5190	8.89	8.52	8.31	8.21	7.63	7.44	7.32	7.26	16.99dBm or 4+10log(B) = 20.32dBm
46	5230	8.82	8.66	8.63	8.50	8.38	8.21	8.13	8.01	16.99dBm or 4+10log(B) = 20.33dBm

802 11n (5CHz) 40M MIMO Chain 0

	02.11II (3G	11 <i>L)</i> _70	141 141114	10 Chai	ш					
Cal	ble $loss = 0$			Th	(CH 0)					
СН	Frequency (MHz)				Required Limit					
	,	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	
38	5190	9.62	9.02	9.24	9.11	8.93	8.86	8.76	8.73	15.45dBm or 4+10log(B) = 20.36dBm
46	5230	9.85	9.66	9.58	9.37	9.32	9.21	9.19	9.13	15.45dBm or 4+10log(B) = 20.34dBm

802.11n (5GHz) 40M MIMO Chain 1

	2.1111 (30112	<u>''_ </u>	111110										
Cal	ole $loss = 0$			The	Maxin	num Oı	utput P	ower (CH 1)				
СН	Frequency (MHz)		Data Rate										
	(1.222)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14		Required Limit			
38	5190	8.81	8.67	8.64	8.61	8.51	8.47	8.34	8.24	15.45dBm or 4+10log(B) = 20.36dBm			
46	5230	9.05	8.90	8.90	8.67	8.65	8.57	8.41	8.36	15.45dBm or 4+10log(B) = 20.34dBm			

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 56 of 150

802.11n (5GHz)_40M MIMO Chain 0+Chain 1

Cal	ole loss = 0			The	Maxin	num Oı	utput P	ower (CH 0+(CH 1)			
СН	Frequency (MHz)		Data Rate										
	(=-==)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14		Required Limit			
38	5190	12.24	11.86	11.96	11.88	11.74	11.68	11.57	11.50	15.45dBm or 4+10log(B) = 20.36dBm			
46	5230	12.48	12.31	12.26	12.04	12.01	11.91	11.83	11.77	15.45dBm or 4+10log(B) = 20.34dBm			

Note: Offset 11dB

Note: Limit is re-adjusted in terms of dBm

10*log(50mW) = 16.99dBm for the limit on the band of $5150\sim5250MHz$

Note: Cable loss is 11dB is set as the offset on the spectrum to compensate the loss causing by cable

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 57 of 150

ERP/EIRP Measurement:

802 11a (Main)

002	11a (Main)									
Cat	ole $loss = 0$					EI	RP			
СН	Frequency (MHz)				Required Limit					
	(17112)	6	9	12	18	24	36	48	54	Required Limit
36	5180	15.90	15.39	15.37	15.21	15.17	14.89	14.69	14.76	23.01dBm or 10+10log(B) = 22.16dBm
44	5220	16.08	16.06	15.86	15.71	15.63	15.42	15.26	15.17	23.01dBm or 10+10log(B) = 22.18dBm
48	5240	16.11	15.87	15.69	15.52	15.44	15.17	15.16	15.01	23.01dBm or 10+10log(B) = 22.17dBm

Note: Limit is re-adjusted in terms of dBm

10*log(200mW) = 23.01dBm for the limit on the band of $5150\sim5250MHz$

EIRP = Conducted Power + antenna Gain of respective frequency band

Note: Cable loss is 11dB is set as the offset on the spectrum to compensate the loss causing by cable.

802.11a (Aux)

	ole loss = 0					EI	RP			
СН	Frequency (MHz)				Required Limit					
	(1/112)	6	9	12	18	24	36	48	54	Trequired Emile
36	5180	14.81	14.79	14.76	14.40	14.48	14.33	14.05	13.71	23.01dBm or 10+10log(B) = 22.16dBm
44	5220	15.35	15.31	14.99	14.87	14.74	14.38	14.22	13.79	23.01dBm or 10+10log(B) = 22.18dBm
48	5240	14.97	14.94	14.67	14.44	14.22	13.93	13.82	13.73	23.01dBm or 10+10log(B) = 22.17dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 58 of 150

802.11n (5GHz) 20M (Main)

002	2.1111 (3 G 112)		main)							
Cat	ole $loss = 0$					El	RP			
СН	Frequency (MHz)				Required Limit					
	(11112)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	Required Emile
36	5180	15.80	15.58	15.43	15.41	15.27	15.04	14.99	14.95	23.01dBm or 10+10log(B) = 22.21dBm
44	5220	15.78	15.72	15.69	15.67	15.52	15.20	14.94	14.73	23.01dBm or 10+10log(B) = 22.25dBm
48	5240	15.76	15.71	15.67	15.66	15.49	15.22	15.07	14.96	23.01dBm or 10+10log(B) = 22.49dBm

802.11n (5GHz) 20M (Aux)

	ole loss = 0	_								
СН	Frequency (MHz)				Required Limit					
	,	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	
36	5180	14.84	14.59	14.40	14.40	14.23	13.99	14.00	13.95	23.01dBm or 10+10log(B) = 22.03dBm
44	5220	15.12	15.02	14.87	14.65	14.32	14.09	13.90	13.61	23.01dBm or 10+10log(B) = 22.43dBm
48	5240	15.17	14.99	14.85	14.74	14.45	14.23	14.00	13.59	23.01dBm or 10+10log(B) = 21.97dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 59 of 150

802.11n (5GHz) 20M MIMO Chain 0

Cal	ole loss = 0									
СН	Frequency (MHz)				Required Limit					
	` ,	MCS8	MCS9	Required Emili						
36	5180	20.10	19.65	19.59	19.72	19.36	18.97	18.95	18.79	23.01dBm or 10+10log(B) = 22.21dBm
44	5220	20.45	19.98	19.87	19.82	19.74	19.65	19.42	19.00	23.01dBm or 10+10log(B) = 22.43dBm
48	5240	20.49	20.15	20.07	19.75	19.68	19.65	19.28	18.93	23.01dBm or 10+10log(B) = 22.49dBm

802.11n (5GHz) 20M MIMO Chain 1

Cal	ole loss = 0	, _								
СН	Frequency (MHz)					Required Limit				
		MCS8	MCS9	•						
36	5180	19.40	18.80	18.79	18.85	18.63	18.17	18.07	18.03	23.01dBm or 10+10log(B) = 22.21dBm
44	5220	19.70	19.38	18.99	18.83	18.78	18.79	18.67	18.00	23.01dBm or 10+10log(B) = 22.43dBm
48	5240	19.69	19.46	19.09	18.71	18.69	18.67	18.59	17.88	23.01dBm or 10+10log(B) = 22.49dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 60 of 150

802.11n (5GHz) 20M MIMO Chain 0+ Chain1

	02.11II (3G	11 <i>L)_2</i> 0	141 14111	10 Chai	no cn	amı				
Cal	ole $loss = 0$									
СН	Frequency (MHz)					Required Limit				
	(111111)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	required Elline
36	5180	22.77	22.26	22.22	22.32	22.02	21.60	21.54	21.44	23.01dBm or 10+10log(B) = 22.21dBm
44	5220	23.10	22.70	22.46	22.36	22.30	22.25	22.07	21.54	23.01dBm or 10+10log(B) = 22.43dBm
48	5240	23.12	22.83	22.62	22.27	22.22	22.20	21.96	21.45	23.01dBm or 10+10log(B) = 22.49dBm

802 11n (5GHz) 40M (Main)

002	2.1111 (3G112)	_+01/1 (1/	iaiii)							
Cal	ole $loss = 0$	EIRP								
СН	Frequency (MHz)		Data Rate							
	(=-==)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6		Required Limit
38	5190	14.64	14.38	14.17	14.08	13.61	13.40	13.38	13.34	23.01dBm or 10+10log(B) = 25.61dBm
46	5230	14.75	14.63	14.56	14.54	14.37	14.27	14.14	14.17	23.01dBm or 10+10log(B) = 25.59dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 61 of 150

802.11n (5GHz) 40M (Aux)

	002.11ft (30112)_401/1 (11ux)									
Cal	\mathbf{EIRP}									
СН	Frequency (MHz)		Data Rate							Required Limit
	(1/112)	MCS0	MCS1	MCS2	MCS3	MCS4	MCS5	MCS6	MCS7	required Elline
38	5190	14.25	13.88	13.67	13.57	12.99	12.80	12.68	12.62	23.01dBm or 10+10log(B) = 25.43dBm
46	5230	14.18	14.02	13.99	13.86	13.74	13.57	13.49	13.37	23.01dBm or 10+10log(B) = 25.59dBm

802.11n (5GHz) 40M MIMO Chain 0

Cal	ble $loss = 0$	EIRP (CH 0)								
СН	Frequency (MHz)		Data Rate						Required Limit	
	(11222)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	required 2311110
38	5190	18.88	18.28	18.50	18.37	18.19	18.12	18.02	17.99	23.01dBm or 10+10log(B) = 25.43dBm
46	5230	19.11	18.92	18.84	18.63	18.58	18.47	18.45	18.39	23.01dBm or 10+10log(B) = 25.59dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 62 of 150

802.11n (5GHz) 40M MIMO Chain 1

Cal	ble $loss = 0$	EIRP (CH1)								
СН	Frequency (MHz)		Data Rate							Required Limit
	(11222)	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	riequii eu ziiiii
38	5190	18.07	17.93	17.90	17.87	17.77	17.73	17.60	17.50	23.01dBm or 10+10log(B) = 25.43dBm
46	5230	18.31	18.16	18.16	17.93	17.91	17.83	17.67	17.62	23.01dBm or 10+10log(B) = 25.59dBm

802.11n (5GHz) 40M MIMO Chain 0+Chain 1

Cal	ble $loss = 0$	EIRP (CH 0 + CH 1)								
СН	Frequency (MHz)		Data Rate							Required Limit
	,	MCS8	MCS9	MCS10	MCS11	MCS12	MCS13	MCS14	MCS15	
38	5190	21.50	21.12	21.22	21.14	21.00	20.94	20.83	20.76	23.01dBm or 10+10log(B) = 25.43dBm
46	5230	21.74	21.57	21.52	21.30	21.27	21.17	21.09	21.03	23.01dBm or 10+10log(B) = 25.59dBm

Note: Offset 11dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WuKunRopad New TaipeilindustrialPark WukunDistrict New Taipeilind



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 63 of 150

PEAK POWER SPECTRAL DENSITY

Standard Applicable

According to §15.407(a)

- 1. For the band 5.15-5.25 GHz, the peak power spectral density shall not exceed 4 dBm in any 1-MHz band.
- 2. For the band 5.25-5.35 GHz and 5.47-5.725GMHz, the peak power spectral density shall not exceed 11 dBm in any 1-MHz band.

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

5180-5240 MHz.

Antenna Gain: 9.26dBi - 6dBi = 3.26

1+(3.26/6)=1.543

4-1.543 = 2.457

Limit: 2.457dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 64 of 150

According to RSS-210 A9.2

- For the band 5150-5250 MHz, the maximum equivalent isotropically radiated power (e.i.r.p.) shall not exceed 200 mW or 10 + 10 log10 B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz. The e.i.r.p. spectral density shall not exceed 10 dBm in any 1.0 MHz band.
- For the bands 5250-5350 MHz and 5470-5725 MHz, the maximum conducted output power shall not exceed 250 mW or 11 + 10 log10 B, dBm, whichever power is less. The power spectral density shall not exceed 11 dBm in any 1.0 MHz band. The maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log10 B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.

In addition, devices with maximum e.i.r.p. greater than 500 mW shall implement TPC in order to have the capability to operate at least 6 dB below the maximum permitted e.i.r.p. of 1 W.

In addition to the above requirements, devices operating in the band 5250-5350 MHz with maximum e.i.r.p. greater than 200 mW shall comply with the following e.i.r.p. elevation mask where θ is the angle above the local horizontal plane (of the earth) as shown below:

- (i) -13 dB (W/MHz) for $0o \le \theta < 8o$
- (ii) -13 0.716 (0-8) dB (W/MHz) for $80 \le \theta < 400$
- (iii) -35.9 1.22 (θ -40) dB (W/MHz) for $40o \le \theta \le 45o$
- (iv) -42 dB (W/MHz) for $\theta > 45$ o

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 65 of 150

Measurement Procedure (following procedure F, & E) d) method SA-2 in KDB789033 D01)

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 3. Set RBW=1MHz, VBW=3MHz, Span=50MHz/80MHz (Base Mode), where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
- 4. User the cursor on spectrum to peak search the highest level of trace
- 5. Add offset, duty factor n_HT20=0.43, n_HT40=0.40
- 6. Record the max. reading.
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.
- 8. For MIMO mode, add the appropriate offset.

9.3 Measurement Equipment Used:

Refer to section 7.3 for details.

Test Set-up: 9.4

Refer to section 7.4 for details.

Remark: as per KDB 662291, MIMO mode is accomplished by the addition of 10 log(N), where N=2 as the simultaneous emission of PSD

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 66 of 150

9.5 Measurement Result

802.11a, 5150~5250 MHz

Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)
5180	-3.754	2.46	-6.21
5220	-3.459	2.46	-5.92
5240	-4.018	2.46	-6.48

Note: Offset 11dB (5150~5250MHz)

802.11n HT20, 5150~5250 MHz

Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)
5180	-2.143	2.46	-4.60
5220	-0.247	2.46	-2.70
5240	-1.195	2.46	-3.65

Note: Offset 14.01dB (5150 \sim 5250MHz, where = cable loss + attenuator + duty factor + MIMO factor, $MIMO\ factor = 10* log\ (2) = 3dB,\ attenuator = 10dB,\ cable\ loss+\ duty\ factor = 1.01dB$

802.11n HT40, 5150~5250 MHz

Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)
5190	-5.612	2.46	-8.07
5230	-9.617	2.46	-12.07

Note: Offset 14.01dB ($5150\sim5250MHz$), where = cable loss + attenuator + duty factor + MIMO factor, $MIMO\ factor = 10* log\ (2) = 3dB,\ attenuator = 10dB,\ cable\ loss+\ duty\ factor = 1.01dB$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 67 of 150

802.11a, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 68 of 150

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 Issue Date: Nov. 21, 2013

Page 69 of 150

802.11n HT20, 5150~5250 MHz

Peak Power Spectral Density Data Plot (CH Low 5180 MHz)



Peak Power Spectral Density Data Plot (CH Mid 5220 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GGS Taiwan Ltd. No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 70 of 150

Peak Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approvance of this decrement is unquited and the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2013/90040 **Issue Date: Nov. 21, 2013**

Page 71 of 150

802.11n HT40, 5150~5250 MHz Peak Power Spectral Density Data Plot (CH Low 5190 MHz)



Peak Power Spectral Density Data Plot (CH High 5230 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279