




# RF Exposure Evaluation Report

**Equipment** : NanoStation AC  
**Brand Name** : UBIQUITI  
**Model No.** : NS-5AC  
**FCC ID** : SWX-NS5AC  
**Standard** : 47 CFR Part 2.1091  
**Applicant/** : Ubiquiti Networks, Inc.  
**Manufacturer** : 685 Third Avenue, 27th Floor New York,  
New York 10017 USA

The product sample received on Aug. 29, 2017 and completely tested on Oct. 20, 2017. We, SPORTON, would like to declare that the tested sample has been evaluated in accordance with 47 CFR Part 2.1091, and pass the limit.

Without written approval of SPORTON INTERNATIONAL INC., the test report shall not be reproduced except in full.

  
Kevin Liang / Assistant Manager





## TABLE OF CONTENTS

**1 GENERAL DESCRIPTION .....4**

1.1 EUT General Information .....4

1.2 Testing Location .....4

**2 MAXIMUM PERMISSIBLE EXPOSURE .....5**

2.1 Limit of Maximum Permissible Exposure .....5

2.2 MPE Calculation Method .....5

2.3 Calculated Result and Limit.....6

2.4 MPE Measurement Method.....7

2.5 Measurement Result and Limit.....8

2.6 List of Measuring Equipments .....37

**APPENDIX A. TEST PHOTOS**

**PHOTOGRAPHS OF EUT V01**





# 1 General Description

## 1.1 EUT General Information

RF General Information			
Evaluation Mode	Frequency Range (MHz)	Operating Frequency (MHz)	Modulation Type
2.4GHz WLAN	2400-2483.5	2412-2462	802.11b: DSSS (DBPSK, DQPSK, CCK) 802.11g/n: OFDM (BPSK, QPSK, 16QAM, 64QAM)
5GHz WLAN	5150-5250 5250-5350 5470-5725 5725-5850	5160-5245 5255-5340 5480-5715 5735-5840	802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM) 802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)

## 1.2 Testing Location

Testing Location			
<input checked="" type="checkbox"/>	HWA YA	ADD : No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)	
		TEL : 886-3-327-3456	FAX : 886-3-327-0973
Test site Designation No. TW1190 with FCC.			
<input type="checkbox"/>	JHUBEI	ADD : No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County, Taiwan (R.O.C.)	
		TEL : 886-3-656-9065	FAX : 886-3-656-9085
Test site Designation No. TW0006 with FCC.			

## 2 Maximum Permissible Exposure

### 2.1 Limit of Maximum Permissible Exposure

(A) Limits for Occupational / Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> , H  <sup>2</sup> or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842 / f	4.89 / f	(900 / f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	-	-	F/300	6
1500-100,000	-	-	5	6

(B) Limits for General Population / Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> , H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	-	-	F/1500	30
1500-100,000	-	-	1.0	30

Note: f = frequency in MHz ; \*Plane-wave equivalent power density

### 2.2 MPE Calculation Method

The MPE was calculated at 33 cm to show compliance with the power density limit.

The following formula was used to calculate the Power Density:

$$E \text{ (V/m)} = \frac{\sqrt{30 \times P \times G}}{d} \qquad \text{Power Density: } Pd \text{ (W/m}^2\text{)} = \frac{E^2}{377}$$

**E** = Electric field (V/m)

**P** = RF output power (W)

**G** = EUT Antenna numeric gain (numeric)

**d** = Separation distance between radiator and human body (m)

The formula can be changed to

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$



### 2.3 Calculated Result and Limit

Exposure Environment: General Population / Uncontrolled Exposure


Point-to-multipoint

Mode	DG (dBi)	Power (dBm)	EIRP (dBm)	EIRP (W)	Distance (cm)	S (mW/cm <sup>2</sup> )	S Limit (mW/cm <sup>2</sup> )
2.4G;G1D	2.00	13.99	15.99	0.03972	33	0.00290	1.00000
2.4G;D1D	2.00	17.35	19.35	0.08610	33	0.00629	1.00000
5.2G;D1D	16.00	4.95	20.95	0.12445	33	0.00909	1.00000
5.8G;D1D	16.00	19.72	35.72	3.73250	33	0.27275	1.00000
5.3G;D1D	16.00	13.96	29.96	0.99083	20	0.19712	1.00000
5.6G;D1D	16.00	13.90	29.90	0.97724	20	0.19442	1.00000

Point-to-point

Mode	DG (dBi)	Power (dBm)	EIRP (dBm)	EIRP (W)	Distance (cm)	S (mW/cm <sup>2</sup> )	S Limit (mW/cm <sup>2</sup> )
2.4G;G1D	2.00	13.99	15.99	0.03972	33	0.00290	1.00000
2.4G;D1D	2.00	17.35	19.35	0.08610	33	0.00629	1.00000
5.2G;D1D	16.00	24.98	40.98	12.53141	33	0.91572	1.00000
5.8G;D1D	16.00	24.97	40.97	12.50259	33	0.91361	1.00000

## 2.4 MPE Measurement Method



### Horizontal Plane

1. Align Probe with antenna axis. Probe should same height as Antenna axis.  
And take power density measurement with Probe.
2. Rotate table 45 degree (30 degree if MPE distance is more 60cm).  
Take power density measurement again.
3. Repeat step 2, until complete 360 degree.  
Each measured power density should be less than MPE limit.

### Vertical Plane

1. Align Probe with antenna axis. Move probe to height of 10cm above ground plane.  
Take power density measurement.  
Then repeat measure with 10cm increment of probe height until 180 cm.
2. Rotate table 45 degree (30 degree if MPE distance is more 60cm).  
Repeat the power density measure from 10cm to 180cm
3. Repeat step 2, until complete 360 degree.  
Spatial Average of same vertical plane should be less then MPE limit.

For Probe or measurement equipment requirement, please see FCC OET Bulletin 65 97-01

#### Note:

Either peak or spatially averaged results may be applied to determine compliance; and with respect to plane-wave equivalent power density limits when  $\geq 300$  MHz, and electric and magnetic field strength limits when  $< 300$  MHz.



## 2.5 Measurement Result and Limit

Test Mode	HT10	Test Frequency (MHz)	5200	MPE Distance (cm)	33	Power Setting	16	
<b>EUT Plane</b>	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
191.5	0.21300	0.00343	0.00130	0.00058	0.00125	0.00103	0.00384	0.21350
<b>Max PSD (mW/cm<sup>2</sup>)</b>	0.21350							
<b>MPE Limit (mW/cm<sup>2</sup>)</b>	1							
<b>EUT Plane</b>	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
<b>10</b>	0.00185	0.00112	0.00086	0.00171	0.00099	0.00084	0.00108	0.00188
<b>20</b>	0.00507	0.00426	0.00160	0.00156	0.00164	0.00162	0.00425	0.00511
<b>30</b>	0.00588	0.00434	0.00077	0.00201	0.00167	0.00675	0.00480	0.00589
<b>40</b>	0.01502	0.00788	0.00187	0.00292	0.00211	0.00826	0.00728	0.01487
<b>50</b>	0.05104	0.00400	0.00112	0.00253	0.00082	0.00188	0.00903	0.05220
<b>60</b>	0.16364	0.00944	0.00204	0.00195	0.00092	0.00131	0.00603	0.16211
<b>70</b>	0.29971	0.00907	0.00169	0.00192	0.00260	0.00199	0.00967	0.30223
<b>80</b>	0.22325	0.00815	0.00118	0.00254	0.00152	0.00614	0.01045	0.21800
<b>90</b>	0.14396	0.00821	0.00219	0.00169	0.00094	0.00213	0.00620	0.14319
<b>100</b>	0.06356	0.00630	0.00296	0.00045	0.00119	0.00153	0.00567	0.06319
<b>110</b>	0.02818	0.00670	0.00224	0.00060	0.00190	0.00193	0.00710	0.02775
<b>120</b>	0.01103	0.00224	0.00084	0.00210	0.00113	0.00231	0.00604	0.01055
<b>130</b>	0.00387	0.00171	0.00166	0.00154	0.00119	0.00162	0.00256	0.00447
<b>140</b>	0.00271	0.00098	0.00064	0.00121	0.00125	0.00087	0.00244	0.00318
<b>150</b>	0.00077	0.00180	0.00125	0.00145	0.00126	0.00154	0.00191	0.00222
<b>160</b>	0.00036	0.00046	0.00091	0.00194	0.00050	0.00088	0.00112	0.00184
<b>170</b>	0.00028	0.00089	0.00101	0.00169	0.00122	0.00041	0.00132	0.00089
<b>180</b>	0.00136	0.00042	0.00080	0.00143	0.00061	0.00051	0.00138	0.00132
<b>Spatial Average (mW/cm<sup>2</sup>)</b>	0.05675	0.00433	0.00142	0.00174	0.00130	0.00236	0.00491	0.05672
<b>Max Spatial Average (mW/cm<sup>2</sup>)</b>	0.05675							
<b>MPE Limit (mW/cm<sup>2</sup>)</b>	1							





Test Mode	HT10	Test Frequency (MHz)	5245	MPE Distance (cm)	33	Power Setting	19.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
193.3	0.73500	0.01550	0.00403	0.00223	0.00211	0.00472	0.01590	0.72800	
<b>Max PSD (mW/cm²)</b>	0.73500								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00178	0.00162	0.00154	0.00185	0.00118	0.00145	0.00158	0.00176	
<b>20</b>	0.00439	0.00337	0.00161	0.00296	0.00146	0.00173	0.00386	0.00434	
<b>30</b>	0.00657	0.00495	0.00172	0.00258	0.00169	0.00263	0.00545	0.00607	
<b>40</b>	0.01585	0.00724	0.00149	0.00265	0.00208	0.00736	0.00726	0.01547	
<b>50</b>	0.05128	0.00374	0.00151	0.00195	0.00091	0.00101	0.00402	0.05154	
<b>60</b>	0.16362	0.00986	0.00107	0.00232	0.00118	0.00161	0.00663	0.16232	
<b>70</b>	0.30032	0.00810	0.00152	0.00143	0.00193	0.00149	0.00927	0.30281	
<b>80</b>	0.22402	0.00751	0.00142	0.00175	0.00141	0.00640	0.01064	0.21900	
<b>90</b>	0.14370	0.00829	0.00227	0.00089	0.00133	0.00144	0.00600	0.14252	
<b>100</b>	0.06344	0.00622	0.00220	0.00104	0.00109	0.00157	0.00651	0.06389	
<b>110</b>	0.02860	0.00638	0.00266	0.00115	0.00151	0.00120	0.00622	0.02844	
<b>120</b>	0.01026	0.00185	0.00144	0.00285	0.00198	0.00194	0.00573	0.00974	
<b>130</b>	0.00390	0.00155	0.00086	0.00132	0.00160	0.00196	0.00157	0.00492	
<b>140</b>	0.00287	0.00087	0.00080	0.00101	0.00068	0.00146	0.00300	0.00259	
<b>150</b>	0.00130	0.00138	0.00049	0.00153	0.00069	0.00120	0.00106	0.00182	
<b>160</b>	0.00079	0.00141	0.00140	0.00195	0.00138	0.00138	0.00109	0.00123	
<b>170</b>	0.00147	0.00139	0.00060	0.00092	0.00093	0.00059	0.00115	0.00137	
<b>180</b>	0.00062	0.00138	0.00115	0.00127	0.00078	0.00078	0.00128	0.00072	
<b>Spatial Average (mW/cm²)</b>	0.05693	0.00428	0.00143	0.00175	0.00132	0.00207	0.00457	0.05670	
<b>Max Spatial Average (mW/cm²)</b>	0.05693								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	HT10	<b>Test Frequency (MHz)</b>	5735	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	17	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.2	0.71200	0.01450	0.00426	0.00218	0.00204	0.00468	0.01540	0.71600
<b>Max PSD (mW/cm²)</b>	0.71600							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00228	0.00201	0.00194	0.00174	0.00059	0.00120	0.00198	0.00230
<b>20</b>	0.00415	0.00354	0.00171	0.00297	0.00142	0.00833	0.00344	0.00497
<b>30</b>	0.00593	0.00503	0.00176	0.00279	0.00200	0.00653	0.00468	0.00642
<b>40</b>	0.01522	0.00714	0.00099	0.00227	0.00188	0.00773	0.00726	0.01479
<b>50</b>	0.05060	0.00348	0.00224	0.00162	0.00186	0.00221	0.00344	0.05115
<b>60</b>	0.16351	0.00957	0.00199	0.00190	0.00170	0.00141	0.00608	0.16253
<b>70</b>	0.30013	0.00853	0.00137	0.00139	0.00237	0.00176	0.00947	0.30279
<b>80</b>	0.22337	0.00745	0.00067	0.00242	0.00153	0.00669	0.00995	0.21811
<b>90</b>	0.14367	0.00763	0.00211	0.00169	0.00171	0.00189	0.00663	0.14231
<b>100</b>	0.06324	0.00649	0.00198	0.00050	0.00123	0.00208	0.00650	0.06388
<b>110</b>	0.02820	0.00706	0.00179	0.00076	0.00118	0.00215	0.00681	0.02768
<b>120</b>	0.01090	0.00226	0.00142	0.00205	0.00143	0.00205	0.00630	0.01037
<b>130</b>	0.00456	0.00211	0.00139	0.00214	0.00056	0.00165	0.00257	0.00484
<b>140</b>	0.00318	0.00108	0.00107	0.00098	0.00880	0.00109	0.00111	0.00322
<b>150</b>	0.00027	0.00192	0.00046	0.00089	0.00081	0.00142	0.00121	0.00235
<b>160</b>	0.00112	0.00106	0.00095	0.00086	0.00078	0.00073	0.00052	0.00185
<b>170</b>	0.00176	0.00071	0.00065	0.00128	0.00047	0.00085	0.00134	0.00161
<b>180</b>	0.00050	0.00111	0.00138	0.00129	0.00083	0.00078	0.00059	0.00049
<b>Spatial Average (mW/cm²)</b>	0.05681	0.00434	0.00144	0.00164	0.00173	0.00281	0.00444	0.05676
<b>Max Spatial Average (mW/cm²)</b>	0.05681							
<b>MPE Limit (mW/cm²)</b>	1							



Test Mode	HT10	Test Frequency (MHz)	5790	MPE Distance (cm)	33	Power Setting	18.5		
EUT Plane	Horizontal								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	
193.6	0.74400	0.01690	0.00436	0.00224	0.00234	0.00471	0.01552	0.74200	
Max PSD (mW/cm²)	0.74400								
MPE Limit (mW/cm²)	1								
EUT Plane	Vertical								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	Max PSD (mW/cm²)	
10	0.00178	0.00162	0.00157	0.00129	0.00144	0.00106	0.00164	0.00182	
20	0.00486	0.00375	0.00198	0.00298	0.00184	0.00862	0.00454	0.00462	
30	0.00695	0.00493	0.00075	0.00322	0.00196	0.00632	0.00537	0.00581	
40	0.01534	0.00760	0.00183	0.00224	0.00259	0.00831	0.00817	0.01550	
50	0.05084	0.00406	0.00094	0.00178	0.00188	0.00071	0.00906	0.05192	
60	0.16418	0.01009	0.00097	0.00224	0.00196	0.00174	0.00573	0.16204	
70	0.30051	0.00815	0.00186	0.00151	0.00195	0.00135	0.00950	0.30261	
80	0.22418	0.00715	0.00129	0.00203	0.00168	0.00620	0.00980	0.21855	
90	0.14352	0.00789	0.00218	0.00143	0.00188	0.00225	0.00650	0.14269	
100	0.06388	0.00656	0.00247	0.00113	0.00126	0.00173	0.00587	0.06388	
110	0.02826	0.00665	0.00208	0.00150	0.00153	0.00228	0.00705	0.02806	
120	0.01052	0.00125	0.00072	0.00304	0.00128	0.00141	0.00574	0.00993	
130	0.00462	0.00195	0.00130	0.00188	0.00084	0.00187	0.00238	0.00373	
140	0.00344	0.00195	0.00079	0.00100	0.00119	0.00110	0.00312	0.00303	
150	0.00136	0.00202	0.00059	0.00087	0.00144	0.00086	0.00190	0.00198	
160	0.00031	0.00140	0.00164	0.00176	0.00089	0.00086	0.00143	0.00095	
170	0.00123	0.00082	0.00034	0.00096	0.00041	0.00056	0.00066	0.00085	
180	0.00086	0.00077	0.00098	0.00131	0.00064	0.00148	0.00082	0.00089	
Spatial Average (mW/cm²)	0.05704	0.00437	0.00135	0.00179	0.00148	0.00271	0.00496	0.05660	
Max Spatial Average (mW/cm²)	0.05704								
MPE Limit (mW/cm²)	1								



Test Mode	HT10	Test Frequency (MHz)	5840	MPE Distance (cm)	33	Power Setting	18.5		
EUT Plane	Horizontal								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
194.3	0.71500	0.01456	0.00428	0.00222	0.00216	0.00470	0.01552	0.71800	
Max PSD (mW/cm <sup>2</sup> )	0.71800								
MPE Limit (mW/cm <sup>2</sup> )	1								
EUT Plane	Vertical								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
10	0.00174	0.00155	0.00128	0.00212	0.00069	0.00123	0.00154	0.00173	
20	0.00476	0.00438	0.00185	0.00284	0.00162	0.00192	0.00426	0.00519	
30	0.00672	0.00441	0.00150	0.00282	0.00221	0.00152	0.00434	0.00689	
40	0.01497	0.00729	0.00153	0.00324	0.00215	0.00186	0.00733	0.01486	
50	0.05137	0.00406	0.00091	0.00184	0.00109	0.00150	0.00820	0.05194	
60	0.16400	0.00958	0.00185	0.00149	0.00106	0.00078	0.00606	0.16271	
70	0.30048	0.00847	0.00191	0.00118	0.00157	0.00161	0.00884	0.30305	
80	0.22378	0.00723	0.00153	0.00254	0.00205	0.00612	0.01021	0.22204	
90	0.14425	0.00752	0.00219	0.00142	0.00089	0.00212	0.00619	0.14205	
100	0.06334	0.00621	0.00256	0.00045	0.00127	0.00237	0.00614	0.06320	
110	0.02828	0.00659	0.00229	0.00101	0.00179	0.00128	0.00704	0.02743	
120	0.01104	0.00143	0.00153	0.00259	0.00167	0.00218	0.00580	0.01089	
130	0.00387	0.00204	0.00105	0.00200	0.00149	0.00170	0.00233	0.00410	
140	0.00326	0.00173	0.00089	0.00109	0.00154	0.00167	0.00236	0.00298	
150	0.00047	0.00172	0.00096	0.00103	0.00067	0.00105	0.00117	0.00214	
160	0.00073	0.00053	0.00156	0.00197	0.00056	0.00068	0.00045	0.00114	
170	0.00137	0.00077	0.00115	0.00081	0.00105	0.00146	0.00053	0.00131	
180	0.00119	0.00033	0.00071	0.00052	0.00141	0.00060	0.00153	0.00121	
Spatial Average (mW/cm <sup>2</sup> )	0.05698	0.00421	0.00151	0.00172	0.00138	0.00176	0.00468	0.05694	
Max Spatial Average (mW/cm <sup>2</sup> )	0.05698								
MPE Limit (mW/cm <sup>2</sup> )	1								



Test Mode	HT20	Test Frequency (MHz)	5200	MPE Distance (cm)	33	Power Setting	19		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.4	0.86900	0.01049	0.00278	0.00212	0.00334	0.00485	0.00512	0.89600	
<b>Max PSD (mW/cm²)</b>	0.89600								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00154	0.00144	0.00136	0.00128	0.00141	0.00149	0.00153	0.00165	
<b>20</b>	0.00440	0.00382	0.00123	0.00289	0.00142	0.00276	0.00350	0.00462	
<b>30</b>	0.00630	0.00480	0.00122	0.00266	0.00244	0.00136	0.00492	0.00621	
<b>40</b>	0.01536	0.00714	0.00096	0.00309	0.00098	0.00143	0.00761	0.01547	
<b>50</b>	0.05030	0.00321	0.00105	0.00205	0.00156	0.00077	0.00889	0.05180	
<b>60</b>	0.16377	0.00912	0.00081	0.00177	0.00128	0.00069	0.00591	0.16287	
<b>70</b>	0.30010	0.00857	0.00085	0.00156	0.00150	0.00151	0.00992	0.30233	
<b>80</b>	0.22347	0.00756	0.00143	0.00167	0.00167	0.00670	0.01070	0.21887	
<b>90</b>	0.14395	0.00774	0.00146	0.00120	0.00134	0.00146	0.00682	0.14284	
<b>100</b>	0.06313	0.00641	0.00205	0.00044	0.00164	0.00211	0.00615	0.06387	
<b>110</b>	0.02800	0.00645	0.00194	0.00066	0.00151	0.00171	0.00617	0.02756	
<b>120</b>	0.01110	0.00195	0.00087	0.00243	0.00181	0.00123	0.00628	0.01028	
<b>130</b>	0.00463	0.00213	0.00182	0.00227	0.00115	0.00109	0.00257	0.00478	
<b>140</b>	0.00271	0.00119	0.00110	0.00183	0.00104	0.00147	0.00234	0.00289	
<b>150</b>	0.00082	0.00104	0.00134	0.00157	0.00090	0.00156	0.00200	0.00161	
<b>160</b>	0.00126	0.00113	0.00110	0.00204	0.00161	0.00081	0.00089	0.00097	
<b>170</b>	0.00095	0.00043	0.00045	0.00103	0.00073	0.00103	0.00075	0.00136	
<b>180</b>	0.00089	0.00039	0.00036	0.00108	0.00079	0.00068	0.00072	0.00092	
<b>Spatial Average (mW/cm²)</b>	0.05682	0.00414	0.00119	0.00175	0.00138	0.00166	0.00487	0.05672	
<b>Max Spatial Average (mW/cm²)</b>	0.05682								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	HT20	<b>Test Frequency (MHz)</b>	5240	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	19.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
192.7	0.66700	0.03390	0.00392	0.00407	0.00303	0.00474	0.01210	0.66100
<b>Max PSD (mW/cm²)</b>	0.66700							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00164	0.00156	0.00115	0.00164	0.00090	0.00112	0.00153	0.00161
<b>20</b>	0.00425	0.00416	0.00121	0.00235	0.00139	0.00244	0.00386	0.00463
<b>30</b>	0.00646	0.00549	0.00062	0.00299	0.00279	0.00065	0.00458	0.00611
<b>40</b>	0.01519	0.00770	0.00159	0.00278	0.00276	0.00148	0.00768	0.01579
<b>50</b>	0.05057	0.00350	0.00129	0.00136	0.00096	0.00130	0.00366	0.05210
<b>60</b>	0.16306	0.00928	0.00144	0.00184	0.00089	0.00075	0.00884	0.16313
<b>70</b>	0.30088	0.00838	0.00170	0.00150	0.00235	0.00149	0.00907	0.30211
<b>80</b>	0.22376	0.00772	0.00059	0.00218	0.00144	0.00662	0.01016	0.21904
<b>90</b>	0.14399	0.00786	0.00211	0.00147	0.00199	0.00155	0.00565	0.14321
<b>100</b>	0.06423	0.00557	0.00268	0.00048	0.00109	0.00222	0.00629	0.06346
<b>110</b>	0.02789	0.00648	0.00163	0.00055	0.00212	0.00115	0.00696	0.02750
<b>120</b>	0.01024	0.00207	0.00079	0.00215	0.00111	0.00194	0.00581	0.01051
<b>130</b>	0.00370	0.00249	0.00106	0.00133	0.00139	0.00141	0.00186	0.00381
<b>140</b>	0.00290	0.00095	0.00144	0.00145	0.00117	0.00077	0.00316	0.00297
<b>150</b>	0.00147	0.00140	0.00125	0.00150	0.00136	0.00151	0.00185	0.00144
<b>160</b>	0.00188	0.00136	0.00171	0.00173	0.00055	0.00083	0.00075	0.00190
<b>170</b>	0.00066	0.00058	0.00053	0.00124	0.00054	0.00057	0.00064	0.00068
<b>180</b>	0.00058	0.00047	0.00042	0.00118	0.00043	0.00046	0.00051	0.00060
<b>Spatial Average (mW/cm²)</b>	0.05685	0.00428	0.00129	0.00165	0.00140	0.00157	0.00460	0.05670
<b>Max Spatial Average (mW/cm²)</b>	0.05685							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	HT20	<b>Test Frequency (MHz)</b>	5740	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	18.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
193.8	0.65700	0.03290	0.00372	0.00397	0.00301	0.00374	0.03920	0.66100
<b>Max PSD (mW/cm²)</b>	0.66100							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
10	0.00186	0.00177	0.00162	0.00221	0.00106	0.00182	0.00174	0.00188
20	0.00514	0.00383	0.00156	0.00217	0.00170	0.00182	0.00392	0.00429
30	0.00585	0.00451	0.00059	0.00242	0.00244	0.00489	0.00515	0.00685
40	0.01599	0.00832	0.00174	0.00260	0.00234	0.00336	0.00746	0.01556
50	0.05140	0.00412	0.00143	0.00239	0.00157	0.00132	0.00873	0.05153
60	0.16361	0.00990	0.00098	0.00156	0.00144	0.00154	0.00571	0.16268
70	0.29984	0.00823	0.00135	0.00148	0.00222	0.00203	0.00912	0.30211
80	0.22395	0.00805	0.00153	0.00168	0.00116	0.00648	0.01059	0.21855
90	0.14401	0.00724	0.00140	0.00126	0.00090	0.00138	0.00581	0.14221
100	0.06342	0.00542	0.00212	0.00104	0.00156	0.00171	0.00591	0.06329
110	0.02839	0.00632	0.00268	0.00144	0.00138	0.00113	0.00626	0.02803
120	0.00989	0.00208	0.00164	0.00217	0.00117	0.00232	0.00655	0.01083
130	0.00449	0.00192	0.00138	0.00155	0.00108	0.00187	0.00168	0.00458
140	0.00316	0.00133	0.00101	0.00061	0.00116	0.00131	0.00254	0.00254
150	0.00136	0.00124	0.00142	0.00193	0.00062	0.00123	0.00135	0.00199
160	0.00114	0.00112	0.00070	0.00202	0.00116	0.00141	0.00057	0.00172
170	0.00126	0.00122	0.00052	0.00170	0.00060	0.00099	0.00126	0.00131
180	0.00077	0.00065	0.00033	0.00090	0.00044	0.00055	0.00068	0.00074
<b>Spatial Average (mW/cm²)</b>	0.05697	0.00429	0.00133	0.00173	0.00133	0.00206	0.00472	0.05671
<b>Max Spatial Average (mW/cm²)</b>	0.05697							
<b>MPE Limit (mW/cm²)</b>	1							



Test Mode	HT20	Test Frequency (MHz)	5790	MPE Distance (cm)	33	Power Setting	18.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.9	0.65800	0.03310	0.00375	0.00403	0.00313	0.00384	0.03946	0.66300	
<b>Max PSD (mW/cm²)</b>	0.66300								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00211	0.00193	0.00062	0.00196	0.00059	0.00094	0.00196	0.00213	
<b>20</b>	0.00441	0.00432	0.00196	0.00281	0.00087	0.00194	0.00413	0.00460	
<b>30</b>	0.00589	0.00461	0.00119	0.00314	0.00241	0.00356	0.00438	0.00592	
<b>40</b>	0.01601	0.00778	0.00122	0.00305	0.00290	0.00873	0.00797	0.01625	
<b>50</b>	0.05143	0.00365	0.00078	0.00205	0.00099	0.00102	0.00388	0.05190	
<b>60</b>	0.16325	0.00951	0.00175	0.00124	0.00113	0.00110	0.00897	0.16235	
<b>70</b>	0.30062	0.00840	0.00088	0.00175	0.00148	0.00112	0.00972	0.30227	
<b>80</b>	0.22363	0.00756	0.00105	0.00150	0.00227	0.00644	0.01038	0.21866	
<b>90</b>	0.14365	0.00759	0.00228	0.00097	0.00197	0.00157	0.00647	0.14262	
<b>100</b>	0.06307	0.00551	0.00245	0.00047	0.00143	0.00232	0.00594	0.06340	
<b>110</b>	0.02775	0.00675	0.00207	0.00094	0.00204	0.00156	0.00650	0.02791	
<b>120</b>	0.01092	0.00226	0.00103	0.00220	0.00155	0.00132	0.00550	0.01008	
<b>130</b>	0.00429	0.00184	0.00147	0.00126	0.00171	0.00088	0.00152	0.00391	
<b>140</b>	0.00335	0.00109	0.00176	0.00107	0.00156	0.00090	0.00260	0.00357	
<b>150</b>	0.00129	0.00112	0.00138	0.00181	0.00112	0.00038	0.00100	0.00236	
<b>160</b>	0.00123	0.00109	0.00103	0.00117	0.00060	0.00044	0.00049	0.00112	
<b>170</b>	0.00077	0.00052	0.00056	0.00101	0.00101	0.00114	0.00051	0.00111	
<b>180</b>	0.00072	0.00037	0.00032	0.00060	0.00053	0.00062	0.00068	0.00070	
<b>Spatial Average (mW/cm²)</b>	0.05691	0.00422	0.00132	0.00161	0.00145	0.00200	0.00459	0.05671	
<b>Max Spatial Average (mW/cm²)</b>	0.05691								
<b>MPE Limit (mW/cm²)</b>	1								





<b>Test Mode</b>	HT20	<b>Test Frequency (MHz)</b>	5835	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	19	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.9	0.67200	0.03420	0.00378	0.00411	0.00324	0.00394	0.03502	0.67400
<b>Max PSD (mW/cm²)</b>	0.67400							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00183	0.00176	0.00156	0.00133	0.00071	0.00125	0.00158	0.00181
<b>20</b>	0.00455	0.00361	0.00120	0.00250	0.00102	0.00128	0.00338	0.00475
<b>30</b>	0.00591	0.00444	0.00064	0.00217	0.00246	0.00375	0.00526	0.00606
<b>40</b>	0.01570	0.00829	0.00171	0.00209	0.00294	0.00336	0.00783	0.01557
<b>50</b>	0.05144	0.00421	0.00068	0.00145	0.00136	0.00131	0.00433	0.05134
<b>60</b>	0.16346	0.00993	0.00147	0.00243	0.00132	0.00108	0.00898	0.16239
<b>70</b>	0.30069	0.00911	0.00101	0.00099	0.00195	0.00127	0.00994	0.30271
<b>80</b>	0.22363	0.00767	0.00148	0.00232	0.00155	0.00634	0.01084	0.21900
<b>90</b>	0.14418	0.00790	0.00208	0.00053	0.00142	0.00230	0.00607	0.14319
<b>100</b>	0.06311	0.00611	0.00305	0.00120	0.00168	0.00133	0.00624	0.06334
<b>110</b>	0.02863	0.00691	0.00235	0.00163	0.00207	0.00194	0.00628	0.02813
<b>120</b>	0.01101	0.00194	0.00122	0.00312	0.00135	0.00169	0.00621	0.01059
<b>130</b>	0.00474	0.00232	0.00179	0.00182	0.00085	0.00203	0.00186	0.00450
<b>140</b>	0.00340	0.00093	0.00093	0.00073	0.00126	0.00161	0.00229	0.00252
<b>150</b>	0.00120	0.00189	0.00071	0.00100	0.00064	0.00156	0.00111	0.00147
<b>160</b>	0.00094	0.00061	0.00119	0.00183	0.00174	0.00124	0.00135	0.00140
<b>170</b>	0.00127	0.00122	0.00074	0.00138	0.00152	0.00111	0.00083	0.00126
<b>180</b>	0.00099	0.00087	0.00046	0.00148	0.00130	0.00104	0.00076	0.00087
<b>Spatial Average (mW/cm²)</b>	0.05704	0.00443	0.00135	0.00167	0.00151	0.00197	0.00473	0.05672
<b>Max Spatial Average (mW/cm²)</b>	0.05704							
<b>MPE Limit (mW/cm²)</b>	1							



Test Mode	HT30	Test Frequency (MHz)	5200	MPE Distance (cm)	33	Power Setting	18		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
192.4	0.64500	0.33200	0.00306	0.00212	0.00226	0.00523	0.33400	0.66300	
<b>Max PSD (mW/cm²)</b>	0.66300								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00160	0.00138	0.00125	0.00164	0.00089	0.00136	0.00145	0.00168	
<b>20</b>	0.00443	0.00343	0.00136	0.00315	0.00142	0.00247	0.00358	0.00493	
<b>30</b>	0.00642	0.00519	0.00182	0.00278	0.00197	0.00211	0.00451	0.00581	
<b>40</b>	0.01571	0.00749	0.00077	0.00262	0.00263	0.00770	0.00734	0.01495	
<b>50</b>	0.05150	0.00315	0.00050	0.00208	0.00184	0.00182	0.00375	0.05186	
<b>60</b>	0.16376	0.00925	0.00137	0.00203	0.00142	0.00066	0.00594	0.16232	
<b>70</b>	0.30010	0.00859	0.00103	0.00115	0.00173	0.00147	0.00897	0.30264	
<b>80</b>	0.22316	0.00727	0.00117	0.00159	0.00224	0.00712	0.01038	0.21808	
<b>90</b>	0.14308	0.00723	0.00144	0.00147	0.00201	0.00227	0.00603	0.14209	
<b>100</b>	0.06387	0.00653	0.00261	0.00072	0.00091	0.00147	0.00646	0.06398	
<b>110</b>	0.02873	0.00701	0.00239	0.00166	0.00188	0.00169	0.00610	0.02744	
<b>120</b>	0.01004	0.00127	0.00059	0.00245	0.00186	0.00171	0.00544	0.00975	
<b>130</b>	0.00461	0.00193	0.00079	0.00126	0.00067	0.00202	0.00254	0.00470	
<b>140</b>	0.00286	0.00130	0.00164	0.00134	0.00144	0.00154	0.00235	0.00267	
<b>150</b>	0.00077	0.00680	0.00098	0.00167	0.00069	0.00045	0.00062	0.00079	
<b>160</b>	0.00054	0.00059	0.00115	0.00129	0.00081	0.00111	0.00053	0.00127	
<b>170</b>	0.00099	0.00040	0.00118	0.00138	0.00054	0.00041	0.00071	0.00071	
<b>180</b>	0.00167	0.00148	0.00111	0.00142	0.00042	0.00104	0.00064	0.00152	
<b>Spatial Average (mW/cm²)</b>	0.05688	0.00446	0.00129	0.00176	0.00141	0.00213	0.00430	0.05651	
<b>Max Spatial Average (mW/cm²)</b>	0.05688								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	HT30	<b>Test Frequency (MHz)</b>	5235	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	19.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
192.4	0.67500	0.35200	0.00318	0.00219	0.00236	0.00535	0.00118	0.66100
<b>Max PSD (mW/cm²)</b>	0.67500							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00240	0.00214	0.00107	0.00154	0.00068	0.00153	0.00218	0.00246
<b>20</b>	0.00513	0.00412	0.00119	0.00248	0.00105	0.00339	0.00434	0.00499
<b>30</b>	0.00618	0.00480	0.00069	0.00213	0.00211	0.00356	0.00540	0.00655
<b>40</b>	0.01535	0.00720	0.00185	0.00219	0.00252	0.00314	0.00706	0.01470
<b>50</b>	0.05135	0.00313	0.00059	0.00195	0.00200	0.00180	0.00428	0.05203
<b>60</b>	0.16332	0.00906	0.00144	0.00169	0.00076	0.00078	0.00878	0.16215
<b>70</b>	0.29997	0.00825	0.00159	0.00136	0.00243	0.00189	0.00807	0.30230
<b>80</b>	0.22421	0.00786	0.00132	0.00168	0.00115	0.00692	0.01075	0.21901
<b>90</b>	0.14335	0.00722	0.00239	0.00095	0.00121	0.00227	0.00578	0.14291
<b>100</b>	0.06352	0.00602	0.00214	0.00145	0.00085	0.00213	0.00624	0.06367
<b>110</b>	0.02789	0.00697	0.00266	0.00087	0.00151	0.00159	0.00614	0.02735
<b>120</b>	0.01026	0.00141	0.00122	0.00213	0.00186	0.00159	0.00587	0.01025
<b>130</b>	0.00413	0.00273	0.00174	0.00143	0.00172	0.00105	0.00221	0.00371
<b>140</b>	0.00344	0.00128	0.00121	0.00139	0.00168	0.00119	0.00319	0.00321
<b>150</b>	0.00093	0.00198	0.00100	0.00089	0.00111	0.00049	0.00141	0.00155
<b>160</b>	0.00107	0.00151	0.00172	0.00104	0.00107	0.00094	0.00094	0.00168
<b>170</b>	0.00094	0.00074	0.00138	0.00088	0.00116	0.00137	0.00040	0.00063
<b>180</b>	0.00092	0.00071	0.00073	0.00052	0.00145	0.00054	0.00060	0.00117
<b>Spatial Average (mW/cm²)</b>	0.05691	0.00429	0.00144	0.00148	0.00146	0.00201	0.00465	0.05668
<b>Max Spatial Average (mW/cm²)</b>	0.05691							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	HT30	<b>Test Frequency (MHz)</b>	5745	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	18.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
193.6	0.67400	0.34800	0.00316	0.00222	0.00238	0.00531	0.03410	0.66900
<b>Max PSD (mW/cm²)</b>	0.67400							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00142	0.00133	0.00125	0.00169	0.00069	0.00132	0.00137	0.00139
<b>20</b>	0.00509	0.00413	0.00200	0.00261	0.00082	0.00334	0.00439	0.00414
<b>30</b>	0.00687	0.00452	0.00147	0.00240	0.00165	0.00452	0.00506	0.00601
<b>40</b>	0.01599	0.00719	0.00107	0.00267	0.00206	0.00716	0.00831	0.01504
<b>50</b>	0.05104	0.00358	0.00151	0.00133	0.00098	0.00181	0.00207	0.05188
<b>60</b>	0.16368	0.00951	0.00182	0.00190	0.00165	0.00157	0.00574	0.16235
<b>70</b>	0.30070	0.00802	0.00080	0.00109	0.00189	0.00108	0.00818	0.30217
<b>80</b>	0.22387	0.00801	0.00068	0.00223	0.00231	0.00650	0.01063	0.21845
<b>90</b>	0.14344	0.00732	0.00156	0.00096	0.00190	0.00159	0.00625	0.14247
<b>100</b>	0.06366	0.00538	0.00257	0.00091	0.00138	0.00227	0.00665	0.06409
<b>110</b>	0.02804	0.00637	0.00186	0.00166	0.00119	0.00180	0.00627	0.02754
<b>120</b>	0.01083	0.00112	0.00103	0.00214	0.00152	0.00179	0.00586	0.01054
<b>130</b>	0.00477	0.00206	0.00153	0.00175	0.00175	0.00125	0.00195	0.00432
<b>140</b>	0.00276	0.00134	0.00162	0.00144	0.00098	0.00083	0.00223	0.00283
<b>150</b>	0.00061	0.00118	0.00108	0.00152	0.00075	0.00103	0.00192	0.00234
<b>160</b>	0.00085	0.00072	0.00170	0.00177	0.00132	0.00090	0.00124	0.00136
<b>170</b>	0.00181	0.00010	0.00092	0.00094	0.00117	0.00098	0.00106	0.00096
<b>180</b>	0.00142	0.00057	0.00031	0.00142	0.00128	0.00147	0.00043	0.00133
<b>Spatial Average (mW/cm²)</b>	0.05705	0.00403	0.00138	0.00169	0.00141	0.00229	0.00442	0.05662
<b>Max Spatial Average (mW/cm²)</b>	0.05705							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	HT30	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	19	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
192.8	0.67330	0.35160	0.00311	0.00224	0.00228	0.00531	0.34820	0.66900
<b>Max PSD (mW/cm²)</b>	0.67330							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00189	0.00171	0.00095	0.00124	0.00084	0.00169	0.00175	0.00191
<b>20</b>	0.00474	0.00392	0.00105	0.00258	0.00157	0.00319	0.00340	0.00413
<b>30</b>	0.00582	0.00467	0.00159	0.00239	0.00268	0.00353	0.00446	0.00684
<b>40</b>	0.01567	0.00760	0.00130	0.00285	0.00234	0.00768	0.00785	0.01472
<b>50</b>	0.05128	0.00413	0.00082	0.00149	0.00089	0.00178	0.00894	0.05132
<b>60</b>	0.16373	0.00918	0.00165	0.00180	0.00157	0.00164	0.00884	0.16286
<b>70</b>	0.30086	0.00800	0.00078	0.00142	0.00205	0.00129	0.00936	0.30280
<b>80</b>	0.22317	0.00735	0.00161	0.00240	0.00218	0.00716	0.01067	0.21903
<b>90</b>	0.14319	0.00815	0.00184	0.00050	0.00205	0.00214	0.00652	0.14262
<b>100</b>	0.06339	0.00585	0.00286	0.00040	0.00084	0.00179	0.00655	0.06422
<b>110</b>	0.02854	0.00644	0.00164	0.00110	0.00206	0.00144	0.00629	0.02842
<b>120</b>	0.01098	0.00215	0.00153	0.00235	0.00161	0.00131	0.00569	0.01073
<b>130</b>	0.00439	0.00200	0.00089	0.00128	0.00083	0.00191	0.00215	0.00423
<b>140</b>	0.00332	0.00155	0.00168	0.00084	0.00112	0.00094	0.00321	0.00275
<b>150</b>	0.00087	0.00103	0.00071	0.00131	0.00126	0.00133	0.00144	0.00206
<b>160</b>	0.00024	0.00111	0.00076	0.00168	0.00132	0.00138	0.00141	0.00172
<b>170</b>	0.00159	0.00109	0.00054	0.00157	0.00088	0.00104	0.00110	0.00084
<b>180</b>	0.00130	0.00077	0.00059	0.00051	0.00069	0.00073	0.00132	0.00137
<b>Spatial Average (mW/cm²)</b>	0.05694	0.00426	0.00127	0.00154	0.00149	0.00233	0.00505	0.05681
<b>Max Spatial Average (mW/cm²)</b>	0.05694							
<b>MPE Limit (mW/cm²)</b>	1							



# RF Exposure Evaluation Report

Report No. : FA783009-01

Test Mode	HT30	Test Frequency (MHz)	5830	MPE Distance (cm)	33	Power Setting	18.5		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
193.9	0.66500	0.33800	0.00316	0.00216	0.00235	0.00522	0.33400	0.66100	
<b>Max PSD (mW/cm²)</b>	0.66500								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00188	0.00134	0.00127	0.00162	0.00137	0.00156	0.00174	0.00191	
<b>20</b>	0.00486	0.00448	0.00140	0.00296	0.00150	0.00236	0.00413	0.00486	
<b>30</b>	0.00633	0.00485	0.00130	0.00219	0.00246	0.00305	0.00502	0.00643	
<b>40</b>	0.01507	0.00716	0.00124	0.00310	0.00284	0.00310	0.00714	0.01492	
<b>50</b>	0.05075	0.00325	0.00124	0.00173	0.00119	0.00283	0.00377	0.05126	
<b>60</b>	0.16335	0.00948	0.00131	0.00243	0.00152	0.00087	0.00918	0.16288	
<b>70</b>	0.30074	0.00893	0.00090	0.00156	0.00240	0.00202	0.00927	0.30208	
<b>80</b>	0.22366	0.00804	0.00059	0.00212	0.00169	0.00691	0.01000	0.21906	
<b>90</b>	0.14373	0.00731	0.00189	0.00093	0.00133	0.00145	0.00661	0.14213	
<b>100</b>	0.06305	0.00572	0.00283	0.00128	0.00169	0.00161	0.00666	0.06358	
<b>110</b>	0.02837	0.00628	0.00209	0.00124	0.00192	0.00172	0.00612	0.02832	
<b>120</b>	0.01007	0.00184	0.00151	0.00279	0.00161	0.00153	0.00604	0.01060	
<b>130</b>	0.00409	0.00240	0.00090	0.00204	0.00130	0.00087	0.00253	0.00386	
<b>140</b>	0.00298	0.00095	0.00109	0.00090	0.00059	0.00076	0.00327	0.00328	
<b>150</b>	0.00074	0.00142	0.00136	0.00191	0.00123	0.00144	0.00153	0.00177	
<b>160</b>	0.00079	0.00075	0.00069	0.00106	0.00088	0.00042	0.00082	0.00093	
<b>170</b>	0.00158	0.00161	0.00124	0.00119	0.00117	0.00116	0.00077	0.00163	
<b>180</b>	0.00083	0.00065	0.00061	0.00125	0.00077	0.00062	0.00067	0.00084	
<b>Spatial Average (mW/cm²)</b>	0.05683	0.00425	0.00130	0.00179	0.00153	0.00190	0.00474	0.05669	
<b>Max Spatial Average (mW/cm²)</b>	0.05683								
<b>MPE Limit (mW/cm²)</b>	1								



Test Mode	HT40	Test Frequency (MHz)	5230	MPE Distance (cm)	33	Power Setting	22		
EUT Plane	Horizontal								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
194	0.93700	0.06480	0.00476	0.00283	0.00436	0.00725	0.00886	0.94300	
Max PSD (mW/cm <sup>2</sup> )	0.94300								
MPE Limit (mW/cm <sup>2</sup> )	1								
EUT Plane	Vertical								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
10	0.00125	0.00360	0.00079	0.00098	0.00054	0.00081	0.00354	0.00135	
20	0.00402	0.00331	0.00076	0.00198	0.00078	0.00830	0.00332	0.00399	
30	0.00578	0.00428	0.00057	0.00201	0.00159	0.00580	0.00434	0.00565	
40	0.01480	0.00708	0.00077	0.00207	0.00172	0.00760	0.00712	0.01462	
50	0.05030	0.00306	0.00038	0.00131	0.00077	0.00068	0.00791	0.05110	
60	0.16300	0.00905	0.00081	0.00124	0.00072	0.00054	0.00553	0.16200	
70	0.29970	0.00793	0.00072	0.00070	0.00141	0.00094	0.00873	0.30200	
80	0.22300	0.00701	0.00053	0.00134	0.00112	0.00612	0.00974	0.21800	
90	0.14300	0.00711	0.00127	0.00046	0.00085	0.00112	0.00557	0.14200	
100	0.06300	0.00535	0.00196	0.00036	0.00079	0.00124	0.00561	0.06310	
110	0.02760	0.00608	0.00163	0.00042	0.00115	0.00107	0.00588	0.02720	
120	0.00986	0.00111	0.00052	0.00188	0.00086	0.00113	0.00532	0.00964	
130	0.00364	0.00152	0.00067	0.00112	0.00054	0.00083	0.00149	0.00371	
140	0.00246	0.00082	0.00058	0.00058	0.00048	0.00065	0.00206	0.00247	
150	0.00013	0.00086	0.00043	0.00078	0.00037	0.00035	0.00097	0.00128	
160	0.00007	0.00037	0.00048	0.00081	0.00050	0.00024	0.00041	0.00069	
170	0.00058	0.00036	0.00031	0.00048	0.00030	0.00039	0.00033	0.00057	
180	0.00047	0.00031	0.00028	0.00042	0.00027	0.00036	0.00031	0.00048	
Spatial Average (mW/cm <sup>2</sup> )	0.05626	0.00385	0.00075	0.00105	0.00082	0.00212	0.00434	0.05610	
Max Spatial Average (mW/cm <sup>2</sup> )	0.05626								
MPE Limit (mW/cm <sup>2</sup> )	1								



<b>Test Mode</b>	HT40	<b>Test Frequency (MHz)</b>	5750	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	22.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.2	0.68200	0.35200	0.00442	0.00332	0.00338	0.00631	0.36100	0.67900
<b>Max PSD (mW/cm²)</b>	0.68200							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00194	0.00162	0.00139	0.00159	0.00132	0.00143	0.00164	0.00188
<b>20</b>	0.00457	0.00434	0.00097	0.00298	0.00099	0.00319	0.00424	0.00492
<b>30</b>	0.00636	0.00520	0.00176	0.00315	0.00275	0.00384	0.00540	0.00607
<b>40</b>	0.01600	0.00709	0.00194	0.00326	0.00205	0.00442	0.00736	0.01582
<b>50</b>	0.05106	0.00343	0.00151	0.00237	0.00079	0.00152	0.00394	0.05191
<b>60</b>	0.16300	0.00962	0.00200	0.00226	0.00193	0.00089	0.00625	0.16313
<b>70</b>	0.29982	0.00833	0.00090	0.00070	0.00242	0.00140	0.00980	0.30268
<b>80</b>	0.22318	0.00779	0.00165	0.00220	0.00168	0.00639	0.01071	0.21863
<b>90</b>	0.14361	0.00813	0.00228	0.00095	0.00161	0.00217	0.00637	0.14316
<b>100</b>	0.06374	0.00537	0.00315	0.00122	0.00178	0.00139	0.00571	0.06365
<b>110</b>	0.02779	0.00728	0.00223	0.00054	0.00144	0.00176	0.00650	0.02726
<b>120</b>	0.00994	0.00196	0.00067	0.00214	0.00091	0.00175	0.00646	0.01030
<b>130</b>	0.00432	0.00220	0.00083	0.00173	0.00118	0.00207	0.00199	0.00457
<b>140</b>	0.00246	0.00141	0.00099	0.00125	0.00059	0.00101	0.00233	0.00256
<b>150</b>	0.00058	0.00194	0.00057	0.00194	0.00053	0.00062	0.00197	0.00204
<b>160</b>	0.00025	0.00140	0.00112	0.00090	0.00126	0.00068	0.00095	0.00151
<b>170</b>	0.00108	0.00116	0.00042	0.00058	0.00035	0.00090	0.00142	0.00088
<b>180</b>	0.00161	0.00055	0.00073	0.00157	0.00126	0.00062	0.00110	0.00164
<b>Spatial Average (mW/cm²)</b>	0.05674	0.00438	0.00140	0.00174	0.00138	0.00200	0.00467	0.05681
<b>Max Spatial Average (mW/cm²)</b>	0.05681							
<b>MPE Limit (mW/cm²)</b>	1							





Test Mode	HT40	Test Frequency (MHz)	5790	MPE Distance (cm)	33	Power Setting	19		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
193.8	0.67600	0.34600	0.00438	0.00316	0.00327	0.00629	0.36020	0.67500	
<b>Max PSD (mW/cm²)</b>	0.67600								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00196	0.00158	0.00134	0.00184	0.00118	0.00121	0.00136	0.00143	
<b>20</b>	0.00498	0.00385	0.00183	0.00266	0.00122	0.00249	0.00394	0.00497	
<b>30</b>	0.00641	0.00477	0.00133	0.00244	0.00280	0.00323	0.00501	0.00579	
<b>40</b>	0.01546	0.00716	0.00197	0.00286	0.00266	0.00348	0.00747	0.01550	
<b>50</b>	0.05090	0.00386	0.00075	0.00231	0.00179	0.00117	0.00913	0.05208	
<b>60</b>	0.16332	0.00986	0.00174	0.00186	0.00082	0.00074	0.00665	0.16246	
<b>70</b>	0.29999	0.00851	0.00156	0.00106	0.00164	0.00164	0.00902	0.30220	
<b>80</b>	0.22310	0.00714	0.00069	0.00239	0.00174	0.00704	0.00976	0.21905	
<b>90</b>	0.14324	0.00820	0.00219	0.00095	0.00189	0.00197	0.00575	0.14254	
<b>100</b>	0.06370	0.00538	0.00265	0.00075	0.00114	0.00178	0.00631	0.06425	
<b>110</b>	0.02861	0.00629	0.00270	0.00096	0.00203	0.00161	0.00632	0.02759	
<b>120</b>	0.01111	0.00227	0.00155	0.00211	0.00089	0.00161	0.00583	0.01005	
<b>130</b>	0.00464	0.00222	0.00189	0.00128	0.00143	0.00187	0.00250	0.00463	
<b>140</b>	0.00334	0.00281	0.00159	0.00106	0.00148	0.00161	0.00298	0.00303	
<b>150</b>	0.00151	0.00126	0.00051	0.00146	0.00141	0.00132	0.00165	0.00159	
<b>160</b>	0.00130	0.00052	0.00146	0.00188	0.00108	0.00128	0.00131	0.00150	
<b>170</b>	0.00137	0.00126	0.00112	0.00069	0.00056	0.00062	0.00118	0.00139	
<b>180</b>	0.00106	0.00100	0.00088	0.00118	0.00089	0.00095	0.00098	0.00110	
<b>Spatial Average (mW/cm²)</b>	0.05700	0.00433	0.00154	0.00165	0.00148	0.00198	0.00484	0.05673	
<b>Max Spatial Average (mW/cm²)</b>	0.05700								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	HT40	<b>Test Frequency (MHz)</b>	5825	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	23	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.5	0.51200	0.34670	0.00442	0.00322	0.00347	0.00632	0.36320	0.48300
<b>Max PSD (mW/cm²)</b>	0.51200							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00200	0.00172	0.00130	0.00215	0.00156	0.00163	0.00182	0.00205
<b>20</b>	0.00485	0.00424	0.00121	0.00264	0.00137	0.00312	0.00403	0.00492
<b>30</b>	0.00678	0.00481	0.00069	0.00257	0.00240	0.00385	0.00449	0.00573
<b>40</b>	0.01585	0.00756	0.00121	0.00299	0.00206	0.00756	0.00830	0.01536
<b>50</b>	0.05139	0.00319	0.00160	0.00164	0.00169	0.00155	0.00907	0.05202
<b>60</b>	0.16408	0.00987	0.00186	0.00166	0.00181	0.00064	0.00584	0.16256
<b>70</b>	0.29972	0.00826	0.00140	0.00139	0.00225	0.00190	0.00875	0.30215
<b>80</b>	0.22354	0.00800	0.00165	0.00196	0.00115	0.00688	0.01070	0.21844
<b>90</b>	0.14415	0.00721	0.00129	0.00144	0.00156	0.00169	0.00557	0.14233
<b>100</b>	0.06322	0.00541	0.00231	0.00066	0.00082	0.00150	0.00668	0.06347
<b>110</b>	0.02834	0.00658	0.00218	0.00091	0.00210	0.00208	0.00663	0.02827
<b>120</b>	0.01092	0.00230	0.00061	0.00203	0.00128	0.00216	0.00534	0.01060
<b>130</b>	0.00424	0.00272	0.00072	0.00169	0.00174	0.00120	0.00215	0.00474
<b>140</b>	0.00304	0.00098	0.00175	0.00157	0.00142	0.00162	0.00270	0.00358
<b>150</b>	0.00207	0.00189	0.00114	0.00119	0.00038	0.00072	0.00099	0.00204
<b>160</b>	0.00145	0.00139	0.00149	0.00126	0.00124	0.00073	0.00069	0.00143
<b>170</b>	0.00139	0.00123	0.00073	0.00143	0.00104	0.00094	0.00061	0.00167
<b>180</b>	0.00141	0.00123	0.00069	0.00045	0.00068	0.00072	0.00101	0.00144
<b>Spatial Average (mW/cm²)</b>	0.05714	0.00437	0.00132	0.00165	0.00148	0.00225	0.00474	0.05682
<b>Max Spatial Average (mW/cm²)</b>	0.05714							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	HT50	<b>Test Frequency (MHz)</b>	5225	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	19	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
193.8	0.38600	0.33900	0.00432	0.00318	0.00345	0.00627	0.36220	0.38280
<b>Max PSD (mW/cm²)</b>	0.38600							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00166	0.00146	0.00132	0.00220	0.00115	0.00117	0.00148	0.00165
<b>20</b>	0.00420	0.00342	0.00111	0.00289	0.00082	0.00346	0.00413	0.00478
<b>30</b>	0.00696	0.00468	0.00095	0.00220	0.00219	0.00375	0.00466	0.00606
<b>40</b>	0.01547	0.00797	0.00093	0.00220	0.00270	0.00812	0.00822	0.01531
<b>50</b>	0.05110	0.00331	0.00049	0.00174	0.00172	0.00168	0.00824	0.05154
<b>60</b>	0.16347	0.00956	0.00167	0.00131	0.00072	0.00143	0.00668	0.16207
<b>70</b>	0.30014	0.00848	0.00108	0.00077	0.00237	0.00156	0.00934	0.30205
<b>80</b>	0.22366	0.00726	0.00172	0.00135	0.00165	0.00693	0.01011	0.21842
<b>90</b>	0.14399	0.00781	0.00250	0.00087	0.00171	0.00167	0.00572	0.14313
<b>100</b>	0.06362	0.00653	0.00285	0.00061	0.00198	0.00239	0.00686	0.06359
<b>110</b>	0.02866	0.00624	0.00248	0.00058	0.00196	0.00127	0.00658	0.02817
<b>120</b>	0.00993	0.00139	0.00120	0.00251	0.00137	0.00179	0.00604	0.00966
<b>130</b>	0.00477	0.00161	0.00189	0.00112	0.00146	0.00120	0.00170	0.00461
<b>140</b>	0.00299	0.00164	0.00077	0.00160	0.00115	0.00102	0.00233	0.00370
<b>150</b>	0.00186	0.00201	0.00153	0.00198	0.00053	0.00101	0.00183	0.00188
<b>160</b>	0.00112	0.00109	0.00107	0.00172	0.00065	0.00096	0.00098	0.00108
<b>170</b>	0.00158	0.00112	0.00105	0.00167	0.00038	0.00153	0.00123	0.00162
<b>180</b>	0.00098	0.00097	0.00088	0.00161	0.00121	0.00074	0.00089	0.00122
<b>Spatial Average (mW/cm²)</b>	0.05701	0.00425	0.00142	0.00161	0.00143	0.00232	0.00483	0.05670
<b>Max Spatial Average (mW/cm²)</b>	0.05701							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	HT50	<b>Test Frequency (MHz)</b>	5755	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	20	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.6	0.41200	0.34200	0.00428	0.00322	0.00352	0.00633	0.36320	0.40600
<b>Max PSD (mW/cm²)</b>	0.41200							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
10	0.00169	0.01560	0.00152	0.00220	0.00125	0.00137	0.00142	0.00165
20	0.00420	0.00342	0.00111	0.00289	0.00082	0.00356	0.00413	0.00478
30	0.00696	0.00468	0.00095	0.00220	0.00219	0.00355	0.00466	0.00606
40	0.01547	0.00797	0.00093	0.00220	0.00270	0.00856	0.00822	0.01531
50	0.05110	0.00331	0.00049	0.00174	0.00172	0.00168	0.00824	0.05154
60	0.16347	0.00956	0.00167	0.00131	0.00072	0.00143	0.00668	0.16207
70	0.30014	0.00848	0.00108	0.00077	0.00237	0.00156	0.00934	0.30205
80	0.22366	0.00726	0.00172	0.00135	0.00165	0.00693	0.01011	0.21842
90	0.14399	0.00781	0.00250	0.00087	0.00171	0.00167	0.00572	0.14313
100	0.06362	0.00653	0.00285	0.00061	0.00198	0.00239	0.00686	0.06359
110	0.02866	0.00624	0.00248	0.00058	0.00196	0.00127	0.00658	0.02817
120	0.00993	0.00139	0.00120	0.00251	0.00137	0.00179	0.00604	0.00966
130	0.00477	0.00161	0.00189	0.00112	0.00146	0.00120	0.00170	0.00461
140	0.00299	0.00164	0.00077	0.00160	0.00115	0.00102	0.00233	0.00370
150	0.00058	0.00201	0.00153	0.00198	0.00053	0.00101	0.00183	0.00188
160	0.00013	0.00109	0.00107	0.00172	0.00065	0.00096	0.00098	0.00102
170	0.00158	0.00068	0.00105	0.00167	0.00038	0.00153	0.00123	0.00058
180	0.00125	0.00097	0.00086	0.00161	0.00056	0.00068	0.00089	0.00122
<b>Spatial Average (mW/cm²)</b>	0.05690	0.00501	0.00143	0.00161	0.00140	0.00234	0.00483	0.05664
<b>Max Spatial Average (mW/cm²)</b>	0.05690							
<b>MPE Limit (mW/cm²)</b>	1							



Test Mode	HT50	Test Frequency (MHz)	5790	MPE Distance (cm)	33	Power Setting	22.5	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
193.9	0.46800	0.34300	0.00431	0.00333	0.00354	0.00634	0.36400	0.49100
Max PSD (mW/cm <sup>2</sup> )	0.49100							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00187	0.00149	0.00115	0.00134	0.00175	0.00135	0.00155	0.00189
20	0.00427	0.00372	0.00166	0.00282	0.00086	0.00215	0.00349	0.00523
30	0.00606	0.00521	0.00068	0.00325	0.00279	0.00369	0.00469	0.00605
40	0.01520	0.00772	0.00150	0.00317	0.00189	0.00289	0.00716	0.01497
50	0.05039	0.00320	0.00151	0.00170	0.00150	0.00080	0.00898	0.05166
60	0.16366	0.01012	0.00156	0.00154	0.00178	0.00133	0.00605	0.16264
70	0.30061	0.00822	0.00117	0.00108	0.00191	0.00137	0.00908	0.30309
80	0.22388	0.00742	0.00097	0.00210	0.00210	0.00620	0.01078	0.21817
90	0.14336	0.00780	0.00211	0.00166	0.00096	0.00140	0.00599	0.14250
100	0.06321	0.00561	0.00226	0.00094	0.00137	0.00227	0.00588	0.06337
110	0.02783	0.00715	0.00189	0.00102	0.00173	0.00215	0.00664	0.02794
120	0.00999	0.00162	0.00073	0.00198	0.00196	0.00197	0.00640	0.00967
130	0.00421	0.00275	0.00188	0.00150	0.00118	0.00191	0.00222	0.00494
140	0.00279	0.00184	0.00061	0.00121	0.00134	0.00184	0.00292	0.00354
150	0.00055	0.00153	0.00079	0.00156	0.00051	0.00150	0.00154	0.00134
160	0.00082	0.00110	0.00079	0.00170	0.00132	0.00059	0.00157	0.00129
170	0.00088	0.00110	0.00034	0.00049	0.00114	0.00133	0.00041	0.00078
180	0.00152	0.00099	0.00036	0.00117	0.00087	0.00125	0.00053	0.00063
Spatial Average (mW/cm <sup>2</sup> )	0.05673	0.00437	0.00122	0.00168	0.00150	0.00200	0.00477	0.05665
Max Spatial Average (mW/cm <sup>2</sup> )	0.05673							
MPE Limit (mW/cm <sup>2</sup> )	1							



Test Mode	HT50	Test Frequency (MHz)	5820	MPE Distance (cm)	33	Power Setting	22.5	
EUT Plane	Horizontal							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
193.4	0.46400	0.01120	0.00302	0.00227	0.00372	0.00380	0.01190	0.46100
Max PSD (mW/cm <sup>2</sup> )	0.46400							
MPE Limit (mW/cm <sup>2</sup> )	1							
EUT Plane	Vertical							
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )
10	0.00158	0.00146	0.00113	0.00110	0.00103	0.00124	0.00144	0.00165
20	0.00525	0.00328	0.00145	0.00262	0.00111	0.00251	0.00381	0.00424
30	0.00674	0.00501	0.00149	0.00322	0.00200	0.00398	0.00477	0.00650
40	0.01568	0.00798	0.00193	0.00295	0.00180	0.00667	0.00770	0.01462
50	0.05076	0.00361	0.00072	0.00189	0.00154	0.00191	0.00904	0.05115
60	0.16398	0.00929	0.00117	0.00150	0.00077	0.00138	0.00635	0.16280
70	0.30067	0.00908	0.00173	0.00115	0.00229	0.00188	0.00944	0.30260
80	0.22367	0.00816	0.00110	0.00247	0.00146	0.00630	0.01016	0.21801
90	0.14333	0.00758	0.00182	0.00047	0.00090	0.00129	0.00656	0.14214
100	0.06419	0.00543	0.00308	0.00047	0.00147	0.00232	0.00662	0.06340
110	0.02818	0.00659	0.00284	0.00155	0.00129	0.00180	0.00709	0.02764
120	0.01087	0.00113	0.00151	0.00256	0.00189	0.00143	0.00552	0.01047
130	0.00389	0.00181	0.00149	0.00144	0.00110	0.00203	0.00250	0.00447
140	0.00306	0.00150	0.00133	0.00060	0.00104	0.00166	0.00247	0.00248
150	0.00030	0.00100	0.00048	0.00093	0.00049	0.00095	0.00150	0.00193
160	0.00040	0.00067	0.00101	0.00159	0.00170	0.00031	0.00118	0.00106
170	0.00110	0.00063	0.00049	0.00126	0.00123	0.00089	0.00064	0.00170
180	0.00064	0.00119	0.00080	0.00128	0.00145	0.00153	0.00156	0.00093
Spatial Average (mW/cm <sup>2</sup> )	0.05691	0.00419	0.00142	0.00161	0.00136	0.00223	0.00491	0.05654
Max Spatial Average (mW/cm <sup>2</sup> )	0.05691							
MPE Limit (mW/cm <sup>2</sup> )	1							



Test Mode	HT60	Test Frequency (MHz)	5760	MPE Distance (cm)	33	Power Setting	21		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.5	0.40300	0.00758	0.00242	0.00318	0.00288	0.00326	0.02858	0.39700	
<b>Max PSD (mW/cm²)</b>	0.40300								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00178	0.00134	0.00110	0.00160	0.00142	0.00144	0.00375	0.00174	
<b>20</b>	0.00428	0.00449	0.00078	0.00227	0.00119	0.00907	0.00338	0.00523	
<b>30</b>	0.00636	0.00508	0.00121	0.00317	0.00275	0.00665	0.00493	0.00672	
<b>40</b>	0.01598	0.00785	0.00166	0.00286	0.00261	0.00803	0.00777	0.01489	
<b>50</b>	0.05082	0.00406	0.00149	0.00208	0.00102	0.00150	0.00894	0.05224	
<b>60</b>	0.16314	0.00945	0.00100	0.00143	0.00085	0.00125	0.00678	0.16310	
<b>70</b>	0.30063	0.00832	0.00107	0.00132	0.00218	0.00115	0.00938	0.30228	
<b>80</b>	0.22388	0.00714	0.00135	0.00141	0.00141	0.00685	0.01035	0.21877	
<b>90</b>	0.14423	0.00727	0.00209	0.00100	0.00099	0.00194	0.00641	0.14285	
<b>100</b>	0.06350	0.00603	0.00271	0.00048	0.00112	0.00236	0.00612	0.06381	
<b>110</b>	0.02804	0.00616	0.00257	0.00112	0.00178	0.00207	0.00677	0.02799	
<b>120</b>	0.01093	0.00146	0.00156	0.00307	0.00169	0.00167	0.00640	0.01005	
<b>130</b>	0.00416	0.00264	0.00107	0.00226	0.00057	0.00122	0.00226	0.00382	
<b>140</b>	0.00350	0.00192	0.00138	0.00119	0.00169	0.00092	0.00234	0.00351	
<b>150</b>	0.00104	0.00210	0.00047	0.00119	0.00062	0.00037	0.00215	0.00193	
<b>160</b>	0.00123	0.00038	0.00068	0.00115	0.00138	0.00078	0.00140	0.00081	
<b>170</b>	0.00091	0.00095	0.00036	0.00128	0.00128	0.00069	0.00100	0.00057	
<b>180</b>	0.00110	0.00102	0.00111	0.00113	0.00086	0.00127	0.00082	0.00096	
<b>Spatial Average (mW/cm²)</b>	0.05697	0.00431	0.00131	0.00167	0.00141	0.00274	0.00505	0.05674	
<b>Max Spatial Average (mW/cm²)</b>	0.05697								
<b>MPE Limit (mW/cm²)</b>	1								



<b>Test Mode</b>	HT60	<b>Test Frequency (MHz)</b>	5790	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	22.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.5	0.42700	0.00192	0.00150	0.00112	0.00206	0.00156	0.01119	0.42800
<b>Max PSD (mW/cm²)</b>	0.42800							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00211	0.00168	0.00104	0.00102	0.00082	0.00142	0.00159	0.00218
<b>20</b>	0.00442	0.00447	0.00186	0.00311	0.00103	0.00384	0.00431	0.00427
<b>30</b>	0.00589	0.00460	0.00080	0.00321	0.00176	0.00390	0.00492	0.00686
<b>40</b>	0.01533	0.00819	0.00079	0.00313	0.00215	0.00451	0.00782	0.01499
<b>50</b>	0.05034	0.00341	0.00039	0.00219	0.00147	0.00082	0.00828	0.05114
<b>60</b>	0.16318	0.00950	0.00152	0.00244	0.00126	0.00075	0.00620	0.16288
<b>70</b>	0.30078	0.00899	0.00076	0.00165	0.00174	0.00209	0.00930	0.30209
<b>80</b>	0.22354	0.00714	0.00084	0.00219	0.00140	0.00660	0.00987	0.21882
<b>90</b>	0.14360	0.00735	0.00236	0.00097	0.00142	0.00126	0.00597	0.14209
<b>100</b>	0.06361	0.00567	0.00270	0.00058	0.00165	0.00149	0.00613	0.06335
<b>110</b>	0.02762	0.00723	0.00180	0.00090	0.00176	0.00153	0.00698	0.02816
<b>120</b>	0.01087	0.00191	0.00087	0.00219	0.00105	0.00216	0.00559	0.00993
<b>130</b>	0.00397	0.00222	0.00127	0.00134	0.00140	0.00172	0.00220	0.00380
<b>140</b>	0.00300	0.00101	0.00110	0.00094	0.00069	0.00123	0.00309	0.00346
<b>150</b>	0.00013	0.00090	0.00063	0.00170	0.00146	0.00125	0.00168	0.00150
<b>160</b>	0.00089	0.00115	0.00169	0.00169	0.00095	0.00029	0.00074	0.00086
<b>170</b>	0.00154	0.00143	0.00037	0.00061	0.00079	0.00156	0.00079	0.00159
<b>180</b>	0.00156	0.00065	0.00032	0.00098	0.00060	0.00071	0.00078	0.00152
<b>Spatial Average (mW/cm²)</b>	0.05680	0.00431	0.00117	0.00171	0.00130	0.00206	0.00479	0.05664
<b>Max Spatial Average (mW/cm²)</b>	0.05680							
<b>MPE Limit (mW/cm²)</b>	1							





<b>Test Mode</b>	HT60	<b>Test Frequency (MHz)</b>	5815	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	22.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
192.9	0.40300	0.00774	0.00243	0.00336	0.00302	0.00331	0.02920	0.46800
<b>Max PSD (mW/cm²)</b>	0.46800							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00141	0.00137	0.00104	0.00099	0.00077	0.00091	0.00132	0.00140
<b>20</b>	0.00410	0.00337	0.00101	0.00206	0.00145	0.00247	0.00365	0.00470
<b>30</b>	0.00636	0.00485	0.00142	0.00312	0.00241	0.00395	0.00475	0.00671
<b>40</b>	0.01595	0.00805	0.00200	0.00257	0.00221	0.00414	0.00725	0.01489
<b>50</b>	0.05091	0.00342	0.00095	0.00217	0.00165	0.00109	0.00797	0.05195
<b>60</b>	0.16317	0.01002	0.00155	0.00228	0.00149	0.00130	0.00624	0.16226
<b>70</b>	0.30054	0.00862	0.00088	0.00188	0.00142	0.00179	0.00903	0.30205
<b>80</b>	0.22403	0.00766	0.00066	0.00209	0.00214	0.00690	0.01011	0.21884
<b>90</b>	0.14416	0.00716	0.00166	0.00088	0.00151	0.00210	0.00581	0.14295
<b>100</b>	0.06313	0.00602	0.00305	0.00094	0.00188	0.00217	0.00577	0.06413
<b>110</b>	0.02834	0.00681	0.00266	0.00097	0.00153	0.00147	0.00635	0.02821
<b>120</b>	0.01037	0.00206	0.00164	0.00199	0.00178	0.00183	0.00654	0.00967
<b>130</b>	0.00457	0.00273	0.00122	0.00173	0.00073	0.00160	0.00151	0.00416
<b>140</b>	0.00290	0.00203	0.00156	0.00128	0.00115	0.00078	0.00268	0.00320
<b>150</b>	0.00039	0.00087	0.00060	0.00155	0.00054	0.00093	0.00202	0.00215
<b>160</b>	0.00055	0.00127	0.00085	0.00098	0.00061	0.00040	0.00118	0.00087
<b>170</b>	0.00114	0.00103	0.00052	0.00057	0.00092	0.00133	0.00158	0.00123
<b>180</b>	0.00164	0.00146	0.00114	0.00104	0.00065	0.00058	0.00052	0.00061
<b>Spatial Average (mW/cm²)</b>	0.05687	0.00438	0.00136	0.00162	0.00138	0.00199	0.00468	0.05667
<b>Max Spatial Average (mW/cm²)</b>	0.05687							
<b>MPE Limit (mW/cm²)</b>	1							



<b>Test Mode</b>	HT80	<b>Test Frequency (MHz)</b>	5770	<b>MPE Distance (cm)</b>	33	<b>Power Setting</b>	21.5	
<b>EUT Plane</b>	Horizontal							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.6	0.44800	0.00843	0.00314	0.00286	0.00387	0.00212	0.00873	0.45740
<b>Max PSD (mW/cm²)</b>	0.45740							
<b>MPE Limit (mW/cm²)</b>	1							
<b>EUT Plane</b>	Vertical							
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00211	0.00134	0.00122	0.00139	0.00152	0.00198	0.00201	0.00232
<b>20</b>	0.00495	0.00395	0.00131	0.00250	0.00143	0.00298	0.00355	0.00417
<b>30</b>	0.00584	0.00473	0.00364	0.00287	0.00268	0.00313	0.00505	0.00581
<b>40</b>	0.01559	0.00783	0.00188	0.00298	0.00288	0.00450	0.00822	0.01516
<b>50</b>	0.05061	0.00407	0.00071	0.00141	0.00162	0.00120	0.00861	0.05223
<b>60</b>	0.16339	0.00911	0.00173	0.00183	0.00116	0.00066	0.00613	0.16202
<b>70</b>	0.29983	0.00832	0.00133	0.00153	0.00241	0.00206	0.00977	0.30214
<b>80</b>	0.22363	0.00737	0.00117	0.00195	0.00237	0.00687	0.01040	0.21845
<b>90</b>	0.14416	0.00725	0.00218	0.00073	0.00151	0.00208	0.00600	0.14292
<b>100</b>	0.06319	0.00603	0.00305	0.00116	0.00203	0.00196	0.00593	0.06373
<b>110</b>	0.02806	0.00713	0.00267	0.00096	0.00181	0.00109	0.00682	0.02832
<b>120</b>	0.01051	0.00139	0.00149	0.00302	0.00100	0.00187	0.00543	0.00991
<b>130</b>	0.00446	0.00225	0.00075	0.00193	0.00084	0.00205	0.00272	0.00476
<b>140</b>	0.00291	0.00152	0.00088	0.00131	0.00130	0.00154	0.00298	0.00369
<b>150</b>	0.00118	0.00166	0.00079	0.00123	0.00094	0.00108	0.00199	0.00154
<b>160</b>	0.00058	0.00110	0.00078	0.00126	0.00109	0.00112	0.00126	0.00085
<b>170</b>	0.00099	0.00117	0.00105	0.00082	0.00040	0.00100	0.00119	0.00148
<b>180</b>	0.00169	0.00038	0.00118	0.00110	0.00145	0.00074	0.00067	0.00143
<b>Spatial Average (mW/cm²)</b>	0.05687	0.00426	0.00155	0.00167	0.00158	0.00211	0.00493	0.05672
<b>Max Spatial Average (mW/cm²)</b>	0.05687							
<b>MPE Limit (mW/cm²)</b>	1							



Test Mode	HT80	Test Frequency (MHz)	5790	MPE Distance (cm)	33	Power Setting	23.5		
EUT Plane	Horizontal								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
193.3	0.45500	0.00853	0.00311	0.00283	0.00398	0.00209	0.00874	0.45700	
Max PSD (mW/cm <sup>2</sup> )	0.45700								
MPE Limit (mW/cm <sup>2</sup> )	1								
EUT Plane	Vertical								
Probe height (cm) \ Deg	0~45°	45~90°	90~135°	135~180°	180~225°	225~270°	270~315°	315~360°	
	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	Max PSD (mW/cm <sup>2</sup> )	
10	0.00186	0.00142	0.00136	0.00175	0.00068	0.00130	0.00171	0.00191	
20	0.00421	0.00422	0.00080	0.00264	0.00138	0.00203	0.00381	0.00412	
30	0.00587	0.00536	0.00147	0.00244	0.00205	0.00323	0.00462	0.00574	
40	0.01589	0.00735	0.00088	0.00330	0.00224	0.00369	0.00743	0.01567	
50	0.05066	0.00380	0.00038	0.00209	0.00115	0.00088	0.00838	0.05231	
60	0.16337	0.00946	0.00116	0.00236	0.00135	0.00092	0.00585	0.16267	
70	0.30086	0.00911	0.00166	0.00147	0.00154	0.00199	0.00970	0.30270	
80	0.22363	0.00822	0.00133	0.00190	0.00115	0.00644	0.00978	0.21806	
90	0.14336	0.00774	0.00200	0.00074	0.00202	0.00134	0.00605	0.14221	
100	0.06347	0.00543	0.00302	0.00060	0.00114	0.00216	0.00599	0.06400	
110	0.02879	0.00627	0.00185	0.00090	0.00212	0.00230	0.00618	0.02843	
120	0.00987	0.00195	0.00151	0.00244	0.00119	0.00163	0.00536	0.01059	
130	0.00393	0.00267	0.00115	0.00175	0.00118	0.00147	0.00239	0.00430	
140	0.00258	0.00148	0.00095	0.00162	0.00132	0.00119	0.00316	0.00306	
150	0.00120	0.00125	0.00082	0.00180	0.00041	0.00050	0.00215	0.00144	
160	0.00126	0.00142	0.00167	0.00204	0.00139	0.00090	0.00115	0.00089	
170	0.00177	0.00146	0.00053	0.00056	0.00143	0.00044	0.00129	0.00122	
180	0.00169	0.00075	0.00122	0.00087	0.00104	0.00073	0.00143	0.00065	
Spatial Average (mW/cm <sup>2</sup> )	0.05690	0.00441	0.00132	0.00174	0.00138	0.00184	0.00480	0.05667	
Max Spatial Average (mW/cm <sup>2</sup> )	0.05690								
MPE Limit (mW/cm <sup>2</sup> )	1								



Test Mode	HT80	Test Frequency (MHz)	5805	MPE Distance (cm)	33	Power Setting	23		
<b>EUT Plane</b>	Horizontal								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
194.2	0.46600	0.00862	0.00342	0.00293	0.00403	0.00218	0.00885	0.46900	
<b>Max PSD (mW/cm²)</b>	0.46900								
<b>MPE Limit (mW/cm²)</b>	1								
<b>EUT Plane</b>	Vertical								
<b>Probe height (cm) \ Deg</b>	<b>0~45°</b>	<b>45~90°</b>	<b>90~135°</b>	<b>135~180°</b>	<b>180~225°</b>	<b>225~270°</b>	<b>270~315°</b>	<b>315~360°</b>	
	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>	<b>Max PSD (mW/cm²)</b>
<b>10</b>	0.00179	0.00142	0.00136	0.00175	0.00068	0.00130	0.00171	0.00185	
<b>20</b>	0.00431	0.00422	0.00080	0.00264	0.00138	0.00203	0.00381	0.00409	
<b>30</b>	0.00687	0.00536	0.00147	0.00244	0.00205	0.00323	0.00462	0.00570	
<b>40</b>	0.01589	0.00735	0.00088	0.00330	0.00224	0.00369	0.00743	0.01567	
<b>50</b>	0.05066	0.00380	0.00038	0.00209	0.00115	0.00088	0.00838	0.05231	
<b>60</b>	0.16337	0.00946	0.00116	0.00236	0.00135	0.00092	0.00585	0.16267	
<b>70</b>	0.30086	0.00911	0.00166	0.00147	0.00154	0.00199	0.00970	0.30270	
<b>80</b>	0.22363	0.00822	0.00133	0.00190	0.00115	0.00644	0.00978	0.21806	
<b>90</b>	0.14336	0.00774	0.00200	0.00074	0.00202	0.00134	0.00605	0.14221	
<b>100</b>	0.06347	0.00543	0.00302	0.00060	0.00114	0.00216	0.00599	0.06400	
<b>110</b>	0.02879	0.00627	0.00185	0.00090	0.00212	0.00230	0.00618	0.02843	
<b>120</b>	0.00987	0.00195	0.00151	0.00244	0.00119	0.00163	0.00536	0.01059	
<b>130</b>	0.00393	0.00267	0.00115	0.00175	0.00118	0.00147	0.00239	0.00430	
<b>140</b>	0.00258	0.00148	0.00095	0.00162	0.00132	0.00119	0.00316	0.00306	
<b>150</b>	0.00120	0.00125	0.00082	0.00180	0.00041	0.00050	0.00215	0.00144	
<b>160</b>	0.00126	0.00142	0.00167	0.00204	0.00139	0.00090	0.00115	0.00089	
<b>170</b>	0.00177	0.00146	0.00053	0.00056	0.00143	0.00044	0.00129	0.00122	
<b>180</b>	0.00169	0.00075	0.00122	0.00087	0.00104	0.00073	0.00143	0.00065	
<b>Spatial Average (mW/cm²)</b>	0.05696	0.00441	0.00132	0.00174	0.00138	0.00184	0.00480	0.05666	
<b>Max Spatial Average (mW/cm²)</b>	0.05696								
<b>MPE Limit (mW/cm²)</b>	1								



## 2.6 List of Measuring Equipments

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	30MHz ~ 1GHz 3m	20/Oct/2017	19/Oct/2018
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	1GHz ~ 18GHz 3m	12/Dec/2016	11/Dec/2017
Isotropic Probe	ETS-LINDGREN	HI-6005	S 00052473	100kHz-6GHz	23/Mar/2017	22/Mar/2018
RF Cable-R03m	Jye Bao	RG142	CB017	9kHz ~ 1GHz	26/Jan/2017	25/Jan/2018
RF Cable-high	SUHNER	SUCOFLEX104	MY34918/4	1GHz ~ 40GHz	26/Jan/2017	25/Jan/2018

Note: Calibration Interval of instrument listed above is one year.