<Ant. Type 4 for PTMP>

Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	Ant. :	2
Test Mode :	802.11ac VHT10	Temperature :	21~25℃
Test Band :	2.4GHz Mid	Relative Humidity :	51~54%
Test Channel :	06	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT10 Channel 06	
100kHz PSD reference Level	
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	Ant. :	2
Test Mode :	802.11ac VHT20	Temperature :	21~25℃
Test Band :	2.4GHz Low	Relative Humidity :	51~54%
Test Channel :	01	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT20 Channel 01	
100kHz PSD reference Level	Low Channel Plot
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	Ant. :	2
Test Mode :	802.11ac VHT20	Temperature :	21~25℃
Test Band :	2.4GHz Mid	Relative Humidity :	51~54%
Test Channel :	06	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT20 Channel 06	
100kHz PSD reference Level	
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT40	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	03	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT40 Channel 03

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT40	**Temperature :**	21~25℃
Test Band :	2.4GHz Mid	**Relative Humidity :**	51~54%
Test Channel :	06	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT40 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT40	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	09	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT40 Channel 09

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



<Ant. Type 5 for PTP>

Number of TX = 2, Ant. 1 (Measured)

Number of TX	2	**Ant. :**	1
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Mid	**Relative Humidity :**	51~54%
Test Channel :	06	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz Mid	**Relative Humidity :**	51~54%
Test Channel :	06	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	Ant. :	1
Test Mode :	802.11ac VHT40	Temperature :	21~25℃
Test Band :	2.4GHz Low	Relative Humidity :	51~54%
Test Channel :	03	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT40 Channel 03	
100kHz PSD reference Level	Low Channel Plot
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	Ant. :	1
Test Mode :	802.11ac VHT40	Temperature :	21~25℃
Test Band :	2.4GHz Mid	Relative Humidity :	51~54%
Test Channel :	06	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT40 Channel 06	
100kHz PSD reference Level	
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT40	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	09	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT40 Channel 09

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



<Ant. Type 5 for PTMP>

Number of TX	2	**Ant. :**	1
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Mid	**Relative Humidity :**	51~54%
Test Channel :	06	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	Ant. :	1
Test Mode :	802.11ac VHT20	Temperature :	21~25℃
Test Band :	2.4GHz Mid	Relative Humidity :	51~54%
Test Channel :	06	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT20 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	Ant. :	1
Test Mode :	802.11ac VHT40	Temperature :	21~25℃
Test Band :	2.4GHz Low	Relative Humidity :	51~54%
Test Channel :	03	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT40 Channel 03	
100kHz PSD reference Level	Low Channel Plot
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	Ant. :	1
Test Mode :	802.11ac VHT40	Temperature :	21~25℃
Test Band :	2.4GHz Mid	Relative Humidity :	51~54%
Test Channel :	06	Test Engineer :	Derek Hsu

WLAN 802.11ac VHT40 Channel 06	
100kHz PSD reference Level	
	
Spurious Emission 30MHz~3GHz	Spurious Emission 2GHz~25GHz
	

Number of TX :	2	**Ant. :**	1
Test Mode :	802.11ac VHT40	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	09	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT40 Channel 09

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



<Ant. Type 5 for PTP>

Number of TX = 2, Ant. 2 (Measured)

Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz Mid	**Relative Humidity :**	51~54%
Test Channel :	06	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT10	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT10 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz Low	**Relative Humidity :**	51~54%
Test Channel :	01	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 01

100kHz PSD reference Level



Low Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz Mid	**Relative Humidity :**	51~54%
Test Channel :	06	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 06

100kHz PSD reference Level



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz



Number of TX :	2	**Ant. :**	2
Test Mode :	802.11ac VHT20	**Temperature :**	21~25℃
Test Band :	2.4GHz High	**Relative Humidity :**	51~54%
Test Channel :	11	**Test Engineer :**	Derek Hsu

WLAN 802.11ac VHT20 Channel 11

100kHz PSD reference Level



High Channel Plot



Spurious Emission 30MHz~3GHz



Spurious Emission 2GHz~25GHz