



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b 5M_Nss1,(1Mbps)_2TX	Pass	2.437074G	13.97	-16.03	2.30386G	-49.23	2.39708G	-45.52	2.4875G	-50.73	2.496313G	-51.84	2
802.11b 8M_Nss1,(1Mbps)_2TX	Pass	2.437575G	13.42	-16.58	2.306318G	-48.10	2.39808G	-46.24	2.485964G	-51.01	16.227618G	-53.61	1
802.11b 10M_Nss1,(1Mbps)_2TX	Pass	2.436239G	13.54	-16.46	2.308325G	-49.10	2.39916G	-45.59	2.48462G	-50.15	15.188714G	-52.87	1
802.11b 20M_Nss1,(1Mbps)_2TX	Pass	2.43507G	12.67	-17.33	2.30175G	-51.76	2.39752G	-35.68	2.52006G	-52.74	7.237946G	-52.27	1
802.11g 5M_Nss1,(6Mbps)_2TX	Pass	2.436406G	18.18	-11.82	2.3074G	-47.64	2.39558G	-43.24	2.48808G	-48.75	2.51882G	-50.17	1
802.11g 8M_Nss1,(6Mbps)_2TX	Pass	2.434235G	16.02	-13.98	2.30161G	-49.70	2.399968G	-42.15	2.4899G	-50.45	7.235855G	-49.18	1
802.11g 10M_Nss1,(6Mbps)_2TX	Pass	2.438243G	14.68	-15.32	2.3095G	-48.62	2.39972G	-38.16	2.48934G	-51.65	6.842512G	-52.47	2
802.11g 20M_Nss1,(6Mbps)_2TX	Pass	2.442251G	2.23	-27.77	2.30408G	-53.30	2.39968G	-33.35	2.48838G	-54.90	16.885984G	-52.78	2
802.11n HT5_Nss1,(MCS0)_2TX	Pass	2.435404G	18.00	-12.00	2.30504G	-45.03	2.39544G	-42.44	2.48464G	-47.71	2.51882G	-50.50	1
802.11n HT8_Nss1,(MCS0)_2TX	Pass	2.434068G	14.96	-15.04	2.305141G	-48.50	2.399872G	-40.10	2.484684G	-51.10	7.235855G	-53.27	2
802.11n HT10_Nss1,(MCS0)_2TX	Pass	2.433567G	13.03	-16.97	2.305975G	-47.63	2.3998G	-36.23	2.48418G	-49.78	15.256203G	-53.00	2
802.11n HT20_Nss1,(MCS0)_2TX	Pass	2.431229G	8.82	-21.18	2.300585G	-48.93	2.39976G	-24.19	2.4887G	-51.41	7.235136G	-52.36	1
802.11n HT30_Nss1,(MCS0)_2TX	Pass	2.424716G	7.97	-22.03	2.30997G	-48.86	2.39988G	-24.54	2.48422G	-51.40	24.590169G	-53.23	2
802.11n HT40_Nss1,(MCS0)_2TX	Pass	2.420708G	-1.07	-31.07	2.30168G	-55.52	2.39936G	-31.46	2.48462G	-55.67	16.844332G	-53.64	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b 5M_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.437074G	13.97	-16.03	2.30268G	-52.89	2.39994G	-49.28	2.4891G	-53.44	7.236745G	-47.90	1
2412MHz	Pass	2.437074G	13.97	-16.03	2.30858G	-52.80	2.39324G	-50.28	2.49218G	-54.41	7.236745G	-52.81	2
2437MHz	Pass	2.437074G	13.97	-16.03	2.30976G	-48.27	2.3985G	-46.06	2.48676G	-50.18	2.51882G	-52.80	1
2437MHz	Pass	2.437074G	13.97	-16.03	2.30386G	-49.23	2.39708G	-45.52	2.4875G	-50.73	2.496313G	-51.84	2
2462MHz	Pass	2.437074G	13.97	-16.03	2.30622G	-52.69	2.39998G	-48.72	2.48716G	-52.32	15.13934G	-53.33	1
2462MHz	Pass	2.437074G	13.97	-16.03	2.3074G	-49.83	2.39556G	-48.96	2.48738G	-49.57	2.499127G	-52.76	2
802.11b 8M_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.437575G	13.42	-16.58	2.307495G	-53.39	2.39936G	-49.40	2.49262G	-53.52	7.235855G	-49.09	1
2412MHz	Pass	2.437575G	13.42	-16.58	2.308672G	-53.82	2.3992G	-50.94	2.491084G	-54.35	15.139156G	-53.16	2
2437MHz	Pass	2.437575G	13.42	-16.58	2.306318G	-48.10	2.39808G	-46.24	2.485964G	-51.01	16.227618G	-53.61	1
2437MHz	Pass	2.437575G	13.42	-16.58	2.306318G	-49.98	2.390752G	-46.91	2.485548G	-50.14	16.5595G	-53.35	2
2462MHz	Pass	2.437575G	13.42	-16.58	2.302787G	-52.36	2.392384G	-48.82	2.48686G	-51.97	17.56921G	-53.64	1
2462MHz	Pass	2.437575G	13.42	-16.58	2.306318G	-48.95	2.393472G	-48.34	2.487468G	-50.85	17.527021G	-53.08	2
802.11b 10M_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.436239G	13.54	-16.46	2.3001G	-51.71	2.39956G	-45.96	2.49142G	-53.72	7.236201G	-50.34	1
2412MHz	Pass	2.436239G	13.54	-16.46	2.30715G	-53.53	2.39956G	-48.90	2.4939G	-54.23	15.216835G	-53.02	2
2437MHz	Pass	2.436239G	13.54	-16.46	2.308325G	-49.10	2.39916G	-45.59	2.48462G	-50.15	15.188714G	-52.87	1
2437MHz	Pass	2.436239G	13.54	-16.46	2.308325G	-48.83	2.39872G	-45.71	2.48778G	-49.72	15.247767G	-53.14	2
2462MHz	Pass	2.436239G	13.54	-16.46	2.30245G	-51.09	2.39932G	-50.87	2.48618G	-52.18	16.904072G	-52.69	1
2462MHz	Pass	2.436239G	13.54	-16.46	2.30245G	-50.46	2.39848G	-48.91	2.48958G	-50.36	17.657705G	-52.85	2
802.11b 20M_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43507G	12.67	-17.33	2.30175G	-51.76	2.39752G	-35.68	2.52006G	-52.74	7.237946G	-52.27	1
2412MHz	Pass	2.43507G	12.67	-17.33	2.305245G	-53.88	2.39704G	-36.14	2.48782G	-54.87	6.920465G	-53.39	2
2437MHz	Pass	2.43507G	12.67	-17.33	2.302915G	-48.60	2.3996G	-43.57	2.48398G	-48.43	15.233961G	-52.86	1
2437MHz	Pass	2.43507G	12.67	-17.33	2.30175G	-48.76	2.39992G	-44.75	2.48598G	-49.07	15.197436G	-53.16	2
2462MHz	Pass	2.43507G	12.67	-17.33	2.305245G	-52.25	2.3976G	-50.36	2.48358G	-48.77	16.214498G	-52.58	1
2462MHz	Pass	2.43507G	12.67	-17.33	2.302915G	-50.89	2.39792G	-48.49	2.48846G	-45.95	15.278914G	-52.72	2
802.11g 5M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-



CSE Non-restricted Band Result

Appendix E


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2412MHz	Pass	2.436406G	18.18	-11.82	2.30976G	-49.21	2.39962G	-45.74	2.4873G	-50.71	7.236745G	-49.41	1
2412MHz	Pass	2.436406G	18.18	-11.82	2.30622G	-48.34	2.39944G	-46.85	2.48386G	-51.78	7.236745G	-49.43	2
2437MHz	Pass	2.436406G	18.18	-11.82	2.3074G	-47.64	2.39558G	-43.24	2.48808G	-48.75	2.51882G	-50.17	1
2437MHz	Pass	2.436406G	18.18	-11.82	2.30386G	-46.46	2.39172G	-43.74	2.48668G	-46.76	2.513193G	-51.23	2
2462MHz	Pass	2.436406G	18.18	-11.82	2.30622G	-48.35	2.39314G	-46.50	2.488G	-48.00	2.4935G	-52.79	1
2462MHz	Pass	2.436406G	18.18	-11.82	2.3074G	-47.00	2.39498G	-45.79	2.48412G	-47.78	2.4935G	-51.80	2
802.11g 8M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.434235G	16.02	-13.98	2.30161G	-49.70	2.399968G	-42.15	2.4899G	-50.45	7.235855G	-49.18	1
2412MHz	Pass	2.434235G	16.02	-13.98	2.309849G	-49.40	2.399072G	-43.00	2.483788G	-49.20	15.215095G	-53.24	2
2437MHz	Pass	2.434235G	16.02	-13.98	2.305141G	-47.74	2.39936G	-43.45	2.4859G	-49.86	2.516375G	-52.21	1
2437MHz	Pass	2.434235G	16.02	-13.98	2.302787G	-48.31	2.39536G	-43.29	2.487532G	-48.64	2.502313G	-50.47	2
2462MHz	Pass	2.434235G	16.02	-13.98	2.30161G	-46.91	2.399936G	-44.23	2.48478G	-45.70	2.4995G	-52.49	1
2462MHz	Pass	2.434235G	16.02	-13.98	2.300433G	-47.99	2.394784G	-45.85	2.490188G	-47.25	2.505125G	-53.63	2
802.11g 10M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.438243G	14.68	-15.32	2.305975G	-48.92	2.3998G	-39.04	2.4905G	-50.95	7.236201G	-51.91	1
2412MHz	Pass	2.438243G	14.68	-15.32	2.3095G	-48.62	2.39972G	-38.16	2.48934G	-51.65	6.842512G	-52.47	2
2437MHz	Pass	2.438243G	14.68	-15.32	2.30245G	-46.26	2.39864G	-43.68	2.49058G	-48.14	2.5035G	-52.38	1
2437MHz	Pass	2.438243G	14.68	-15.32	2.301275G	-47.08	2.39484G	-43.21	2.48414G	-48.10	2.520372G	-51.78	2
2462MHz	Pass	2.438243G	14.68	-15.32	2.308325G	-46.91	2.3914G	-45.05	2.49282G	-48.29	16.251674G	-53.61	1
2462MHz	Pass	2.438243G	14.68	-15.32	2.3095G	-47.88	2.39828G	-45.43	2.48366G	-47.47	2.506312G	-50.86	2
802.11g 20M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442251G	2.23	-27.77	2.309905G	-51.97	2.39984G	-34.49	2.52006G	-55.10	6.31079G	-53.50	1
2412MHz	Pass	2.442251G	2.23	-27.77	2.30408G	-53.30	2.39968G	-33.35	2.48838G	-54.90	16.885984G	-52.78	2
2437MHz	Pass	2.442251G	2.23	-27.77	2.305245G	-53.18	2.39512G	-48.96	2.52006G	-54.09	15.17777G	-52.96	1
2437MHz	Pass	2.442251G	2.23	-27.77	2.307575G	-49.14	2.39968G	-47.48	2.49078G	-52.07	16.228546G	-52.22	2
2462MHz	Pass	2.442251G	2.23	-27.77	2.30175G	-51.44	2.39992G	-50.94	2.48382G	-52.43	15.166531G	-53.21	1
2462MHz	Pass	2.442251G	2.23	-27.77	2.307575G	-53.31	2.39928G	-52.10	2.48478G	-52.37	15.189008G	-52.42	2
802.11n HT5_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.435404G	18.00	-12.00	2.30504G	-48.37	2.398G	-45.23	2.4892G	-50.57	7.239558G	-50.12	1
2412MHz	Pass	2.435404G	18.00	-12.00	2.30386G	-48.82	2.3922G	-45.82	2.48774G	-50.90	7.236745G	-51.96	2
2437MHz	Pass	2.435404G	18.00	-12.00	2.30504G	-45.03	2.39544G	-42.44	2.48464G	-47.71	2.51882G	-50.50	1
2437MHz	Pass	2.435404G	18.00	-12.00	2.30976G	-45.79	2.392G	-43.15	2.48594G	-47.03	2.51038G	-52.66	2
2462MHz	Pass	2.435404G	18.00	-12.00	2.30386G	-48.36	2.39014G	-45.34	2.48602G	-49.53	17.494082G	-52.73	1
2462MHz	Pass	2.435404G	18.00	-12.00	2.30386G	-48.70	2.39706G	-45.28	2.48702G	-47.18	2.4935G	-51.04	2
802.11n HT8_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.434068G	14.96	-15.04	2.308672G	-47.45	2.399488G	-42.10	2.488844G	-50.90	7.235855G	-49.01	1
2412MHz	Pass	2.434068G	14.96	-15.04	2.305141G	-48.50	2.399872G	-40.10	2.484684G	-51.10	7.235855G	-53.27	2
2437MHz	Pass	2.434068G	14.96	-15.04	2.302787G	-47.20	2.398624G	-43.37	2.486252G	-48.50	2.516375G	-51.94	1
2437MHz	Pass	2.434068G	14.96	-15.04	2.308672G	-47.29	2.399296G	-42.66	2.486284G	-48.66	2.522001G	-52.05	2
2462MHz	Pass	2.434068G	14.96	-15.04	2.307495G	-47.24	2.399968G	-43.79	2.486604G	-47.23	17.493271G	-52.59	1
2462MHz	Pass	2.434068G	14.96	-15.04	2.303964G	-47.75	2.398304G	-46.42	2.48462G	-47.01	2.4995G	-51.48	2
802.11n HT10_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.433567G	13.03	-16.97	2.308325G	-48.87	2.3998G	-37.65	2.4841G	-50.74	7.239013G	-50.61	1
2412MHz	Pass	2.433567G	13.03	-16.97	2.305975G	-47.63	2.3998G	-36.23	2.48418G	-49.78	15.256203G	-53.00	2
2437MHz	Pass	2.433567G	13.03	-16.97	2.303625G	-45.94	2.39812G	-44.23	2.48366G	-49.50	16.597557G	-53.32	1
2437MHz	Pass	2.433567G	13.03	-16.97	2.3095G	-47.16	2.39644G	-43.35	2.48382G	-47.97	2.506312G	-50.80	2
2462MHz	Pass	2.433567G	13.03	-16.97	2.305975G	-47.68	2.39996G	-44.70	2.48534G	-47.64	2.5035G	-51.73	1
2462MHz	Pass	2.433567G	13.03	-16.97	2.303625G	-47.45	2.39408G	-46.63	2.4881G	-47.32	6.831264G	-52.44	2
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-




CSE Non-restricted Band Result

Appendix E

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2412MHz	Pass	2.431229G	8.82	-21.18	2.300585G	-48.93	2.39976G	-24.19	2.4887G	-51.41	7.235136G	-52.36	1
2412MHz	Pass	2.431229G	8.82	-21.18	2.305245G	-50.79	2.39976G	-24.66	2.49966G	-51.63	15.158103G	-53.19	2
2437MHz	Pass	2.431229G	8.82	-21.18	2.30175G	-47.07	2.3912G	-42.80	2.48502G	-47.82	6.962609G	-53.05	1
2437MHz	Pass	2.431229G	8.82	-21.18	2.307575G	-48.58	2.3992G	-43.09	2.48414G	-48.00	15.169341G	-53.39	2
2462MHz	Pass	2.431229G	8.82	-21.18	2.300585G	-48.95	2.39248G	-47.26	2.48446G	-39.94	15.248009G	-53.12	1
2462MHz	Pass	2.431229G	8.82	-21.18	2.309905G	-49.43	2.39008G	-48.13	2.48382G	-33.98	15.155293G	-53.51	2
802.11n HT30_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2417MHz	Pass	2.424716G	7.97	-22.03	2.30073G	-52.01	2.3994G	-25.38	2.51998G	-53.07	17.530407G	-53.37	1
2417MHz	Pass	2.424716G	7.97	-22.03	2.30997G	-48.86	2.39988G	-24.54	2.48422G	-51.40	24.590169G	-53.23	2
2437MHz	Pass	2.424716G	7.97	-22.03	2.30997G	-46.23	2.39988G	-34.36	2.48722G	-43.16	16.320563G	-53.40	1
2437MHz	Pass	2.424716G	7.97	-22.03	2.30766G	-48.81	2.39988G	-36.39	2.48374G	-44.16	16.803378G	-53.40	2
2457MHz	Pass	2.424716G	7.97	-22.03	2.30535G	-48.40	2.39904G	-46.37	2.4841G	-39.41	15.231423G	-52.84	1
2457MHz	Pass	2.424716G	7.97	-22.03	2.30997G	-48.68	2.39388G	-46.22	2.48602G	-35.87	15.197738G	-53.67	2
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.420708G	-1.07	-31.07	2.30168G	-55.52	2.39936G	-31.46	2.48462G	-55.67	16.844332G	-53.64	1
2422MHz	Pass	2.420708G	-1.07	-31.07	2.30626G	-55.07	2.39904G	-32.10	2.49694G	-55.57	15.181227G	-52.58	2
2437MHz	Pass	2.420708G	-1.07	-31.07	2.30397G	-52.87	2.39792G	-41.97	2.48382G	-49.02	16.286224G	-53.02	1
2437MHz	Pass	2.420708G	-1.07	-31.07	2.309695G	-53.90	2.39776G	-39.98	2.48606G	-46.73	24.397019G	-53.52	2
2452MHz	Pass	2.420708G	-1.07	-31.07	2.307405G	-54.89	2.39312G	-52.81	2.48366G	-47.36	16.367557G	-52.90	1
2452MHz	Pass	2.420708G	-1.07	-31.07	2.30626G	-52.81	2.39456G	-50.37	2.48638G	-44.08	23.244344G	-53.95	2





802.11b 8M_Nss1,(1Mbps)_2TX

2462MHz


CSE NdB


01/06/2018


Port 1


Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.437575G	13.42	-16.58	2.302787G	-52.36	2.392384G	-48.82	2.48686G	-51.97	17.56921G	-53.64	1
2.437575G	13.42	-16.58	2.306318G	-48.95	2.393472G	-48.34	2.487468G	-50.85	17.572021G	-53.08	2









802.11g 8M_Nss1,(6Mbps)_2TX

2462MHz


CSE NdB


01/06/2018


Port 1

Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.434235G	16.02	-13.98	2.30161G	-46.91	2.399936G	-44.23	2.48478G	-45.70	2.4995G	-52.49	1
2.434235G	16.02	-13.98	2.300433G	-47.99	2.394784G	-45.85	2.490188G	-47.25	2.505125G	-53.63	2







802.11n HT5_Nss1,(MCS0)_2TX

2462MHz


CSE NdB

01/06/2018

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.435404G	18.00	-12.00	2.30386G	-48.36	2.39014G	-45.34	2.48602G	-49.53	17.494082G	-52.73	1
2.435404G	18.00	-12.00	2.30386G	-48.70	2.39706G	-45.28	2.48702G	-47.18	2.4935G	-51.04	2



802.11n HT8_Nss1,(MCS0)_2TX

2462MHz


CSE NdB

01/06/2018

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.434068G	14.96	-15.04	2.307495G	-47.24	2.399968G	-43.79	2.486604G	-47.23	17.493271G	-52.59	1
2.434068G	14.96	-15.04	2.303964G	-47.75	2.398304G	-46.42	2.48462G	-47.01	2.4995G	-51.48	2



802.11n HT10_Nss1,(MCS0)_2TX

2462MHz


CSE NdB

01/06/2018

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.433567G	13.03	-16.97	2.305975G	-47.68	2.39996G	-44.70	2.48534G	-47.64	2.5035G	-51.73	1
2.433567G	13.03	-16.97	2.303625G	-47.45	2.39408G	-46.63	2.4881G	-47.32	6.831264G	-52.44	2



802.11n HT20_Nss1,(MCS0)_2TX

2462MHz


CSE NdB


01/06/2018

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.431229G	8.82	-21.18	2.300585G	-48.95	2.39248G	-47.26	2.48446G	-39.94	15.248009G	-53.12	1
2.431229G	8.82	-21.18	2.309905G	-49.43	2.39008G	-48.13	2.48382G	-33.98	15.155293G	-53.51	2







Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	QP	49.4M	36.73	40.00	-3.27	-13.45	3	Vertical	77	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	39.7M	27.82	40.00	-12.18	-9.36	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	128.94M	37.55	43.50	-5.95	-9.03	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	198.78M	38.93	43.50	-4.57	-10.67	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	400.54M	29.15	46.00	-16.85	-3.66	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	650.8M	27.98	46.00	-18.02	-0.42	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	935.98M	30.75	46.00	-15.25	3.32	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	128.94M	35.69	43.50	-7.81	-9.03	3	Vertical	360	1.00	-
2437MHz	Pass	PK	204.6M	33.72	43.50	-9.78	-10.65	3	Vertical	360	1.00	-
2437MHz	Pass	PK	400.54M	31.45	46.00	-14.55	-3.66	3	Vertical	360	1.00	-
2437MHz	Pass	PK	600.36M	32.57	46.00	-13.43	-1.02	3	Vertical	360	1.00	-
2437MHz	Pass	PK	949.56M	30.74	46.00	-15.26	3.64	3	Vertical	360	1.00	-
2437MHz	Pass	QP	49.4M	36.73	40.00	-3.27	-13.45	3	Vertical	77	1.00	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_PoE mode

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	128.94M	35.69	43.50	-7.81	-9.03	3	Vertical	360	1.00	-
PK	204.6M	33.72	43.50	-9.78	-10.65	3	Vertical	360	1.00	-
PK	400.54M	31.45	46.00	-14.55	-3.66	3	Vertical	360	1.00	-
PK	600.36M	32.57	46.00	-13.43	-1.02	3	Vertical	360	1.00	-
PK	949.56M	30.74	46.00	-15.26	3.64	3	Vertical	360	1.00	-
QP	49.4M	36.73	40.00	-3.27	-13.45	3	Vertical	77	1.00	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_PoE mode

08/06/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	39.7M	27.82	40.00	-12.18	-9.36	3	Horizontal	0	1.00	-
PK	128.94M	37.55	43.50	-5.95	-9.03	3	Horizontal	0	1.00	-
PK	198.78M	38.93	43.50	-4.57	-10.67	3	Horizontal	0	1.00	-
PK	400.54M	29.15	46.00	-16.85	-3.66	3	Horizontal	0	1.00	-
PK	650.8M	27.98	46.00	-18.02	-0.42	3	Horizontal	0	1.00	-
PK	935.98M	30.75	46.00	-15.25	3.32	3	Horizontal	0	1.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b-5M_Nss1,(1Mbps)_2TX	Pass	AV	2.388G	53.80	54.00	-0.20	32.27	3	Vertical	111	1.50	-
802.11b-8M_Nss1,(1Mbps)_2TX	Pass	AV	2.24G	53.85	54.00	-0.15	31.73	3	Vertical	130	1.50	-
802.11b-10M_Nss1,(1Mbps)_2TX	Pass	AV	2.368G	53.65	54.00	-0.35	32.19	3	Vertical	130	1.69	-
802.11b-20M_Nss1,(1Mbps)_2TX	Pass	AV	2.484G	53.76	54.00	-0.24	32.61	3	Vertical	130	1.69	-
802.11g-5M_Nss1,(6Mbps)_2TX	Pass	AV	2.388G	53.89	54.00	-0.11	32.27	3	Vertical	111	1.49	-
802.11g-8M_Nss1,(6Mbps)_2TX	Pass	AV	2.389G	53.81	54.00	-0.19	32.27	3	Vertical	148	1.50	-
802.11g-10M_Nss1,(6Mbps)_2TX	Pass	AV	2.38G	53.81	54.00	-0.19	32.24	3	Vertical	100	1.50	-
802.11g-20M_Nss1,(6Mbps)_2TX	Pass	AV	2.389998G	53.89	54.00	-0.11	32.28	3	Vertical	124	1.50	-
HT5_Nss1,(MCS0)_2TX	Pass	AV	2.384G	53.80	54.00	-0.20	32.43	3	Vertical	150	1.50	-
HT8_Nss1,(MCS0)_2TX	Pass	AV	2.379G	53.88	54.00	-0.12	32.41	3	Vertical	132	1.50	-
HT10_Nss1,(MCS0)_2TX	Pass	AV	2.389998G	53.78	54.00	-0.22	32.45	3	Vertical	153	1.50	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	AV	2.389998G	53.90	54.00	-0.10	32.28	3	Vertical	111	1.50	-
HT30_Nss1,(MCS0)_2TX	Pass	AV	2.483502G	53.89	54.00	-0.11	32.61	3	Vertical	130	1.50	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	AV	2.483502G	53.85	54.00	-0.15	32.61	3	Vertical	56	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.413G	115.91	Inf	-Inf	32.36	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.49G	58.78	74.00	-15.22	32.64	3	Vertical	106	1.50	-
2412MHz	Pass	AV	4.824G	49.02	54.00	-4.98	3.03	3	Vertical	360	1.24	-
2412MHz	Pass	PK	4.82406G	53.12	74.00	-20.88	3.03	3	Vertical	360	1.24	-
2412MHz	Pass	AV	4.824G	41.84	54.00	-12.16	3.03	3	Horizontal	328	1.93	-
2412MHz	Pass	PK	4.82394G	48.30	74.00	-25.70	3.03	3	Horizontal	328	1.93	-
2417MHz	Pass	AV	2.28G	53.26	54.00	-0.74	31.87	3	Vertical	110	1.50	-
2417MHz	Pass	AV	2.418G	117.11	Inf	-Inf	32.37	3	Vertical	110	1.50	-
2417MHz	Pass	AV	2.498G	48.84	54.00	-5.16	32.67	3	Vertical	110	1.50	-
2417MHz	Pass	PK	2.337G	64.48	74.00	-9.52	32.08	3	Vertical	110	1.50	-
2417MHz	Pass	PK	2.418G	122.30	Inf	-Inf	32.37	3	Vertical	110	1.50	-
2417MHz	Pass	PK	2.498G	59.95	74.00	-14.05	32.67	3	Vertical	110	1.50	-
2422MHz	Pass	AV	2.388G	53.56	54.00	-0.44	32.27	3	Vertical	111	1.50	-
2422MHz	Pass	AV	2.423G	118.76	Inf	-Inf	32.39	3	Vertical	111	1.50	-
2422MHz	Pass	AV	2.494G	48.73	54.00	-5.27	32.65	3	Vertical	111	1.50	-
2422MHz	Pass	PK	2.29G	64.21	74.00	-9.79	31.92	3	Vertical	111	1.50	-
2422MHz	Pass	PK	2.423G	123.82	Inf	-Inf	32.39	3	Vertical	111	1.50	-
2422MHz	Pass	PK	2.493G	60.25	74.00	-13.75	32.64	3	Vertical	111	1.50	-
2427MHz	Pass	AV	2.348G	53.26	54.00	-0.74	32.13	3	Vertical	90	1.50	-
2427MHz	Pass	AV	2.428G	120.45	Inf	-Inf	32.41	3	Vertical	90	1.50	-
2427MHz	Pass	AV	2.489G	49.05	54.00	-4.95	32.63	3	Vertical	90	1.50	-
2427MHz	Pass	PK	2.378G	64.83	74.00	-9.17	32.23	3	Vertical	90	1.50	-
2427MHz	Pass	PK	2.428G	125.55	Inf	-Inf	32.41	3	Vertical	90	1.50	-
2427MHz	Pass	PK	2.493G	60.89	74.00	-13.11	32.64	3	Vertical	90	1.50	-
2432MHz	Pass	AV	2.388G	53.22	54.00	-0.78	32.27	3	Vertical	90	1.50	-
2432MHz	Pass	AV	2.433G	120.60	Inf	-Inf	32.43	3	Vertical	90	1.50	-
2432MHz	Pass	AV	2.483502G	49.19	54.00	-4.81	32.61	3	Vertical	90	1.50	-
2432MHz	Pass	PK	2.388G	64.45	74.00	-9.55	32.27	3	Vertical	90	1.50	-
2432MHz	Pass	PK	2.433G	125.83	Inf	-Inf	32.43	3	Vertical	90	1.50	-
2432MHz	Pass	PK	2.484G	60.37	74.00	-13.63	32.61	3	Vertical	90	1.50	-
2437MHz	Pass	AV	2.388G	52.93	54.00	-1.07	30.77	3	Vertical	31	1.01	-
2437MHz	Pass	AV	2.436G	116.89	Inf	-Inf	30.94	3	Vertical	31	1.01	-
2437MHz	Pass	AV	2.486G	50.75	54.00	-3.25	31.12	3	Vertical	31	1.01	-
2437MHz	Pass	PK	2.356G	65.05	74.00	-8.95	30.66	3	Vertical	31	1.01	-
2437MHz	Pass	PK	2.436G	122.48	Inf	-Inf	30.94	3	Vertical	31	1.01	-
2437MHz	Pass	PK	2.487G	61.98	74.00	-12.02	31.12	3	Vertical	31	1.01	-
2437MHz	Pass	AV	7.30914G	50.29	54.00	-3.71	9.29	3	Vertical	304	2.81	-
2437MHz	Pass	PK	7.30908G	57.89	74.00	-16.11	9.29	3	Vertical	304	2.81	-
2437MHz	Pass	AV	7.3116G	48.91	54.00	-5.09	9.30	3	Horizontal	359	1.74	-
2437MHz	Pass	PK	7.31166G	56.84	74.00	-17.16	9.30	3	Horizontal	359	1.74	-
2447MHz	Pass	AV	2.368G	53.65	54.00	-0.35	32.19	3	Vertical	130	1.69	-
2447MHz	Pass	AV	2.448G	120.58	Inf	-Inf	32.48	3	Vertical	130	1.69	-
2447MHz	Pass	AV	2.483502G	51.35	54.00	-2.65	32.61	3	Vertical	130	1.69	-
2447MHz	Pass	PK	2.368G	64.15	74.00	-9.85	32.19	3	Vertical	130	1.69	-
2447MHz	Pass	PK	2.448G	125.61	Inf	-Inf	32.48	3	Vertical	130	1.69	-
2447MHz	Pass	PK	2.483502G	62.30	74.00	-11.70	32.61	3	Vertical	130	1.69	-
2452MHz	Pass	AV	2.373G	53.24	54.00	-0.76	32.22	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.453G	117.74	Inf	-Inf	32.50	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.488G	51.04	54.00	-2.96	32.63	3	Vertical	130	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	PK	2.382G	64.42	74.00	-9.58	32.25	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.453G	122.74	Inf	-Inf	32.50	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.488G	62.00	74.00	-12.00	32.63	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.24G	53.38	54.00	-0.62	31.73	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.458G	115.32	Inf	-Inf	32.52	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.483502G	51.03	54.00	-2.97	32.61	3	Vertical	130	1.50	-
2457MHz	Pass	PK	2.281G	63.41	74.00	-10.59	31.88	3	Vertical	130	1.50	-
2457MHz	Pass	PK	2.458G	120.47	Inf	-Inf	32.52	3	Vertical	130	1.50	-
2457MHz	Pass	PK	2.483502G	61.48	74.00	-12.52	32.61	3	Vertical	130	1.50	-
2462MHz	Pass	AV	2.38G	48.79	54.00	-5.21	32.24	3	Vertical	53	1.50	-
2462MHz	Pass	AV	2.461G	109.60	Inf	-Inf	32.53	3	Vertical	53	1.50	-
2462MHz	Pass	AV	2.485G	48.19	54.00	-5.81	32.61	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.381G	60.71	74.00	-13.29	32.24	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.461G	114.32	Inf	-Inf	32.53	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.492G	59.33	74.00	-14.67	32.64	3	Vertical	53	1.50	-
2462MHz	Pass	AV	7.38672G	53.34	54.00	-0.66	9.61	3	Vertical	21	2.68	-
2462MHz	Pass	PK	7.388666G	60.51	74.00	-13.49	9.61	3	Vertical	21	2.68	-
2462MHz	Pass	AV	7.38714G	47.66	54.00	-6.34	9.61	3	Horizontal	8	1.56	-
2462MHz	Pass	PK	7.38684G	56.02	74.00	-17.98	9.61	3	Horizontal	8	1.56	-
802.11b-20M_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.386G	50.38	54.00	-3.62	32.26	3	Vertical	106	1.50	-
2412MHz	Pass	AV	2.414G	108.44	Inf	-Inf	32.36	3	Vertical	106	1.50	-
2412MHz	Pass	AV	2.496G	47.14	54.00	-6.86	32.66	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.385G	60.95	74.00	-13.05	32.25	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.413G	112.00	Inf	-Inf	32.36	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.487G	58.56	74.00	-15.44	32.62	3	Vertical	106	1.50	-
2412MHz	Pass	AV	4.824G	49.20	54.00	-4.80	3.03	3	Vertical	4	1.68	-
2412MHz	Pass	PK	4.82394G	52.94	74.00	-21.06	3.03	3	Vertical	4	1.68	-
2412MHz	Pass	AV	4.824G	41.34	54.00	-12.66	3.03	3	Horizontal	0	2.41	-
2412MHz	Pass	PK	4.82412G	47.04	74.00	-26.96	3.03	3	Horizontal	0	2.41	-
2417MHz	Pass	AV	2.389998G	53.72	54.00	-0.28	32.28	3	Vertical	154	1.32	-
2417MHz	Pass	AV	2.415G	110.38	Inf	-Inf	32.36	3	Vertical	154	1.32	-
2417MHz	Pass	AV	2.495G	47.39	54.00	-6.61	32.65	3	Vertical	154	1.32	-
2417MHz	Pass	PK	2.389998G	62.01	74.00	-11.99	32.28	3	Vertical	154	1.32	-
2417MHz	Pass	PK	2.416G	113.85	Inf	-Inf	32.37	3	Vertical	154	1.32	-
2417MHz	Pass	PK	2.498G	59.51	74.00	-14.49	32.67	3	Vertical	154	1.32	-
2422MHz	Pass	AV	2.389998G	53.39	54.00	-0.61	32.28	3	Vertical	157	1.50	-
2422MHz	Pass	AV	2.42G	112.59	Inf	-Inf	32.38	3	Vertical	157	1.50	-
2422MHz	Pass	AV	2.488G	48.02	54.00	-5.98	32.63	3	Vertical	157	1.50	-
2422MHz	Pass	PK	2.389998G	63.25	74.00	-10.75	32.28	3	Vertical	157	1.50	-
2422MHz	Pass	PK	2.421G	116.33	Inf	-Inf	32.39	3	Vertical	157	1.50	-
2422MHz	Pass	PK	2.485G	59.47	74.00	-14.53	32.61	3	Vertical	157	1.50	-
2427MHz	Pass	AV	2.389998G	53.48	54.00	-0.52	32.28	3	Vertical	85	1.50	-
2427MHz	Pass	AV	2.429G	115.41	Inf	-Inf	32.41	3	Vertical	85	1.50	-
2427MHz	Pass	AV	2.486G	48.75	54.00	-5.25	32.62	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.389998G	64.22	74.00	-9.78	32.28	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.429G	119.32	Inf	-Inf	32.41	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.499998G	59.75	74.00	-14.25	32.67	3	Vertical	85	1.50	-
2432MHz	Pass	AV	2.384G	53.29	54.00	-0.71	32.25	3	Vertical	159	1.38	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2432MHz	Pass	AV	2.43G	117.80	Inf	-Inf	32.42	3	Vertical	159	1.38	-
2432MHz	Pass	AV	2.49G	51.48	54.00	-2.52	32.64	3	Vertical	159	1.38	-
2432MHz	Pass	PK	2.386G	64.13	74.00	-9.87	32.26	3	Vertical	159	1.38	-
2432MHz	Pass	PK	2.431G	121.61	Inf	-Inf	32.42	3	Vertical	159	1.38	-
2432MHz	Pass	PK	2.492G	62.04	74.00	-11.96	32.64	3	Vertical	159	1.38	-
2437MHz	Pass	AV	2.389998G	53.70	54.00	-0.30	30.38	3	Vertical	149	1.27	-
2437MHz	Pass	AV	2.435G	117.19	Inf	-Inf	30.53	3	Vertical	149	1.27	-
2437MHz	Pass	AV	2.484G	52.19	54.00	-1.81	30.69	3	Vertical	149	1.27	-
2437MHz	Pass	PK	2.354G	64.46	74.00	-9.54	30.26	3	Vertical	149	1.27	-
2437MHz	Pass	PK	2.437G	119.89	Inf	-Inf	30.54	3	Vertical	149	1.27	-
2437MHz	Pass	PK	2.484G	61.27	74.00	-12.73	30.69	3	Vertical	149	1.27	-
2437MHz	Pass	AV	7.30908G	46.26	54.00	-7.74	9.29	3	Vertical	34	1.49	-
2437MHz	Pass	PK	7.30908G	54.08	74.00	-19.92	9.29	3	Vertical	34	1.49	-
2437MHz	Pass	AV	7.31016G	47.64	54.00	-6.36	9.29	3	Horizontal	31	1.50	-
2437MHz	Pass	PK	7.31196G	55.11	74.00	-18.89	9.30	3	Horizontal	31	1.50	-
2442MHz	Pass	AV	2.389998G	52.72	54.00	-1.28	32.28	3	Vertical	90	1.68	-
2442MHz	Pass	AV	2.444G	115.44	Inf	-Inf	32.47	3	Vertical	90	1.68	-
2442MHz	Pass	AV	2.489G	51.43	54.00	-2.57	32.63	3	Vertical	90	1.68	-
2442MHz	Pass	PK	2.326G	64.74	74.00	-9.26	32.04	3	Vertical	90	1.68	-
2442MHz	Pass	PK	2.443G	119.20	Inf	-Inf	32.46	3	Vertical	90	1.68	-
2442MHz	Pass	PK	2.483502G	61.13	74.00	-12.87	32.61	3	Vertical	90	1.68	-
2447MHz	Pass	AV	2.385G	53.01	54.00	-0.99	32.25	3	Vertical	130	1.69	-
2447MHz	Pass	AV	2.449G	116.07	Inf	-Inf	32.49	3	Vertical	130	1.69	-
2447MHz	Pass	AV	2.484G	53.76	54.00	-0.24	32.61	3	Vertical	130	1.69	-
2447MHz	Pass	PK	2.28G	65.63	74.00	-8.37	31.87	3	Vertical	130	1.69	-
2447MHz	Pass	PK	2.448G	119.77	Inf	-Inf	32.48	3	Vertical	130	1.69	-
2447MHz	Pass	PK	2.484G	63.16	74.00	-10.84	32.61	3	Vertical	130	1.69	-
2452MHz	Pass	AV	2.24G	53.27	54.00	-0.73	31.73	3	Vertical	129	1.50	-
2452MHz	Pass	AV	2.454G	112.38	Inf	-Inf	32.50	3	Vertical	129	1.50	-
2452MHz	Pass	AV	2.484G	51.06	54.00	-2.94	32.61	3	Vertical	129	1.50	-
2452MHz	Pass	PK	2.323G	63.44	74.00	-10.56	32.04	3	Vertical	129	1.50	-
2452MHz	Pass	PK	2.453G	116.18	Inf	-Inf	32.50	3	Vertical	129	1.50	-
2452MHz	Pass	PK	2.487G	62.81	74.00	-11.19	32.62	3	Vertical	129	1.50	-
2457MHz	Pass	AV	2.28G	50.20	54.00	-3.80	31.87	3	Vertical	129	1.46	-
2457MHz	Pass	AV	2.459G	110.31	Inf	-Inf	32.52	3	Vertical	129	1.46	-
2457MHz	Pass	AV	2.483502G	53.41	54.00	-0.59	32.61	3	Vertical	129	1.46	-
2457MHz	Pass	PK	2.377G	61.56	74.00	-12.44	32.22	3	Vertical	129	1.46	-
2457MHz	Pass	PK	2.458G	114.03	Inf	-Inf	32.52	3	Vertical	129	1.46	-
2457MHz	Pass	PK	2.483502G	61.96	74.00	-12.04	32.61	3	Vertical	129	1.46	-
2462MHz	Pass	AV	2.378G	48.81	54.00	-5.19	32.23	3	Vertical	42	1.50	-
2462MHz	Pass	AV	2.46G	106.57	Inf	-Inf	32.53	3	Vertical	42	1.50	-
2462MHz	Pass	AV	2.488G	50.49	54.00	-3.51	32.63	3	Vertical	42	1.50	-
2462MHz	Pass	PK	2.378G	60.03	74.00	-13.97	32.23	3	Vertical	42	1.50	-
2462MHz	Pass	PK	2.459G	110.15	Inf	-Inf	32.52	3	Vertical	42	1.50	-
2462MHz	Pass	PK	2.49G	60.00	74.00	-14.00	32.64	3	Vertical	42	1.50	-
2462MHz	Pass	AV	7.38324G	44.86	54.00	-9.14	9.59	3	Vertical	40	2.88	-
2462MHz	Pass	PK	7.38312G	54.45	74.00	-19.55	9.59	3	Vertical	40	2.88	-
2462MHz	Pass	AV	7.3851G	43.45	54.00	-10.55	9.60	3	Horizontal	32	1.54	-
2462MHz	Pass	PK	7.38756G	53.27	74.00	-20.73	9.61	3	Horizontal	32	1.54	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11g-5M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.388G	51.91	54.00	-2.09	32.27	3	Vertical	104	1.50	-
2412MHz	Pass	AV	2.411G	111.72	Inf	-Inf	32.35	3	Vertical	104	1.50	-
2412MHz	Pass	AV	2.493G	48.21	54.00	-5.79	32.64	3	Vertical	104	1.50	-
2412MHz	Pass	PK	2.331G	63.71	74.00	-10.29	32.06	3	Vertical	104	1.50	-
2412MHz	Pass	PK	2.411G	123.32	Inf	-Inf	32.35	3	Vertical	104	1.50	-
2412MHz	Pass	PK	2.495G	60.28	74.00	-13.72	32.65	3	Vertical	104	1.50	-
2412MHz	Pass	AV	4.82418G	33.94	54.00	-20.06	3.03	3	Vertical	352	2.09	-
2412MHz	Pass	PK	4.82424G	44.43	74.00	-29.57	3.03	3	Vertical	352	2.09	-
2412MHz	Pass	AV	4.80954G	30.99	54.00	-23.01	3.00	3	Horizontal	360	1.50	-
2412MHz	Pass	PK	4.83126G	41.76	74.00	-32.24	3.05	3	Horizontal	360	1.50	-
2417MHz	Pass	AV	2.389998G	53.51	54.00	-0.49	32.28	3	Vertical	125	1.50	-
2417MHz	Pass	AV	2.418G	115.00	Inf	-Inf	32.37	3	Vertical	125	1.50	-
2417MHz	Pass	AV	2.496G	49.33	54.00	-4.67	32.66	3	Vertical	125	1.50	-
2417MHz	Pass	PK	2.384G	66.14	74.00	-7.86	32.25	3	Vertical	125	1.50	-
2417MHz	Pass	PK	2.416G	126.59	Inf	-Inf	32.37	3	Vertical	125	1.50	-
2417MHz	Pass	PK	2.495G	61.80	74.00	-12.20	32.65	3	Vertical	125	1.50	-
2422MHz	Pass	AV	2.388G	53.89	54.00	-0.11	32.27	3	Vertical	111	1.49	-
2422MHz	Pass	AV	2.423G	116.68	Inf	-Inf	32.39	3	Vertical	111	1.49	-
2422MHz	Pass	AV	2.483502G	48.95	54.00	-5.05	32.61	3	Vertical	111	1.49	-
2422MHz	Pass	PK	2.389998G	66.16	74.00	-7.84	32.28	3	Vertical	111	1.49	-
2422MHz	Pass	PK	2.421G	126.91	Inf	-Inf	32.39	3	Vertical	111	1.49	-
2422MHz	Pass	PK	2.495G	59.77	74.00	-14.23	32.65	3	Vertical	111	1.49	-
2427MHz	Pass	AV	2.382G	53.83	54.00	-0.17	32.25	3	Vertical	108	1.50	-
2427MHz	Pass	AV	2.428G	117.20	Inf	-Inf	32.41	3	Vertical	108	1.50	-
2427MHz	Pass	AV	2.498G	49.52	54.00	-4.48	32.67	3	Vertical	108	1.50	-
2427MHz	Pass	PK	2.383G	66.21	74.00	-7.79	32.25	3	Vertical	108	1.50	-
2427MHz	Pass	PK	2.428G	128.33	Inf	-Inf	32.41	3	Vertical	108	1.50	-
2427MHz	Pass	PK	2.493G	60.66	74.00	-13.34	32.64	3	Vertical	108	1.50	-
2432MHz	Pass	AV	2.389998G	53.79	54.00	-0.21	32.28	3	Vertical	91	1.50	-
2432MHz	Pass	AV	2.433G	118.46	Inf	-Inf	32.43	3	Vertical	91	1.50	-
2432MHz	Pass	AV	2.483502G	49.72	54.00	-4.28	32.61	3	Vertical	91	1.50	-
2432MHz	Pass	PK	2.388G	65.64	74.00	-8.36	32.27	3	Vertical	91	1.50	-
2432MHz	Pass	PK	2.432G	129.78	Inf	-Inf	32.43	3	Vertical	91	1.50	-
2432MHz	Pass	PK	2.491G	60.56	74.00	-13.44	32.64	3	Vertical	91	1.50	-
2437MHz	Pass	AV	2.4388G	115.42	Inf	-Inf	30.95	3	Vertical	128	1.44	-
2437MHz	Pass	AV	2.389G	51.89	54.00	-2.11	30.77	3	Vertical	128	1.44	-
2437MHz	Pass	AV	2.4868G	50.12	54.00	-3.88	31.12	3	Vertical	128	1.44	-
2437MHz	Pass	PK	2.4376G	125.07	Inf	-Inf	30.95	3	Vertical	128	1.44	-
2437MHz	Pass	PK	2.3896G	64.42	74.00	-9.58	30.77	3	Vertical	128	1.44	-
2437MHz	Pass	PK	2.483502G	62.33	74.00	-11.67	31.11	3	Vertical	128	1.44	-
2437MHz	Pass	AV	7.3113G	38.25	54.00	-15.75	9.26	3	Vertical	135	1.50	-
2437MHz	Pass	PK	7.3137G	48.78	74.00	-25.22	9.27	3	Vertical	135	1.50	-
2437MHz	Pass	AV	7.32534G	37.40	54.00	-16.60	9.32	3	Horizontal	147	1.03	-
2437MHz	Pass	PK	7.32534G	49.94	74.00	-24.06	9.32	3	Horizontal	147	1.03	-
2447MHz	Pass	AV	2.368G	52.40	54.00	-1.60	32.19	3	Vertical	150	1.32	-
2447MHz	Pass	AV	2.446G	119.18	Inf	-Inf	32.48	3	Vertical	150	1.32	-
2447MHz	Pass	AV	2.486G	51.27	54.00	-2.73	32.62	3	Vertical	150	1.32	-
2447MHz	Pass	PK	2.389998G	63.65	74.00	-10.35	32.28	3	Vertical	150	1.32	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	PK	2.447G	129.40	Inf	-Inf	32.48	3	Vertical	150	1.32	-
2447MHz	Pass	PK	2.487G	62.89	74.00	-11.11	32.62	3	Vertical	150	1.32	-
2452MHz	Pass	AV	2.24G	53.53	54.00	-0.47	31.73	3	Vertical	129	1.48	-
2452MHz	Pass	AV	2.451G	116.40	Inf	-Inf	32.49	3	Vertical	129	1.48	-
2452MHz	Pass	AV	2.487G	51.12	54.00	-2.88	32.62	3	Vertical	129	1.48	-
2452MHz	Pass	PK	2.372G	65.08	74.00	-8.92	32.21	3	Vertical	129	1.48	-
2452MHz	Pass	PK	2.452G	127.21	Inf	-Inf	32.50	3	Vertical	129	1.48	-
2452MHz	Pass	PK	2.493G	62.19	74.00	-11.81	32.64	3	Vertical	129	1.48	-
2457MHz	Pass	AV	2.28G	53.45	54.00	-0.55	31.87	3	Vertical	131	1.49	-
2457MHz	Pass	AV	2.459G	114.08	Inf	-Inf	32.52	3	Vertical	131	1.49	-
2457MHz	Pass	AV	2.484G	50.96	54.00	-3.04	32.61	3	Vertical	131	1.49	-
2457MHz	Pass	PK	2.28G	64.89	74.00	-9.11	31.87	3	Vertical	131	1.49	-
2457MHz	Pass	PK	2.457G	126.04	Inf	-Inf	32.52	3	Vertical	131	1.49	-
2457MHz	Pass	PK	2.483502G	62.68	74.00	-11.32	32.61	3	Vertical	131	1.49	-
2462MHz	Pass	AV	2.383G	51.36	54.00	-2.64	32.25	3	Vertical	56	1.50	-
2462MHz	Pass	AV	2.461G	110.06	Inf	-Inf	32.53	3	Vertical	56	1.50	-
2462MHz	Pass	AV	2.486G	49.87	54.00	-4.13	32.62	3	Vertical	56	1.50	-
2462MHz	Pass	PK	2.382G	63.51	74.00	-10.49	32.25	3	Vertical	56	1.50	-
2462MHz	Pass	PK	2.463G	121.88	Inf	-Inf	32.54	3	Vertical	56	1.50	-
2462MHz	Pass	PK	2.487G	62.15	74.00	-11.85	32.62	3	Vertical	56	1.50	-
2462MHz	Pass	AV	7.38636G	37.99	54.00	-16.01	9.58	3	Vertical	199	1.76	-
2462MHz	Pass	PK	7.38708G	48.38	74.00	-25.62	9.58	3	Vertical	199	1.76	-
2462MHz	Pass	AV	7.38696G	37.47	54.00	-16.53	9.58	3	Horizontal	29	1.91	-
2462MHz	Pass	PK	7.39704G	48.39	74.00	-25.61	9.63	3	Horizontal	29	1.91	-
802.11g-8M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.24G	52.28	54.00	-1.72	31.73	3	Vertical	112	1.50	-
2412MHz	Pass	AV	2.411G	109.75	Inf	-Inf	32.35	3	Vertical	112	1.50	-
2412MHz	Pass	AV	2.483502G	48.16	54.00	-5.84	32.61	3	Vertical	112	1.50	-
2412MHz	Pass	PK	2.382G	62.85	74.00	-11.15	32.25	3	Vertical	112	1.50	-
2412MHz	Pass	PK	2.415G	121.28	Inf	-Inf	32.36	3	Vertical	112	1.50	-
2412MHz	Pass	PK	2.487G	59.10	74.00	-14.90	32.62	3	Vertical	112	1.50	-
2412MHz	Pass	AV	4.82412G	32.36	54.00	-21.64	3.13	3	Vertical	89	2.75	-
2412MHz	Pass	PK	4.82508G	46.75	74.00	-27.25	3.14	3	Vertical	89	2.75	-
2412MHz	Pass	AV	4.824838G	31.80	54.00	-22.20	3.13	3	Horizontal	35	1.86	-
2412MHz	Pass	PK	4.815178G	45.82	74.00	-28.18	3.11	3	Horizontal	35	1.86	-
2417MHz	Pass	AV	2.379G	53.49	54.00	-0.51	32.23	3	Vertical	124	1.49	-
2417MHz	Pass	AV	2.419G	112.11	Inf	-Inf	32.38	3	Vertical	124	1.49	-
2417MHz	Pass	AV	2.495G	48.68	54.00	-5.32	32.65	3	Vertical	124	1.49	-
2417MHz	Pass	PK	2.389G	64.92	74.00	-9.08	32.27	3	Vertical	124	1.49	-
2417MHz	Pass	PK	2.419G	122.15	Inf	-Inf	32.38	3	Vertical	124	1.49	-
2417MHz	Pass	PK	2.499G	60.20	74.00	-13.80	32.67	3	Vertical	124	1.49	-
2422MHz	Pass	AV	2.28G	53.14	54.00	-0.86	31.87	3	Vertical	98	1.50	-
2422MHz	Pass	AV	2.423G	114.39	Inf	-Inf	32.39	3	Vertical	98	1.50	-
2422MHz	Pass	AV	2.495G	49.62	54.00	-4.38	32.65	3	Vertical	98	1.50	-
2422MHz	Pass	PK	2.389G	65.49	74.00	-8.51	32.27	3	Vertical	98	1.50	-
2422MHz	Pass	PK	2.421G	124.49	Inf	-Inf	32.39	3	Vertical	98	1.50	-
2422MHz	Pass	PK	2.49G	61.08	74.00	-12.92	32.64	3	Vertical	98	1.50	-
2427MHz	Pass	AV	2.28G	53.19	54.00	-0.81	31.87	3	Vertical	85	1.50	-
2427MHz	Pass	AV	2.426G	115.43	Inf	-Inf	32.40	3	Vertical	85	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	AV	2.498G	49.92	54.00	-4.08	32.67	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.389998G	65.26	74.00	-8.74	32.28	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.428G	124.48	Inf	-Inf	32.41	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.495G	61.26	74.00	-12.74	32.65	3	Vertical	85	1.50	-
2432MHz	Pass	AV	2.38G	53.17	54.00	-0.83	32.24	3	Vertical	83	1.50	-
2432MHz	Pass	AV	2.43G	116.43	Inf	-Inf	32.42	3	Vertical	83	1.50	-
2432MHz	Pass	AV	2.485G	49.61	54.00	-4.39	32.61	3	Vertical	83	1.50	-
2432MHz	Pass	PK	2.312G	64.61	74.00	-9.39	31.99	3	Vertical	83	1.50	-
2432MHz	Pass	PK	2.43G	126.57	Inf	-Inf	32.42	3	Vertical	83	1.50	-
2432MHz	Pass	PK	2.494G	60.47	74.00	-13.53	32.65	3	Vertical	83	1.50	-
2437MHz	Pass	AV	2.3896G	52.73	54.00	-1.27	30.77	3	Vertical	129	1.50	-
2437MHz	Pass	AV	2.4394G	114.76	Inf	-Inf	30.95	3	Vertical	129	1.50	-
2437MHz	Pass	AV	2.483502G	50.20	54.00	-3.80	31.11	3	Vertical	129	1.50	-
2437MHz	Pass	PK	2.389G	66.55	74.00	-7.45	30.77	3	Vertical	129	1.50	-
2437MHz	Pass	PK	2.4358G	124.66	Inf	-Inf	30.94	3	Vertical	129	1.50	-
2437MHz	Pass	PK	2.485G	64.11	74.00	-9.89	31.12	3	Vertical	129	1.50	-
2437MHz	Pass	AV	4.87392G	31.45	54.00	-22.55	3.24	3	Vertical	99	1.50	-
2437MHz	Pass	PK	4.86897G	46.12	74.00	-27.88	3.23	3	Vertical	99	1.50	-
2437MHz	Pass	AV	4.870607G	31.19	54.00	-22.81	3.24	3	Horizontal	278	1.50	-
2437MHz	Pass	PK	4.871166G	45.64	74.00	-28.36	3.24	3	Horizontal	278	1.50	-
2442MHz	Pass	AV	2.389G	53.81	54.00	-0.19	32.27	3	Vertical	148	1.50	-
2442MHz	Pass	AV	2.44G	116.32	Inf	-Inf	32.45	3	Vertical	148	1.50	-
2442MHz	Pass	AV	2.485G	50.85	54.00	-3.15	32.61	3	Vertical	148	1.50	-
2442MHz	Pass	PK	2.389998G	65.39	74.00	-8.61	32.28	3	Vertical	148	1.50	-
2442MHz	Pass	PK	2.44G	127.64	Inf	-Inf	32.45	3	Vertical	148	1.50	-
2442MHz	Pass	PK	2.492G	62.02	74.00	-11.98	32.64	3	Vertical	148	1.50	-
2447MHz	Pass	AV	2.379G	53.75	54.00	-0.25	32.23	3	Vertical	148	1.50	-
2447MHz	Pass	AV	2.446G	114.76	Inf	-Inf	32.48	3	Vertical	148	1.50	-
2447MHz	Pass	AV	2.485G	52.53	54.00	-1.47	32.61	3	Vertical	148	1.50	-
2447MHz	Pass	PK	2.38G	65.23	74.00	-8.77	32.24	3	Vertical	148	1.50	-
2447MHz	Pass	PK	2.448G	125.19	Inf	-Inf	32.48	3	Vertical	148	1.50	-
2447MHz	Pass	PK	2.485G	64.65	74.00	-9.35	32.61	3	Vertical	148	1.50	-
2452MHz	Pass	AV	2.28G	53.49	54.00	-0.51	31.87	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.451G	113.73	Inf	-Inf	32.49	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.49G	50.98	54.00	-3.02	32.64	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.374G	65.11	74.00	-8.89	32.22	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.451G	125.00	Inf	-Inf	32.49	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.489G	62.90	74.00	-11.10	32.63	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.32G	53.52	54.00	-0.48	32.02	3	Vertical	132	1.50	-
2457MHz	Pass	AV	2.455G	112.87	Inf	-Inf	32.51	3	Vertical	132	1.50	-
2457MHz	Pass	AV	2.494G	52.35	54.00	-1.65	32.65	3	Vertical	132	1.50	-
2457MHz	Pass	PK	2.389G	64.82	74.00	-9.18	32.27	3	Vertical	132	1.50	-
2457MHz	Pass	PK	2.459G	123.89	Inf	-Inf	32.52	3	Vertical	132	1.50	-
2457MHz	Pass	PK	2.49G	62.87	74.00	-11.13	32.64	3	Vertical	132	1.50	-
2462MHz	Pass	AV	2.379G	50.52	54.00	-3.48	32.23	3	Vertical	53	1.50	-
2462MHz	Pass	AV	2.46G	108.56	Inf	-Inf	32.53	3	Vertical	53	1.50	-
2462MHz	Pass	AV	2.485G	48.94	54.00	-5.06	32.61	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.384G	63.09	74.00	-10.91	32.25	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.46G	120.40	Inf	-Inf	32.53	3	Vertical	53	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.496G	60.39	74.00	-13.61	32.66	3	Vertical	53	1.50	-
2462MHz	Pass	AV	4.926156G	31.70	54.00	-22.30	3.35	3	Vertical	113	1.50	-
2462MHz	Pass	PK	4.925637G	46.40	74.00	-27.60	3.35	3	Vertical	113	1.50	-
2462MHz	Pass	AV	4.9339G	31.72	54.00	-22.28	3.37	3	Horizontal	265	1.50	-
2462MHz	Pass	PK	4.917293G	45.66	74.00	-28.34	3.34	3	Horizontal	265	1.50	-
802.11g-10M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.389998G	51.03	54.00	-2.97	32.28	3	Vertical	121	1.50	-
2412MHz	Pass	AV	2.41G	108.66	Inf	-Inf	32.35	3	Vertical	121	1.50	-
2412MHz	Pass	AV	2.496G	47.53	54.00	-6.47	32.66	3	Vertical	121	1.50	-
2412MHz	Pass	PK	2.385G	62.94	74.00	-11.06	32.25	3	Vertical	121	1.50	-
2412MHz	Pass	PK	2.415G	119.54	Inf	-Inf	32.36	3	Vertical	121	1.50	-
2412MHz	Pass	PK	2.498G	58.95	74.00	-15.05	32.67	3	Vertical	121	1.50	-
2412MHz	Pass	AV	4.82416G	32.89	54.00	-21.11	3.13	3	Vertical	76	2.76	-
2412MHz	Pass	PK	4.82878G	46.22	74.00	-27.78	3.14	3	Vertical	76	2.76	-
2412MHz	Pass	AV	4.822762G	32.23	54.00	-21.77	3.13	3	Horizontal	33	2.35	-
2412MHz	Pass	PK	4.820048G	46.51	74.00	-27.49	3.12	3	Horizontal	33	2.35	-
2417MHz	Pass	AV	2.28G	53.34	54.00	-0.66	31.87	3	Vertical	128	1.50	-
2417MHz	Pass	AV	2.414G	112.48	Inf	-Inf	32.36	3	Vertical	128	1.50	-
2417MHz	Pass	AV	2.494G	48.93	54.00	-5.07	32.65	3	Vertical	128	1.50	-
2417MHz	Pass	PK	2.389G	64.55	74.00	-9.45	32.27	3	Vertical	128	1.50	-
2417MHz	Pass	PK	2.415G	123.16	Inf	-Inf	32.36	3	Vertical	128	1.50	-
2417MHz	Pass	PK	2.485G	59.65	74.00	-14.35	32.61	3	Vertical	128	1.50	-
2422MHz	Pass	AV	2.24G	53.72	54.00	-0.28	31.73	3	Vertical	100	1.50	-
2422MHz	Pass	AV	2.419G	113.60	Inf	-Inf	32.38	3	Vertical	100	1.50	-
2422MHz	Pass	AV	2.499G	48.65	54.00	-5.35	32.67	3	Vertical	100	1.50	-
2422MHz	Pass	PK	2.386G	65.10	74.00	-8.90	32.26	3	Vertical	100	1.50	-
2422MHz	Pass	PK	2.419G	123.96	Inf	-Inf	32.38	3	Vertical	100	1.50	-
2422MHz	Pass	PK	2.485G	59.65	74.00	-14.35	32.61	3	Vertical	100	1.50	-
2427MHz	Pass	AV	2.38G	53.81	54.00	-0.19	32.24	3	Vertical	100	1.50	-
2427MHz	Pass	AV	2.424G	115.80	Inf	-Inf	32.40	3	Vertical	100	1.50	-
2427MHz	Pass	AV	2.496G	49.12	54.00	-4.88	32.66	3	Vertical	100	1.50	-
2427MHz	Pass	PK	2.384G	65.95	74.00	-8.05	32.25	3	Vertical	100	1.50	-
2427MHz	Pass	PK	2.429G	125.84	Inf	-Inf	32.41	3	Vertical	100	1.50	-
2427MHz	Pass	PK	2.494G	60.05	74.00	-13.95	32.65	3	Vertical	100	1.50	-
2432MHz	Pass	AV	2.389998G	53.75	54.00	-0.25	32.28	3	Vertical	100	1.50	-
2432MHz	Pass	AV	2.429G	115.51	Inf	-Inf	32.41	3	Vertical	100	1.50	-
2432MHz	Pass	AV	2.496G	49.16	54.00	-4.84	32.66	3	Vertical	100	1.50	-
2432MHz	Pass	PK	2.385G	66.25	74.00	-7.75	32.25	3	Vertical	100	1.50	-
2432MHz	Pass	PK	2.429G	125.70	Inf	-Inf	32.41	3	Vertical	100	1.50	-
2432MHz	Pass	PK	2.499G	60.33	74.00	-13.67	32.67	3	Vertical	100	1.50	-
2437MHz	Pass	AV	2.3896G	53.27	54.00	-0.73	30.77	3	Vertical	92	1.04	-
2437MHz	Pass	AV	2.434G	114.42	Inf	-Inf	30.93	3	Vertical	92	1.04	-
2437MHz	Pass	AV	2.4838G	51.40	54.00	-2.60	31.11	3	Vertical	92	1.04	-
2437MHz	Pass	PK	2.3896G	65.74	74.00	-8.26	30.77	3	Vertical	92	1.04	-
2437MHz	Pass	PK	2.434G	125.15	Inf	-Inf	30.93	3	Vertical	92	1.04	-
2437MHz	Pass	PK	2.488G	64.65	74.00	-9.35	31.13	3	Vertical	92	1.04	-
2437MHz	Pass	AV	4.873521G	31.75	54.00	-22.25	3.24	3	Vertical	89	1.50	-
2437MHz	Pass	PK	4.878351G	45.27	74.00	-28.73	3.25	3	Vertical	89	1.50	-
2437MHz	Pass	AV	4.871086G	31.33	54.00	-22.67	3.24	3	Horizontal	257	1.56	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.879349G	45.03	74.00	-28.97	3.25	3	Horizontal	257	1.56	-
2442MHz	Pass	AV	2.389G	53.20	54.00	-0.80	32.27	3	Vertical	149	1.50	-
2442MHz	Pass	AV	2.439G	116.81	Inf	-Inf	32.45	3	Vertical	149	1.50	-
2442MHz	Pass	AV	2.483502G	51.71	54.00	-2.29	32.61	3	Vertical	149	1.50	-
2442MHz	Pass	PK	2.315G	65.60	74.00	-8.40	32.01	3	Vertical	149	1.50	-
2442MHz	Pass	PK	2.442G	127.32	Inf	-Inf	32.46	3	Vertical	149	1.50	-
2442MHz	Pass	PK	2.484G	63.01	74.00	-10.99	32.61	3	Vertical	149	1.50	-
2447MHz	Pass	AV	2.389G	53.14	54.00	-0.86	32.27	3	Vertical	150	1.50	-
2447MHz	Pass	AV	2.444G	115.13	Inf	-Inf	32.47	3	Vertical	150	1.50	-
2447MHz	Pass	AV	2.484G	51.65	54.00	-2.35	32.61	3	Vertical	150	1.50	-
2447MHz	Pass	PK	2.369G	64.38	74.00	-9.62	32.20	3	Vertical	150	1.50	-
2447MHz	Pass	PK	2.444G	125.26	Inf	-Inf	32.47	3	Vertical	150	1.50	-
2447MHz	Pass	PK	2.489G	62.88	74.00	-11.12	32.63	3	Vertical	150	1.50	-
2452MHz	Pass	AV	2.32G	53.45	54.00	-0.55	32.02	3	Vertical	131	1.50	-
2452MHz	Pass	AV	2.449G	112.82	Inf	-Inf	32.49	3	Vertical	131	1.50	-
2452MHz	Pass	AV	2.493G	50.65	54.00	-3.35	32.64	3	Vertical	131	1.50	-
2452MHz	Pass	PK	2.273G	64.52	74.00	-9.48	31.85	3	Vertical	131	1.50	-
2452MHz	Pass	PK	2.449G	122.66	Inf	-Inf	32.49	3	Vertical	131	1.50	-
2452MHz	Pass	PK	2.494G	62.41	74.00	-11.59	32.65	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.28G	53.49	54.00	-0.51	31.87	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.454G	112.35	Inf	-Inf	32.50	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.484G	51.18	54.00	-2.82	32.61	3	Vertical	130	1.50	-
2457MHz	Pass	PK	2.389998G	64.03	74.00	-9.97	32.28	3	Vertical	130	1.50	-
2457MHz	Pass	PK	2.459G	123.11	Inf	-Inf	32.52	3	Vertical	130	1.50	-
2457MHz	Pass	PK	2.484G	62.07	74.00	-11.93	32.61	3	Vertical	130	1.50	-
2462MHz	Pass	AV	2.385G	50.31	54.00	-3.69	32.25	3	Vertical	56	1.50	-
2462MHz	Pass	AV	2.46G	107.41	Inf	-Inf	32.53	3	Vertical	56	1.50	-
2462MHz	Pass	AV	2.485G	49.17	54.00	-4.83	32.61	3	Vertical	56	1.50	-
2462MHz	Pass	PK	2.338G	62.19	74.00	-11.81	32.09	3	Vertical	56	1.50	-
2462MHz	Pass	PK	2.465G	118.48	Inf	-Inf	32.54	3	Vertical	56	1.50	-
2462MHz	Pass	PK	2.486G	61.18	74.00	-12.82	32.62	3	Vertical	56	1.50	-
2462MHz	Pass	AV	4.925357G	31.61	54.00	-22.39	3.35	3	Vertical	291	1.58	-
2462MHz	Pass	PK	4.933701G	45.48	74.00	-28.52	3.37	3	Vertical	291	1.58	-
2462MHz	Pass	AV	4.933741G	31.58	54.00	-22.42	3.37	3	Horizontal	146	1.51	-
2462MHz	Pass	PK	4.927393G	45.57	74.00	-28.43	3.36	3	Horizontal	146	1.51	-
802.11g-20M_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.32G	48.71	54.00	-5.29	32.02	3	Vertical	122	1.50	-
2412MHz	Pass	AV	2.408G	96.77	Inf	-Inf	32.34	3	Vertical	122	1.50	-
2412MHz	Pass	AV	2.494G	45.97	54.00	-8.03	32.65	3	Vertical	122	1.50	-
2412MHz	Pass	PK	2.389998G	58.65	74.00	-15.35	32.28	3	Vertical	122	1.50	-
2412MHz	Pass	PK	2.414G	106.61	Inf	-Inf	32.36	3	Vertical	122	1.50	-
2412MHz	Pass	PK	2.486G	57.43	74.00	-16.57	32.62	3	Vertical	122	1.50	-
2412MHz	Pass	AV	4.824G	32.34	54.00	-21.66	3.13	3	Vertical	84	2.76	-
2412MHz	Pass	PK	4.82181G	46.68	74.00	-27.32	3.13	3	Vertical	84	2.76	-
2412MHz	Pass	AV	4.826595G	31.62	54.00	-22.38	3.14	3	Horizontal	130	1.50	-
2412MHz	Pass	PK	4.827633G	45.40	74.00	-28.60	3.14	3	Horizontal	130	1.50	-
2417MHz	Pass	AV	2.389998G	53.89	54.00	-0.11	32.28	3	Vertical	124	1.50	-
2417MHz	Pass	AV	2.411G	107.40	Inf	-Inf	32.35	3	Vertical	124	1.50	-
2417MHz	Pass	AV	2.496G	48.04	54.00	-5.96	32.66	3	Vertical	124	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.389998G	65.59	74.00	-8.41	32.28	3	Vertical	124	1.50	-
2417MHz	Pass	PK	2.412G	116.95	Inf	-Inf	32.35	3	Vertical	124	1.50	-
2417MHz	Pass	PK	2.499998G	59.25	74.00	-14.75	32.67	3	Vertical	124	1.50	-
2437MHz	Pass	AV	2.389998G	53.79	54.00	-0.21	30.77	3	Vertical	98	1.50	-
2437MHz	Pass	AV	2.4316G	109.68	Inf	-Inf	30.92	3	Vertical	98	1.50	-
2437MHz	Pass	AV	2.4856G	50.73	54.00	-3.27	31.12	3	Vertical	98	1.50	-
2437MHz	Pass	PK	2.386G	65.13	74.00	-8.87	30.76	3	Vertical	98	1.50	-
2437MHz	Pass	PK	2.4316G	118.77	Inf	-Inf	30.92	3	Vertical	98	1.50	-
2437MHz	Pass	PK	2.4856G	63.75	74.00	-10.25	31.12	3	Vertical	98	1.50	-
2437MHz	Pass	AV	4.8728G	31.56	54.00	-22.44	3.24	3	Vertical	281	1.50	-
2437MHz	Pass	PK	4.85723G	45.24	74.00	-28.76	3.21	3	Vertical	281	1.50	-
2437MHz	Pass	AV	4.8742G	31.08	54.00	-22.92	3.24	3	Horizontal	132	1.55	-
2437MHz	Pass	PK	4.88568G	45.45	74.00	-28.55	3.27	3	Horizontal	132	1.55	-
2457MHz	Pass	AV	2.32G	53.81	54.00	-0.19	32.02	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.451G	105.40	Inf	-Inf	32.49	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.485G	51.36	54.00	-2.64	32.61	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.296G	64.15	74.00	-9.85	31.93	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.452G	114.72	Inf	-Inf	32.50	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.485G	63.95	74.00	-10.05	32.61	3	Vertical	131	1.50	-
2462MHz	Pass	AV	2.381G	47.45	54.00	-6.55	32.24	3	Vertical	52	1.50	-
2462MHz	Pass	AV	2.456G	96.59	Inf	-Inf	32.51	3	Vertical	52	1.50	-
2462MHz	Pass	AV	2.483502G	47.21	54.00	-6.79	32.61	3	Vertical	52	1.50	-
2462MHz	Pass	PK	2.389998G	59.67	74.00	-14.33	32.28	3	Vertical	52	1.50	-
2462MHz	Pass	PK	2.456G	105.99	Inf	-Inf	32.51	3	Vertical	52	1.50	-
2462MHz	Pass	PK	2.485G	58.82	74.00	-15.18	32.61	3	Vertical	52	1.50	-
2462MHz	Pass	AV	4.94456G	31.84	54.00	-22.16	3.39	3	Vertical	91	1.44	-
2462MHz	Pass	PK	4.94655G	45.87	74.00	-28.13	3.40	3	Vertical	91	1.44	-
2462MHz	Pass	AV	4.94895G	31.87	54.00	-22.13	3.40	3	Horizontal	252	1.50	-
2462MHz	Pass	PK	4.94226G	45.55	74.00	-28.45	3.39	3	Horizontal	252	1.50	-
HT5_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.389G	52.08	54.00	-1.92	32.27	3	Vertical	120	1.50	-
2412MHz	Pass	AV	2.414G	113.36	Inf	-Inf	32.36	3	Vertical	120	1.50	-
2412MHz	Pass	AV	2.494G	48.53	54.00	-5.47	32.65	3	Vertical	120	1.50	-
2412MHz	Pass	PK	2.388G	64.51	74.00	-9.49	32.27	3	Vertical	120	1.50	-
2412MHz	Pass	PK	2.414G	125.84	Inf	-Inf	32.36	3	Vertical	120	1.50	-
2412MHz	Pass	PK	2.499998G	60.40	74.00	-13.60	32.67	3	Vertical	120	1.50	-
2412MHz	Pass	AV	4.823501G	34.71	54.00	-19.29	3.13	3	Vertical	84	1.56	-
2412MHz	Pass	PK	4.823102G	48.85	74.00	-25.15	3.13	3	Vertical	84	1.56	-
2412MHz	Pass	AV	4.82412G	32.85	54.00	-21.15	3.13	3	Horizontal	12	2.30	-
2412MHz	Pass	PK	4.824499G	46.34	74.00	-27.66	3.13	3	Horizontal	12	2.30	-
2417MHz	Pass	AV	2.28G	53.26	54.00	-0.74	32.03	3	Vertical	113	1.50	-
2417MHz	Pass	AV	2.419G	115.40	Inf	-Inf	32.56	3	Vertical	113	1.50	-
2417MHz	Pass	AV	2.499G	49.18	54.00	-4.82	32.87	3	Vertical	113	1.50	-
2417MHz	Pass	PK	2.291G	64.16	74.00	-9.84	32.08	3	Vertical	113	1.50	-
2417MHz	Pass	PK	2.419G	125.98	Inf	-Inf	32.56	3	Vertical	113	1.50	-
2417MHz	Pass	PK	2.499G	60.72	74.00	-13.28	32.87	3	Vertical	113	1.50	-
2422MHz	Pass	AV	2.389G	53.36	54.00	-0.64	32.45	3	Vertical	85	1.50	-
2422MHz	Pass	AV	2.424G	117.31	Inf	-Inf	32.58	3	Vertical	85	1.50	-
2422MHz	Pass	AV	2.483502G	49.08	54.00	-4.92	32.81	3	Vertical	85	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.378G	65.15	74.00	-8.85	32.40	3	Vertical	85	1.50	-
2422MHz	Pass	PK	2.424G	126.37	Inf	-Inf	32.58	3	Vertical	85	1.50	-
2422MHz	Pass	PK	2.496G	60.03	74.00	-13.97	32.86	3	Vertical	85	1.50	-
2427MHz	Pass	AV	2.379G	53.27	54.00	-0.73	32.41	3	Vertical	85	1.50	-
2427MHz	Pass	AV	2.429G	118.28	Inf	-Inf	32.60	3	Vertical	85	1.50	-
2427MHz	Pass	AV	2.495G	49.15	54.00	-4.85	32.85	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.321G	64.27	74.00	-9.73	32.19	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.429G	128.12	Inf	-Inf	32.60	3	Vertical	85	1.50	-
2427MHz	Pass	PK	2.494G	60.29	74.00	-13.71	32.84	3	Vertical	85	1.50	-
2432MHz	Pass	AV	2.384G	53.80	54.00	-0.20	32.43	3	Vertical	150	1.50	-
2432MHz	Pass	AV	2.433G	118.88	Inf	-Inf	32.62	3	Vertical	150	1.50	-
2432MHz	Pass	AV	2.484G	50.75	54.00	-3.25	32.81	3	Vertical	150	1.50	-
2432MHz	Pass	PK	2.383G	65.10	74.00	-8.90	32.43	3	Vertical	150	1.50	-
2432MHz	Pass	PK	2.433G	129.33	Inf	-Inf	32.62	3	Vertical	150	1.50	-
2432MHz	Pass	PK	2.483502G	61.81	74.00	-12.19	32.81	3	Vertical	150	1.50	-
2437MHz	Pass	AV	2.3162G	53.48	54.00	-0.52	30.13	3	Vertical	133	1.49	-
2437MHz	Pass	AV	2.4362G	121.01	Inf	-Inf	30.53	3	Vertical	133	1.49	-
2437MHz	Pass	AV	2.4858G	48.89	54.00	-5.11	30.71	3	Vertical	133	1.49	-
2437MHz	Pass	PK	2.3162G	64.15	74.00	-9.85	30.13	3	Vertical	133	1.49	-
2437MHz	Pass	PK	2.437G	129.67	Inf	-Inf	30.54	3	Vertical	133	1.49	-
2437MHz	Pass	PK	2.4906G	59.93	74.00	-14.07	30.72	3	Vertical	133	1.49	-
2437MHz	Pass	AV	4.873741G	35.01	54.00	-18.99	3.24	3	Vertical	92	1.80	-
2437MHz	Pass	PK	4.877393G	50.17	74.00	-23.83	3.25	3	Vertical	92	1.80	-
2437MHz	Pass	AV	4.874259G	32.84	54.00	-21.16	3.24	3	Horizontal	83	1.50	-
2437MHz	Pass	PK	4.87408G	45.49	74.00	-28.51	3.24	3	Horizontal	83	1.50	-
2442MHz	Pass	AV	2.316G	53.25	54.00	-0.75	32.17	3	Vertical	150	1.50	-
2442MHz	Pass	AV	2.444G	118.34	Inf	-Inf	32.66	3	Vertical	150	1.50	-
2442MHz	Pass	AV	2.483502G	50.92	54.00	-3.08	32.81	3	Vertical	150	1.50	-
2442MHz	Pass	PK	2.313G	64.57	74.00	-9.43	32.16	3	Vertical	150	1.50	-
2442MHz	Pass	PK	2.444G	127.82	Inf	-Inf	32.66	3	Vertical	150	1.50	-
2442MHz	Pass	PK	2.494G	62.07	74.00	-11.93	32.84	3	Vertical	150	1.50	-
2447MHz	Pass	AV	2.32G	53.50	54.00	-0.50	32.18	3	Vertical	148	1.50	-
2447MHz	Pass	AV	2.446G	117.08	Inf	-Inf	32.66	3	Vertical	148	1.50	-
2447MHz	Pass	AV	2.483502G	50.68	54.00	-3.32	32.81	3	Vertical	148	1.50	-
2447MHz	Pass	PK	2.386G	64.69	74.00	-9.31	32.43	3	Vertical	148	1.50	-
2447MHz	Pass	PK	2.446G	128.00	Inf	-Inf	32.66	3	Vertical	148	1.50	-
2447MHz	Pass	PK	2.492G	63.20	74.00	-10.80	32.84	3	Vertical	148	1.50	-
2452MHz	Pass	AV	2.28G	53.72	54.00	-0.28	32.03	3	Vertical	129	1.50	-
2452MHz	Pass	AV	2.451G	115.09	Inf	-Inf	32.68	3	Vertical	129	1.50	-
2452MHz	Pass	AV	2.485G	50.16	54.00	-3.84	32.81	3	Vertical	129	1.50	-
2452MHz	Pass	PK	2.28G	65.17	74.00	-8.83	32.03	3	Vertical	129	1.50	-
2452MHz	Pass	PK	2.451G	125.24	Inf	-Inf	32.68	3	Vertical	129	1.50	-
2452MHz	Pass	PK	2.487G	62.47	74.00	-11.53	32.82	3	Vertical	129	1.50	-
2457MHz	Pass	AV	2.32G	53.77	54.00	-0.23	32.18	3	Vertical	129	1.50	-
2457MHz	Pass	AV	2.457G	113.63	Inf	-Inf	32.71	3	Vertical	129	1.50	-
2457MHz	Pass	AV	2.483502G	50.75	54.00	-3.25	32.81	3	Vertical	129	1.50	-
2457MHz	Pass	PK	2.318G	64.48	74.00	-9.52	32.18	3	Vertical	129	1.50	-
2457MHz	Pass	PK	2.456G	124.29	Inf	-Inf	32.70	3	Vertical	129	1.50	-
2457MHz	Pass	PK	2.493G	62.54	74.00	-11.46	32.84	3	Vertical	129	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.28G	51.61	54.00	-2.39	31.88	3	Vertical	134	1.50	-
2462MHz	Pass	AV	2.461G	112.55	Inf	-Inf	32.53	3	Vertical	134	1.50	-
2462MHz	Pass	AV	2.487G	50.52	54.00	-3.48	32.62	3	Vertical	134	1.50	-
2462MHz	Pass	PK	2.38G	64.89	74.00	-9.11	32.24	3	Vertical	134	1.50	-
2462MHz	Pass	PK	2.461G	125.18	Inf	-Inf	32.53	3	Vertical	134	1.50	-
2462MHz	Pass	PK	2.487G	62.42	74.00	-11.58	32.62	3	Vertical	134	1.50	-
2462MHz	Pass	AV	4.92408G	35.31	54.00	-18.69	3.35	3	Vertical	90	1.50	-
2462MHz	Pass	PK	4.927154G	49.01	74.00	-24.99	3.36	3	Vertical	90	1.50	-
2462MHz	Pass	AV	4.924599G	33.51	54.00	-20.49	3.35	3	Horizontal	241	1.51	-
2462MHz	Pass	PK	4.925357G	45.77	74.00	-28.23	3.35	3	Horizontal	241	1.51	-
HT8_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.36G	51.29	54.00	-2.71	32.16	3	Vertical	118	1.50	-
2412MHz	Pass	AV	2.41G	111.37	Inf	-Inf	32.35	3	Vertical	118	1.50	-
2412MHz	Pass	AV	2.483502G	48.47	54.00	-5.53	32.61	3	Vertical	118	1.50	-
2412MHz	Pass	PK	2.339G	63.47	74.00	-10.53	32.09	3	Vertical	118	1.50	-
2412MHz	Pass	PK	2.41G	122.98	Inf	-Inf	32.35	3	Vertical	118	1.50	-
2412MHz	Pass	PK	2.491G	59.89	74.00	-14.11	32.64	3	Vertical	118	1.50	-
2412MHz	Pass	AV	4.8252G	32.92	54.00	-21.08	3.14	3	Vertical	165	1.47	-
2412MHz	Pass	PK	4.8227G	45.80	74.00	-28.20	3.13	3	Vertical	165	1.47	-
2412MHz	Pass	AV	4.82679G	32.06	54.00	-21.94	3.14	3	Horizontal	263	1.50	-
2412MHz	Pass	PK	4.82031G	45.70	74.00	-28.30	3.12	3	Horizontal	263	1.50	-
2417MHz	Pass	AV	2.32G	53.36	54.00	-0.64	32.18	3	Vertical	112	1.54	-
2417MHz	Pass	AV	2.42G	113.81	Inf	-Inf	32.57	3	Vertical	112	1.54	-
2417MHz	Pass	AV	2.49G	49.42	54.00	-4.58	32.83	3	Vertical	112	1.54	-
2417MHz	Pass	PK	2.331G	64.87	74.00	-9.13	32.23	3	Vertical	112	1.54	-
2417MHz	Pass	PK	2.42G	124.02	Inf	-Inf	32.57	3	Vertical	112	1.54	-
2417MHz	Pass	PK	2.483502G	60.65	74.00	-13.35	32.81	3	Vertical	112	1.54	-
2422MHz	Pass	AV	2.385G	53.39	54.00	-0.61	32.43	3	Vertical	81	1.50	-
2422MHz	Pass	AV	2.421G	113.99	Inf	-Inf	32.57	3	Vertical	81	1.50	-
2422MHz	Pass	AV	2.492G	48.97	54.00	-5.03	32.84	3	Vertical	81	1.50	-
2422MHz	Pass	PK	2.385G	64.61	74.00	-9.39	32.43	3	Vertical	81	1.50	-
2422MHz	Pass	PK	2.421G	124.81	Inf	-Inf	32.57	3	Vertical	81	1.50	-
2422MHz	Pass	PK	2.487G	60.14	74.00	-13.86	32.82	3	Vertical	81	1.50	-
2427MHz	Pass	AV	2.389998G	53.77	54.00	-0.23	32.45	3	Vertical	53	1.50	-
2427MHz	Pass	AV	2.429G	116.33	Inf	-Inf	32.60	3	Vertical	53	1.50	-
2427MHz	Pass	AV	2.499G	49.44	54.00	-4.56	32.87	3	Vertical	53	1.50	-
2427MHz	Pass	PK	2.268G	64.90	74.00	-9.10	31.99	3	Vertical	53	1.50	-
2427MHz	Pass	PK	2.428G	126.56	Inf	-Inf	32.60	3	Vertical	53	1.50	-
2427MHz	Pass	PK	2.483502G	60.76	74.00	-13.24	32.81	3	Vertical	53	1.50	-
2432MHz	Pass	AV	2.384G	53.65	54.00	-0.35	32.43	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.434G	117.91	Inf	-Inf	32.62	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.483502G	50.51	54.00	-3.49	32.81	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.364G	65.03	74.00	-8.97	32.36	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.434G	127.45	Inf	-Inf	32.62	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.484G	61.67	74.00	-12.33	32.81	3	Vertical	57	1.50	-
2437MHz	Pass	AV	2.3898G	51.88	54.00	-2.12	30.38	3	Vertical	134	1.50	-
2437MHz	Pass	AV	2.4354G	119.31	Inf	-Inf	30.53	3	Vertical	134	1.50	-
2437MHz	Pass	AV	2.4842G	49.40	54.00	-4.60	30.69	3	Vertical	134	1.50	-
2437MHz	Pass	PK	2.389G	72.45	74.00	-1.55	30.37	3	Vertical	134	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.4354G	129.71	Inf	-Inf	30.53	3	Vertical	134	1.50	-
2437MHz	Pass	PK	2.483502G	61.99	74.00	-12.01	30.69	3	Vertical	134	1.50	-
2437MHz	Pass	AV	4.8731G	32.78	54.00	-21.22	3.24	3	Vertical	247	1.50	-
2437MHz	Pass	PK	4.86222G	45.57	74.00	-28.43	3.22	3	Vertical	247	1.50	-
2437MHz	Pass	AV	4.8746G	31.74	54.00	-22.26	3.24	3	Horizontal	128	1.50	-
2437MHz	Pass	PK	4.8749G	45.71	74.00	-28.29	3.24	3	Horizontal	128	1.50	-
2442MHz	Pass	AV	2.28G	53.75	54.00	-0.25	32.03	3	Vertical	148	1.50	-
2442MHz	Pass	AV	2.444G	116.23	Inf	-Inf	32.66	3	Vertical	148	1.50	-
2442MHz	Pass	AV	2.494G	50.39	54.00	-3.61	32.84	3	Vertical	148	1.50	-
2442MHz	Pass	PK	2.28G	64.24	74.00	-9.76	32.03	3	Vertical	148	1.50	-
2442MHz	Pass	PK	2.443G	126.86	Inf	-Inf	32.65	3	Vertical	148	1.50	-
2442MHz	Pass	PK	2.494G	62.62	74.00	-11.38	32.84	3	Vertical	148	1.50	-
2447MHz	Pass	AV	2.379G	53.88	54.00	-0.12	32.41	3	Vertical	132	1.50	-
2447MHz	Pass	AV	2.449G	115.29	Inf	-Inf	32.68	3	Vertical	132	1.50	-
2447MHz	Pass	AV	2.484G	50.38	54.00	-3.62	32.81	3	Vertical	132	1.50	-
2447MHz	Pass	PK	2.379G	64.45	74.00	-9.55	32.41	3	Vertical	132	1.50	-
2447MHz	Pass	PK	2.449G	127.05	Inf	-Inf	32.68	3	Vertical	132	1.50	-
2447MHz	Pass	PK	2.484G	61.52	74.00	-12.48	32.81	3	Vertical	132	1.50	-
2452MHz	Pass	AV	2.32G	53.27	54.00	-0.73	32.18	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.454G	114.97	Inf	-Inf	32.70	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.49G	52.51	54.00	-1.49	32.83	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.28G	65.33	74.00	-8.67	32.03	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.454G	125.26	Inf	-Inf	32.70	3	Vertical	130	1.50	-
2452MHz	Pass	PK	2.491G	64.16	74.00	-9.84	32.84	3	Vertical	130	1.50	-
2457MHz	Pass	AV	2.32G	53.65	54.00	-0.35	32.18	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.459G	113.85	Inf	-Inf	32.71	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.484G	50.92	54.00	-3.08	32.81	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.299G	64.61	74.00	-9.39	32.11	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.459G	124.65	Inf	-Inf	32.71	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.483502G	62.45	74.00	-11.55	32.81	3	Vertical	131	1.50	-
2462MHz	Pass	AV	2.384G	51.81	54.00	-2.19	32.25	3	Vertical	54	1.50	-
2462MHz	Pass	AV	2.464G	109.74	Inf	-Inf	32.54	3	Vertical	54	1.50	-
2462MHz	Pass	AV	2.499G	49.97	54.00	-4.03	32.67	3	Vertical	54	1.50	-
2462MHz	Pass	PK	2.384G	64.27	74.00	-9.73	32.25	3	Vertical	54	1.50	-
2462MHz	Pass	PK	2.463G	121.76	Inf	-Inf	32.54	3	Vertical	54	1.50	-
2462MHz	Pass	PK	2.495G	61.97	74.00	-12.03	32.65	3	Vertical	54	1.50	-
2462MHz	Pass	AV	4.9229G	33.87	54.00	-20.13	3.35	3	Vertical	96	1.48	-
2462MHz	Pass	PK	4.9221G	48.06	74.00	-25.94	3.35	3	Vertical	96	1.48	-
2462MHz	Pass	AV	4.924895G	32.32	54.00	-21.68	3.35	3	Horizontal	244	1.50	-
2462MHz	Pass	PK	4.924047G	45.99	74.00	-28.01	3.35	3	Horizontal	244	1.50	-
HT10_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.32G	51.92	54.00	-2.08	32.02	3	Vertical	106	1.50	-
2412MHz	Pass	AV	2.41G	110.87	Inf	-Inf	32.35	3	Vertical	106	1.50	-
2412MHz	Pass	AV	2.49G	48.34	54.00	-5.66	32.64	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.389998G	65.71	74.00	-8.29	32.28	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.411G	122.35	Inf	-Inf	32.35	3	Vertical	106	1.50	-
2412MHz	Pass	PK	2.492G	60.52	74.00	-13.48	32.64	3	Vertical	106	1.50	-
2412MHz	Pass	AV	4.8241G	33.95	54.00	-20.05	3.13	3	Vertical	79	2.90	-
2412MHz	Pass	PK	4.8241G	47.19	74.00	-26.81	3.13	3	Vertical	79	2.90	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	AV	4.8238G	32.09	54.00	-21.91	3.13	3	Horizontal	221	1.50	-
2412MHz	Pass	PK	4.8243G	46.45	74.00	-27.55	3.14	3	Horizontal	221	1.50	-
2417MHz	Pass	AV	2.32G	52.92	54.00	-1.08	32.18	3	Vertical	84	1.50	-
2417MHz	Pass	AV	2.42G	110.89	Inf	-Inf	32.57	3	Vertical	84	1.50	-
2417MHz	Pass	AV	2.497G	48.57	54.00	-5.43	32.86	3	Vertical	84	1.50	-
2417MHz	Pass	PK	2.376G	64.66	74.00	-9.34	32.40	3	Vertical	84	1.50	-
2417MHz	Pass	PK	2.42G	121.65	Inf	-Inf	32.57	3	Vertical	84	1.50	-
2417MHz	Pass	PK	2.499G	59.04	74.00	-14.96	32.87	3	Vertical	84	1.50	-
2422MHz	Pass	AV	2.381G	53.08	54.00	-0.92	32.42	3	Vertical	84	1.50	-
2422MHz	Pass	AV	2.425G	114.23	Inf	-Inf	32.59	3	Vertical	84	1.50	-
2422MHz	Pass	AV	2.485G	48.96	54.00	-5.04	32.81	3	Vertical	84	1.50	-
2422MHz	Pass	PK	2.389G	64.68	74.00	-9.32	32.45	3	Vertical	84	1.50	-
2422MHz	Pass	PK	2.425G	124.92	Inf	-Inf	32.59	3	Vertical	84	1.50	-
2422MHz	Pass	PK	2.484G	60.27	74.00	-13.73	32.81	3	Vertical	84	1.50	-
2427MHz	Pass	AV	2.389998G	53.06	54.00	-0.94	32.45	3	Vertical	55	1.50	-
2427MHz	Pass	AV	2.424G	115.16	Inf	-Inf	32.58	3	Vertical	55	1.50	-
2427MHz	Pass	AV	2.483502G	49.06	54.00	-4.94	32.81	3	Vertical	55	1.50	-
2427MHz	Pass	PK	2.389G	64.78	74.00	-9.22	32.45	3	Vertical	55	1.50	-
2427MHz	Pass	PK	2.425G	125.93	Inf	-Inf	32.59	3	Vertical	55	1.50	-
2427MHz	Pass	PK	2.489G	60.11	74.00	-13.89	32.83	3	Vertical	55	1.50	-
2432MHz	Pass	AV	2.385G	53.58	54.00	-0.42	32.43	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.43G	116.06	Inf	-Inf	32.60	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.483502G	49.59	54.00	-4.41	32.81	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.386G	65.27	74.00	-8.73	32.43	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.43G	126.73	Inf	-Inf	32.60	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.494G	60.35	74.00	-13.65	32.84	3	Vertical	57	1.50	-
2437MHz	Pass	AV	2.3898G	53.77	54.00	-0.23	30.38	3	Vertical	131	1.50	-
2437MHz	Pass	AV	2.4346G	118.06	Inf	-Inf	30.53	3	Vertical	131	1.50	-
2437MHz	Pass	AV	2.483502G	50.69	54.00	-3.31	30.69	3	Vertical	131	1.50	-
2437MHz	Pass	PK	2.3874G	71.08	74.00	-2.92	30.37	3	Vertical	131	1.50	-
2437MHz	Pass	PK	2.4354G	129.34	Inf	-Inf	30.53	3	Vertical	131	1.50	-
2437MHz	Pass	PK	2.4866G	65.95	74.00	-8.05	30.71	3	Vertical	131	1.50	-
2437MHz	Pass	AV	4.87422G	32.60	54.00	-21.40	3.24	3	Vertical	210	1.50	-
2437MHz	Pass	PK	4.87445G	44.88	74.00	-29.12	3.24	3	Vertical	210	1.50	-
2437MHz	Pass	AV	4.87469G	31.46	54.00	-22.54	3.24	3	Horizontal	108	1.56	-
2437MHz	Pass	PK	4.874559G	45.04	74.00	-28.96	3.24	3	Horizontal	108	1.56	-
2442MHz	Pass	AV	2.389998G	53.78	54.00	-0.22	32.45	3	Vertical	153	1.50	-
2442MHz	Pass	AV	2.439G	116.99	Inf	-Inf	32.64	3	Vertical	153	1.50	-
2442MHz	Pass	AV	2.485G	51.83	54.00	-2.17	32.81	3	Vertical	153	1.50	-
2442MHz	Pass	PK	2.388G	64.56	74.00	-9.44	32.45	3	Vertical	153	1.50	-
2442MHz	Pass	PK	2.44G	128.00	Inf	-Inf	32.64	3	Vertical	153	1.50	-
2442MHz	Pass	PK	2.489G	63.16	74.00	-10.84	32.83	3	Vertical	153	1.50	-
2447MHz	Pass	AV	2.32G	53.27	54.00	-0.73	32.18	3	Vertical	147	1.50	-
2447MHz	Pass	AV	2.449G	114.24	Inf	-Inf	32.68	3	Vertical	147	1.50	-
2447MHz	Pass	AV	2.484G	50.60	54.00	-3.40	32.81	3	Vertical	147	1.50	-
2447MHz	Pass	PK	2.317G	64.12	74.00	-9.88	32.17	3	Vertical	147	1.50	-
2447MHz	Pass	PK	2.45G	124.42	Inf	-Inf	32.68	3	Vertical	147	1.50	-
2447MHz	Pass	PK	2.499998G	62.09	74.00	-11.91	32.87	3	Vertical	147	1.50	-
2452MHz	Pass	AV	2.279G	53.75	54.00	-0.25	32.03	3	Vertical	132	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	AV	2.455G	112.98	Inf	-Inf	32.70	3	Vertical	132	1.50	-
2452MHz	Pass	AV	2.483502G	50.66	54.00	-3.34	32.81	3	Vertical	132	1.50	-
2452MHz	Pass	PK	2.28G	64.57	74.00	-9.43	32.03	3	Vertical	132	1.50	-
2452MHz	Pass	PK	2.456G	123.83	Inf	-Inf	32.70	3	Vertical	132	1.50	-
2452MHz	Pass	PK	2.499998G	61.98	74.00	-12.02	32.87	3	Vertical	132	1.50	-
2457MHz	Pass	AV	2.32G	53.76	54.00	-0.24	32.19	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.455G	113.43	Inf	-Inf	32.70	3	Vertical	131	1.50	-
2457MHz	Pass	AV	2.483502G	52.32	54.00	-1.68	32.81	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.375G	64.93	74.00	-9.07	32.39	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.454G	123.98	Inf	-Inf	32.70	3	Vertical	131	1.50	-
2457MHz	Pass	PK	2.49G	64.20	74.00	-9.80	32.83	3	Vertical	131	1.50	-
2462MHz	Pass	AV	2.379G	52.12	54.00	-1.88	32.23	3	Vertical	53	1.50	-
2462MHz	Pass	AV	2.46G	110.26	Inf	-Inf	32.53	3	Vertical	53	1.50	-
2462MHz	Pass	AV	2.485G	50.96	54.00	-3.04	32.61	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.383G	64.11	74.00	-9.89	32.25	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.459G	121.72	Inf	-Inf	32.52	3	Vertical	53	1.50	-
2462MHz	Pass	PK	2.484G	62.94	74.00	-11.06	32.61	3	Vertical	53	1.50	-
2462MHz	Pass	AV	4.92432G	33.10	54.00	-20.90	3.35	3	Vertical	81	1.50	-
2462MHz	Pass	PK	4.924705G	46.35	74.00	-27.65	3.35	3	Vertical	81	1.50	-
2462MHz	Pass	AV	4.9256G	32.56	54.00	-21.44	3.35	3	Horizontal	5	1.02	-
2462MHz	Pass	PK	4.92623G	46.60	74.00	-27.40	3.36	3	Horizontal	5	1.02	-
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.389998G	51.26	54.00	-2.74	32.28	3	Vertical	122	1.50	-
2412MHz	Pass	AV	2.417G	104.59	Inf	-Inf	32.37	3	Vertical	122	1.50	-
2412MHz	Pass	AV	2.494G	47.21	54.00	-6.79	32.65	3	Vertical	122	1.50	-
2412MHz	Pass	PK	2.389G	65.27	74.00	-8.73	32.27	3	Vertical	122	1.50	-
2412MHz	Pass	PK	2.418G	113.91	Inf	-Inf	32.37	3	Vertical	122	1.50	-
2412MHz	Pass	PK	2.483502G	58.46	74.00	-15.54	32.61	3	Vertical	122	1.50	-
2412MHz	Pass	AV	4.8231G	32.22	54.00	-21.78	3.13	3	Vertical	127	1.50	-
2412MHz	Pass	PK	4.824194G	46.02	74.00	-27.98	3.13	3	Vertical	127	1.50	-
2412MHz	Pass	AV	4.82396G	31.74	54.00	-22.26	3.13	3	Horizontal	242	1.53	-
2412MHz	Pass	PK	4.82406G	45.62	74.00	-28.38	3.13	3	Horizontal	242	1.53	-
2417MHz	Pass	AV	2.389998G	53.90	54.00	-0.10	32.28	3	Vertical	111	1.50	-
2417MHz	Pass	AV	2.414G	106.60	Inf	-Inf	32.36	3	Vertical	111	1.50	-
2417MHz	Pass	AV	2.492G	48.32	54.00	-5.68	32.64	3	Vertical	111	1.50	-
2417MHz	Pass	PK	2.389998G	65.78	74.00	-8.22	32.28	3	Vertical	111	1.50	-
2417MHz	Pass	PK	2.415G	116.79	Inf	-Inf	32.36	3	Vertical	111	1.50	-
2417MHz	Pass	PK	2.493G	60.44	74.00	-13.56	32.64	3	Vertical	111	1.50	-
2422MHz	Pass	AV	2.32G	53.83	54.00	-0.17	32.02	3	Vertical	113	1.50	-
2422MHz	Pass	AV	2.418G	109.06	Inf	-Inf	32.37	3	Vertical	113	1.50	-
2422MHz	Pass	AV	2.494G	49.19	54.00	-4.81	32.65	3	Vertical	113	1.50	-
2422MHz	Pass	PK	2.389998G	67.04	74.00	-6.96	32.28	3	Vertical	113	1.50	-
2422MHz	Pass	PK	2.421G	119.91	Inf	-Inf	32.39	3	Vertical	113	1.50	-
2422MHz	Pass	PK	2.495G	61.87	74.00	-12.13	32.65	3	Vertical	113	1.50	-
2427MHz	Pass	AV	2.389998G	53.54	54.00	-0.46	32.28	3	Vertical	57	1.50	-
2427MHz	Pass	AV	2.431G	108.78	Inf	-Inf	32.42	3	Vertical	57	1.50	-
2427MHz	Pass	AV	2.484G	49.12	54.00	-4.88	32.61	3	Vertical	57	1.50	-
2427MHz	Pass	PK	2.389G	66.29	74.00	-7.71	32.27	3	Vertical	57	1.50	-
2427MHz	Pass	PK	2.432G	118.65	Inf	-Inf	32.43	3	Vertical	57	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	PK	2.489G	61.17	74.00	-12.83	32.63	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.28G	53.59	54.00	-0.41	31.88	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.437G	107.18	Inf	-Inf	32.44	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.483502G	48.97	54.00	-5.03	32.61	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.388G	64.99	74.00	-9.01	32.27	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.436G	117.27	Inf	-Inf	32.44	3	Vertical	57	1.50	-
2432MHz	Pass	PK	2.483502G	60.56	74.00	-13.44	32.61	3	Vertical	57	1.50	-
2437MHz	Pass	AV	2.389G	53.43	54.00	-0.57	32.45	3	Vertical	150	1.34	-
2437MHz	Pass	AV	2.441G	112.55	Inf	-Inf	32.65	3	Vertical	150	1.34	-
2437MHz	Pass	AV	2.483502G	53.00	54.00	-1.00	32.81	3	Vertical	150	1.34	-
2437MHz	Pass	PK	2.385G	66.08	74.00	-7.92	32.43	3	Vertical	150	1.34	-
2437MHz	Pass	PK	2.4394G	122.20	Inf	-Inf	32.64	3	Vertical	150	1.34	-
2437MHz	Pass	PK	2.4946G	67.46	74.00	-6.54	32.85	3	Vertical	150	1.34	-
2437MHz	Pass	AV	4.873141G	31.97	54.00	-22.03	3.24	3	Vertical	61	1.50	-
2437MHz	Pass	PK	4.87426G	45.44	74.00	-28.56	3.24	3	Vertical	61	1.50	-
2437MHz	Pass	AV	4.8746G	31.67	54.00	-22.33	3.24	3	Horizontal	260	1.56	-
2437MHz	Pass	PK	4.87025G	44.93	74.00	-29.07	3.23	3	Horizontal	260	1.56	-
2442MHz	Pass	AV	2.24G	53.73	54.00	-0.27	31.73	3	Vertical	152	1.50	-
2442MHz	Pass	AV	2.437G	108.96	Inf	-Inf	32.44	3	Vertical	152	1.50	-
2442MHz	Pass	AV	2.489G	50.62	54.00	-3.38	32.63	3	Vertical	152	1.50	-
2442MHz	Pass	PK	2.384G	64.85	74.00	-9.15	32.25	3	Vertical	152	1.50	-
2442MHz	Pass	PK	2.435G	119.28	Inf	-Inf	32.44	3	Vertical	152	1.50	-
2442MHz	Pass	PK	2.488G	63.21	74.00	-10.79	32.63	3	Vertical	152	1.50	-
2447MHz	Pass	AV	2.28G	53.61	54.00	-0.39	31.88	3	Vertical	132	1.50	-
2447MHz	Pass	AV	2.453G	105.87	Inf	-Inf	32.50	3	Vertical	132	1.50	-
2447MHz	Pass	AV	2.485G	49.72	54.00	-4.28	32.61	3	Vertical	132	1.50	-
2447MHz	Pass	PK	2.384G	63.56	74.00	-10.44	32.25	3	Vertical	132	1.50	-
2447MHz	Pass	PK	2.452G	115.74	Inf	-Inf	32.50	3	Vertical	132	1.50	-
2447MHz	Pass	PK	2.484G	62.61	74.00	-11.39	32.61	3	Vertical	132	1.50	-
2452MHz	Pass	AV	2.28G	53.68	54.00	-0.32	31.88	3	Vertical	134	1.50	-
2452MHz	Pass	AV	2.32G	52.88	54.00	-1.12	32.02	3	Vertical	134	1.50	-
2452MHz	Pass	AV	2.458G	107.90	Inf	-Inf	32.52	3	Vertical	134	1.50	-
2452MHz	Pass	PK	2.378G	65.01	74.00	-8.99	32.23	3	Vertical	134	1.50	-
2452MHz	Pass	PK	2.456G	117.97	Inf	-Inf	32.51	3	Vertical	134	1.50	-
2452MHz	Pass	PK	2.493G	66.66	74.00	-7.34	32.64	3	Vertical	134	1.50	-
2457MHz	Pass	AV	2.32G	53.44	54.00	-0.56	32.02	3	Vertical	129	1.50	-
2457MHz	Pass	AV	2.453G	108.07	Inf	-Inf	32.50	3	Vertical	129	1.50	-
2457MHz	Pass	AV	2.485G	53.76	54.00	-0.24	32.61	3	Vertical	129	1.50	-
2457MHz	Pass	PK	2.388G	65.46	74.00	-8.54	32.27	3	Vertical	129	1.50	-
2457MHz	Pass	PK	2.453G	118.19	Inf	-Inf	32.50	3	Vertical	129	1.50	-
2457MHz	Pass	PK	2.483502G	69.15	74.00	-4.85	32.61	3	Vertical	129	1.50	-
2462MHz	Pass	AV	2.32G	49.72	54.00	-4.28	32.02	3	Vertical	130	1.50	-
2462MHz	Pass	AV	2.458G	102.30	Inf	-Inf	32.52	3	Vertical	130	1.50	-
2462MHz	Pass	AV	2.483502G	53.84	54.00	-0.16	32.61	3	Vertical	130	1.50	-
2462MHz	Pass	PK	2.313G	61.41	74.00	-12.59	32.00	3	Vertical	130	1.50	-
2462MHz	Pass	PK	2.459G	111.90	Inf	-Inf	32.52	3	Vertical	130	1.50	-
2462MHz	Pass	PK	2.483502G	73.01	74.00	-0.99	32.61	3	Vertical	130	1.50	-
2462MHz	Pass	AV	4.92465G	32.31	54.00	-21.69	3.35	3	Vertical	113	1.50	-
2462MHz	Pass	PK	4.92446G	46.72	74.00	-27.28	3.35	3	Vertical	113	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	4.924149G	32.10	54.00	-21.90	3.35	3	Horizontal	288	1.44	-
2462MHz	Pass	PK	4.92431G	45.60	74.00	-28.40	3.35	3	Horizontal	288	1.44	-
HT30_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2417MHz	Pass	AV	2.39G	53.84	54.00	-0.16	32.28	3	Vertical	56	1.50	-
2417MHz	Pass	AV	2.424G	99.58	Inf	-Inf	32.40	3	Vertical	56	1.50	-
2417MHz	Pass	AV	2.493G	47.17	54.00	-6.83	32.64	3	Vertical	56	1.50	-
2417MHz	Pass	PK	2.389998G	67.92	74.00	-6.08	32.28	3	Vertical	56	1.50	-
2417MHz	Pass	PK	2.425G	109.14	Inf	-Inf	32.40	3	Vertical	56	1.50	-
2417MHz	Pass	PK	2.498G	58.80	74.00	-15.20	32.67	3	Vertical	56	1.50	-
2417MHz	Pass	AV	4.83455G	32.06	54.00	-21.94	3.16	3	Vertical	65	1.50	-
2417MHz	Pass	PK	4.834544G	45.61	74.00	-28.39	3.16	3	Vertical	65	1.50	-
2417MHz	Pass	AV	4.834422G	31.76	54.00	-22.24	3.16	3	Horizontal	231	1.53	-
2417MHz	Pass	PK	4.834042G	45.89	74.00	-28.11	3.15	3	Horizontal	231	1.53	-
2422MHz	Pass	AV	2.389998G	53.75	54.00	-0.25	32.28	3	Vertical	110	1.50	-
2422MHz	Pass	AV	2.417G	101.09	Inf	-Inf	32.37	3	Vertical	110	1.50	-
2422MHz	Pass	AV	2.492G	47.52	54.00	-6.48	32.64	3	Vertical	110	1.50	-
2422MHz	Pass	PK	2.389G	68.26	74.00	-5.74	32.27	3	Vertical	110	1.50	-
2422MHz	Pass	PK	2.415G	111.62	Inf	-Inf	32.36	3	Vertical	110	1.50	-
2422MHz	Pass	PK	2.491G	59.69	74.00	-14.31	32.64	3	Vertical	110	1.50	-
2427MHz	Pass	AV	2.39G	53.85	54.00	-0.15	32.27	3	Vertical	57	1.50	-
2427MHz	Pass	AV	2.42G	104.19	Inf	-Inf	32.38	3	Vertical	57	1.50	-
2427MHz	Pass	AV	2.483502G	47.92	54.00	-6.08	32.61	3	Vertical	57	1.50	-
2427MHz	Pass	PK	2.389998G	68.14	74.00	-5.86	32.28	3	Vertical	57	1.50	-
2427MHz	Pass	PK	2.421G	114.28	Inf	-Inf	32.39	3	Vertical	57	1.50	-
2427MHz	Pass	PK	2.496G	60.23	74.00	-13.77	32.66	3	Vertical	57	1.50	-
2432MHz	Pass	AV	2.389G	53.81	54.00	-0.19	32.27	3	Vertical	148	1.50	-
2432MHz	Pass	AV	2.438G	106.59	Inf	-Inf	32.45	3	Vertical	148	1.50	-
2432MHz	Pass	AV	2.489G	50.47	54.00	-3.53	32.63	3	Vertical	148	1.50	-
2432MHz	Pass	PK	2.385G	67.38	74.00	-6.62	32.26	3	Vertical	148	1.50	-
2432MHz	Pass	PK	2.441G	116.82	Inf	-Inf	32.46	3	Vertical	148	1.50	-
2432MHz	Pass	PK	2.496G	63.65	74.00	-10.35	32.66	3	Vertical	148	1.50	-
2437MHz	Pass	AV	2.3898G	53.88	54.00	-0.12	30.38	3	Vertical	133	1.50	-
2437MHz	Pass	AV	2.4282G	108.59	Inf	-Inf	30.51	3	Vertical	133	1.50	-
2437MHz	Pass	AV	2.4874G	51.55	54.00	-2.45	30.71	3	Vertical	133	1.50	-
2437MHz	Pass	PK	2.3874G	64.15	74.00	-9.85	30.37	3	Vertical	133	1.50	-
2437MHz	Pass	PK	2.4258G	117.82	Inf	-Inf	30.50	3	Vertical	133	1.50	-
2437MHz	Pass	PK	2.483502G	63.07	74.00	-10.93	30.69	3	Vertical	133	1.50	-
2437MHz	Pass	AV	4.87378G	31.70	54.00	-22.30	3.24	3	Vertical	144	1.56	-
2437MHz	Pass	PK	4.87392G	46.13	74.00	-27.87	3.24	3	Vertical	144	1.56	-
2437MHz	Pass	AV	4.87415G	31.26	54.00	-22.74	3.24	3	Horizontal	323	1.45	-
2437MHz	Pass	PK	4.87437G	45.39	74.00	-28.61	3.24	3	Horizontal	323	1.45	-
2442MHz	Pass	AV	2.387G	53.65	54.00	-0.35	32.26	3	Vertical	55	1.50	-
2442MHz	Pass	AV	2.432G	108.72	Inf	-Inf	32.43	3	Vertical	55	1.50	-
2442MHz	Pass	AV	2.484G	53.81	54.00	-0.19	32.61	3	Vertical	55	1.50	-
2442MHz	Pass	PK	2.382G	67.17	74.00	-6.83	32.25	3	Vertical	55	1.50	-
2442MHz	Pass	PK	2.434G	118.98	Inf	-Inf	32.43	3	Vertical	55	1.50	-
2442MHz	Pass	PK	2.484G	68.13	74.00	-5.87	32.61	3	Vertical	55	1.50	-
2447MHz	Pass	AV	2.32G	52.17	54.00	-1.83	32.02	3	Vertical	130	1.50	-
2447MHz	Pass	AV	2.457G	104.08	Inf	-Inf	32.52	3	Vertical	130	1.50	-



RSE TX above 1GHz Result

Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	AV	2.483502G	53.89	54.00	-0.11	32.61	3	Vertical	130	1.50	-
2447MHz	Pass	PK	2.388G	64.87	74.00	-9.13	32.27	3	Vertical	130	1.50	-
2447MHz	Pass	PK	2.457G	113.92	Inf	-Inf	32.52	3	Vertical	130	1.50	-
2447MHz	Pass	PK	2.483502G	70.92	74.00	-3.08	32.61	3	Vertical	130	1.50	-
2452MHz	Pass	AV	2.32G	51.27	54.00	-2.73	32.02	3	Vertical	133	1.50	-
2452MHz	Pass	AV	2.443G	102.82	Inf	-Inf	32.46	3	Vertical	133	1.50	-
2452MHz	Pass	AV	2.483502G	53.83	54.00	-0.17	32.61	3	Vertical	133	1.50	-
2452MHz	Pass	PK	2.388G	62.83	74.00	-11.17	32.27	3	Vertical	133	1.50	-
2452MHz	Pass	PK	2.444G	112.91	Inf	-Inf	32.47	3	Vertical	133	1.50	-
2452MHz	Pass	PK	2.483502G	69.09	74.00	-4.91	32.61	3	Vertical	133	1.50	-
2457MHz	Pass	AV	2.389G	49.62	54.00	-4.38	32.27	3	Vertical	72	1.50	-
2457MHz	Pass	AV	2.465G	100.38	Inf	-Inf	32.54	3	Vertical	72	1.50	-
2457MHz	Pass	AV	2.483502G	53.77	54.00	-0.23	32.61	3	Vertical	72	1.50	-
2457MHz	Pass	PK	2.382G	62.48	74.00	-11.52	32.25	3	Vertical	72	1.50	-
2457MHz	Pass	PK	2.467G	110.24	Inf	-Inf	32.55	3	Vertical	72	1.50	-
2457MHz	Pass	PK	2.483502G	70.20	74.00	-3.80	32.61	3	Vertical	72	1.50	-
2457MHz	Pass	AV	4.91441G	31.96	54.00	-22.04	3.33	3	Vertical	111	1.53	-
2457MHz	Pass	PK	4.91468G	45.54	74.00	-28.46	3.33	3	Vertical	111	1.53	-
2457MHz	Pass	AV	4.91435G	32.04	54.00	-21.96	3.33	3	Horizontal	261	1.48	-
2457MHz	Pass	PK	4.91396G	45.70	74.00	-28.30	3.33	3	Horizontal	261	1.48	-
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.389998G	50.81	54.00	-3.19	32.28	3	Vertical	98	1.50	-
2422MHz	Pass	AV	2.419G	94.92	Inf	-Inf	32.38	3	Vertical	98	1.50	-
2422MHz	Pass	AV	2.496G	46.61	54.00	-7.39	32.66	3	Vertical	98	1.50	-
2422MHz	Pass	PK	2.389998G	67.50	74.00	-6.50	32.28	3	Vertical	98	1.50	-
2422MHz	Pass	PK	2.419G	106.01	Inf	-Inf	32.38	3	Vertical	98	1.50	-
2422MHz	Pass	PK	2.483502G	58.18	74.00	-15.82	32.61	3	Vertical	98	1.50	-
2422MHz	Pass	AV	4.84467G	31.77	54.00	-22.23	3.18	3	Vertical	109	1.54	-
2422MHz	Pass	PK	4.844749G	45.13	74.00	-28.87	3.18	3	Vertical	109	1.54	-
2422MHz	Pass	AV	4.84455G	31.73	54.00	-22.27	3.18	3	Horizontal	274	1.61	-
2422MHz	Pass	PK	4.84347G	45.80	74.00	-28.20	3.18	3	Horizontal	274	1.61	-
2427MHz	Pass	AV	2.388G	53.53	54.00	-0.47	32.27	3	Vertical	54	1.50	-
2427MHz	Pass	AV	2.422G	99.23	Inf	-Inf	32.39	3	Vertical	54	1.50	-
2427MHz	Pass	AV	2.483502G	47.32	54.00	-6.68	32.61	3	Vertical	54	1.50	-
2427MHz	Pass	PK	2.388G	66.73	74.00	-7.27	32.27	3	Vertical	54	1.50	-
2427MHz	Pass	PK	2.423G	109.32	Inf	-Inf	32.39	3	Vertical	54	1.50	-
2427MHz	Pass	PK	2.492G	58.75	74.00	-15.25	32.64	3	Vertical	54	1.50	-
2432MHz	Pass	AV	2.389998G	53.54	54.00	-0.46	32.28	3	Vertical	28	1.50	-
2432MHz	Pass	AV	2.425G	99.70	Inf	-Inf	32.40	3	Vertical	28	1.50	-
2432MHz	Pass	AV	2.483502G	48.40	54.00	-5.60	32.61	3	Vertical	28	1.50	-
2432MHz	Pass	PK	2.388G	67.64	74.00	-6.36	32.27	3	Vertical	28	1.50	-
2432MHz	Pass	PK	2.423G	110.14	Inf	-Inf	32.39	3	Vertical	28	1.50	-
2432MHz	Pass	PK	2.483502G	60.88	74.00	-13.12	32.61	3	Vertical	28	1.50	-
2437MHz	Pass	AV	2.3898G	53.69	54.00	-0.31	30.38	3	Vertical	132	1.50	-
2437MHz	Pass	AV	2.4234G	102.20	Inf	-Inf	30.49	3	Vertical	132	1.50	-
2437MHz	Pass	AV	2.483502G	52.46	54.00	-1.54	30.69	3	Vertical	132	1.50	-
2437MHz	Pass	PK	2.3898G	65.58	74.00	-8.42	30.38	3	Vertical	132	1.50	-
2437MHz	Pass	PK	2.4226G	111.98	Inf	-Inf	30.49	3	Vertical	132	1.50	-
2437MHz	Pass	PK	2.483502G	65.41	74.00	-8.59	30.69	3	Vertical	132	1.50	-



RSE TX above 1GHz Result


Appendix F

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.87416G	31.77	54.00	-22.22	3.24	3	Vertical	48	1.42	-
2437MHz	Pass	PK	4.87473G	45.39	74.00	-28.58	3.24	3	Vertical	48	1.42	-
2437MHz	Pass	AV	4.87441G	31.38	54.00	-22.62	3.24	3	Horizontal	263	1.54	-
2437MHz	Pass	PK	4.87408G	45.66	74.00	-28.34	3.24	3	Horizontal	263	1.54	-
2442MHz	Pass	AV	2.389998G	50.85	54.00	-3.15	32.28	3	Vertical	54	1.50	-
2442MHz	Pass	AV	2.428G	101.08	Inf	-Inf	32.41	3	Vertical	54	1.50	-
2442MHz	Pass	AV	2.483502G	53.10	54.00	-0.90	32.61	3	Vertical	54	1.50	-
2442MHz	Pass	PK	2.389998G	62.47	74.00	-11.53	32.28	3	Vertical	54	1.50	-
2442MHz	Pass	PK	2.427G	110.93	Inf	-Inf	32.41	3	Vertical	54	1.50	-
2442MHz	Pass	PK	2.483502G	67.25	74.00	-6.75	32.61	3	Vertical	54	1.50	-
2447MHz	Pass	AV	2.32G	50.18	54.00	-3.82	32.02	3	Vertical	56	1.50	-
2447MHz	Pass	AV	2.442G	97.88	Inf	-Inf	32.46	3	Vertical	56	1.50	-
2447MHz	Pass	AV	2.483502G	53.85	54.00	-0.15	32.61	3	Vertical	56	1.50	-
2447MHz	Pass	PK	2.386G	62.23	74.00	-11.77	32.26	3	Vertical	56	1.50	-
2447MHz	Pass	PK	2.44G	109.02	Inf	-Inf	32.45	3	Vertical	56	1.50	-
2447MHz	Pass	PK	2.483502G	67.53	74.00	-6.47	32.61	3	Vertical	56	1.50	-
2452MHz	Pass	AV	2.32G	48.15	54.00	-5.85	32.02	3	Vertical	131	1.50	-
2452MHz	Pass	AV	2.448G	92.72	Inf	-Inf	32.48	3	Vertical	131	1.50	-
2452MHz	Pass	AV	2.483502G	51.25	54.00	-2.75	32.61	3	Vertical	131	1.50	-
2452MHz	Pass	PK	2.36G	59.46	74.00	-14.54	32.16	3	Vertical	131	1.50	-
2452MHz	Pass	PK	2.449G	102.98	Inf	-Inf	32.49	3	Vertical	131	1.50	-
2452MHz	Pass	PK	2.483502G	67.53	74.00	-6.47	32.61	3	Vertical	131	1.50	-
2452MHz	Pass	AV	4.9045G	31.59	54.00	-22.41	3.31	3	Vertical	148	1.49	-
2452MHz	Pass	PK	4.90396G	45.71	74.00	-28.29	3.31	3	Vertical	148	1.49	-
2452MHz	Pass	AV	4.9043G	31.55	54.00	-22.45	3.31	3	Horizontal	251	1.53	-
2452MHz	Pass	PK	4.90428G	44.91	74.00	-29.09	3.31	3	Horizontal	251	1.53	-

802.11b-5M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	50.93	54.00	-3.07	32.27	3	Vertical	105	1.50	-
AV	2.413G	114.13	Inf	-Inf	32.36	3	Vertical	105	1.50	-
AV	2.492G	47.28	54.00	-6.72	32.64	3	Vertical	105	1.50	-
PK	2.378G	61.90	74.00	-12.10	32.23	3	Vertical	105	1.50	-
PK	2.412G	119.21	Inf	-Inf	32.35	3	Vertical	105	1.50	-
PK	2.496G	58.32	74.00	-15.68	32.66	3	Vertical	105	1.50	-



802.11b-5M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8245G	44.80	54.00	-9.20	3.03	3	Vertical	23	2.24	-
PK	4.82438G	49.82	74.00	-24.18	3.03	3	Vertical	23	2.24	-

802.11b-5M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8245G	39.39	54.00	-14.61	3.03	3	Horizontal	126	2.71	-
PK	4.82441G	47.59	74.00	-26.41	3.03	3	Horizontal	126	2.71	-

802.11b-5M_Nss1,(1Mbps)_2TX

2422MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	53.80	54.00	-0.20	32.27	3	Vertical	111	1.50	-
AV	2.423G	121.16	Inf	-Inf	32.39	3	Vertical	111	1.50	-
AV	2.483502G	49.10	54.00	-4.90	32.61	3	Vertical	111	1.50	-
PK	2.389G	65.95	74.00	-8.05	32.27	3	Vertical	111	1.50	-
PK	2.423G	126.34	Inf	-Inf	32.39	3	Vertical	111	1.50	-
PK	2.49G	60.41	74.00	-13.59	32.64	3	Vertical	111	1.50	-

802.11b-5M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.387G	53.55	54.00	-0.45	30.37	3	Vertical	149	1.50	-
AV	2.437G	121.16	Inf	-Inf	30.54	3	Vertical	149	1.50	-
AV	2.487G	50.18	54.00	-3.82	30.71	3	Vertical	149	1.50	-
PK	2.358G	63.42	74.00	-10.58	30.27	3	Vertical	149	1.50	-
PK	2.437G	126.07	Inf	-Inf	30.54	3	Vertical	149	1.50	-
PK	2.485G	60.75	74.00	-13.25	30.69	3	Vertical	149	1.50	-

802.11b-5M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.312407G	48.95	54.00	-5.05	9.30	3	Vertical	214	1.36	-
PK	7.312097G	56.57	74.00	-17.43	9.30	3	Vertical	214	1.36	-

802.11b-5M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.311327G	44.74	54.00	-9.26	9.30	3	Horizontal	133	2.99	-
PK	7.312047G	54.45	74.00	-19.55	9.30	3	Horizontal	133	2.99	-

802.11b-5M_Nss1,(1Mbps)_2TX

2452MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.373G	53.74	54.00	-0.26	32.22	3	Vertical	130	1.50	-
AV	2.453G	119.87	Inf	-Inf	32.50	3	Vertical	130	1.50	-
AV	2.488G	51.02	54.00	-2.98	32.63	3	Vertical	130	1.50	-
PK	2.373G	65.21	74.00	-8.79	32.22	3	Vertical	130	1.50	-
PK	2.453G	124.73	Inf	-Inf	32.50	3	Vertical	130	1.50	-
PK	2.488G	62.88	74.00	-11.12	32.63	3	Vertical	130	1.50	-

802.11b-5M_Nss1,(1Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.378G	53.76	54.00	-0.24	32.23	3	Vertical	131	1.50	-
AV	2.458G	118.88	Inf	-Inf	32.52	3	Vertical	131	1.50	-
AV	2.483502G	52.43	54.00	-1.57	32.61	3	Vertical	131	1.50	-
PK	2.378G	66.45	74.00	-7.55	32.23	3	Vertical	131	1.50	-
PK	2.457G	123.72	Inf	-Inf	32.52	3	Vertical	131	1.50	-
PK	2.483502G	63.26	74.00	-10.74	32.61	3	Vertical	131	1.50	-

802.11b-5M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.383G	49.32	54.00	-4.68	32.25	3	Vertical	118	1.50	-
AV	2.463G	112.69	Inf	-Inf	32.54	3	Vertical	118	1.50	-
AV	2.488G	49.34	54.00	-4.66	32.63	3	Vertical	118	1.50	-
PK	2.383G	61.93	74.00	-12.07	32.25	3	Vertical	118	1.50	-
PK	2.463G	117.65	Inf	-Inf	32.54	3	Vertical	118	1.50	-
PK	2.487G	60.95	74.00	-13.05	32.62	3	Vertical	118	1.50	-

802.11b-5M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38736G	49.36	54.00	-4.64	9.61	3	Vertical	165	1.13	-
PK	7.38692G	56.68	74.00	-17.32	9.61	3	Vertical	165	1.13	-

802.11b-5M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38644G	40.24	54.00	-13.76	9.60	3	Horizontal	30	1.32	-
PK	7.38704G	51.44	74.00	-22.56	9.61	3	Horizontal	30	1.32	-

802.11b-8M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.377G	50.62	54.00	-3.38	32.22	3	Vertical	29	1.50	-
AV	2.411G	110.71	Inf	-Inf	32.35	3	Vertical	29	1.50	-
AV	2.483502G	47.17	54.00	-6.83	32.61	3	Vertical	29	1.50	-
PK	2.377G	62.37	74.00	-11.63	32.22	3	Vertical	29	1.50	-
PK	2.412G	116.16	Inf	-Inf	32.35	3	Vertical	29	1.50	-
PK	2.493G	58.34	74.00	-15.66	32.64	3	Vertical	29	1.50	-

802.11b-8M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82402G	45.46	54.00	-8.54	3.03	3	Vertical	249	2.99	-
PK	4.824G	49.96	74.00	-24.04	3.03	3	Vertical	249	2.99	-

802.11b-8M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82392G	39.39	54.00	-14.61	3.03	3	Horizontal	131	1.57	-
PK	4.82411G	47.06	74.00	-26.94	3.03	3	Horizontal	131	1.57	-

802.11b-8M_Nss1,(1Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.383G	53.75	54.00	-0.25	32.25	3	Vertical	100	1.58	-
AV	2.418G	117.50	Inf	-Inf	32.37	3	Vertical	100	1.58	-
AV	2.488G	48.69	54.00	-5.31	32.63	3	Vertical	100	1.58	-
PK	2.337G	64.80	74.00	-9.20	32.08	3	Vertical	100	1.58	-
PK	2.418G	122.56	Inf	-Inf	32.37	3	Vertical	100	1.58	-
PK	2.486G	60.60	74.00	-13.40	32.62	3	Vertical	100	1.58	-

802.11b-8M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.438G	118.18	Inf	-Inf	30.95	3	Vertical	107	1.44	-
AV	2.388G	53.57	54.00	-0.43	30.77	3	Vertical	107	1.44	-
AV	2.487G	50.28	54.00	-3.72	31.12	3	Vertical	107	1.44	-
PK	2.438G	123.04	Inf	-Inf	30.95	3	Vertical	107	1.44	-
PK	2.356G	66.97	74.00	-7.03	30.66	3	Vertical	107	1.44	-
PK	2.486G	61.61	74.00	-12.39	31.12	3	Vertical	107	1.44	-

802.11b-8M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.312G	47.24	54.00	-6.76	9.30	3	Vertical	205	1.43	-
PK	7.31159G	55.47	74.00	-18.53	9.30	3	Vertical	205	1.43	-

802.11b-8M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.31159G	43.72	54.00	-10.28	9.30	3	Horizontal	149	2.99	-
PK	7.3117G	53.65	74.00	-20.35	9.30	3	Horizontal	149	2.99	-

802.11b-8M_Nss1,(1Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	53.85	54.00	-0.15	31.73	3	Vertical	130	1.50	-
AV	2.458G	115.12	Inf	-Inf	32.52	3	Vertical	130	1.50	-
AV	2.483502G	50.65	54.00	-3.35	32.61	3	Vertical	130	1.50	-
PK	2.28G	64.28	74.00	-9.72	31.87	3	Vertical	130	1.50	-
PK	2.458G	120.20	Inf	-Inf	32.52	3	Vertical	130	1.50	-
PK	2.493G	62.48	74.00	-11.52	32.64	3	Vertical	130	1.50	-

802.11b-8M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.239G	49.39	54.00	-4.61	31.72	3	Vertical	52	1.50	-
AV	2.461G	109.86	Inf	-Inf	32.53	3	Vertical	52	1.50	-
AV	2.486G	48.34	54.00	-5.66	32.62	3	Vertical	52	1.50	-
PK	2.381G	60.56	74.00	-13.44	32.24	3	Vertical	52	1.50	-
PK	2.462G	114.49	Inf	-Inf	32.53	3	Vertical	52	1.50	-
PK	2.486G	59.56	74.00	-14.44	32.62	3	Vertical	52	1.50	-

802.11b-8M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38633G	48.65	54.00	-5.35	9.60	3	Horizontal	158	1.33	-
PK	7.38685G	56.52	74.00	-17.48	9.61	3	Horizontal	158	1.33	-

802.11b-8M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38556G	43.00	54.00	-11.00	9.60	3	Horizontal	251	2.64	-
PK	7.38509G	52.84	74.00	-21.16	9.60	3	Horizontal	251	2.64	-

802.11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	50.10	54.00	-3.90	32.27	3	Vertical	106	1.50	-
AV	2.413G	110.80	Inf	-Inf	32.36	3	Vertical	106	1.50	-
AV	2.493G	47.15	54.00	-6.85	32.64	3	Vertical	106	1.50	-
PK	2.389G	61.32	74.00	-12.68	32.27	3	Vertical	106	1.50	-
PK	2.413G	115.91	Inf	-Inf	32.36	3	Vertical	106	1.50	-
PK	2.49G	58.78	74.00	-15.22	32.64	3	Vertical	106	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.824G	49.02	54.00	-4.98	3.03	3	Vertical	360	1.24	-
PK	4.82406G	53.12	74.00	-20.88	3.03	3	Vertical	360	1.24	-



802.11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.824G	41.84	54.00	-12.16	3.03	3	Horizontal	328	1.93	-
PK	4.82394G	48.30	74.00	-25.70	3.03	3	Horizontal	328	1.93	-

802.11b-10M_Nss1,(1Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.26	54.00	-0.74	31.87	3	Vertical	110	1.50	-
AV	2.418G	117.11	Inf	-Inf	32.37	3	Vertical	110	1.50	-
AV	2.498G	48.84	54.00	-5.16	32.67	3	Vertical	110	1.50	-
PK	2.337G	64.48	74.00	-9.52	32.08	3	Vertical	110	1.50	-
PK	2.418G	122.30	Inf	-Inf	32.37	3	Vertical	110	1.50	-
PK	2.498G	59.95	74.00	-14.05	32.67	3	Vertical	110	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2422MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	53.56	54.00	-0.44	32.27	3	Vertical	111	1.50	-
AV	2.423G	118.76	Inf	-Inf	32.39	3	Vertical	111	1.50	-
AV	2.494G	48.73	54.00	-5.27	32.65	3	Vertical	111	1.50	-
PK	2.29G	64.21	74.00	-9.79	31.92	3	Vertical	111	1.50	-
PK	2.423G	123.82	Inf	-Inf	32.39	3	Vertical	111	1.50	-
PK	2.493G	60.25	74.00	-13.75	32.64	3	Vertical	111	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2427MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.348G	53.26	54.00	-0.74	32.13	3	Vertical	90	1.50	-
AV	2.428G	120.45	Inf	-Inf	32.41	3	Vertical	90	1.50	-
AV	2.489G	49.05	54.00	-4.95	32.63	3	Vertical	90	1.50	-
PK	2.378G	64.83	74.00	-9.17	32.23	3	Vertical	90	1.50	-
PK	2.428G	125.55	Inf	-Inf	32.41	3	Vertical	90	1.50	-
PK	2.493G	60.89	74.00	-13.11	32.64	3	Vertical	90	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2432MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	53.22	54.00	-0.78	32.27	3	Vertical	90	1.50	-
AV	2.433G	120.60	Inf	-Inf	32.43	3	Vertical	90	1.50	-
AV	2.483502G	49.19	54.00	-4.81	32.61	3	Vertical	90	1.50	-
PK	2.388G	64.45	74.00	-9.55	32.27	3	Vertical	90	1.50	-
PK	2.433G	125.83	Inf	-Inf	32.43	3	Vertical	90	1.50	-
PK	2.484G	60.37	74.00	-13.63	32.61	3	Vertical	90	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	52.93	54.00	-1.07	30.77	3	Vertical	31	1.01	-
AV	2.436G	116.89	Inf	-Inf	30.94	3	Vertical	31	1.01	-
AV	2.486G	50.75	54.00	-3.25	31.12	3	Vertical	31	1.01	-
PK	2.356G	65.05	74.00	-8.95	30.66	3	Vertical	31	1.01	-
PK	2.436G	122.48	Inf	-Inf	30.94	3	Vertical	31	1.01	-
PK	2.487G	61.98	74.00	-12.02	31.12	3	Vertical	31	1.01	-

802.11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.30914G	50.29	54.00	-3.71	9.29	3	Vertical	304	2.81	-
PK	7.30908G	57.89	74.00	-16.11	9.29	3	Vertical	304	2.81	-

802.11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.3116G	48.91	54.00	-5.09	9.30	3	Horizontal	359	1.74	-
PK	7.31166G	56.84	74.00	-17.16	9.30	3	Horizontal	359	1.74	-

802.11b-10M_Nss1,(1Mbps)_2TX

2447MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.368G	53.65	54.00	-0.35	32.19	3	Vertical	130	1.69	-
AV	2.448G	120.58	Inf	-Inf	32.48	3	Vertical	130	1.69	-
AV	2.483502G	51.35	54.00	-2.65	32.61	3	Vertical	130	1.69	-
PK	2.368G	64.15	74.00	-9.85	32.19	3	Vertical	130	1.69	-
PK	2.448G	125.61	Inf	-Inf	32.48	3	Vertical	130	1.69	-
PK	2.483502G	62.30	74.00	-11.70	32.61	3	Vertical	130	1.69	-

802.11b-10M_Nss1,(1Mbps)_2TX

2452MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.373G	53.24	54.00	-0.76	32.22	3	Vertical	130	1.50	-
AV	2.453G	117.74	Inf	-Inf	32.50	3	Vertical	130	1.50	-
AV	2.488G	51.04	54.00	-2.96	32.63	3	Vertical	130	1.50	-
PK	2.382G	64.42	74.00	-9.58	32.25	3	Vertical	130	1.50	-
PK	2.453G	122.74	Inf	-Inf	32.50	3	Vertical	130	1.50	-
PK	2.488G	62.00	74.00	-12.00	32.63	3	Vertical	130	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	53.38	54.00	-0.62	31.73	3	Vertical	130	1.50	-
AV	2.458G	115.32	Inf	-Inf	32.52	3	Vertical	130	1.50	-
AV	2.483502G	51.03	54.00	-2.97	32.61	3	Vertical	130	1.50	-
PK	2.281G	63.41	74.00	-10.59	31.88	3	Vertical	130	1.50	-
PK	2.458G	120.47	Inf	-Inf	32.52	3	Vertical	130	1.50	-
PK	2.483502G	61.48	74.00	-12.52	32.61	3	Vertical	130	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.38G	48.79	54.00	-5.21	32.24	3	Vertical	53	1.50	-
AV	2.461G	109.60	Inf	-Inf	32.53	3	Vertical	53	1.50	-
AV	2.485G	48.19	54.00	-5.81	32.61	3	Vertical	53	1.50	-
PK	2.381G	60.71	74.00	-13.29	32.24	3	Vertical	53	1.50	-
PK	2.461G	114.32	Inf	-Inf	32.53	3	Vertical	53	1.50	-
PK	2.492G	59.33	74.00	-14.67	32.64	3	Vertical	53	1.50	-

802.11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38672G	53.34	54.00	-0.66	9.61	3	Vertical	21	2.68	-
PK	7.388666G	60.51	74.00	-13.49	9.61	3	Vertical	21	2.68	-

802.11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38714G	47.66	54.00	-6.34	9.61	3	Horizontal	8	1.56	-
PK	7.38684G	56.02	74.00	-17.98	9.61	3	Horizontal	8	1.56	-

802.11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.386G	50.38	54.00	-3.62	32.26	3	Vertical	106	1.50	-
AV	2.414G	108.44	Inf	-Inf	32.36	3	Vertical	106	1.50	-
AV	2.496G	47.14	54.00	-6.86	32.66	3	Vertical	106	1.50	-
PK	2.385G	60.95	74.00	-13.05	32.25	3	Vertical	106	1.50	-
PK	2.413G	112.00	Inf	-Inf	32.36	3	Vertical	106	1.50	-
PK	2.487G	58.56	74.00	-15.44	32.62	3	Vertical	106	1.50	-



802.11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.824G	49.20	54.00	-4.80	3.03	3	Vertical	4	1.68	-
PK	4.82394G	52.94	74.00	-21.06	3.03	3	Vertical	4	1.68	-

802.11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.824G	41.34	54.00	-12.66	3.03	3	Horizontal	0	2.41	-
PK	4.82412G	47.04	74.00	-26.96	3.03	3	Horizontal	0	2.41	-

802.11b-20M_Nss1,(1Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.72	54.00	-0.28	32.28	3	Vertical	154	1.32	-
AV	2.415G	110.38	Inf	-Inf	32.36	3	Vertical	154	1.32	-
AV	2.495G	47.39	54.00	-6.61	32.65	3	Vertical	154	1.32	-
PK	2.389998G	62.01	74.00	-11.99	32.28	3	Vertical	154	1.32	-
PK	2.416G	113.85	Inf	-Inf	32.37	3	Vertical	154	1.32	-
PK	2.498G	59.51	74.00	-14.49	32.67	3	Vertical	154	1.32	-

802.11b-20M_Nss1,(1Mbps)_2TX

2422MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.39	54.00	-0.61	32.28	3	Vertical	157	1.50	-
AV	2.42G	112.59	Inf	-Inf	32.38	3	Vertical	157	1.50	-
AV	2.488G	48.02	54.00	-5.98	32.63	3	Vertical	157	1.50	-
PK	2.389998G	63.25	74.00	-10.75	32.28	3	Vertical	157	1.50	-
PK	2.421G	116.33	Inf	-Inf	32.39	3	Vertical	157	1.50	-
PK	2.485G	59.47	74.00	-14.53	32.61	3	Vertical	157	1.50	-

802.11b-20M_Nss1,(1Mbps)_2TX

2427MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.48	54.00	-0.52	32.28	3	Vertical	85	1.50	-
AV	2.429G	115.41	Inf	-Inf	32.41	3	Vertical	85	1.50	-
AV	2.486G	48.75	54.00	-5.25	32.62	3	Vertical	85	1.50	-
PK	2.389998G	64.22	74.00	-9.78	32.28	3	Vertical	85	1.50	-
PK	2.429G	119.32	Inf	-Inf	32.41	3	Vertical	85	1.50	-
PK	2.499998G	59.75	74.00	-14.25	32.67	3	Vertical	85	1.50	-

802.11b-20M_Nss1,(1Mbps)_2TX

2432MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.384G	53.29	54.00	-0.71	32.25	3	Vertical	159	1.38	-
AV	2.43G	117.80	Inf	-Inf	32.42	3	Vertical	159	1.38	-
AV	2.49G	51.48	54.00	-2.52	32.64	3	Vertical	159	1.38	-
PK	2.386G	64.13	74.00	-9.87	32.26	3	Vertical	159	1.38	-
PK	2.431G	121.61	Inf	-Inf	32.42	3	Vertical	159	1.38	-
PK	2.492G	62.04	74.00	-11.96	32.64	3	Vertical	159	1.38	-

802.11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.70	54.00	-0.30	30.38	3	Vertical	149	1.27	-
AV	2.435G	117.19	Inf	-Inf	30.53	3	Vertical	149	1.27	-
AV	2.484G	52.19	54.00	-1.81	30.69	3	Vertical	149	1.27	-
PK	2.354G	64.46	74.00	-9.54	30.26	3	Vertical	149	1.27	-
PK	2.437G	119.89	Inf	-Inf	30.54	3	Vertical	149	1.27	-
PK	2.484G	61.27	74.00	-12.73	30.69	3	Vertical	149	1.27	-

802.11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.30908G	46.26	54.00	-7.74	9.29	3	Vertical	34	1.49	-
PK	7.30908G	54.08	74.00	-19.92	9.29	3	Vertical	34	1.49	-

802.11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.31016G	47.64	54.00	-6.36	9.29	3	Horizontal	31	1.50	-
PK	7.31196G	55.11	74.00	-18.89	9.30	3	Horizontal	31	1.50	-

802.11b-20M_Nss1,(1Mbps)_2TX

2442MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	52.72	54.00	-1.28	32.28	3	Vertical	90	1.68	-
AV	2.444G	115.44	Inf	-Inf	32.47	3	Vertical	90	1.68	-
AV	2.489G	51.43	54.00	-2.57	32.63	3	Vertical	90	1.68	-
PK	2.326G	64.74	74.00	-9.26	32.04	3	Vertical	90	1.68	-
PK	2.443G	119.20	Inf	-Inf	32.46	3	Vertical	90	1.68	-
PK	2.483502G	61.13	74.00	-12.87	32.61	3	Vertical	90	1.68	-

802.11b-20M_Nss1,(1Mbps)_2TX

2447MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.385G	53.01	54.00	-0.99	32.25	3	Vertical	130	1.69	-
AV	2.449G	116.07	Inf	-Inf	32.49	3	Vertical	130	1.69	-
AV	2.484G	53.76	54.00	-0.24	32.61	3	Vertical	130	1.69	-
PK	2.28G	65.63	74.00	-8.37	31.87	3	Vertical	130	1.69	-
PK	2.448G	119.77	Inf	-Inf	32.48	3	Vertical	130	1.69	-
PK	2.484G	63.16	74.00	-10.84	32.61	3	Vertical	130	1.69	-

802.11b-20M_Nss1,(1Mbps)_2TX

2452MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	53.27	54.00	-0.73	31.73	3	Vertical	129	1.50	-
AV	2.454G	112.38	Inf	-Inf	32.50	3	Vertical	129	1.50	-
AV	2.484G	51.06	54.00	-2.94	32.61	3	Vertical	129	1.50	-
PK	2.323G	63.44	74.00	-10.56	32.04	3	Vertical	129	1.50	-
PK	2.453G	116.18	Inf	-Inf	32.50	3	Vertical	129	1.50	-
PK	2.487G	62.81	74.00	-11.19	32.62	3	Vertical	129	1.50	-

802.11b-20M_Nss1,(1Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	50.20	54.00	-3.80	31.87	3	Vertical	129	1.46	-
AV	2.459G	110.31	Inf	-Inf	32.52	3	Vertical	129	1.46	-
AV	2.483502G	53.41	54.00	-0.59	32.61	3	Vertical	129	1.46	-
PK	2.377G	61.56	74.00	-12.44	32.22	3	Vertical	129	1.46	-
PK	2.458G	114.03	Inf	-Inf	32.52	3	Vertical	129	1.46	-
PK	2.483502G	61.96	74.00	-12.04	32.61	3	Vertical	129	1.46	-

802.11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.378G	48.81	54.00	-5.19	32.23	3	Vertical	42	1.50	-
AV	2.46G	106.57	Inf	-Inf	32.53	3	Vertical	42	1.50	-
AV	2.488G	50.49	54.00	-3.51	32.63	3	Vertical	42	1.50	-
PK	2.378G	60.03	74.00	-13.97	32.23	3	Vertical	42	1.50	-
PK	2.459G	110.15	Inf	-Inf	32.52	3	Vertical	42	1.50	-
PK	2.49G	60.00	74.00	-14.00	32.64	3	Vertical	42	1.50	-

802.11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38324G	44.86	54.00	-9.14	9.59	3	Vertical	40	2.88	-
PK	7.38312G	54.45	74.00	-19.55	9.59	3	Vertical	40	2.88	-



802.11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.3851G	43.45	54.00	-10.55	9.60	3	Horizontal	32	1.54	-
PK	7.38756G	53.27	74.00	-20.73	9.61	3	Horizontal	32	1.54	-

802.11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	51.91	54.00	-2.09	32.27	3	Vertical	104	1.50	-
AV	2.411G	111.72	Inf	-Inf	32.35	3	Vertical	104	1.50	-
AV	2.493G	48.21	54.00	-5.79	32.64	3	Vertical	104	1.50	-
PK	2.331G	63.71	74.00	-10.29	32.06	3	Vertical	104	1.50	-
PK	2.411G	123.32	Inf	-Inf	32.35	3	Vertical	104	1.50	-
PK	2.495G	60.28	74.00	-13.72	32.65	3	Vertical	104	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82418G	33.94	54.00	-20.06	3.03	3	Vertical	352	2.09	-
PK	4.82424G	44.43	74.00	-29.57	3.03	3	Vertical	352	2.09	-

802.11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.80954G	30.99	54.00	-23.01	3.00	3	Horizontal	360	1.50	-
PK	4.83126G	41.76	74.00	-32.24	3.05	3	Horizontal	360	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.51	54.00	-0.49	32.28	3	Vertical	125	1.50	-
AV	2.418G	115.00	Inf	-Inf	32.37	3	Vertical	125	1.50	-
AV	2.496G	49.33	54.00	-4.67	32.66	3	Vertical	125	1.50	-
PK	2.384G	66.14	74.00	-7.86	32.25	3	Vertical	125	1.50	-
PK	2.416G	126.59	Inf	-Inf	32.37	3	Vertical	125	1.50	-
PK	2.495G	61.80	74.00	-12.20	32.65	3	Vertical	125	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2422MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	53.89	54.00	-0.11	32.27	3	Vertical	111	1.49	-
AV	2.423G	116.68	Inf	-Inf	32.39	3	Vertical	111	1.49	-
AV	2.483502G	48.95	54.00	-5.05	32.61	3	Vertical	111	1.49	-
PK	2.389998G	66.16	74.00	-7.84	32.28	3	Vertical	111	1.49	-
PK	2.421G	126.91	Inf	-Inf	32.39	3	Vertical	111	1.49	-
PK	2.495G	59.77	74.00	-14.23	32.65	3	Vertical	111	1.49	-

802.11g-5M_Nss1,(6Mbps)_2TX

2427MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.382G	53.83	54.00	-0.17	32.25	3	Vertical	108	1.50	-
AV	2.428G	117.20	Inf	-Inf	32.41	3	Vertical	108	1.50	-
AV	2.498G	49.52	54.00	-4.48	32.67	3	Vertical	108	1.50	-
PK	2.383G	66.21	74.00	-7.79	32.25	3	Vertical	108	1.50	-
PK	2.428G	128.33	Inf	-Inf	32.41	3	Vertical	108	1.50	-
PK	2.493G	60.66	74.00	-13.34	32.64	3	Vertical	108	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2432MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.79	54.00	-0.21	32.28	3	Vertical	91	1.50	-
AV	2.433G	118.46	Inf	-Inf	32.43	3	Vertical	91	1.50	-
AV	2.483502G	49.72	54.00	-4.28	32.61	3	Vertical	91	1.50	-
PK	2.388G	65.64	74.00	-8.36	32.27	3	Vertical	91	1.50	-
PK	2.432G	129.78	Inf	-Inf	32.43	3	Vertical	91	1.50	-
PK	2.491G	60.56	74.00	-13.44	32.64	3	Vertical	91	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.4388G	115.42	Inf	-Inf	30.95	3	Vertical	128	1.44	-
AV	2.389G	51.89	54.00	-2.11	30.77	3	Vertical	128	1.44	-
AV	2.4868G	50.12	54.00	-3.88	31.12	3	Vertical	128	1.44	-
PK	2.4376G	125.07	Inf	-Inf	30.95	3	Vertical	128	1.44	-
PK	2.3896G	64.42	74.00	-9.58	30.77	3	Vertical	128	1.44	-
PK	2.483502G	62.33	74.00	-11.67	31.11	3	Vertical	128	1.44	-

802.11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.3113G	38.25	54.00	-15.75	9.26	3	Vertical	135	1.50	-
PK	7.3137G	48.78	74.00	-25.22	9.27	3	Vertical	135	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.32534G	37.40	54.00	-16.60	9.32	3	Horizontal	147	1.03	-
PK	7.32534G	49.94	74.00	-24.06	9.32	3	Horizontal	147	1.03	-

802.11g-5M_Nss1,(6Mbps)_2TX

2447MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.368G	52.40	54.00	-1.60	32.19	3	Vertical	150	1.32	-
AV	2.446G	119.18	Inf	-Inf	32.48	3	Vertical	150	1.32	-
AV	2.486G	51.27	54.00	-2.73	32.62	3	Vertical	150	1.32	-
PK	2.389998G	63.65	74.00	-10.35	32.28	3	Vertical	150	1.32	-
PK	2.447G	129.40	Inf	-Inf	32.48	3	Vertical	150	1.32	-
PK	2.487G	62.89	74.00	-11.11	32.62	3	Vertical	150	1.32	-

802.11g-5M_Nss1,(6Mbps)_2TX

2452MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	53.53	54.00	-0.47	31.73	3	Vertical	129	1.48	-
AV	2.451G	116.40	Inf	-Inf	32.49	3	Vertical	129	1.48	-
AV	2.487G	51.12	54.00	-2.88	32.62	3	Vertical	129	1.48	-
PK	2.372G	65.08	74.00	-8.92	32.21	3	Vertical	129	1.48	-
PK	2.452G	127.21	Inf	-Inf	32.50	3	Vertical	129	1.48	-
PK	2.493G	62.19	74.00	-11.81	32.64	3	Vertical	129	1.48	-

802.11g-5M_Nss1,(6Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.45	54.00	-0.55	31.87	3	Vertical	131	1.49	-
AV	2.459G	114.08	Inf	-Inf	32.52	3	Vertical	131	1.49	-
AV	2.484G	50.96	54.00	-3.04	32.61	3	Vertical	131	1.49	-
PK	2.28G	64.89	74.00	-9.11	31.87	3	Vertical	131	1.49	-
PK	2.457G	126.04	Inf	-Inf	32.52	3	Vertical	131	1.49	-
PK	2.483502G	62.68	74.00	-11.32	32.61	3	Vertical	131	1.49	-

802.11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.383G	51.36	54.00	-2.64	32.25	3	Vertical	56	1.50	-
AV	2.461G	110.06	Inf	-Inf	32.53	3	Vertical	56	1.50	-
AV	2.486G	49.87	54.00	-4.13	32.62	3	Vertical	56	1.50	-
PK	2.382G	63.51	74.00	-10.49	32.25	3	Vertical	56	1.50	-
PK	2.463G	121.88	Inf	-Inf	32.54	3	Vertical	56	1.50	-
PK	2.487G	62.15	74.00	-11.85	32.62	3	Vertical	56	1.50	-

802.11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38636G	37.99	54.00	-16.01	9.58	3	Vertical	199	1.76	-
PK	7.38708G	48.38	74.00	-25.62	9.58	3	Vertical	199	1.76	-

802.11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	7.38696G	37.47	54.00	-16.53	9.58	3	Horizontal	29	1.91	-
PK	7.39704G	48.39	74.00	-25.61	9.63	3	Horizontal	29	1.91	-

802.11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	52.28	54.00	-1.72	31.73	3	Vertical	112	1.50	-
AV	2.411G	109.75	Inf	-Inf	32.35	3	Vertical	112	1.50	-
AV	2.483502G	48.16	54.00	-5.84	32.61	3	Vertical	112	1.50	-
PK	2.382G	62.85	74.00	-11.15	32.25	3	Vertical	112	1.50	-
PK	2.415G	121.28	Inf	-Inf	32.36	3	Vertical	112	1.50	-
PK	2.487G	59.10	74.00	-14.90	32.62	3	Vertical	112	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82412G	32.36	54.00	-21.64	3.13	3	Vertical	89	2.75	-
PK	4.82508G	46.75	74.00	-27.25	3.14	3	Vertical	89	2.75	-

802.11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.824838G	31.80	54.00	-22.20	3.13	3	Horizontal	35	1.86	-
PK	4.815178G	45.82	74.00	-28.18	3.11	3	Horizontal	35	1.86	-

802.11g-8M_Nss1,(6Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.379G	53.49	54.00	-0.51	32.23	3	Vertical	124	1.49	-
AV	2.419G	112.11	Inf	-Inf	32.38	3	Vertical	124	1.49	-
AV	2.495G	48.68	54.00	-5.32	32.65	3	Vertical	124	1.49	-
PK	2.389G	64.92	74.00	-9.08	32.27	3	Vertical	124	1.49	-
PK	2.419G	122.15	Inf	-Inf	32.38	3	Vertical	124	1.49	-
PK	2.499G	60.20	74.00	-13.80	32.67	3	Vertical	124	1.49	-

802.11g-8M_Nss1,(6Mbps)_2TX

2422MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.14	54.00	-0.86	31.87	3	Vertical	98	1.50	-
AV	2.423G	114.39	Inf	-Inf	32.39	3	Vertical	98	1.50	-
AV	2.495G	49.62	54.00	-4.38	32.65	3	Vertical	98	1.50	-
PK	2.389G	65.49	74.00	-8.51	32.27	3	Vertical	98	1.50	-
PK	2.421G	124.49	Inf	-Inf	32.39	3	Vertical	98	1.50	-
PK	2.49G	61.08	74.00	-12.92	32.64	3	Vertical	98	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2427MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.19	54.00	-0.81	31.87	3	Vertical	85	1.50	-
AV	2.426G	115.43	Inf	-Inf	32.40	3	Vertical	85	1.50	-
AV	2.498G	49.92	54.00	-4.08	32.67	3	Vertical	85	1.50	-
PK	2.389998G	65.26	74.00	-8.74	32.28	3	Vertical	85	1.50	-
PK	2.428G	124.48	Inf	-Inf	32.41	3	Vertical	85	1.50	-
PK	2.495G	61.26	74.00	-12.74	32.65	3	Vertical	85	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2432MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.38G	53.17	54.00	-0.83	32.24	3	Vertical	83	1.50	-
AV	2.43G	116.43	Inf	-Inf	32.42	3	Vertical	83	1.50	-
AV	2.485G	49.61	54.00	-4.39	32.61	3	Vertical	83	1.50	-
PK	2.312G	64.61	74.00	-9.39	31.99	3	Vertical	83	1.50	-
PK	2.43G	126.57	Inf	-Inf	32.42	3	Vertical	83	1.50	-
PK	2.494G	60.47	74.00	-13.53	32.65	3	Vertical	83	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3896G	52.73	54.00	-1.27	30.77	3	Vertical	129	1.50	-
AV	2.4394G	114.76	Inf	-Inf	30.95	3	Vertical	129	1.50	-
AV	2.483502G	50.20	54.00	-3.80	31.11	3	Vertical	129	1.50	-
PK	2.389G	66.55	74.00	-7.45	30.77	3	Vertical	129	1.50	-
PK	2.4358G	124.66	Inf	-Inf	30.94	3	Vertical	129	1.50	-
PK	2.485G	64.11	74.00	-9.89	31.12	3	Vertical	129	1.50	-



802.11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87392G	31.45	54.00	-22.55	3.24	3	Vertical	99	1.50	-
PK	4.86897G	46.12	74.00	-27.88	3.23	3	Vertical	99	1.50	-



802.11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.870607G	31.19	54.00	-22.81	3.24	3	Horizontal	278	1.50	-
PK	4.871166G	45.64	74.00	-28.36	3.24	3	Horizontal	278	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2442MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	53.81	54.00	-0.19	32.27	3	Vertical	148	1.50	-
AV	2.44G	116.32	Inf	-Inf	32.45	3	Vertical	148	1.50	-
AV	2.485G	50.85	54.00	-3.15	32.61	3	Vertical	148	1.50	-
PK	2.389998G	65.39	74.00	-8.61	32.28	3	Vertical	148	1.50	-
PK	2.44G	127.64	Inf	-Inf	32.45	3	Vertical	148	1.50	-
PK	2.492G	62.02	74.00	-11.98	32.64	3	Vertical	148	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2447MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.379G	53.75	54.00	-0.25	32.23	3	Vertical	148	1.50	-
AV	2.446G	114.76	Inf	-Inf	32.48	3	Vertical	148	1.50	-
AV	2.485G	52.53	54.00	-1.47	32.61	3	Vertical	148	1.50	-
PK	2.38G	65.23	74.00	-8.77	32.24	3	Vertical	148	1.50	-
PK	2.448G	125.19	Inf	-Inf	32.48	3	Vertical	148	1.50	-
PK	2.485G	64.65	74.00	-9.35	32.61	3	Vertical	148	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2452MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.49	54.00	-0.51	31.87	3	Vertical	130	1.50	-
AV	2.451G	113.73	Inf	-Inf	32.49	3	Vertical	130	1.50	-
AV	2.49G	50.98	54.00	-3.02	32.64	3	Vertical	130	1.50	-
PK	2.374G	65.11	74.00	-8.89	32.22	3	Vertical	130	1.50	-
PK	2.451G	125.00	Inf	-Inf	32.49	3	Vertical	130	1.50	-
PK	2.489G	62.90	74.00	-11.10	32.63	3	Vertical	130	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.52	54.00	-0.48	32.02	3	Vertical	132	1.50	-
AV	2.455G	112.87	Inf	-Inf	32.51	3	Vertical	132	1.50	-
AV	2.494G	52.35	54.00	-1.65	32.65	3	Vertical	132	1.50	-
PK	2.389G	64.82	74.00	-9.18	32.27	3	Vertical	132	1.50	-
PK	2.459G	123.89	Inf	-Inf	32.52	3	Vertical	132	1.50	-
PK	2.49G	62.87	74.00	-11.13	32.64	3	Vertical	132	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.379G	50.52	54.00	-3.48	32.23	3	Vertical	53	1.50	-
AV	2.46G	108.56	Inf	-Inf	32.53	3	Vertical	53	1.50	-
AV	2.485G	48.94	54.00	-5.06	32.61	3	Vertical	53	1.50	-
PK	2.384G	63.09	74.00	-10.91	32.25	3	Vertical	53	1.50	-
PK	2.46G	120.40	Inf	-Inf	32.53	3	Vertical	53	1.50	-
PK	2.496G	60.39	74.00	-13.61	32.66	3	Vertical	53	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.926156G	31.70	54.00	-22.30	3.35	3	Vertical	113	1.50	-
PK	4.925637G	46.40	74.00	-27.60	3.35	3	Vertical	113	1.50	-

802.11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9339G	31.72	54.00	-22.28	3.37	3	Horizontal	265	1.50	-
PK	4.917293G	45.66	74.00	-28.34	3.34	3	Horizontal	265	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	51.03	54.00	-2.97	32.28	3	Vertical	121	1.50	-
AV	2.41G	108.66	Inf	-Inf	32.35	3	Vertical	121	1.50	-
AV	2.496G	47.53	54.00	-6.47	32.66	3	Vertical	121	1.50	-
PK	2.385G	62.94	74.00	-11.06	32.25	3	Vertical	121	1.50	-
PK	2.415G	119.54	Inf	-Inf	32.36	3	Vertical	121	1.50	-
PK	2.498G	58.95	74.00	-15.05	32.67	3	Vertical	121	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82416G	32.89	54.00	-21.11	3.13	3	Vertical	76	2.76	-
PK	4.82878G	46.22	74.00	-27.78	3.14	3	Vertical	76	2.76	-



802.11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.822762G	32.23	54.00	-21.77	3.13	3	Horizontal	33	2.35	-
PK	4.820048G	46.51	74.00	-27.49	3.12	3	Horizontal	33	2.35	-

802.11g-10M_Nss1,(6Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.34	54.00	-0.66	31.87	3	Vertical	128	1.50	-
AV	2.414G	112.48	Inf	-Inf	32.36	3	Vertical	128	1.50	-
AV	2.494G	48.93	54.00	-5.07	32.65	3	Vertical	128	1.50	-
PK	2.389G	64.55	74.00	-9.45	32.27	3	Vertical	128	1.50	-
PK	2.415G	123.16	Inf	-Inf	32.36	3	Vertical	128	1.50	-
PK	2.485G	59.65	74.00	-14.35	32.61	3	Vertical	128	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2422MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	53.72	54.00	-0.28	31.73	3	Vertical	100	1.50	-
AV	2.419G	113.60	Inf	-Inf	32.38	3	Vertical	100	1.50	-
AV	2.499G	48.65	54.00	-5.35	32.67	3	Vertical	100	1.50	-
PK	2.386G	65.10	74.00	-8.90	32.26	3	Vertical	100	1.50	-
PK	2.419G	123.96	Inf	-Inf	32.38	3	Vertical	100	1.50	-
PK	2.485G	59.65	74.00	-14.35	32.61	3	Vertical	100	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2427MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.38G	53.81	54.00	-0.19	32.24	3	Vertical	100	1.50	-
AV	2.424G	115.80	Inf	-Inf	32.40	3	Vertical	100	1.50	-
AV	2.496G	49.12	54.00	-4.88	32.66	3	Vertical	100	1.50	-
PK	2.384G	65.95	74.00	-8.05	32.25	3	Vertical	100	1.50	-
PK	2.429G	125.84	Inf	-Inf	32.41	3	Vertical	100	1.50	-
PK	2.494G	60.05	74.00	-13.95	32.65	3	Vertical	100	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2432MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.75	54.00	-0.25	32.28	3	Vertical	100	1.50	-
AV	2.429G	115.51	Inf	-Inf	32.41	3	Vertical	100	1.50	-
AV	2.496G	49.16	54.00	-4.84	32.66	3	Vertical	100	1.50	-
PK	2.385G	66.25	74.00	-7.75	32.25	3	Vertical	100	1.50	-
PK	2.429G	125.70	Inf	-Inf	32.41	3	Vertical	100	1.50	-
PK	2.499G	60.33	74.00	-13.67	32.67	3	Vertical	100	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3896G	53.27	54.00	-0.73	30.77	3	Vertical	92	1.04	-
AV	2.434G	114.42	Inf	-Inf	30.93	3	Vertical	92	1.04	-
AV	2.4838G	51.40	54.00	-2.60	31.11	3	Vertical	92	1.04	-
PK	2.3896G	65.74	74.00	-8.26	30.77	3	Vertical	92	1.04	-
PK	2.434G	125.15	Inf	-Inf	30.93	3	Vertical	92	1.04	-
PK	2.488G	64.65	74.00	-9.35	31.13	3	Vertical	92	1.04	-

802.11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018



Lim.PK	
PK	
Lim.AV	
AV	


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873521G	31.75	54.00	-22.25	3.24	3	Vertical	89	1.50	-
PK	4.878351G	45.27	74.00	-28.73	3.25	3	Vertical	89	1.50	-



802.11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.871086G	31.33	54.00	-22.67	3.24	3	Horizontal	257	1.56	-
PK	4.879349G	45.03	74.00	-28.97	3.25	3	Horizontal	257	1.56	-

802.11g-10M_Nss1,(6Mbps)_2TX

2442MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	53.20	54.00	-0.80	32.27	3	Vertical	149	1.50	-
AV	2.439G	116.81	Inf	-Inf	32.45	3	Vertical	149	1.50	-
AV	2.483502G	51.71	54.00	-2.29	32.61	3	Vertical	149	1.50	-
PK	2.315G	65.60	74.00	-8.40	32.01	3	Vertical	149	1.50	-
PK	2.442G	127.32	Inf	-Inf	32.46	3	Vertical	149	1.50	-
PK	2.484G	63.01	74.00	-10.99	32.61	3	Vertical	149	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2447MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	53.14	54.00	-0.86	32.27	3	Vertical	150	1.50	-
AV	2.444G	115.13	Inf	-Inf	32.47	3	Vertical	150	1.50	-
AV	2.484G	51.65	54.00	-2.35	32.61	3	Vertical	150	1.50	-
PK	2.369G	64.38	74.00	-9.62	32.20	3	Vertical	150	1.50	-
PK	2.444G	125.26	Inf	-Inf	32.47	3	Vertical	150	1.50	-
PK	2.489G	62.88	74.00	-11.12	32.63	3	Vertical	150	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2452MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.45	54.00	-0.55	32.02	3	Vertical	131	1.50	-
AV	2.449G	112.82	Inf	-Inf	32.49	3	Vertical	131	1.50	-
AV	2.493G	50.65	54.00	-3.35	32.64	3	Vertical	131	1.50	-
PK	2.273G	64.52	74.00	-9.48	31.85	3	Vertical	131	1.50	-
PK	2.449G	122.66	Inf	-Inf	32.49	3	Vertical	131	1.50	-
PK	2.494G	62.41	74.00	-11.59	32.65	3	Vertical	131	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.49	54.00	-0.51	31.87	3	Vertical	130	1.50	-
AV	2.454G	112.35	Inf	-Inf	32.50	3	Vertical	130	1.50	-
AV	2.484G	51.18	54.00	-2.82	32.61	3	Vertical	130	1.50	-
PK	2.389998G	64.03	74.00	-9.97	32.28	3	Vertical	130	1.50	-
PK	2.459G	123.11	Inf	-Inf	32.52	3	Vertical	130	1.50	-
PK	2.484G	62.07	74.00	-11.93	32.61	3	Vertical	130	1.50	-

802.11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.385G	50.31	54.00	-3.69	32.25	3	Vertical	56	1.50	-
AV	2.46G	107.41	Inf	-Inf	32.53	3	Vertical	56	1.50	-
AV	2.485G	49.17	54.00	-4.83	32.61	3	Vertical	56	1.50	-
PK	2.338G	62.19	74.00	-11.81	32.09	3	Vertical	56	1.50	-
PK	2.465G	118.48	Inf	-Inf	32.54	3	Vertical	56	1.50	-
PK	2.486G	61.18	74.00	-12.82	32.62	3	Vertical	56	1.50	-



802.11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.925357G	31.61	54.00	-22.39	3.35	3	Vertical	291	1.58	-
PK	4.933701G	45.48	74.00	-28.52	3.37	3	Vertical	291	1.58	-

802.11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.933741G	31.58	54.00	-22.42	3.37	3	Horizontal	146	1.51	-
PK	4.927393G	45.57	74.00	-28.43	3.36	3	Horizontal	146	1.51	-

802.11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	48.71	54.00	-5.29	32.02	3	Vertical	122	1.50	-
AV	2.408G	96.77	Inf	-Inf	32.34	3	Vertical	122	1.50	-
AV	2.494G	45.97	54.00	-8.03	32.65	3	Vertical	122	1.50	-
PK	2.389998G	58.65	74.00	-15.35	32.28	3	Vertical	122	1.50	-
PK	2.414G	106.61	Inf	-Inf	32.36	3	Vertical	122	1.50	-
PK	2.486G	57.43	74.00	-16.57	32.62	3	Vertical	122	1.50	-



802.11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018



Lim.PK	
PK	
Lim.AV	
AV	


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.824G	32.34	54.00	-21.66	3.13	3	Vertical	84	2.76	-
PK	4.82181G	46.68	74.00	-27.32	3.13	3	Vertical	84	2.76	-



802.11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.826595G	31.62	54.00	-22.38	3.14	3	Horizontal	130	1.50	-
PK	4.827633G	45.40	74.00	-28.60	3.14	3	Horizontal	130	1.50	-

802.11g-20M_Nss1,(6Mbps)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.89	54.00	-0.11	32.28	3	Vertical	124	1.50	-
AV	2.411G	107.40	Inf	-Inf	32.35	3	Vertical	124	1.50	-
AV	2.496G	48.04	54.00	-5.96	32.66	3	Vertical	124	1.50	-
PK	2.389998G	65.59	74.00	-8.41	32.28	3	Vertical	124	1.50	-
PK	2.412G	116.95	Inf	-Inf	32.35	3	Vertical	124	1.50	-
PK	2.499998G	59.25	74.00	-14.75	32.67	3	Vertical	124	1.50	-

802.11g-20M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.79	54.00	-0.21	30.77	3	Vertical	98	1.50	-
AV	2.4316G	109.68	Inf	-Inf	30.92	3	Vertical	98	1.50	-
AV	2.4856G	50.73	54.00	-3.27	31.12	3	Vertical	98	1.50	-
PK	2.386G	65.13	74.00	-8.87	30.76	3	Vertical	98	1.50	-
PK	2.4316G	118.77	Inf	-Inf	30.92	3	Vertical	98	1.50	-
PK	2.4856G	63.75	74.00	-10.25	31.12	3	Vertical	98	1.50	-



802.11g-20M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8728G	31.56	54.00	-22.44	3.24	3	Vertical	281	1.50	-
PK	4.85723G	45.24	74.00	-28.76	3.21	3	Vertical	281	1.50	-



802.11g-20M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8742G	31.08	54.00	-22.92	3.24	3	Horizontal	132	1.55	-
PK	4.88568G	45.45	74.00	-28.55	3.27	3	Horizontal	132	1.55	-

802.11g-20M_Nss1,(6Mbps)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.81	54.00	-0.19	32.02	3	Vertical	131	1.50	-
AV	2.451G	105.40	Inf	-Inf	32.49	3	Vertical	131	1.50	-
AV	2.485G	51.36	54.00	-2.64	32.61	3	Vertical	131	1.50	-
PK	2.296G	64.15	74.00	-9.85	31.93	3	Vertical	131	1.50	-
PK	2.452G	114.72	Inf	-Inf	32.50	3	Vertical	131	1.50	-
PK	2.485G	63.95	74.00	-10.05	32.61	3	Vertical	131	1.50	-

802.11g-20M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.381G	47.45	54.00	-6.55	32.24	3	Vertical	52	1.50	-
AV	2.456G	96.59	Inf	-Inf	32.51	3	Vertical	52	1.50	-
AV	2.483502G	47.21	54.00	-6.79	32.61	3	Vertical	52	1.50	-
PK	2.389998G	59.67	74.00	-14.33	32.28	3	Vertical	52	1.50	-
PK	2.456G	105.99	Inf	-Inf	32.51	3	Vertical	52	1.50	-
PK	2.485G	58.82	74.00	-15.18	32.61	3	Vertical	52	1.50	-



802.11g-20M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.94456G	31.84	54.00	-22.16	3.39	3	Vertical	91	1.44	-
PK	4.94655G	45.87	74.00	-28.13	3.40	3	Vertical	91	1.44	-

802.11g-20M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.94895G	31.87	54.00	-22.13	3.40	3	Horizontal	252	1.50	-
PK	4.94226G	45.55	74.00	-28.45	3.39	3	Horizontal	252	1.50	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

29/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	52.08	54.00	-1.92	32.27	3	Vertical	120	1.50	-
AV	2.414G	113.36	Inf	-Inf	32.36	3	Vertical	120	1.50	-
AV	2.494G	48.53	54.00	-5.47	32.65	3	Vertical	120	1.50	-
PK	2.388G	64.51	74.00	-9.49	32.27	3	Vertical	120	1.50	-
PK	2.414G	125.84	Inf	-Inf	32.36	3	Vertical	120	1.50	-
PK	2.499998G	60.40	74.00	-13.60	32.67	3	Vertical	120	1.50	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.823501G	34.71	54.00	-19.29	3.13	3	Vertical	84	1.56	-
PK	4.823102G	48.85	74.00	-25.15	3.13	3	Vertical	84	1.56	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82412G	32.85	54.00	-21.15	3.13	3	Horizontal	12	2.30	-
PK	4.824499G	46.34	74.00	-27.66	3.13	3	Horizontal	12	2.30	-

HT5_Nss1,(MCS0)_2TX

2417MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.26	54.00	-0.74	32.03	3	Vertical	113	1.50	-
AV	2.419G	115.40	Inf	-Inf	32.56	3	Vertical	113	1.50	-
AV	2.499G	49.18	54.00	-4.82	32.87	3	Vertical	113	1.50	-
PK	2.291G	64.16	74.00	-9.84	32.08	3	Vertical	113	1.50	-
PK	2.419G	125.98	Inf	-Inf	32.56	3	Vertical	113	1.50	-
PK	2.499G	60.72	74.00	-13.28	32.87	3	Vertical	113	1.50	-

HT5_Nss1,(MCS0)_2TX

2422MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	53.36	54.00	-0.64	32.45	3	Vertical	85	1.50	-
AV	2.424G	117.31	Inf	-Inf	32.58	3	Vertical	85	1.50	-
AV	2.483502G	49.08	54.00	-4.92	32.81	3	Vertical	85	1.50	-
PK	2.378G	65.15	74.00	-8.85	32.40	3	Vertical	85	1.50	-
PK	2.424G	126.37	Inf	-Inf	32.58	3	Vertical	85	1.50	-
PK	2.496G	60.03	74.00	-13.97	32.86	3	Vertical	85	1.50	-

HT5_Nss1,(MCS0)_2TX

2427MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.379G	53.27	54.00	-0.73	32.41	3	Vertical	85	1.50	-
AV	2.429G	118.28	Inf	-Inf	32.60	3	Vertical	85	1.50	-
AV	2.495G	49.15	54.00	-4.85	32.85	3	Vertical	85	1.50	-
PK	2.321G	64.27	74.00	-9.73	32.19	3	Vertical	85	1.50	-
PK	2.429G	128.12	Inf	-Inf	32.60	3	Vertical	85	1.50	-
PK	2.494G	60.29	74.00	-13.71	32.84	3	Vertical	85	1.50	-

HT5_Nss1,(MCS0)_2TX

2432MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.384G	53.80	54.00	-0.20	32.43	3	Vertical	150	1.50	-
AV	2.433G	118.88	Inf	-Inf	32.62	3	Vertical	150	1.50	-
AV	2.484G	50.75	54.00	-3.25	32.81	3	Vertical	150	1.50	-
PK	2.383G	65.10	74.00	-8.90	32.43	3	Vertical	150	1.50	-
PK	2.433G	129.33	Inf	-Inf	32.62	3	Vertical	150	1.50	-
PK	2.483502G	61.81	74.00	-12.19	32.81	3	Vertical	150	1.50	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

17/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3162G	53.48	54.00	-0.52	30.13	3	Vertical	133	1.49	-
AV	2.4362G	121.01	Inf	-Inf	30.53	3	Vertical	133	1.49	-
AV	2.4858G	48.89	54.00	-5.11	30.71	3	Vertical	133	1.49	-
PK	2.3162G	64.15	74.00	-9.85	30.13	3	Vertical	133	1.49	-
PK	2.437G	129.67	Inf	-Inf	30.54	3	Vertical	133	1.49	-
PK	2.4906G	59.93	74.00	-14.07	30.72	3	Vertical	133	1.49	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873741G	35.01	54.00	-18.99	3.24	3	Vertical	92	1.80	-
PK	4.877393G	50.17	74.00	-23.83	3.25	3	Vertical	92	1.80	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.874259G	32.84	54.00	-21.16	3.24	3	Horizontal	83	1.50	-
PK	4.87408G	45.49	74.00	-28.51	3.24	3	Horizontal	83	1.50	-

HT5_Nss1,(MCS0)_2TX

2442MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.316G	53.25	54.00	-0.75	32.17	3	Vertical	150	1.50	-
AV	2.444G	118.34	Inf	-Inf	32.66	3	Vertical	150	1.50	-
AV	2.483502G	50.92	54.00	-3.08	32.81	3	Vertical	150	1.50	-
PK	2.313G	64.57	74.00	-9.43	32.16	3	Vertical	150	1.50	-
PK	2.444G	127.82	Inf	-Inf	32.66	3	Vertical	150	1.50	-
PK	2.494G	62.07	74.00	-11.93	32.84	3	Vertical	150	1.50	-

HT5_Nss1,(MCS0)_2TX

2447MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.50	54.00	-0.50	32.18	3	Vertical	148	1.50	-
AV	2.446G	117.08	Inf	-Inf	32.66	3	Vertical	148	1.50	-
AV	2.483502G	50.68	54.00	-3.32	32.81	3	Vertical	148	1.50	-
PK	2.386G	64.69	74.00	-9.31	32.43	3	Vertical	148	1.50	-
PK	2.446G	128.00	Inf	-Inf	32.66	3	Vertical	148	1.50	-
PK	2.492G	63.20	74.00	-10.80	32.84	3	Vertical	148	1.50	-

HT5_Nss1,(MCS0)_2TX

2452MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.72	54.00	-0.28	32.03	3	Vertical	129	1.50	-
AV	2.451G	115.09	Inf	-Inf	32.68	3	Vertical	129	1.50	-
AV	2.485G	50.16	54.00	-3.84	32.81	3	Vertical	129	1.50	-
PK	2.28G	65.17	74.00	-8.83	32.03	3	Vertical	129	1.50	-
PK	2.451G	125.24	Inf	-Inf	32.68	3	Vertical	129	1.50	-
PK	2.487G	62.47	74.00	-11.53	32.82	3	Vertical	129	1.50	-

HT5_Nss1,(MCS0)_2TX

2457MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.77	54.00	-0.23	32.18	3	Vertical	129	1.50	-
AV	2.457G	113.63	Inf	-Inf	32.71	3	Vertical	129	1.50	-
AV	2.483502G	50.75	54.00	-3.25	32.81	3	Vertical	129	1.50	-
PK	2.318G	64.48	74.00	-9.52	32.18	3	Vertical	129	1.50	-
PK	2.456G	124.29	Inf	-Inf	32.70	3	Vertical	129	1.50	-
PK	2.493G	62.54	74.00	-11.46	32.84	3	Vertical	129	1.50	-

HT5_Nss1,(MCS0)_2TX

2462MHz_TX

04/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	51.61	54.00	-2.39	31.88	3	Vertical	134	1.50	-
AV	2.461G	112.55	Inf	-Inf	32.53	3	Vertical	134	1.50	-
AV	2.487G	50.52	54.00	-3.48	32.62	3	Vertical	134	1.50	-
PK	2.38G	64.89	74.00	-9.11	32.24	3	Vertical	134	1.50	-
PK	2.461G	125.18	Inf	-Inf	32.53	3	Vertical	134	1.50	-
PK	2.487G	62.42	74.00	-11.58	32.62	3	Vertical	134	1.50	-



HT5_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018



Lim.PK	
PK	
Lim.AV	
AV	


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92408G	35.31	54.00	-18.69	3.35	3	Vertical	90	1.50	-
PK	4.927154G	49.01	74.00	-24.99	3.36	3	Vertical	90	1.50	-



HT5_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.924599G	33.51	54.00	-20.49	3.35	3	Horizontal	241	1.51	-
PK	4.925357G	45.77	74.00	-28.23	3.35	3	Horizontal	241	1.51	-

HT8_Nss1,(MCS0)_2TX

2412MHz_TX

04/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.36G	51.29	54.00	-2.71	32.16	3	Vertical	118	1.50	-
AV	2.41G	111.37	Inf	-Inf	32.35	3	Vertical	118	1.50	-
AV	2.483502G	48.47	54.00	-5.53	32.61	3	Vertical	118	1.50	-
PK	2.339G	63.47	74.00	-10.53	32.09	3	Vertical	118	1.50	-
PK	2.41G	122.98	Inf	-Inf	32.35	3	Vertical	118	1.50	-
PK	2.491G	59.89	74.00	-14.11	32.64	3	Vertical	118	1.50	-



HT8_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8252G	32.92	54.00	-21.08	3.14	3	Vertical	165	1.47	-
PK	4.8227G	45.80	74.00	-28.20	3.13	3	Vertical	165	1.47	-

HT8_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82679G	32.06	54.00	-21.94	3.14	3	Horizontal	263	1.50	-
PK	4.82031G	45.70	74.00	-28.30	3.12	3	Horizontal	263	1.50	-

HT8_Nss1,(MCS0)_2TX

2417MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.36	54.00	-0.64	32.18	3	Vertical	112	1.54	-
AV	2.42G	113.81	Inf	-Inf	32.57	3	Vertical	112	1.54	-
AV	2.49G	49.42	54.00	-4.58	32.83	3	Vertical	112	1.54	-
PK	2.331G	64.87	74.00	-9.13	32.23	3	Vertical	112	1.54	-
PK	2.42G	124.02	Inf	-Inf	32.57	3	Vertical	112	1.54	-
PK	2.483502G	60.65	74.00	-13.35	32.81	3	Vertical	112	1.54	-

HT8_Nss1,(MCS0)_2TX

2422MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.385G	53.39	54.00	-0.61	32.43	3	Vertical	81	1.50	-
AV	2.421G	113.99	Inf	-Inf	32.57	3	Vertical	81	1.50	-
AV	2.492G	48.97	54.00	-5.03	32.84	3	Vertical	81	1.50	-
PK	2.385G	64.61	74.00	-9.39	32.43	3	Vertical	81	1.50	-
PK	2.421G	124.81	Inf	-Inf	32.57	3	Vertical	81	1.50	-
PK	2.487G	60.14	74.00	-13.86	32.82	3	Vertical	81	1.50	-

HT8_Nss1,(MCS0)_2TX

2427MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.77	54.00	-0.23	32.45	3	Vertical	53	1.50	-
AV	2.429G	116.33	Inf	-Inf	32.60	3	Vertical	53	1.50	-
AV	2.499G	49.44	54.00	-4.56	32.87	3	Vertical	53	1.50	-
PK	2.268G	64.90	74.00	-9.10	31.99	3	Vertical	53	1.50	-
PK	2.428G	126.56	Inf	-Inf	32.60	3	Vertical	53	1.50	-
PK	2.483502G	60.76	74.00	-13.24	32.81	3	Vertical	53	1.50	-

HT8_Nss1,(MCS0)_2TX

2432MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.384G	53.65	54.00	-0.35	32.43	3	Vertical	57	1.50	-
AV	2.434G	117.91	Inf	-Inf	32.62	3	Vertical	57	1.50	-
AV	2.483502G	50.51	54.00	-3.49	32.81	3	Vertical	57	1.50	-
PK	2.364G	65.03	74.00	-8.97	32.36	3	Vertical	57	1.50	-
PK	2.434G	127.45	Inf	-Inf	32.62	3	Vertical	57	1.50	-
PK	2.484G	61.67	74.00	-12.33	32.81	3	Vertical	57	1.50	-

HT8_Nss1,(MCS0)_2TX

2437MHz_TX

17/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	51.88	54.00	-2.12	30.38	3	Vertical	134	1.50	-
AV	2.4354G	119.31	Inf	-Inf	30.53	3	Vertical	134	1.50	-
AV	2.4842G	49.40	54.00	-4.60	30.69	3	Vertical	134	1.50	-
PK	2.389G	72.45	74.00	-1.55	30.37	3	Vertical	134	1.50	-
PK	2.4354G	129.71	Inf	-Inf	30.53	3	Vertical	134	1.50	-
PK	2.483502G	61.99	74.00	-12.01	30.69	3	Vertical	134	1.50	-



HT8_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8731G	32.78	54.00	-21.22	3.24	3	Vertical	247	1.50	-
PK	4.86222G	45.57	74.00	-28.43	3.22	3	Vertical	247	1.50	-

HT8_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8746G	31.74	54.00	-22.26	3.24	3	Horizontal	128	1.50	-
PK	4.8749G	45.71	74.00	-28.29	3.24	3	Horizontal	128	1.50	-

HT8_Nss1,(MCS0)_2TX

2442MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.75	54.00	-0.25	32.03	3	Vertical	148	1.50	-
AV	2.444G	116.23	Inf	-Inf	32.66	3	Vertical	148	1.50	-
AV	2.494G	50.39	54.00	-3.61	32.84	3	Vertical	148	1.50	-
PK	2.28G	64.24	74.00	-9.76	32.03	3	Vertical	148	1.50	-
PK	2.443G	126.86	Inf	-Inf	32.65	3	Vertical	148	1.50	-
PK	2.494G	62.62	74.00	-11.38	32.84	3	Vertical	148	1.50	-

HT8_Nss1,(MCS0)_2TX

2447MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.379G	53.88	54.00	-0.12	32.41	3	Vertical	132	1.50	-
AV	2.449G	115.29	Inf	-Inf	32.68	3	Vertical	132	1.50	-
AV	2.484G	50.38	54.00	-3.62	32.81	3	Vertical	132	1.50	-
PK	2.379G	64.45	74.00	-9.55	32.41	3	Vertical	132	1.50	-
PK	2.449G	127.05	Inf	-Inf	32.68	3	Vertical	132	1.50	-
PK	2.484G	61.52	74.00	-12.48	32.81	3	Vertical	132	1.50	-

HT8_Nss1,(MCS0)_2TX

2452MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.27	54.00	-0.73	32.18	3	Vertical	130	1.50	-
AV	2.454G	114.97	Inf	-Inf	32.70	3	Vertical	130	1.50	-
AV	2.49G	52.51	54.00	-1.49	32.83	3	Vertical	130	1.50	-
PK	2.28G	65.33	74.00	-8.67	32.03	3	Vertical	130	1.50	-
PK	2.454G	125.26	Inf	-Inf	32.70	3	Vertical	130	1.50	-
PK	2.491G	64.16	74.00	-9.84	32.84	3	Vertical	130	1.50	-

HT8_Nss1,(MCS0)_2TX

2457MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.65	54.00	-0.35	32.18	3	Vertical	131	1.50	-
AV	2.459G	113.85	Inf	-Inf	32.71	3	Vertical	131	1.50	-
AV	2.484G	50.92	54.00	-3.08	32.81	3	Vertical	131	1.50	-
PK	2.299G	64.61	74.00	-9.39	32.11	3	Vertical	131	1.50	-
PK	2.459G	124.65	Inf	-Inf	32.71	3	Vertical	131	1.50	-
PK	2.483502G	62.45	74.00	-11.55	32.81	3	Vertical	131	1.50	-

HT8_Nss1,(MCS0)_2TX

2462MHz_TX

29/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.384G	51.81	54.00	-2.19	32.25	3	Vertical	54	1.50	-
AV	2.464G	109.74	Inf	-Inf	32.54	3	Vertical	54	1.50	-
AV	2.499G	49.97	54.00	-4.03	32.67	3	Vertical	54	1.50	-
PK	2.384G	64.27	74.00	-9.73	32.25	3	Vertical	54	1.50	-
PK	2.463G	121.76	Inf	-Inf	32.54	3	Vertical	54	1.50	-
PK	2.495G	61.97	74.00	-12.03	32.65	3	Vertical	54	1.50	-



HT8_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018



Lim.PK	
PK	
Lim.AV	
AV	


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9229G	33.87	54.00	-20.13	3.35	3	Vertical	96	1.48	-
PK	4.9221G	48.06	74.00	-25.94	3.35	3	Vertical	96	1.48	-



HT8_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.924895G	32.32	54.00	-21.68	3.35	3	Horizontal	244	1.50	-
PK	4.924047G	45.99	74.00	-28.01	3.35	3	Horizontal	244	1.50	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

29/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	51.92	54.00	-2.08	32.02	3	Vertical	106	1.50	-
AV	2.41G	110.87	Inf	-Inf	32.35	3	Vertical	106	1.50	-
AV	2.49G	48.34	54.00	-5.66	32.64	3	Vertical	106	1.50	-
PK	2.389998G	65.71	74.00	-8.29	32.28	3	Vertical	106	1.50	-
PK	2.411G	122.35	Inf	-Inf	32.35	3	Vertical	106	1.50	-
PK	2.492G	60.52	74.00	-13.48	32.64	3	Vertical	106	1.50	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8241G	33.95	54.00	-20.05	3.13	3	Vertical	79	2.90	-
PK	4.8241G	47.19	74.00	-26.81	3.13	3	Vertical	79	2.90	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8238G	32.09	54.00	-21.91	3.13	3	Horizontal	221	1.50	-
PK	4.8243G	46.45	74.00	-27.55	3.14	3	Horizontal	221	1.50	-

HT10_Nss1,(MCS0)_2TX

2417MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	52.92	54.00	-1.08	32.18	3	Vertical	84	1.50	-
AV	2.42G	110.89	Inf	-Inf	32.57	3	Vertical	84	1.50	-
AV	2.497G	48.57	54.00	-5.43	32.86	3	Vertical	84	1.50	-
PK	2.376G	64.66	74.00	-9.34	32.40	3	Vertical	84	1.50	-
PK	2.42G	121.65	Inf	-Inf	32.57	3	Vertical	84	1.50	-
PK	2.499G	59.04	74.00	-14.96	32.87	3	Vertical	84	1.50	-

HT10_Nss1,(MCS0)_2TX

2422MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.381G	53.08	54.00	-0.92	32.42	3	Vertical	84	1.50	-
AV	2.425G	114.23	Inf	-Inf	32.59	3	Vertical	84	1.50	-
AV	2.485G	48.96	54.00	-5.04	32.81	3	Vertical	84	1.50	-
PK	2.389G	64.68	74.00	-9.32	32.45	3	Vertical	84	1.50	-
PK	2.425G	124.92	Inf	-Inf	32.59	3	Vertical	84	1.50	-
PK	2.484G	60.27	74.00	-13.73	32.81	3	Vertical	84	1.50	-

HT10_Nss1,(MCS0)_2TX

2427MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.06	54.00	-0.94	32.45	3	Vertical	55	1.50	-
AV	2.424G	115.16	Inf	-Inf	32.58	3	Vertical	55	1.50	-
AV	2.483502G	49.06	54.00	-4.94	32.81	3	Vertical	55	1.50	-
PK	2.389G	64.78	74.00	-9.22	32.45	3	Vertical	55	1.50	-
PK	2.425G	125.93	Inf	-Inf	32.59	3	Vertical	55	1.50	-
PK	2.489G	60.11	74.00	-13.89	32.83	3	Vertical	55	1.50	-

HT10_Nss1,(MCS0)_2TX

2432MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.385G	53.58	54.00	-0.42	32.43	3	Vertical	57	1.50	-
AV	2.43G	116.06	Inf	-Inf	32.60	3	Vertical	57	1.50	-
AV	2.483502G	49.59	54.00	-4.41	32.81	3	Vertical	57	1.50	-
PK	2.386G	65.27	74.00	-8.73	32.43	3	Vertical	57	1.50	-
PK	2.43G	126.73	Inf	-Inf	32.60	3	Vertical	57	1.50	-
PK	2.494G	60.35	74.00	-13.65	32.84	3	Vertical	57	1.50	-

HT10_Nss1,(MCS0)_2TX

2437MHz_TX

17/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	53.77	54.00	-0.23	30.38	3	Vertical	131	1.50	-
AV	2.4346G	118.06	Inf	-Inf	30.53	3	Vertical	131	1.50	-
AV	2.483502G	50.69	54.00	-3.31	30.69	3	Vertical	131	1.50	-
PK	2.3874G	71.08	74.00	-2.92	30.37	3	Vertical	131	1.50	-
PK	2.4354G	129.34	Inf	-Inf	30.53	3	Vertical	131	1.50	-
PK	2.4866G	65.95	74.00	-8.05	30.71	3	Vertical	131	1.50	-



HT10_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018



Lim.PK	
PK	
Lim.AV	
AV	


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87422G	32.60	54.00	-21.40	3.24	3	Vertical	210	1.50	-
PK	4.87445G	44.88	74.00	-29.12	3.24	3	Vertical	210	1.50	-



HT10_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87469G	31.46	54.00	-22.54	3.24	3	Horizontal	108	1.56	-
PK	4.874559G	45.04	74.00	-28.96	3.24	3	Horizontal	108	1.56	-

HT10_Nss1,(MCS0)_2TX

2442MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.78	54.00	-0.22	32.45	3	Vertical	153	1.50	-
AV	2.439G	116.99	Inf	-Inf	32.64	3	Vertical	153	1.50	-
AV	2.485G	51.83	54.00	-2.17	32.81	3	Vertical	153	1.50	-
PK	2.388G	64.56	74.00	-9.44	32.45	3	Vertical	153	1.50	-
PK	2.44G	128.00	Inf	-Inf	32.64	3	Vertical	153	1.50	-
PK	2.489G	63.16	74.00	-10.84	32.83	3	Vertical	153	1.50	-

HT10_Nss1,(MCS0)_2TX

2447MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.27	54.00	-0.73	32.18	3	Vertical	147	1.50	-
AV	2.449G	114.24	Inf	-Inf	32.68	3	Vertical	147	1.50	-
AV	2.484G	50.60	54.00	-3.40	32.81	3	Vertical	147	1.50	-
PK	2.317G	64.12	74.00	-9.88	32.17	3	Vertical	147	1.50	-
PK	2.45G	124.42	Inf	-Inf	32.68	3	Vertical	147	1.50	-
PK	2.499998G	62.09	74.00	-11.91	32.87	3	Vertical	147	1.50	-

HT10_Nss1,(MCS0)_2TX

2452MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.279G	53.75	54.00	-0.25	32.03	3	Vertical	132	1.50	-
AV	2.455G	112.98	Inf	-Inf	32.70	3	Vertical	132	1.50	-
AV	2.483502G	50.66	54.00	-3.34	32.81	3	Vertical	132	1.50	-
PK	2.28G	64.57	74.00	-9.43	32.03	3	Vertical	132	1.50	-
PK	2.456G	123.83	Inf	-Inf	32.70	3	Vertical	132	1.50	-
PK	2.499998G	61.98	74.00	-12.02	32.87	3	Vertical	132	1.50	-

HT10_Nss1,(MCS0)_2TX

2457MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.76	54.00	-0.24	32.19	3	Vertical	131	1.50	-
AV	2.455G	113.43	Inf	-Inf	32.70	3	Vertical	131	1.50	-
AV	2.483502G	52.32	54.00	-1.68	32.81	3	Vertical	131	1.50	-
PK	2.375G	64.93	74.00	-9.07	32.39	3	Vertical	131	1.50	-
PK	2.454G	123.98	Inf	-Inf	32.70	3	Vertical	131	1.50	-
PK	2.49G	64.20	74.00	-9.80	32.83	3	Vertical	131	1.50	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

29/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.379G	52.12	54.00	-1.88	32.23	3	Vertical	53	1.50	-
AV	2.46G	110.26	Inf	-Inf	32.53	3	Vertical	53	1.50	-
AV	2.485G	50.96	54.00	-3.04	32.61	3	Vertical	53	1.50	-
PK	2.383G	64.11	74.00	-9.89	32.25	3	Vertical	53	1.50	-
PK	2.459G	121.72	Inf	-Inf	32.52	3	Vertical	53	1.50	-
PK	2.484G	62.94	74.00	-11.06	32.61	3	Vertical	53	1.50	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92432G	33.10	54.00	-20.90	3.35	3	Vertical	81	1.50	-
PK	4.924705G	46.35	74.00	-27.65	3.35	3	Vertical	81	1.50	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9256G	32.56	54.00	-21.44	3.35	3	Horizontal	5	1.02	-
PK	4.92623G	46.60	74.00	-27.40	3.36	3	Horizontal	5	1.02	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

29/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	51.26	54.00	-2.74	32.28	3	Vertical	122	1.50	-
AV	2.417G	104.59	Inf	-Inf	32.37	3	Vertical	122	1.50	-
AV	2.494G	47.21	54.00	-6.79	32.65	3	Vertical	122	1.50	-
PK	2.389G	65.27	74.00	-8.73	32.27	3	Vertical	122	1.50	-
PK	2.418G	113.91	Inf	-Inf	32.37	3	Vertical	122	1.50	-
PK	2.483502G	58.46	74.00	-15.54	32.61	3	Vertical	122	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8231G	32.22	54.00	-21.78	3.13	3	Vertical	127	1.50	-
PK	4.824194G	46.02	74.00	-27.98	3.13	3	Vertical	127	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82396G	31.74	54.00	-22.26	3.13	3	Horizontal	242	1.53	-
PK	4.82406G	45.62	74.00	-28.38	3.13	3	Horizontal	242	1.53	-

802.11n HT20_Nss1,(MCS0)_2TX

2417MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.90	54.00	-0.10	32.28	3	Vertical	111	1.50	-
AV	2.414G	106.60	Inf	-Inf	32.36	3	Vertical	111	1.50	-
AV	2.492G	48.32	54.00	-5.68	32.64	3	Vertical	111	1.50	-
PK	2.389998G	65.78	74.00	-8.22	32.28	3	Vertical	111	1.50	-
PK	2.415G	116.79	Inf	-Inf	32.36	3	Vertical	111	1.50	-
PK	2.493G	60.44	74.00	-13.56	32.64	3	Vertical	111	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2422MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.83	54.00	-0.17	32.02	3	Vertical	113	1.50	-
AV	2.418G	109.06	Inf	-Inf	32.37	3	Vertical	113	1.50	-
AV	2.494G	49.19	54.00	-4.81	32.65	3	Vertical	113	1.50	-
PK	2.389998G	67.04	74.00	-6.96	32.28	3	Vertical	113	1.50	-
PK	2.421G	119.91	Inf	-Inf	32.39	3	Vertical	113	1.50	-
PK	2.495G	61.87	74.00	-12.13	32.65	3	Vertical	113	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2427MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.54	54.00	-0.46	32.28	3	Vertical	57	1.50	-
AV	2.431G	108.78	Inf	-Inf	32.42	3	Vertical	57	1.50	-
AV	2.484G	49.12	54.00	-4.88	32.61	3	Vertical	57	1.50	-
PK	2.389G	66.29	74.00	-7.71	32.27	3	Vertical	57	1.50	-
PK	2.432G	118.65	Inf	-Inf	32.43	3	Vertical	57	1.50	-
PK	2.489G	61.17	74.00	-12.83	32.63	3	Vertical	57	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2432MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.59	54.00	-0.41	31.88	3	Vertical	57	1.50	-
AV	2.437G	107.18	Inf	-Inf	32.44	3	Vertical	57	1.50	-
AV	2.483502G	48.97	54.00	-5.03	32.61	3	Vertical	57	1.50	-
PK	2.388G	64.99	74.00	-9.01	32.27	3	Vertical	57	1.50	-
PK	2.436G	117.27	Inf	-Inf	32.44	3	Vertical	57	1.50	-
PK	2.483502G	60.56	74.00	-13.44	32.61	3	Vertical	57	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

01/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	53.43	54.00	-0.57	32.45	3	Vertical	150	1.34	-
AV	2.441G	112.55	Inf	-Inf	32.65	3	Vertical	150	1.34	-
AV	2.483502G	53.00	54.00	-1.00	32.81	3	Vertical	150	1.34	-
PK	2.385G	66.08	74.00	-7.92	32.43	3	Vertical	150	1.34	-
PK	2.4394G	122.20	Inf	-Inf	32.64	3	Vertical	150	1.34	-
PK	2.4946G	67.46	74.00	-6.54	32.85	3	Vertical	150	1.34	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.873141G	31.97	54.00	-22.03	3.24	3	Vertical	61	1.50	-
PK	4.87426G	45.44	74.00	-28.56	3.24	3	Vertical	61	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8746G	31.67	54.00	-22.33	3.24	3	Horizontal	260	1.56	-
PK	4.87025G	44.93	74.00	-29.07	3.23	3	Horizontal	260	1.56	-

802.11n HT20_Nss1,(MCS0)_2TX

2442MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.24G	53.73	54.00	-0.27	31.73	3	Vertical	152	1.50	-
AV	2.437G	108.96	Inf	-Inf	32.44	3	Vertical	152	1.50	-
AV	2.489G	50.62	54.00	-3.38	32.63	3	Vertical	152	1.50	-
PK	2.384G	64.85	74.00	-9.15	32.25	3	Vertical	152	1.50	-
PK	2.435G	119.28	Inf	-Inf	32.44	3	Vertical	152	1.50	-
PK	2.488G	63.21	74.00	-10.79	32.63	3	Vertical	152	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2447MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.61	54.00	-0.39	31.88	3	Vertical	132	1.50	-
AV	2.453G	105.87	Inf	-Inf	32.50	3	Vertical	132	1.50	-
AV	2.485G	49.72	54.00	-4.28	32.61	3	Vertical	132	1.50	-
PK	2.384G	63.56	74.00	-10.44	32.25	3	Vertical	132	1.50	-
PK	2.452G	115.74	Inf	-Inf	32.50	3	Vertical	132	1.50	-
PK	2.484G	62.61	74.00	-11.39	32.61	3	Vertical	132	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2452MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.68	54.00	-0.32	31.88	3	Vertical	134	1.50	-
AV	2.32G	52.88	54.00	-1.12	32.02	3	Vertical	134	1.50	-
AV	2.458G	107.90	Inf	-Inf	32.52	3	Vertical	134	1.50	-
PK	2.378G	65.01	74.00	-8.99	32.23	3	Vertical	134	1.50	-
PK	2.456G	117.97	Inf	-Inf	32.51	3	Vertical	134	1.50	-
PK	2.493G	66.66	74.00	-7.34	32.64	3	Vertical	134	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2457MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.44	54.00	-0.56	32.02	3	Vertical	129	1.50	-
AV	2.453G	108.07	Inf	-Inf	32.50	3	Vertical	129	1.50	-
AV	2.485G	53.76	54.00	-0.24	32.61	3	Vertical	129	1.50	-
PK	2.388G	65.46	74.00	-8.54	32.27	3	Vertical	129	1.50	-
PK	2.453G	118.19	Inf	-Inf	32.50	3	Vertical	129	1.50	-
PK	2.483502G	69.15	74.00	-4.85	32.61	3	Vertical	129	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	49.72	54.00	-4.28	32.02	3	Vertical	130	1.50	-
AV	2.458G	102.30	Inf	-Inf	32.52	3	Vertical	130	1.50	-
AV	2.483502G	53.84	54.00	-0.16	32.61	3	Vertical	130	1.50	-
PK	2.313G	61.41	74.00	-12.59	32.00	3	Vertical	130	1.50	-
PK	2.459G	111.90	Inf	-Inf	32.52	3	Vertical	130	1.50	-
PK	2.483502G	73.01	74.00	-0.99	32.61	3	Vertical	130	1.50	-



802.11n HT20_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92465G	32.31	54.00	-21.69	3.35	3	Vertical	113	1.50	-
PK	4.92446G	46.72	74.00	-27.28	3.35	3	Vertical	113	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.924149G	32.10	54.00	-21.90	3.35	3	Horizontal	288	1.44	-
PK	4.92431G	45.60	74.00	-28.40	3.35	3	Horizontal	288	1.44	-

HT30_Nss1,(MCS0)_2TX

2417MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.84	54.00	-0.16	32.28	3	Vertical	56	1.50	-
AV	2.424G	99.58	Inf	-Inf	32.40	3	Vertical	56	1.50	-
AV	2.493G	47.17	54.00	-6.83	32.64	3	Vertical	56	1.50	-
PK	2.389998G	67.92	74.00	-6.08	32.28	3	Vertical	56	1.50	-
PK	2.425G	109.14	Inf	-Inf	32.40	3	Vertical	56	1.50	-
PK	2.498G	58.80	74.00	-15.20	32.67	3	Vertical	56	1.50	-



HT30_Nss1,(MCS0)_2TX

2417MHz_TX

08/06/2018



Legend for the spectrum plot:

- Lim.PK: Red dashed line with a red zigzag icon
- PK: Blue solid line with a blue zigzag icon
- Lim.AV: Magenta dashed line with a magenta zigzag icon
- AV: Black solid line with a black zigzag icon


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.83455G	32.06	54.00	-21.94	3.16	3	Vertical	65	1.50	-
PK	4.83454G	45.61	74.00	-28.39	3.16	3	Vertical	65	1.50	-



HT30_Nss1,(MCS0)_2TX

2417MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.834422G	31.76	54.00	-22.24	3.16	3	Horizontal	231	1.53	-
PK	4.834042G	45.89	74.00	-28.11	3.15	3	Horizontal	231	1.53	-

HT30_Nss1,(MCS0)_2TX

2422MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.75	54.00	-0.25	32.28	3	Vertical	110	1.50	-
AV	2.417G	101.09	Inf	-Inf	32.37	3	Vertical	110	1.50	-
AV	2.492G	47.52	54.00	-6.48	32.64	3	Vertical	110	1.50	-
PK	2.389G	68.26	74.00	-5.74	32.27	3	Vertical	110	1.50	-
PK	2.415G	111.62	Inf	-Inf	32.36	3	Vertical	110	1.50	-
PK	2.491G	59.69	74.00	-14.31	32.64	3	Vertical	110	1.50	-

HT30_Nss1,(MCS0)_2TX

2427MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.39G	53.85	54.00	-0.15	32.27	3	Vertical	57	1.50	-
AV	2.42G	104.19	Inf	-Inf	32.38	3	Vertical	57	1.50	-
AV	2.483502G	47.92	54.00	-6.08	32.61	3	Vertical	57	1.50	-
PK	2.389998G	68.14	74.00	-5.86	32.28	3	Vertical	57	1.50	-
PK	2.421G	114.28	Inf	-Inf	32.39	3	Vertical	57	1.50	-
PK	2.496G	60.23	74.00	-13.77	32.66	3	Vertical	57	1.50	-

HT30_Nss1,(MCS0)_2TX

2432MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	53.81	54.00	-0.19	32.27	3	Vertical	148	1.50	-
AV	2.438G	106.59	Inf	-Inf	32.45	3	Vertical	148	1.50	-
AV	2.489G	50.47	54.00	-3.53	32.63	3	Vertical	148	1.50	-
PK	2.385G	67.38	74.00	-6.62	32.26	3	Vertical	148	1.50	-
PK	2.441G	116.82	Inf	-Inf	32.46	3	Vertical	148	1.50	-
PK	2.496G	63.65	74.00	-10.35	32.66	3	Vertical	148	1.50	-

HT30_Nss1,(MCS0)_2TX

2437MHz_TX

17/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	53.88	54.00	-0.12	30.38	3	Vertical	133	1.50	-
AV	2.4282G	108.59	Inf	-Inf	30.51	3	Vertical	133	1.50	-
AV	2.4874G	51.55	54.00	-2.45	30.71	3	Vertical	133	1.50	-
PK	2.3874G	64.15	74.00	-9.85	30.37	3	Vertical	133	1.50	-
PK	2.4258G	117.82	Inf	-Inf	30.50	3	Vertical	133	1.50	-
PK	2.483502G	63.07	74.00	-10.93	30.69	3	Vertical	133	1.50	-



HT30_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87378G	31.70	54.00	-22.30	3.24	3	Vertical	144	1.56	-
PK	4.87392G	46.13	74.00	-27.87	3.24	3	Vertical	144	1.56	-

HT30_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87415G	31.26	54.00	-22.74	3.24	3	Horizontal	323	1.45	-
PK	4.87437G	45.39	74.00	-28.61	3.24	3	Horizontal	323	1.45	-

HT30_Nss1,(MCS0)_2TX

2442MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.387G	53.65	54.00	-0.35	32.26	3	Vertical	55	1.50	-
AV	2.432G	108.72	Inf	-Inf	32.43	3	Vertical	55	1.50	-
AV	2.484G	53.81	54.00	-0.19	32.61	3	Vertical	55	1.50	-
PK	2.382G	67.17	74.00	-6.83	32.25	3	Vertical	55	1.50	-
PK	2.434G	118.98	Inf	-Inf	32.43	3	Vertical	55	1.50	-
PK	2.484G	68.13	74.00	-5.87	32.61	3	Vertical	55	1.50	-

HT30_Nss1,(MCS0)_2TX

2447MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	52.17	54.00	-1.83	32.02	3	Vertical	130	1.50	-
AV	2.457G	104.08	Inf	-Inf	32.52	3	Vertical	130	1.50	-
AV	2.483502G	53.89	54.00	-0.11	32.61	3	Vertical	130	1.50	-
PK	2.388G	64.87	74.00	-9.13	32.27	3	Vertical	130	1.50	-
PK	2.457G	113.92	Inf	-Inf	32.52	3	Vertical	130	1.50	-
PK	2.483502G	70.92	74.00	-3.08	32.61	3	Vertical	130	1.50	-

HT30_Nss1,(MCS0)_2TX

2452MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	51.27	54.00	-2.73	32.02	3	Vertical	133	1.50	-
AV	2.443G	102.82	Inf	-Inf	32.46	3	Vertical	133	1.50	-
AV	2.483502G	53.83	54.00	-0.17	32.61	3	Vertical	133	1.50	-
PK	2.388G	62.83	74.00	-11.17	32.27	3	Vertical	133	1.50	-
PK	2.444G	112.91	Inf	-Inf	32.47	3	Vertical	133	1.50	-
PK	2.483502G	69.09	74.00	-4.91	32.61	3	Vertical	133	1.50	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389G	49.62	54.00	-4.38	32.27	3	Vertical	72	1.50	-
AV	2.465G	100.38	Inf	-Inf	32.54	3	Vertical	72	1.50	-
AV	2.483502G	53.77	54.00	-0.23	32.61	3	Vertical	72	1.50	-
PK	2.382G	62.48	74.00	-11.52	32.25	3	Vertical	72	1.50	-
PK	2.467G	110.24	Inf	-Inf	32.55	3	Vertical	72	1.50	-
PK	2.483502G	70.20	74.00	-3.80	32.61	3	Vertical	72	1.50	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.91441G	31.96	54.00	-22.04	3.33	3	Vertical	111	1.53	-
PK	4.91468G	45.54	74.00	-28.46	3.33	3	Vertical	111	1.53	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

08/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.91435G	32.04	54.00	-21.96	3.33	3	Horizontal	261	1.48	-
PK	4.91396G	45.70	74.00	-28.30	3.33	3	Horizontal	261	1.48	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	50.81	54.00	-3.19	32.28	3	Vertical	98	1.50	-
AV	2.419G	94.92	Inf	-Inf	32.38	3	Vertical	98	1.50	-
AV	2.496G	46.61	54.00	-7.39	32.66	3	Vertical	98	1.50	-
PK	2.389998G	67.50	74.00	-6.50	32.28	3	Vertical	98	1.50	-
PK	2.419G	106.01	Inf	-Inf	32.38	3	Vertical	98	1.50	-
PK	2.483502G	58.18	74.00	-15.82	32.61	3	Vertical	98	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

08/06/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.84467G	31.77	54.00	-22.23	3.18	3	Vertical	109	1.54	-
PK	4.844749G	45.13	74.00	-28.87	3.18	3	Vertical	109	1.54	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.84455G	31.73	54.00	-22.27	3.18	3	Horizontal	274	1.61	-
PK	4.84347G	45.80	74.00	-28.20	3.18	3	Horizontal	274	1.61	-

802.11n HT40_Nss1,(MCS0)_2TX

2427MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	53.53	54.00	-0.47	32.27	3	Vertical	54	1.50	-
AV	2.422G	99.23	Inf	-Inf	32.39	3	Vertical	54	1.50	-
AV	2.483502G	47.32	54.00	-6.68	32.61	3	Vertical	54	1.50	-
PK	2.388G	66.73	74.00	-7.27	32.27	3	Vertical	54	1.50	-
PK	2.423G	109.32	Inf	-Inf	32.39	3	Vertical	54	1.50	-
PK	2.492G	58.75	74.00	-15.25	32.64	3	Vertical	54	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2432MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.54	54.00	-0.46	32.28	3	Vertical	28	1.50	-
AV	2.425G	99.70	Inf	-Inf	32.40	3	Vertical	28	1.50	-
AV	2.483502G	48.40	54.00	-5.60	32.61	3	Vertical	28	1.50	-
PK	2.388G	67.64	74.00	-6.36	32.27	3	Vertical	28	1.50	-
PK	2.423G	110.14	Inf	-Inf	32.39	3	Vertical	28	1.50	-
PK	2.483502G	60.88	74.00	-13.12	32.61	3	Vertical	28	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

17/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	53.69	54.00	-0.31	30.38	3	Vertical	132	1.50	-
AV	2.4234G	102.20	Inf	-Inf	30.49	3	Vertical	132	1.50	-
AV	2.483502G	52.46	54.00	-1.54	30.69	3	Vertical	132	1.50	-
PK	2.3898G	65.58	74.00	-8.42	30.38	3	Vertical	132	1.50	-
PK	2.4226G	111.98	Inf	-Inf	30.49	3	Vertical	132	1.50	-
PK	2.483502G	65.41	74.00	-8.59	30.69	3	Vertical	132	1.50	-



802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018



Legend for the spectrum plot:


- Lim.PK: Red dashed line with a red zigzag icon
- PK: Blue line with a blue zigzag icon
- Lim.AV: Magenta dashed line with a magenta zigzag icon
- AV: Black line with a black zigzag icon





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87416G	31.77	54.00	-22.22	3.24	3	Vertical	48	1.42	-
PK	4.87473G	45.39	74.00	-28.58	3.24	3	Vertical	48	1.42	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

08/06/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87441G	31.38	54.00	-22.62	3.24	3	Horizontal	263	1.54	-
PK	4.87408G	45.66	74.00	-28.34	3.24	3	Horizontal	263	1.54	-

802.11n HT40_Nss1,(MCS0)_2TX

2442MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	50.85	54.00	-3.15	32.28	3	Vertical	54	1.50	-
AV	2.428G	101.08	Inf	-Inf	32.41	3	Vertical	54	1.50	-
AV	2.483502G	53.10	54.00	-0.90	32.61	3	Vertical	54	1.50	-
PK	2.389998G	62.47	74.00	-11.53	32.28	3	Vertical	54	1.50	-
PK	2.427G	110.93	Inf	-Inf	32.41	3	Vertical	54	1.50	-
PK	2.483502G	67.25	74.00	-6.75	32.61	3	Vertical	54	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2447MHz_TX

31/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	50.18	54.00	-3.82	32.02	3	Vertical	56	1.50	-
AV	2.442G	97.88	Inf	-Inf	32.46	3	Vertical	56	1.50	-
AV	2.483502G	53.85	54.00	-0.15	32.61	3	Vertical	56	1.50	-
PK	2.386G	62.23	74.00	-11.77	32.26	3	Vertical	56	1.50	-
PK	2.44G	109.02	Inf	-Inf	32.45	3	Vertical	56	1.50	-
PK	2.483502G	67.53	74.00	-6.47	32.61	3	Vertical	56	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX

31/05/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	48.15	54.00	-5.85	32.02	3	Vertical	131	1.50	-
AV	2.448G	92.72	Inf	-Inf	32.48	3	Vertical	131	1.50	-
AV	2.483502G	51.25	54.00	-2.75	32.61	3	Vertical	131	1.50	-
PK	2.36G	59.46	74.00	-14.54	32.16	3	Vertical	131	1.50	-
PK	2.449G	102.98	Inf	-Inf	32.49	3	Vertical	131	1.50	-
PK	2.483502G	67.53	74.00	-6.47	32.61	3	Vertical	131	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX

08/06/2018



Lim.PK	
PK	
Lim.AV	
AV	


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9045G	31.59	54.00	-22.41	3.31	3	Vertical	148	1.49	-
PK	4.90396G	45.71	74.00	-28.29	3.31	3	Vertical	148	1.49	-



802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX

08/06/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9043G	31.55	54.00	-22.45	3.31	3	Horizontal	251	1.53	-
PK	4.90428G	44.91	74.00	-29.09	3.31	3	Horizontal	251	1.53	-