


11b-8M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3204G	48.88	54.00	-5.12	32.02	3	Horizontal	10	1.75	-
AV	2.4608G	108.24	Inf	-Inf	32.53	3	Horizontal	10	1.75	-
AV	2.486G	48.05	54.00	-5.95	32.62	3	Horizontal	10	1.75	-
PK	2.3816G	62.14	74.00	-11.86	32.25	3	Horizontal	10	1.75	-
PK	2.462G	113.69	Inf	-Inf	32.53	3	Horizontal	10	1.75	-
PK	2.4884G	59.17	74.00	-14.83	32.63	3	Horizontal	10	1.75	-

11b-8M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92402G	40.31	54.00	-13.69	3.25	3	Vertical	11	1.44	-
AV	7.38636G	44.35	54.00	-9.65	9.60	3	Vertical	9	1.38	-
PK	4.92398G	47.88	74.00	-26.12	3.25	3	Vertical	11	1.44	-
PK	7.3871G	54.37	74.00	-19.63	9.61	3	Vertical	9	1.38	-

11b-8M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92402G	35.67	54.00	-18.33	3.25	3	Horizontal	149	1.49	-
AV	7.3864G	44.97	54.00	-9.03	9.60	3	Horizontal	6	1.55	-
PK	4.92416G	46.75	74.00	-27.25	3.25	3	Horizontal	149	1.49	-
PK	7.38686G	54.66	74.00	-19.34	9.61	3	Horizontal	6	1.55	-

11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3196G	53.48	54.00	-0.52	32.02	3	Vertical	11	1.71	-
AV	2.4132G	109.90	Inf	-Inf	32.36	3	Vertical	11	1.71	-
AV	2.49G	47.03	54.00	-6.97	32.64	3	Vertical	11	1.71	-
PK	2.3208G	62.15	74.00	-11.85	32.02	3	Vertical	11	1.71	-
PK	2.4132G	115.17	Inf	-Inf	32.36	3	Vertical	11	1.71	-
PK	2.4936G	57.69	74.00	-16.31	32.64	3	Vertical	11	1.71	-

11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	50.61	54.00	-3.39	32.27	3	Horizontal	11	1.69	-
AV	2.4108G	109.02	Inf	-Inf	32.35	3	Horizontal	11	1.69	-
AV	2.483502G	46.79	54.00	-7.21	32.61	3	Horizontal	11	1.69	-
PK	2.3844G	62.31	74.00	-11.69	32.25	3	Horizontal	11	1.69	-
PK	2.412G	114.47	Inf	-Inf	32.35	3	Horizontal	11	1.69	-
PK	2.4936G	58.00	74.00	-16.00	32.64	3	Horizontal	11	1.69	-

11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8241G	38.20	54.00	-15.80	3.03	3	Vertical	11	1.39	-
PK	4.824G	46.48	74.00	-27.52	3.03	3	Vertical	11	1.39	-

11b-10M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82396G	35.56	54.00	-18.44	3.03	3	Horizontal	16	1.50	-
PK	4.8243G	46.24	74.00	-27.76	3.03	3	Horizontal	16	1.50	-

11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2798G	53.47	54.00	-0.53	31.87	3	Vertical	10	1.76	-
AV	2.437G	110.16	Inf	-Inf	32.44	3	Vertical	10	1.76	-
AV	2.483502G	47.52	54.00	-6.48	32.61	3	Vertical	10	1.76	-
PK	2.3122G	62.36	74.00	-11.64	31.99	3	Vertical	10	1.76	-
PK	2.4382G	115.69	Inf	-Inf	32.45	3	Vertical	10	1.76	-
PK	2.483502G	57.84	74.00	-16.16	32.61	3	Vertical	10	1.76	-

11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3878G	50.27	54.00	-3.73	32.27	3	Horizontal	10	1.76	-
AV	2.437G	108.97	Inf	-Inf	32.44	3	Horizontal	10	1.76	-
AV	2.4862G	47.71	54.00	-6.29	32.62	3	Horizontal	10	1.76	-
PK	2.3866G	61.01	74.00	-12.99	32.26	3	Horizontal	10	1.76	-
PK	2.437G	114.48	Inf	-Inf	32.44	3	Horizontal	10	1.76	-
PK	2.4886G	58.28	74.00	-15.72	32.63	3	Horizontal	10	1.76	-

11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87402G	40.43	54.00	-13.57	3.14	3	Vertical	12	1.36	-
AV	7.30966G	42.20	54.00	-11.80	9.29	3	Vertical	11	1.47	-
PK	4.87412G	47.41	74.00	-26.59	3.14	3	Vertical	12	1.36	-
PK	7.30978G	53.68	74.00	-20.32	9.29	3	Vertical	11	1.47	-

11b-10M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87408G	36.20	54.00	-17.80	3.14	3	Horizontal	159	1.36	-
AV	7.31066G	42.00	54.00	-12.00	9.29	3	Horizontal	17	1.78	-
PK	4.8737G	45.28	74.00	-28.72	3.14	3	Horizontal	159	1.36	-
PK	7.31132G	53.19	74.00	-20.81	9.30	3	Horizontal	17	1.78	-

11b-10M_Nss1,(1Mbps)_2TX

2452MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3596G	53.51	54.00	-0.49	32.16	3	Vertical	10	1.79	-
AV	2.4532G	108.59	Inf	-Inf	32.50	3	Vertical	10	1.79	-
AV	2.483502G	47.94	54.00	-6.06	32.61	3	Vertical	10	1.79	-
PK	2.374G	61.94	74.00	-12.06	32.22	3	Vertical	10	1.79	-
PK	2.4532G	113.97	Inf	-Inf	32.50	3	Vertical	10	1.79	-
PK	2.483502G	58.83	74.00	-15.17	32.61	3	Vertical	10	1.79	-

11b-10M_Nss1,(1Mbps)_2TX

2452MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3896G	49.16	54.00	-4.84	32.28	3	Horizontal	11	1.69	-
AV	2.4508G	107.99	Inf	-Inf	32.49	3	Horizontal	11	1.69	-
AV	2.4868G	47.62	54.00	-6.38	32.62	3	Horizontal	11	1.69	-
PK	2.3848G	62.33	74.00	-11.67	32.25	3	Horizontal	11	1.69	-
PK	2.452G	113.25	Inf	-Inf	32.50	3	Horizontal	11	1.69	-
PK	2.4952G	58.23	74.00	-15.77	32.65	3	Horizontal	11	1.69	-

11b-10M_Nss1,(1Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	53.21	54.00	-0.79	32.02	3	Vertical	10	1.73	-
AV	2.4582G	110.02	Inf	-Inf	32.52	3	Vertical	10	1.73	-
AV	2.483502G	48.89	54.00	-5.11	32.61	3	Vertical	10	1.73	-
PK	2.319G	62.37	74.00	-11.63	32.02	3	Vertical	10	1.73	-
PK	2.4582G	115.54	Inf	-Inf	32.52	3	Vertical	10	1.73	-
PK	2.483502G	59.48	74.00	-14.52	32.61	3	Vertical	10	1.73	-

11b-10M_Nss1,(1Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3838G	48.92	54.00	-5.08	32.25	3	Horizontal	10	1.74	-
AV	2.457G	107.41	Inf	-Inf	32.52	3	Horizontal	10	1.74	-
AV	2.483502G	48.08	54.00	-5.92	32.61	3	Horizontal	10	1.74	-
PK	2.3214G	61.36	74.00	-12.64	32.03	3	Horizontal	10	1.74	-
PK	2.457G	112.84	Inf	-Inf	32.52	3	Horizontal	10	1.74	-
PK	2.4966G	58.40	74.00	-15.60	32.66	3	Horizontal	10	1.74	-

11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2796G	53.42	54.00	-0.58	31.87	3	Vertical	11	1.71	-
AV	2.4608G	107.22	Inf	-Inf	32.53	3	Vertical	11	1.71	-
AV	2.486G	47.55	54.00	-6.45	32.62	3	Vertical	11	1.71	-
PK	2.2796G	62.27	74.00	-11.73	31.87	3	Vertical	11	1.71	-
PK	2.462G	112.54	Inf	-Inf	32.53	3	Vertical	11	1.71	-
PK	2.4968G	58.19	74.00	-15.81	32.66	3	Vertical	11	1.71	-

11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3828G	48.79	54.00	-5.21	32.25	3	Horizontal	10	1.71	-
AV	2.462G	106.80	Inf	-Inf	32.53	3	Horizontal	10	1.71	-
AV	2.486G	47.84	54.00	-6.16	32.62	3	Horizontal	10	1.71	-
PK	2.3216G	60.64	74.00	-13.36	32.03	3	Horizontal	10	1.71	-
PK	2.4632G	112.09	Inf	-Inf	32.54	3	Horizontal	10	1.71	-
PK	2.4884G	58.93	74.00	-15.07	32.63	3	Horizontal	10	1.71	-

11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92404G	39.61	54.00	-14.39	3.25	3	Vertical	11	1.44	-
AV	7.38486G	41.18	54.00	-12.82	9.60	3	Vertical	12	1.48	-
PK	4.92426G	47.63	74.00	-26.37	3.25	3	Vertical	11	1.44	-
PK	7.38528G	52.70	74.00	-21.30	9.60	3	Vertical	12	1.48	-

11b-10M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92402G	35.58	54.00	-18.42	3.25	3	Horizontal	147	1.51	-
AV	7.38748G	40.76	54.00	-13.24	9.61	3	Horizontal	2	1.46	-
PK	4.92422G	46.28	74.00	-27.72	3.25	3	Horizontal	147	1.51	-
PK	7.38788G	52.54	74.00	-21.46	9.61	3	Horizontal	2	1.46	-

11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.37	54.00	-0.63	31.87	3	Vertical	10	1.72	-
AV	2.4108G	106.53	Inf	-Inf	32.35	3	Vertical	10	1.72	-
AV	2.4888G	46.85	54.00	-7.15	32.63	3	Vertical	10	1.72	-
PK	2.28G	61.52	74.00	-12.48	31.87	3	Vertical	10	1.72	-
PK	2.4108G	110.26	Inf	-Inf	32.35	3	Vertical	10	1.72	-
PK	2.49G	58.01	74.00	-15.99	32.64	3	Vertical	10	1.72	-

11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3868G	49.43	54.00	-4.57	32.26	3	Horizontal	11	1.67	-
AV	2.4132G	105.43	Inf	-Inf	32.36	3	Horizontal	11	1.67	-
AV	2.483502G	46.22	54.00	-7.78	32.61	3	Horizontal	11	1.67	-
PK	2.3868G	60.78	74.00	-13.22	32.26	3	Horizontal	11	1.67	-
PK	2.4132G	109.13	Inf	-Inf	32.36	3	Horizontal	11	1.67	-
PK	2.4924G	57.47	74.00	-16.53	32.64	3	Horizontal	11	1.67	-

11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82406G	37.88	54.00	-16.12	3.03	3	Vertical	11	1.53	-
PK	4.82424G	46.24	74.00	-27.76	3.03	3	Vertical	11	1.53	-

11b-20M_Nss1,(1Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82402G	34.72	54.00	-19.28	3.03	3	Horizontal	16	1.50	-
PK	4.82412G	45.25	74.00	-28.75	3.03	3	Horizontal	16	1.50	-

11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2798G	53.39	54.00	-0.61	31.87	3	Vertical	11	1.76	-
AV	2.4358G	108.36	Inf	-Inf	32.44	3	Vertical	11	1.76	-
AV	2.483502G	47.14	54.00	-6.86	32.61	3	Vertical	11	1.76	-
PK	2.3206G	61.30	74.00	-12.70	32.02	3	Vertical	11	1.76	-
PK	2.4358G	112.23	Inf	-Inf	32.44	3	Vertical	11	1.76	-
PK	2.4898G	58.71	74.00	-15.29	32.64	3	Vertical	11	1.76	-

11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	49.80	54.00	-4.20	32.28	3	Horizontal	11	1.77	-
AV	2.4382G	107.02	Inf	-Inf	32.45	3	Horizontal	11	1.77	-
AV	2.483502G	47.42	54.00	-6.58	32.61	3	Horizontal	11	1.77	-
PK	2.3506G	61.31	74.00	-12.69	32.13	3	Horizontal	11	1.77	-
PK	2.4382G	110.78	Inf	-Inf	32.45	3	Horizontal	11	1.77	-
PK	2.483502G	59.18	74.00	-14.82	32.61	3	Horizontal	11	1.77	-

11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87403G	39.98	54.00	-14.02	3.14	3	Vertical	11	1.37	-
AV	7.3118G	41.91	54.00	-12.09	9.30	3	Vertical	10	1.43	-
PK	4.87404G	48.24	74.00	-25.76	3.14	3	Vertical	11	1.37	-
PK	7.31304G	52.94	74.00	-21.06	9.30	3	Vertical	10	1.43	-

11b-20M_Nss1,(1Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87412G	34.95	54.00	-19.05	3.14	3	Horizontal	158	1.50	-
AV	7.31176G	42.67	54.00	-11.33	9.30	3	Horizontal	7	1.59	-
PK	4.87394G	45.86	74.00	-28.14	3.14	3	Horizontal	158	1.50	-
PK	7.31196G	52.93	74.00	-21.07	9.30	3	Horizontal	7	1.59	-

11b-20M_Nss1,(1Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	53.54	54.00	-0.46	32.02	3	Vertical	11	1.70	-
AV	2.4582G	106.07	Inf	-Inf	32.52	3	Vertical	11	1.70	-
AV	2.4858G	48.13	54.00	-5.87	32.62	3	Vertical	11	1.70	-
PK	2.331G	62.18	74.00	-11.82	32.06	3	Vertical	11	1.70	-
PK	2.4582G	109.89	Inf	-Inf	32.52	3	Vertical	11	1.70	-
PK	2.4918G	58.67	74.00	-15.33	32.64	3	Vertical	11	1.70	-

11b-20M_Nss1,(1Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3718G	48.91	54.00	-5.09	32.21	3	Horizontal	9	1.72	-
AV	2.4558G	104.94	Inf	-Inf	32.51	3	Horizontal	9	1.72	-
AV	2.483502G	47.68	54.00	-6.32	32.61	3	Horizontal	9	1.72	-
PK	2.3646G	60.15	74.00	-13.85	32.19	3	Horizontal	9	1.72	-
PK	2.4558G	108.70	Inf	-Inf	32.51	3	Horizontal	9	1.72	-
PK	2.4858G	59.29	74.00	-14.71	32.62	3	Horizontal	9	1.72	-

11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3192G	53.47	54.00	-0.53	32.02	3	Vertical	9	1.50	-
AV	2.4608G	105.08	Inf	-Inf	32.53	3	Vertical	9	1.50	-
AV	2.483502G	48.50	54.00	-5.50	32.61	3	Vertical	9	1.50	-
PK	2.3432G	61.05	74.00	-12.95	32.10	3	Vertical	9	1.50	-
PK	2.4608G	108.82	Inf	-Inf	32.53	3	Vertical	9	1.50	-
PK	2.4848G	58.36	74.00	-15.64	32.61	3	Vertical	9	1.50	-

11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3756G	48.94	54.00	-5.06	32.22	3	Horizontal	11	1.74	-
AV	2.4632G	104.97	Inf	-Inf	32.54	3	Horizontal	11	1.74	-
AV	2.483502G	48.07	54.00	-5.93	32.61	3	Horizontal	11	1.74	-
PK	2.3828G	61.32	74.00	-12.68	32.25	3	Horizontal	11	1.74	-
PK	2.4632G	108.77	Inf	-Inf	32.54	3	Horizontal	11	1.74	-
PK	2.4944G	59.71	74.00	-14.29	32.65	3	Horizontal	11	1.74	-

11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92406G	40.44	54.00	-13.56	3.25	3	Vertical	11	1.45	-
AV	7.38536G	40.16	54.00	-13.84	9.60	3	Vertical	4	1.49	-
PK	4.92398G	47.75	74.00	-26.25	3.25	3	Vertical	11	1.45	-
PK	7.38676G	51.68	74.00	-22.32	9.61	3	Vertical	4	1.49	-

11b-20M_Nss1,(1Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92404G	36.96	54.00	-17.04	3.25	3	Horizontal	156	1.47	-
AV	7.38888G	39.43	54.00	-14.57	9.61	3	Horizontal	4	1.48	-
PK	4.92406G	46.48	74.00	-27.52	3.25	3	Horizontal	156	1.47	-
PK	7.38832G	51.77	74.00	-22.23	9.61	3	Horizontal	4	1.48	-

11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.39	54.00	-0.61	31.87	3	Vertical	7	1.69	-
AV	2.412G	105.70	Inf	-Inf	32.35	3	Vertical	7	1.69	-
AV	2.483502G	46.91	54.00	-7.09	32.61	3	Vertical	7	1.69	-
PK	2.3808G	62.65	74.00	-11.35	32.24	3	Vertical	7	1.69	-
PK	2.412G	117.48	Inf	-Inf	32.35	3	Vertical	7	1.69	-
PK	2.4864G	57.47	74.00	-16.53	32.62	3	Vertical	7	1.69	-

11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3892G	50.42	54.00	-3.58	32.27	3	Horizontal	9	1.69	-
AV	2.4108G	105.75	Inf	-Inf	32.35	3	Horizontal	9	1.69	-
AV	2.483502G	46.94	54.00	-7.06	32.61	3	Horizontal	9	1.69	-
PK	2.3736G	61.54	74.00	-12.46	32.22	3	Horizontal	9	1.69	-
PK	2.4132G	116.23	Inf	-Inf	32.36	3	Horizontal	9	1.69	-
PK	2.49G	58.13	74.00	-15.87	32.64	3	Horizontal	9	1.69	-

11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82442G	32.03	54.00	-21.97	3.03	3	Vertical	10	1.74	-
PK	4.82372G	45.19	74.00	-28.81	3.03	3	Vertical	10	1.74	-

11g-5M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82352G	31.40	54.00	-22.60	3.03	3	Horizontal	16	1.52	-
PK	4.82362G	44.88	74.00	-29.12	3.03	3	Horizontal	16	1.52	-

11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2798G	53.50	54.00	-0.50	31.87	3	Vertical	8	1.73	-
AV	2.4382G	105.71	Inf	-Inf	32.45	3	Vertical	8	1.73	-
AV	2.483502G	46.92	54.00	-7.08	32.61	3	Vertical	8	1.73	-
PK	2.3158G	62.30	74.00	-11.70	32.01	3	Vertical	8	1.73	-
PK	2.4382G	116.38	Inf	-Inf	32.45	3	Vertical	8	1.73	-
PK	2.4874G	57.37	74.00	-16.63	32.62	3	Vertical	8	1.73	-

11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3878G	49.85	54.00	-4.15	32.27	3	Horizontal	11	1.76	-
AV	2.4382G	105.83	Inf	-Inf	32.45	3	Horizontal	11	1.76	-
AV	2.4874G	47.38	54.00	-6.62	32.62	3	Horizontal	11	1.76	-
PK	2.3578G	62.95	74.00	-11.05	32.16	3	Horizontal	11	1.76	-
PK	2.4382G	116.34	Inf	-Inf	32.45	3	Horizontal	11	1.76	-
PK	2.483502G	58.09	74.00	-15.91	32.61	3	Horizontal	11	1.76	-

11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8746G	33.68	54.00	-20.32	3.14	3	Vertical	11	1.49	-
PK	4.8752G	46.71	74.00	-27.29	3.15	3	Vertical	11	1.49	-

11g-5M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8749G	32.11	54.00	-21.89	3.14	3	Horizontal	15	1.50	-
PK	4.86578G	45.18	74.00	-28.82	3.12	3	Horizontal	15	1.50	-

11g-5M_Nss1,(6Mbps)_2TX

2452MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.67	54.00	-0.33	32.02	3	Vertical	8	1.78	-
AV	2.4508G	106.86	Inf	-Inf	32.49	3	Vertical	8	1.78	-
AV	2.483502G	48.52	54.00	-5.48	32.61	3	Vertical	8	1.78	-
PK	2.2804G	63.68	74.00	-10.32	31.87	3	Vertical	8	1.78	-
PK	2.4508G	118.08	Inf	-Inf	32.49	3	Vertical	8	1.78	-
PK	2.4844G	59.17	74.00	-14.83	32.61	3	Vertical	8	1.78	-

11g-5M_Nss1,(6Mbps)_2TX

2452MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3848G	49.81	54.00	-4.19	32.25	3	Horizontal	11	1.83	-
AV	2.4508G	106.23	Inf	-Inf	32.49	3	Horizontal	11	1.83	-
AV	2.4868G	48.01	54.00	-5.99	32.62	3	Horizontal	11	1.83	-
PK	2.3692G	61.78	74.00	-12.22	32.20	3	Horizontal	11	1.83	-
PK	2.4532G	117.25	Inf	-Inf	32.50	3	Horizontal	11	1.83	-
PK	2.488G	59.47	74.00	-14.53	32.63	3	Horizontal	11	1.83	-

11g-5M_Nss1,(6Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3598G	53.35	54.00	-0.65	32.16	3	Vertical	10	1.72	-
AV	2.4582G	105.90	Inf	-Inf	32.52	3	Vertical	10	1.72	-
AV	2.483502G	47.96	54.00	-6.04	32.61	3	Vertical	10	1.72	-
PK	2.3802G	62.61	74.00	-11.39	32.24	3	Vertical	10	1.72	-
PK	2.457G	117.49	Inf	-Inf	32.52	3	Vertical	10	1.72	-
PK	2.4906G	59.10	74.00	-14.90	32.64	3	Vertical	10	1.72	-

11g-5M_Nss1,(6Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3262G	49.59	54.00	-4.41	32.04	3	Horizontal	7	1.71	-
AV	2.4582G	104.70	Inf	-Inf	32.52	3	Horizontal	7	1.71	-
AV	2.483502G	47.81	54.00	-6.19	32.61	3	Horizontal	7	1.71	-
PK	2.295G	61.54	74.00	-12.46	31.93	3	Horizontal	7	1.71	-
PK	2.3598G	62.01	74.00	-11.99	32.16	3	Horizontal	7	1.71	-
PK	2.4558G	115.73	Inf	-Inf	32.51	3	Horizontal	7	1.71	-

11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3192G	53.00	54.00	-1.00	32.02	3	Vertical	9	1.73	-
AV	2.4608G	106.46	Inf	-Inf	32.53	3	Vertical	9	1.73	-
AV	2.486G	48.20	54.00	-5.80	32.62	3	Vertical	9	1.73	-
PK	2.3816G	62.24	74.00	-11.76	32.25	3	Vertical	9	1.73	-
PK	2.462G	118.34	Inf	-Inf	32.53	3	Vertical	9	1.73	-
PK	2.483502G	59.45	74.00	-14.55	32.61	3	Vertical	9	1.73	-

11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.324G	49.89	54.00	-4.11	32.04	3	Horizontal	8	1.77	-
AV	2.4608G	105.64	Inf	-Inf	32.53	3	Horizontal	8	1.77	-
AV	2.486G	48.13	54.00	-5.87	32.62	3	Horizontal	8	1.77	-
PK	2.3816G	62.29	74.00	-11.71	32.25	3	Horizontal	8	1.77	-
PK	2.462G	116.90	Inf	-Inf	32.53	3	Horizontal	8	1.77	-
PK	2.4896G	59.11	74.00	-14.89	32.64	3	Horizontal	8	1.77	-

11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92472G	33.35	54.00	-20.65	3.25	3	Vertical	10	1.50	-
PK	4.92448G	46.67	74.00	-27.33	3.25	3	Vertical	10	1.50	-

11g-5M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92472G	32.19	54.00	-21.81	3.25	3	Horizontal	17	1.42	-
PK	4.9126G	45.28	74.00	-28.72	3.23	3	Horizontal	17	1.42	-

11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3196G	53.38	54.00	-0.62	32.02	3	Vertical	11	1.69	-
AV	2.4108G	106.26	Inf	-Inf	32.35	3	Vertical	11	1.69	-
AV	2.4852G	47.50	54.00	-6.50	32.61	3	Vertical	11	1.69	-
PK	2.3784G	62.08	74.00	-11.92	32.23	3	Vertical	11	1.69	-
PK	2.4108G	117.28	Inf	-Inf	32.35	3	Vertical	11	1.69	-
PK	2.4864G	57.64	74.00	-16.36	32.62	3	Vertical	11	1.69	-

11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3748G	51.20	54.00	-2.80	32.22	3	Horizontal	10	1.68	-
AV	2.4132G	105.09	Inf	-Inf	32.36	3	Horizontal	10	1.68	-
AV	2.483502G	47.33	54.00	-6.67	32.61	3	Horizontal	10	1.68	-
PK	2.3352G	62.45	74.00	-11.55	32.07	3	Horizontal	10	1.68	-
PK	2.4144G	117.56	Inf	-Inf	32.36	3	Horizontal	10	1.68	-
PK	2.4888G	58.27	74.00	-15.73	32.63	3	Horizontal	10	1.68	-

11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82358G	32.54	54.00	-21.46	3.03	3	Vertical	12	1.82	-
PK	4.82394G	45.32	74.00	-28.68	3.03	3	Vertical	12	1.82	-

11g-8M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82436G	31.33	54.00	-22.67	3.03	3	Horizontal	15	1.49	-
PK	4.81128G	44.78	74.00	-29.22	3.00	3	Horizontal	15	1.49	-

11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3194G	53.52	54.00	-0.48	32.02	3	Vertical	9	1.69	-
AV	2.4382G	105.64	Inf	-Inf	32.45	3	Vertical	9	1.69	-
AV	2.483502G	47.58	54.00	-6.42	32.61	3	Vertical	9	1.69	-
PK	2.3734G	62.20	74.00	-11.80	32.22	3	Vertical	9	1.69	-
PK	2.4358G	116.77	Inf	-Inf	32.44	3	Vertical	9	1.69	-
PK	2.4898G	57.97	74.00	-16.03	32.64	3	Vertical	9	1.69	-

11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3854G	49.92	54.00	-4.08	32.25	3	Horizontal	7	1.72	-
AV	2.4358G	104.29	Inf	-Inf	32.44	3	Horizontal	7	1.72	-
AV	2.485G	47.34	54.00	-6.66	32.61	3	Horizontal	7	1.72	-
PK	2.3194G	61.78	74.00	-12.22	32.02	3	Horizontal	7	1.72	-
PK	2.4382G	115.06	Inf	-Inf	32.45	3	Horizontal	7	1.72	-
PK	2.4898G	58.12	74.00	-15.88	32.64	3	Horizontal	7	1.72	-

11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87388G	33.28	54.00	-20.72	3.14	3	Vertical	12	1.37	-
PK	4.87562G	46.08	74.00	-27.92	3.15	3	Vertical	12	1.37	-

11g-8M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8743G	31.93	54.00	-22.07	3.14	3	Horizontal	19	1.49	-
PK	4.87646G	45.49	74.00	-28.51	3.15	3	Horizontal	19	1.49	-

11g-8M_Nss1,(6Mbps)_2TX

2452MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2804G	53.77	54.00	-0.23	31.87	3	Vertical	8	1.81	-
AV	2.4544G	104.93	Inf	-Inf	32.51	3	Vertical	8	1.81	-
AV	2.4844G	48.99	54.00	-5.01	32.61	3	Vertical	8	1.81	-
PK	2.2792G	62.80	74.00	-11.20	31.87	3	Vertical	8	1.81	-
PK	2.4508G	116.48	Inf	-Inf	32.49	3	Vertical	8	1.81	-
PK	2.488G	59.09	74.00	-14.91	32.63	3	Vertical	8	1.81	-

11g-8M_Nss1,(6Mbps)_2TX

2452MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	49.68	54.00	-4.32	32.02	3	Horizontal	8	1.80	-
AV	2.4496G	104.21	Inf	-Inf	32.49	3	Horizontal	8	1.80	-
AV	2.4856G	47.96	54.00	-6.04	32.62	3	Horizontal	8	1.80	-
PK	2.3896G	61.47	74.00	-12.53	32.28	3	Horizontal	8	1.80	-
PK	2.452G	115.17	Inf	-Inf	32.50	3	Horizontal	8	1.80	-
PK	2.4856G	59.19	74.00	-14.81	32.62	3	Horizontal	8	1.80	-

11g-8M_Nss1,(6Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2794G	53.36	54.00	-0.64	31.87	3	Vertical	10	1.74	-
AV	2.4582G	104.66	Inf	-Inf	32.52	3	Vertical	10	1.74	-
AV	2.4846G	48.72	54.00	-5.28	32.61	3	Vertical	10	1.74	-
PK	2.2794G	64.10	74.00	-9.90	31.87	3	Vertical	10	1.74	-
PK	2.4582G	116.39	Inf	-Inf	32.52	3	Vertical	10	1.74	-
PK	2.4894G	59.55	74.00	-14.45	32.63	3	Vertical	10	1.74	-

11g-8M_Nss1,(6Mbps)_2TX

2457MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.385G	50.07	54.00	-3.93	32.25	3	Horizontal	9	1.70	-
AV	2.4594G	103.83	Inf	-Inf	32.52	3	Horizontal	9	1.70	-
AV	2.4894G	48.25	54.00	-5.75	32.63	3	Horizontal	9	1.70	-
PK	2.3886G	62.24	74.00	-11.76	32.27	3	Horizontal	9	1.70	-
PK	2.4558G	114.72	Inf	-Inf	32.51	3	Horizontal	9	1.70	-
PK	2.4906G	58.68	74.00	-15.32	32.64	3	Horizontal	9	1.70	-

11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3192G	53.18	54.00	-0.82	32.02	3	Vertical	11	1.72	-
AV	2.4596G	103.78	Inf	-Inf	32.52	3	Vertical	11	1.72	-
AV	2.483502G	47.56	54.00	-6.44	32.61	3	Vertical	11	1.72	-
PK	2.384G	61.44	74.00	-12.56	32.25	3	Vertical	11	1.72	-
PK	2.4632G	115.10	Inf	-Inf	32.54	3	Vertical	11	1.72	-
PK	2.4884G	58.46	74.00	-15.54	32.63	3	Vertical	11	1.72	-

11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	50.14	54.00	-3.86	32.28	3	Horizontal	9	1.75	-
AV	2.4596G	103.96	Inf	-Inf	32.52	3	Horizontal	9	1.75	-
AV	2.4956G	48.11	54.00	-5.89	32.65	3	Horizontal	9	1.75	-
PK	2.3816G	62.46	74.00	-11.54	32.25	3	Horizontal	9	1.75	-
PK	2.4608G	114.56	Inf	-Inf	32.53	3	Horizontal	9	1.75	-
PK	2.4908G	59.50	74.00	-14.50	32.64	3	Horizontal	9	1.75	-

11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92412G	33.11	54.00	-20.89	3.25	3	Vertical	11	1.46	-
PK	4.92298G	46.56	74.00	-27.44	3.25	3	Vertical	11	1.46	-

11g-8M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92442G	31.99	54.00	-22.01	3.25	3	Horizontal	16	1.50	-
PK	4.92304G	45.91	74.00	-28.09	3.25	3	Horizontal	16	1.50	-

11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.34	54.00	-0.66	31.87	3	Vertical	9	1.70	-
AV	2.4084G	104.27	Inf	-Inf	32.34	3	Vertical	9	1.70	-
AV	2.483502G	47.12	54.00	-6.88	32.61	3	Vertical	9	1.70	-
PK	2.28G	61.76	74.00	-12.24	31.87	3	Vertical	9	1.70	-
PK	2.4096G	115.37	Inf	-Inf	32.34	3	Vertical	9	1.70	-
PK	2.4852G	58.98	74.00	-15.02	32.61	3	Vertical	9	1.70	-

11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3868G	50.45	54.00	-3.55	32.26	3	Horizontal	9	1.73	-
AV	2.4144G	103.83	Inf	-Inf	32.36	3	Horizontal	9	1.73	-
AV	2.4876G	47.00	54.00	-7.00	32.63	3	Horizontal	9	1.73	-
PK	2.3784G	62.08	74.00	-11.92	32.23	3	Horizontal	9	1.73	-
PK	2.4096G	114.18	Inf	-Inf	32.34	3	Horizontal	9	1.73	-
PK	2.4972G	58.02	74.00	-15.98	32.66	3	Horizontal	9	1.73	-

11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82334G	31.87	54.00	-22.13	3.03	3	Vertical	9	1.93	-
PK	4.81644G	45.53	74.00	-28.47	3.02	3	Vertical	9	1.93	-

11g-10M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82466G	31.48	54.00	-22.52	3.03	3	Horizontal	17	1.50	-
PK	4.82748G	44.87	74.00	-29.13	3.04	3	Horizontal	17	1.50	-

11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2798G	53.08	54.00	-0.92	31.87	3	Vertical	10	1.75	-
AV	2.4358G	104.09	Inf	-Inf	32.44	3	Vertical	10	1.75	-
AV	2.483502G	47.21	54.00	-6.79	32.61	3	Vertical	10	1.75	-
PK	2.3698G	61.97	74.00	-12.03	32.20	3	Vertical	10	1.75	-
PK	2.4358G	115.31	Inf	-Inf	32.44	3	Vertical	10	1.75	-
PK	2.483502G	57.81	74.00	-16.19	32.61	3	Vertical	10	1.75	-

11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	49.98	54.00	-4.02	32.28	3	Horizontal	10	1.67	-
AV	2.4346G	103.48	Inf	-Inf	32.43	3	Horizontal	10	1.67	-
AV	2.483502G	47.60	54.00	-6.40	32.61	3	Horizontal	10	1.67	-
PK	2.2774G	60.53	74.00	-13.47	31.87	3	Horizontal	10	1.67	-
PK	2.4358G	115.03	Inf	-Inf	32.44	3	Horizontal	10	1.67	-
PK	2.483502G	58.49	74.00	-15.51	32.61	3	Horizontal	10	1.67	-

11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8743G	32.61	54.00	-21.39	3.14	3	Vertical	11	1.37	-
PK	4.8743G	46.02	74.00	-27.98	3.14	3	Vertical	11	1.37	-

11g-10M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87244G	31.52	54.00	-22.48	3.14	3	Horizontal	20	1.50	-
PK	4.87166G	46.01	74.00	-27.99	3.14	3	Horizontal	20	1.50	-

11g-10M_Nss1,(6Mbps)_2TX

2452MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3596G	52.39	54.00	-1.61	32.16	3	Vertical	9	1.71	-
AV	2.4496G	103.17	Inf	-Inf	32.49	3	Vertical	9	1.71	-
AV	2.483502G	47.63	54.00	-6.37	32.61	3	Vertical	9	1.71	-
PK	2.368G	61.89	74.00	-12.11	32.19	3	Vertical	9	1.71	-
PK	2.4556G	114.62	Inf	-Inf	32.51	3	Vertical	9	1.71	-
PK	2.4928G	58.83	74.00	-15.17	32.64	3	Vertical	9	1.71	-

11g-10M_Nss1,(6Mbps)_2TX

2452MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3248G	49.87	54.00	-4.13	32.04	3	Horizontal	8	1.70	-
AV	2.4484G	102.66	Inf	-Inf	32.48	3	Horizontal	8	1.70	-
AV	2.4844G	47.78	54.00	-6.22	32.61	3	Horizontal	8	1.70	-
PK	2.3752G	61.91	74.00	-12.09	32.22	3	Horizontal	8	1.70	-
PK	2.4544G	114.05	Inf	-Inf	32.51	3	Horizontal	8	1.70	-
PK	2.483502G	58.47	74.00	-15.53	32.61	3	Horizontal	8	1.70	-

11g-10M_Nss1,(6Mbps)_2TX

2457MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	53.78	54.00	-0.22	32.02	3	Vertical	9	1.73	-
AV	2.4594G	103.38	Inf	-Inf	32.52	3	Vertical	9	1.73	-
AV	2.483502G	48.12	54.00	-5.88	32.61	3	Vertical	9	1.73	-
PK	2.3142G	61.63	74.00	-12.37	32.00	3	Vertical	9	1.73	-
PK	2.4546G	114.34	Inf	-Inf	32.51	3	Vertical	9	1.73	-
PK	2.4966G	58.35	74.00	-15.65	32.66	3	Vertical	9	1.73	-

11g-10M_Nss1,(6Mbps)_2TX

2457MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	49.95	54.00	-4.05	32.02	3	Horizontal	9	1.79	-
AV	2.4594G	102.30	Inf	-Inf	32.52	3	Horizontal	9	1.79	-
AV	2.4858G	47.90	54.00	-6.10	32.62	3	Horizontal	9	1.79	-
PK	2.2998G	61.58	74.00	-12.42	31.95	3	Horizontal	9	1.79	-
PK	2.4606G	112.90	Inf	-Inf	32.53	3	Horizontal	9	1.79	-
PK	2.4846G	58.49	74.00	-15.51	32.61	3	Horizontal	9	1.79	-

11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3192G	53.48	54.00	-0.52	32.02	3	Vertical	9	1.78	-
AV	2.4584G	103.14	Inf	-Inf	32.52	3	Vertical	9	1.78	-
AV	2.483502G	47.57	54.00	-6.43	32.61	3	Vertical	9	1.78	-
PK	2.3204G	61.46	74.00	-12.54	32.02	3	Vertical	9	1.78	-
PK	2.4608G	114.77	Inf	-Inf	32.53	3	Vertical	9	1.78	-
PK	2.4908G	58.70	74.00	-15.30	32.64	3	Vertical	9	1.78	-

11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3204G	49.92	54.00	-4.08	32.02	3	Horizontal	9	1.72	-
AV	2.4596G	103.19	Inf	-Inf	32.52	3	Horizontal	9	1.72	-
AV	2.4848G	47.97	54.00	-6.03	32.61	3	Horizontal	9	1.72	-
PK	2.3396G	62.05	74.00	-11.95	32.10	3	Horizontal	9	1.72	-
PK	2.4596G	113.79	Inf	-Inf	32.52	3	Horizontal	9	1.72	-
PK	2.492G	58.28	74.00	-15.72	32.64	3	Horizontal	9	1.72	-

11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92274G	32.23	54.00	-21.77	3.25	3	Vertical	10	1.50	-
PK	4.92748G	45.16	74.00	-28.84	3.26	3	Vertical	10	1.50	-

11g-10M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92448G	31.63	54.00	-22.37	3.25	3	Horizontal	14	1.50	-
PK	4.9117G	45.15	74.00	-28.85	3.22	3	Horizontal	14	1.50	-

11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3196G	53.48	54.00	-0.52	32.02	3	Vertical	10	1.72	-
AV	2.4072G	101.03	Inf	-Inf	32.34	3	Vertical	10	1.72	-
AV	2.483502G	46.82	54.00	-7.18	32.61	3	Vertical	10	1.72	-
PK	2.389998G	63.91	74.00	-10.09	32.28	3	Vertical	10	1.72	-
PK	2.4072G	111.52	Inf	-Inf	32.34	3	Vertical	10	1.72	-
PK	2.4972G	58.06	74.00	-15.94	32.66	3	Vertical	10	1.72	-

11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	51.00	54.00	-3.00	32.28	3	Horizontal	9	1.63	-
AV	2.406G	99.81	Inf	-Inf	32.33	3	Horizontal	9	1.63	-
AV	2.483502G	46.35	54.00	-7.65	32.61	3	Horizontal	9	1.63	-
PK	2.3796G	60.59	74.00	-13.41	32.24	3	Horizontal	9	1.63	-
PK	2.4096G	109.44	Inf	-Inf	32.34	3	Horizontal	9	1.63	-
PK	2.496G	57.70	74.00	-16.30	32.66	3	Horizontal	9	1.63	-

11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82076G	31.11	54.00	-22.89	3.03	3	Vertical	9	1.34	-
PK	4.82402G	44.72	74.00	-29.28	3.03	3	Vertical	9	1.34	-

11g-20M_Nss1,(6Mbps)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82256G	31.10	54.00	-22.90	3.03	3	Horizontal	14	1.95	-
PK	4.8375G	44.63	74.00	-29.37	3.06	3	Horizontal	14	1.95	-

11g-20M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87436G	31.88	54.00	-22.12	3.14	3	Vertical	12	1.50	-
PK	4.87232G	45.53	74.00	-28.47	3.14	3	Vertical	12	1.50	-

11g-20M_Nss1,(6Mbps)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87502G	31.40	54.00	-22.60	3.15	3	Horizontal	16	1.64	-
PK	4.85996G	45.21	74.00	-28.79	3.11	3	Horizontal	16	1.64	-

11g-20M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92376G	32.12	54.00	-21.88	3.25	3	Vertical	12	1.46	-
PK	4.92292G	45.92	74.00	-28.08	3.25	3	Vertical	12	1.46	-

11g-20M_Nss1,(6Mbps)_2TX

2462MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92562G	31.71	54.00	-22.29	3.25	3	Horizontal	16	1.59	-
PK	4.92004G	45.53	74.00	-28.47	3.24	3	Horizontal	16	1.59	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.29	54.00	-0.71	31.87	3	Vertical	3	1.70	-
AV	2.4108G	106.73	Inf	-Inf	32.35	3	Vertical	3	1.70	-
AV	2.483502G	47.40	54.00	-6.60	32.61	3	Vertical	3	1.70	-
PK	2.28G	61.84	74.00	-12.16	31.87	3	Vertical	3	1.70	-
PK	2.4132G	118.52	Inf	-Inf	32.36	3	Vertical	3	1.70	-
PK	2.4924G	58.01	74.00	-15.99	32.64	3	Vertical	3	1.70	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.388G	51.03	54.00	-2.97	32.27	3	Horizontal	4	1.74	-
AV	2.4132G	106.71	Inf	-Inf	32.36	3	Horizontal	4	1.74	-
AV	2.483502G	47.46	54.00	-6.54	32.61	3	Horizontal	4	1.74	-
PK	2.3808G	62.76	74.00	-11.24	32.24	3	Horizontal	4	1.74	-
PK	2.4108G	117.64	Inf	-Inf	32.35	3	Horizontal	4	1.74	-
PK	2.4888G	57.75	74.00	-16.25	32.63	3	Horizontal	4	1.74	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82428G	33.58	54.00	-20.42	3.03	3	Vertical	3	1.67	-
PK	4.82672G	46.98	74.00	-27.02	3.04	3	Vertical	3	1.67	-

HT5_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8244G	33.11	54.00	-20.89	3.03	3	Horizontal	140	1.50	-
PK	4.82388G	47.03	74.00	-26.97	3.03	3	Horizontal	140	1.50	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2798G	53.53	54.00	-0.47	31.87	3	Vertical	4	1.85	-
AV	2.4382G	106.75	Inf	-Inf	32.45	3	Vertical	4	1.85	-
AV	2.483502G	47.32	54.00	-6.68	32.61	3	Vertical	4	1.85	-
PK	2.3602G	63.07	74.00	-10.93	32.16	3	Vertical	4	1.85	-
PK	2.4382G	117.87	Inf	-Inf	32.45	3	Vertical	4	1.85	-
PK	2.4934G	58.05	74.00	-15.95	32.64	3	Vertical	4	1.85	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.371G	50.42	54.00	-3.58	32.21	3	Horizontal	3	1.70	-
AV	2.4358G	106.52	Inf	-Inf	32.44	3	Horizontal	3	1.70	-
AV	2.483502G	47.84	54.00	-6.16	32.61	3	Horizontal	3	1.70	-
PK	2.3566G	62.56	74.00	-11.44	32.16	3	Horizontal	3	1.70	-
PK	2.4358G	116.87	Inf	-Inf	32.44	3	Horizontal	3	1.70	-
PK	2.4862G	58.92	74.00	-15.08	32.62	3	Horizontal	3	1.70	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87442G	33.04	54.00	-20.96	3.14	3	Vertical	2	1.49	-
PK	4.87232G	46.40	74.00	-27.60	3.14	3	Vertical	2	1.49	-

HT5_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018








Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87382G	33.04	54.00	-20.96	3.14	3	Horizontal	142	1.41	-
PK	4.87358G	46.36	74.00	-27.64	3.14	3	Horizontal	142	1.41	-

HT5_Nss1,(MCS0)_2TX

2457MHz_TX

06/07/2018




Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	52.40	54.00	-1.60	32.02	3	Vertical	3	1.77	-
AV	2.4558G	106.10	Inf	-Inf	32.51	3	Vertical	3	1.77	-
AV	2.483502G	48.05	54.00	-5.95	32.61	3	Vertical	3	1.77	-
PK	2.3346G	63.93	74.00	-10.07	32.07	3	Vertical	3	1.77	-
PK	2.4594G	117.02	Inf	-Inf	32.52	3	Vertical	3	1.77	-
PK	2.4906G	59.16	74.00	-14.84	32.64	3	Vertical	3	1.77	-

HT5_Nss1,(MCS0)_2TX

2457MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3598G	49.98	54.00	-4.02	32.16	3	Horizontal	5	1.85	-
AV	2.4594G	105.22	Inf	-Inf	32.52	3	Horizontal	5	1.85	-
AV	2.483502G	48.27	54.00	-5.73	32.61	3	Horizontal	5	1.85	-
PK	2.3418G	61.59	74.00	-12.41	32.10	3	Horizontal	5	1.85	-
PK	2.4594G	117.90	Inf	-Inf	32.52	3	Horizontal	5	1.85	-
PK	2.483502G	58.86	74.00	-15.14	32.61	3	Horizontal	5	1.85	-

HT5_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3192G	53.13	54.00	-0.87	32.02	3	Vertical	3	1.74	-
AV	2.4608G	105.62	Inf	-Inf	32.53	3	Vertical	3	1.74	-
AV	2.486G	47.94	54.00	-6.06	32.62	3	Vertical	3	1.74	-
PK	2.336G	61.76	74.00	-12.24	32.08	3	Vertical	3	1.74	-
PK	2.4608G	116.26	Inf	-Inf	32.53	3	Vertical	3	1.74	-
PK	2.4884G	58.79	74.00	-15.21	32.63	3	Vertical	3	1.74	-

HT5_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.342G	49.84	54.00	-4.16	32.10	3	Horizontal	5	1.85	-
AV	2.4608G	105.55	Inf	-Inf	32.53	3	Horizontal	5	1.85	-
AV	2.486G	48.36	54.00	-5.64	32.62	3	Horizontal	5	1.85	-
PK	2.3804G	62.73	74.00	-11.27	32.24	3	Horizontal	5	1.85	-
PK	2.462G	116.28	Inf	-Inf	32.53	3	Horizontal	5	1.85	-
PK	2.4872G	59.08	74.00	-14.92	32.62	3	Horizontal	5	1.85	-

HT5_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9246G	33.81	54.00	-20.19	3.25	3	Vertical	4	1.47	-
PK	4.9234G	46.74	74.00	-27.26	3.25	3	Vertical	4	1.47	-

HT5_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92508G	32.68	54.00	-21.32	3.25	3	Horizontal	9	1.55	-
PK	4.92598G	46.21	74.00	-27.79	3.25	3	Horizontal	9	1.55	-

HT8_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3604G	52.44	54.00	-1.56	32.16	3	Vertical	1	1.67	-
AV	2.4144G	104.27	Inf	-Inf	32.36	3	Vertical	1	1.67	-
AV	2.483502G	47.45	54.00	-6.55	32.61	3	Vertical	1	1.67	-
PK	2.3796G	62.44	74.00	-11.56	32.24	3	Vertical	1	1.67	-
PK	2.4096G	114.68	Inf	-Inf	32.34	3	Vertical	1	1.67	-
PK	2.4948G	59.20	74.00	-14.80	32.65	3	Vertical	1	1.67	-

HT8_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3748G	50.62	54.00	-3.38	32.22	3	Horizontal	4	1.72	-
AV	2.4144G	104.05	Inf	-Inf	32.36	3	Horizontal	4	1.72	-
AV	2.483502G	47.48	54.00	-6.52	32.61	3	Horizontal	4	1.72	-
PK	2.334G	62.65	74.00	-11.35	32.07	3	Horizontal	4	1.72	-
PK	2.412G	114.80	Inf	-Inf	32.35	3	Horizontal	4	1.72	-
PK	2.4852G	57.63	74.00	-16.37	32.61	3	Horizontal	4	1.72	-

HT8_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8237G	33.02	54.00	-20.98	3.03	3	Vertical	3	1.66	-
PK	4.82358G	45.96	74.00	-28.04	3.03	3	Vertical	3	1.66	-

HT8_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82346G	31.44	54.00	-22.56	3.03	3	Horizontal	4	1.64	-
PK	4.8138G	44.95	74.00	-29.05	3.01	3	Horizontal	4	1.64	-

HT8_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2402G	52.43	54.00	-1.57	31.73	3	Vertical	3	1.70	-
AV	2.4346G	103.97	Inf	-Inf	32.43	3	Vertical	3	1.70	-
AV	2.483502G	47.29	54.00	-6.71	32.61	3	Vertical	3	1.70	-
PK	2.323G	61.56	74.00	-12.44	32.04	3	Vertical	3	1.70	-
PK	2.4358G	115.79	Inf	-Inf	32.44	3	Vertical	3	1.70	-
PK	2.483502G	57.88	74.00	-16.12	32.61	3	Vertical	3	1.70	-

HT8_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3194G	50.42	54.00	-3.58	32.02	3	Horizontal	4	1.72	-
AV	2.4394G	103.95	Inf	-Inf	32.45	3	Horizontal	4	1.72	-
AV	2.485G	47.75	54.00	-6.25	32.61	3	Horizontal	4	1.72	-
PK	2.3398G	61.79	74.00	-12.21	32.10	3	Horizontal	4	1.72	-
PK	2.4358G	114.17	Inf	-Inf	32.44	3	Horizontal	4	1.72	-
PK	2.4982G	58.70	74.00	-15.30	32.67	3	Horizontal	4	1.72	-

HT8_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87424G	32.73	54.00	-21.27	3.14	3	Vertical	4	1.44	-
PK	4.86986G	45.72	74.00	-28.28	3.13	3	Vertical	4	1.44	-

HT8_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87442G	32.33	54.00	-21.67	3.14	3	Horizontal	6	1.60	-
PK	4.87448G	45.22	74.00	-28.78	3.14	3	Horizontal	6	1.60	-

HT8_Nss1,(MCS0)_2TX

2452MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3596G	53.08	54.00	-0.92	32.16	3	Vertical	3	1.74	-
AV	2.4496G	104.88	Inf	-Inf	32.49	3	Vertical	3	1.74	-
AV	2.4844G	48.37	54.00	-5.63	32.61	3	Vertical	3	1.74	-
PK	2.3596G	62.59	74.00	-11.41	32.16	3	Vertical	3	1.74	-
PK	2.4544G	116.31	Inf	-Inf	32.51	3	Vertical	3	1.74	-
PK	2.488G	58.75	74.00	-15.25	32.63	3	Vertical	3	1.74	-

HT8_Nss1,(MCS0)_2TX

2452MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	50.32	54.00	-3.68	32.02	3	Horizontal	3	1.73	-
AV	2.4496G	104.79	Inf	-Inf	32.49	3	Horizontal	3	1.73	-
AV	2.4844G	48.45	54.00	-5.55	32.61	3	Horizontal	3	1.73	-
PK	2.3404G	61.90	74.00	-12.10	32.10	3	Horizontal	3	1.73	-
PK	2.4508G	115.93	Inf	-Inf	32.49	3	Horizontal	3	1.73	-
PK	2.4844G	59.40	74.00	-14.60	32.61	3	Horizontal	3	1.73	-

HT8_Nss1,(MCS0)_2TX

2457MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	52.93	54.00	-1.07	32.02	3	Vertical	3	1.70	-
AV	2.4594G	104.29	Inf	-Inf	32.52	3	Vertical	3	1.70	-
AV	2.483502G	48.16	54.00	-5.84	32.61	3	Vertical	3	1.70	-
PK	2.3898G	62.37	74.00	-11.63	32.28	3	Vertical	3	1.70	-
PK	2.4582G	115.62	Inf	-Inf	32.52	3	Vertical	3	1.70	-
PK	2.4846G	59.03	74.00	-14.97	32.61	3	Vertical	3	1.70	-

HT8_Nss1,(MCS0)_2TX

2457MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3838G	50.58	54.00	-3.42	32.25	3	Horizontal	4	1.76	-
AV	2.4546G	103.95	Inf	-Inf	32.51	3	Horizontal	4	1.76	-
AV	2.4846G	48.48	54.00	-5.52	32.61	3	Horizontal	4	1.76	-
PK	2.3862G	62.45	74.00	-11.55	32.26	3	Horizontal	4	1.76	-
PK	2.4558G	115.73	Inf	-Inf	32.51	3	Horizontal	4	1.76	-
PK	2.4858G	58.40	74.00	-15.60	32.62	3	Horizontal	4	1.76	-

HT8_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2796G	53.08	54.00	-0.92	31.87	3	Vertical	3	1.71	-
AV	2.4596G	103.62	Inf	-Inf	32.52	3	Vertical	3	1.71	-
AV	2.483502G	47.80	54.00	-6.20	32.61	3	Vertical	3	1.71	-
PK	2.36G	61.65	74.00	-12.35	32.16	3	Vertical	3	1.71	-
PK	2.4596G	115.10	Inf	-Inf	32.52	3	Vertical	3	1.71	-
PK	2.486G	59.33	74.00	-14.67	32.62	3	Vertical	3	1.71	-

HT8_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3888G	50.07	54.00	-3.93	32.27	3	Horizontal	4	1.66	-
AV	2.4632G	103.16	Inf	-Inf	32.54	3	Horizontal	4	1.66	-
AV	2.483502G	48.10	54.00	-5.90	32.61	3	Horizontal	4	1.66	-
PK	2.3636G	62.20	74.00	-11.80	32.18	3	Horizontal	4	1.66	-
PK	2.4596G	113.78	Inf	-Inf	32.52	3	Horizontal	4	1.66	-
PK	2.4848G	59.22	74.00	-14.78	32.61	3	Horizontal	4	1.66	-

HT8_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.93876G	31.58	54.00	-22.42	3.28	3	Vertical	3	1.51	-
PK	4.9288G	45.66	74.00	-28.34	3.26	3	Vertical	3	1.51	-

HT8_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.93726G	31.67	54.00	-22.33	3.28	3	Horizontal	11	1.75	-
PK	4.93642G	45.02	74.00	-28.98	3.28	3	Horizontal	11	1.75	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.28G	53.44	54.00	-0.56	31.87	3	Vertical	4	1.66	-
AV	2.4144G	104.14	Inf	-Inf	32.36	3	Vertical	4	1.66	-
AV	2.483502G	47.21	54.00	-6.79	32.61	3	Vertical	4	1.66	-
PK	2.292G	61.68	74.00	-12.32	31.92	3	Vertical	4	1.66	-
PK	2.4096G	115.19	Inf	-Inf	32.34	3	Vertical	4	1.66	-
PK	2.4948G	58.19	74.00	-15.81	32.65	3	Vertical	4	1.66	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3868G	50.53	54.00	-3.47	32.26	3	Horizontal	6	1.70	-
AV	2.4084G	103.81	Inf	-Inf	32.34	3	Horizontal	6	1.70	-
AV	2.483502G	47.32	54.00	-6.68	32.61	3	Horizontal	6	1.70	-
PK	2.3592G	62.99	74.00	-11.01	32.16	3	Horizontal	6	1.70	-
PK	2.4084G	115.15	Inf	-Inf	32.34	3	Horizontal	6	1.70	-
PK	2.496G	57.78	74.00	-16.22	32.66	3	Horizontal	6	1.70	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82484G	31.93	54.00	-22.07	3.03	3	Vertical	4	1.50	-
PK	4.82598G	45.22	74.00	-28.78	3.04	3	Vertical	4	1.50	-

HT10_Nss1,(MCS0)_2TX

2412MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8243G	31.29	54.00	-22.71	3.03	3	Horizontal	10	1.60	-
PK	4.82388G	44.89	74.00	-29.11	3.03	3	Horizontal	10	1.60	-

HT10_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3602G	52.49	54.00	-1.51	32.16	3	Vertical	4	1.74	-
AV	2.4382G	104.50	Inf	-Inf	32.45	3	Vertical	4	1.74	-
AV	2.483502G	47.86	54.00	-6.14	32.61	3	Vertical	4	1.74	-
PK	2.3218G	62.39	74.00	-11.61	32.03	3	Vertical	4	1.74	-
PK	2.4346G	115.80	Inf	-Inf	32.43	3	Vertical	4	1.74	-
PK	2.483502G	58.71	74.00	-15.29	32.61	3	Vertical	4	1.74	-

HT10_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	50.83	54.00	-3.17	32.28	3	Horizontal	4	1.71	-
AV	2.4382G	103.69	Inf	-Inf	32.45	3	Horizontal	4	1.71	-
AV	2.483502G	48.34	54.00	-5.66	32.61	3	Horizontal	4	1.71	-
PK	2.3194G	61.73	74.00	-12.27	32.02	3	Horizontal	4	1.71	-
PK	2.4382G	115.27	Inf	-Inf	32.45	3	Horizontal	4	1.71	-
PK	2.483502G	58.39	74.00	-15.61	32.61	3	Horizontal	4	1.71	-

HT10_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87424G	32.97	54.00	-21.03	3.14	3	Vertical	3	1.77	-
PK	4.87274G	47.58	74.00	-26.42	3.14	3	Vertical	3	1.77	-

HT10_Nss1,(MCS0)_2TX

2437MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8743G	32.23	54.00	-21.77	3.14	3	Horizontal	9	1.59	-
PK	4.87718G	45.26	74.00	-28.74	3.15	3	Horizontal	9	1.59	-

HT10_Nss1,(MCS0)_2TX

2452MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3596G	52.86	54.00	-1.14	32.16	3	Vertical	4	1.73	-
AV	2.4508G	103.67	Inf	-Inf	32.49	3	Vertical	4	1.73	-
AV	2.483502G	47.98	54.00	-6.02	32.61	3	Vertical	4	1.73	-
PK	2.3176G	62.25	74.00	-11.75	32.01	3	Vertical	4	1.73	-
PK	2.4496G	114.74	Inf	-Inf	32.49	3	Vertical	4	1.73	-
PK	2.4856G	58.55	74.00	-15.45	32.62	3	Vertical	4	1.73	-

HT10_Nss1,(MCS0)_2TX

2452MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	50.48	54.00	-3.52	32.02	3	Horizontal	3	1.70	-
AV	2.4496G	104.05	Inf	-Inf	32.49	3	Horizontal	3	1.70	-
AV	2.483502G	48.22	54.00	-5.78	32.61	3	Horizontal	3	1.70	-
PK	2.3584G	62.23	74.00	-11.77	32.16	3	Horizontal	3	1.70	-
PK	2.4508G	114.99	Inf	-Inf	32.49	3	Horizontal	3	1.70	-
PK	2.494G	59.65	74.00	-14.35	32.65	3	Horizontal	3	1.70	-

HT10_Nss1,(MCS0)_2TX

2457MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	53.89	54.00	-0.11	32.02	3	Vertical	4	1.84	-
AV	2.4546G	104.05	Inf	-Inf	32.51	3	Vertical	4	1.84	-
AV	2.483502G	48.47	54.00	-5.53	32.61	3	Vertical	4	1.84	-
PK	2.3886G	62.38	74.00	-11.62	32.27	3	Vertical	4	1.84	-
PK	2.4546G	115.29	Inf	-Inf	32.51	3	Vertical	4	1.84	-
PK	2.4882G	58.89	74.00	-15.11	32.63	3	Vertical	4	1.84	-

HT10_Nss1,(MCS0)_2TX

2457MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3718G	50.43	54.00	-3.57	32.21	3	Horizontal	4	1.74	-
AV	2.4594G	103.10	Inf	-Inf	32.52	3	Horizontal	4	1.74	-
AV	2.483502G	48.67	54.00	-5.33	32.61	3	Horizontal	4	1.74	-
PK	2.3406G	62.08	74.00	-11.92	32.10	3	Horizontal	4	1.74	-
PK	2.4606G	113.68	Inf	-Inf	32.53	3	Horizontal	4	1.74	-
PK	2.4846G	59.34	74.00	-14.66	32.61	3	Horizontal	4	1.74	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3192G	53.76	54.00	-0.24	32.02	3	Vertical	4	1.73	-
AV	2.4596G	103.55	Inf	-Inf	32.52	3	Vertical	4	1.73	-
AV	2.483502G	48.28	54.00	-5.72	32.61	3	Vertical	4	1.73	-
PK	2.3252G	63.51	74.00	-10.49	32.04	3	Vertical	4	1.73	-
PK	2.4608G	115.06	Inf	-Inf	32.53	3	Vertical	4	1.73	-
PK	2.486G	60.49	74.00	-13.51	32.62	3	Vertical	4	1.73	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.378G	50.55	54.00	-3.45	32.23	3	Horizontal	4	1.75	-
AV	2.4596G	103.72	Inf	-Inf	32.52	3	Horizontal	4	1.75	-
AV	2.483502G	48.55	54.00	-5.45	32.61	3	Horizontal	4	1.75	-
PK	2.3492G	62.78	74.00	-11.22	32.13	3	Horizontal	4	1.75	-
PK	2.4608G	114.71	Inf	-Inf	32.53	3	Horizontal	4	1.75	-
PK	2.4848G	59.34	74.00	-14.66	32.61	3	Horizontal	4	1.75	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92586G	32.35	54.00	-21.65	3.25	3	Vertical	1	1.40	-
PK	4.93858G	45.93	74.00	-28.07	3.28	3	Vertical	1	1.40	-

HT10_Nss1,(MCS0)_2TX

2462MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92592G	32.06	54.00	-21.94	3.25	3	Horizontal	9	1.42	-
PK	4.92466G	45.38	74.00	-28.62	3.25	3	Horizontal	9	1.42	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.08	54.00	-0.92	32.28	3	Vertical	5	1.59	-
AV	2.4168G	102.19	Inf	-Inf	32.37	3	Vertical	5	1.59	-
AV	2.483502G	46.99	54.00	-7.01	32.61	3	Vertical	5	1.59	-
PK	2.3892G	63.07	74.00	-10.93	32.27	3	Vertical	5	1.59	-
PK	2.4156G	110.96	Inf	-Inf	32.37	3	Vertical	5	1.59	-
PK	2.4852G	58.05	74.00	-15.95	32.61	3	Vertical	5	1.59	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.87	54.00	-0.13	32.28	3	Horizontal	8	1.50	-
AV	2.406G	101.41	Inf	-Inf	32.33	3	Horizontal	8	1.50	-
AV	2.4852G	46.95	54.00	-7.05	32.61	3	Horizontal	8	1.50	-
PK	2.389998G	64.60	74.00	-9.40	32.28	3	Horizontal	8	1.50	-
PK	2.406G	110.26	Inf	-Inf	32.33	3	Horizontal	8	1.50	-
PK	2.4936G	57.88	74.00	-16.12	32.64	3	Horizontal	8	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.82508G	31.38	54.00	-22.62	3.04	3	Vertical	12	1.53	-
PK	4.81458G	44.77	74.00	-29.23	3.01	3	Vertical	12	1.53	-

802.11n HT20_Nss1,(MCS0)_2TX

2412MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.81032G	31.04	54.00	-22.96	3.00	3	Horizontal	14	1.50	-
PK	4.8264G	44.66	74.00	-29.34	3.04	3	Horizontal	14	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2417MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3594G	53.23	54.00	-0.77	32.16	3	Vertical	3	1.64	-
AV	2.4218G	101.96	Inf	-Inf	32.39	3	Vertical	3	1.64	-
AV	2.483502G	47.53	54.00	-6.47	32.61	3	Vertical	3	1.64	-
PK	2.3606G	62.90	74.00	-11.10	32.17	3	Vertical	3	1.64	-
PK	2.4206G	111.33	Inf	-Inf	32.38	3	Vertical	4	1.73	-
PK	2.4902G	57.92	74.00	-16.08	32.64	3	Vertical	3	1.64	-

802.11n HT20_Nss1,(MCS0)_2TX

2417MHz_TX

05/07/2018



Legend for the spectrum plot:


- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Red line with a flat icon
- AV: Blue line with a flat icon

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	51.40	54.00	-2.60	32.28	3	Horizontal	4	1.73	-
AV	2.411G	101.42	Inf	-Inf	32.35	3	Horizontal	4	1.73	-
AV	2.483502G	47.68	54.00	-6.32	32.61	3	Horizontal	4	1.73	-
PK	2.3774G	63.54	74.00	-10.46	32.23	3	Horizontal	4	1.73	-
PK	2.4122G	110.32	Inf	-Inf	32.35	3	Horizontal	4	1.73	-
PK	2.489G	57.83	74.00	-16.17	32.63	3	Horizontal	4	1.73	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3194G	53.55	54.00	-0.45	32.02	3	Vertical	5	1.67	-
AV	2.431G	102.25	Inf	-Inf	32.42	3	Vertical	5	1.67	-
AV	2.483502G	47.84	54.00	-6.16	32.61	3	Vertical	5	1.67	-
PK	2.3194G	62.86	74.00	-11.14	32.02	3	Vertical	5	1.67	-
PK	2.431G	111.27	Inf	-Inf	32.42	3	Vertical	5	1.67	-
PK	2.4946G	58.01	74.00	-15.99	32.65	3	Vertical	5	1.67	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3854G	50.29	54.00	-3.71	32.25	3	Horizontal	3	1.67	-
AV	2.4418G	100.67	Inf	-Inf	32.46	3	Horizontal	3	1.67	-
AV	2.483502G	47.91	54.00	-6.09	32.61	3	Horizontal	3	1.67	-
PK	2.3278G	62.03	74.00	-11.97	32.05	3	Horizontal	3	1.67	-
PK	2.443G	110.15	Inf	-Inf	32.46	3	Horizontal	3	1.67	-
PK	2.4874G	58.90	74.00	-15.10	32.62	3	Horizontal	3	1.67	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8737G	31.83	54.00	-22.17	3.14	3	Vertical	11	1.38	-
PK	4.8773G	45.82	74.00	-28.18	3.15	3	Vertical	11	1.38	-

802.11n HT20_Nss1,(MCS0)_2TX

2437MHz_TX

08/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.87856G	30.36	54.00	-23.64	2.20	3	Horizontal	13	1.50	-
PK	4.8797G	45.26	74.00	-28.74	2.20	3	Horizontal	13	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX

2452MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3596G	52.86	54.00	-1.14	32.16	3	Vertical	4	1.70	-
AV	2.4472G	101.17	Inf	-Inf	32.48	3	Vertical	4	1.70	-
AV	2.483502G	48.54	54.00	-5.46	32.61	3	Vertical	4	1.70	-
PK	2.3596G	61.87	74.00	-12.13	32.16	3	Vertical	4	1.70	-
PK	2.4532G	110.42	Inf	-Inf	32.50	3	Vertical	4	1.70	-
PK	2.483502G	59.12	74.00	-14.88	32.61	3	Vertical	4	1.70	-

802.11n HT20_Nss1,(MCS0)_2TX

2452MHz_TX


05/07/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	50.40	54.00	-3.60	32.02	3	Horizontal	3	1.67	-
AV	2.446G	101.18	Inf	-Inf	32.48	3	Horizontal	3	1.67	-
AV	2.483502G	48.69	54.00	-5.31	32.61	3	Horizontal	3	1.67	-
PK	2.3776G	62.16	74.00	-11.84	32.23	3	Horizontal	3	1.67	-
PK	2.446G	111.41	Inf	-Inf	32.48	3	Horizontal	3	1.67	-
PK	2.4904G	60.42	74.00	-13.58	32.64	3	Horizontal	3	1.67	-

**802.11n HT20_Nss1,(MCS0)_2TX
2457MHz_TX**

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3598G	53.53	54.00	-0.47	32.16	3	Vertical	3	1.72	-
AV	2.451G	101.49	Inf	-Inf	32.49	3	Vertical	3	1.72	-
AV	2.483502G	49.61	54.00	-4.39	32.61	3	Vertical	3	1.72	-
PK	2.3598G	61.71	74.00	-12.29	32.16	3	Vertical	3	1.72	-
PK	2.4522G	110.12	Inf	-Inf	32.50	3	Vertical	3	1.72	-
PK	2.483502G	59.12	74.00	-14.88	32.61	3	Vertical	3	1.72	-

802.11n HT20_Nss1,(MCS0)_2TX

2457MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.319G	50.49	54.00	-3.51	32.02	3	Horizontal	3	1.71	-
AV	2.451G	100.78	Inf	-Inf	32.49	3	Horizontal	3	1.71	-
AV	2.483502G	48.85	54.00	-5.15	32.61	3	Horizontal	3	1.71	-
PK	2.3202G	62.39	74.00	-11.61	32.02	3	Horizontal	3	1.71	-
PK	2.4534G	110.28	Inf	-Inf	32.50	3	Horizontal	3	1.71	-
PK	2.4954G	59.84	74.00	-14.16	32.65	3	Horizontal	3	1.71	-

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz_TX


05/07/2018







Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3204G	52.85	54.00	-1.15	32.02	3	Vertical	5	1.72	-
AV	2.456G	100.87	Inf	-Inf	32.51	3	Vertical	5	1.72	-
AV	2.483502G	51.45	54.00	-2.55	32.61	3	Vertical	5	1.72	-
PK	2.3564G	61.96	74.00	-12.04	32.16	3	Vertical	5	1.72	-
PK	2.4656G	109.55	Inf	-Inf	32.55	3	Vertical	5	1.72	-
PK	2.483502G	62.17	74.00	-11.83	32.61	3	Vertical	5	1.72	-

**802.11n HT20_Nss1,(MCS0)_2TX
2462MHz_TX**

05/07/2018



Legend for the spectrum plot:


- Lim.PK 
- PK 
- Lim.AV 
- AV 

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3204G	50.42	54.00	-3.58	32.02	3	Horizontal	4	1.69	-
AV	2.4584G	99.50	Inf	-Inf	32.52	3	Horizontal	4	1.69	-
AV	2.483502G	52.03	54.00	-1.97	32.61	3	Horizontal	4	1.69	-
PK	2.3684G	61.61	74.00	-12.39	32.19	3	Horizontal	4	1.69	-
PK	2.4596G	108.91	Inf	-Inf	32.52	3	Horizontal	4	1.69	-
PK	2.4848G	63.96	74.00	-10.04	32.61	3	Horizontal	4	1.69	-

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9261G	30.97	54.00	-23.03	3.25	3	Vertical	11	1.48	-
PK	4.92754G	44.67	74.00	-29.33	3.26	3	Vertical	11	1.48	-

802.11n HT20_Nss1,(MCS0)_2TX

2462MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.92688G	30.64	54.00	-23.36	3.26	3	Horizontal	4	1.99	-
PK	4.92958G	44.04	74.00	-29.96	3.26	3	Horizontal	4	1.99	-

HT30_Nss1,(MCS0)_2TX

2417MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.82	54.00	-0.18	32.28	3	Vertical	8	1.68	-
AV	2.4074G	99.13	Inf	-Inf	32.34	3	Vertical	8	1.68	-
AV	2.483502G	46.74	54.00	-7.26	32.61	3	Vertical	8	1.68	-
PK	2.389998G	65.92	74.00	-8.08	32.28	3	Vertical	8	1.68	-
PK	2.4086G	108.58	Inf	-Inf	32.34	3	Vertical	8	1.68	-
PK	2.489G	57.72	74.00	-16.28	32.63	3	Vertical	8	1.68	-

HT30_Nss1,(MCS0)_2TX

2417MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	53.88	54.00	-0.12	32.28	3	Horizontal	6	1.59	-
AV	2.4242G	98.09	Inf	-Inf	32.40	3	Horizontal	6	1.59	-
AV	2.4878G	46.61	54.00	-7.39	32.63	3	Horizontal	6	1.59	-
PK	2.389998G	65.83	74.00	-8.17	32.28	3	Horizontal	6	1.59	-
PK	2.4254G	107.25	Inf	-Inf	32.40	3	Horizontal	6	1.59	-
PK	2.4914G	57.59	74.00	-16.41	32.64	3	Horizontal	6	1.59	-

HT30_Nss1,(MCS0)_2TX

2417MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.84786G	30.04	54.00	-23.96	3.09	3	Vertical	20	1.50	-
PK	4.82704G	44.15	74.00	-29.85	3.04	3	Vertical	20	1.50	-

HT30_Nss1,(MCS0)_2TX

2417MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.832G	29.87	54.00	-24.13	3.05	3	Horizontal	10	1.85	-
PK	4.8352G	43.71	74.00	-30.29	3.06	3	Horizontal	10	1.85	-

HT30_Nss1,(MCS0)_2TX

2422MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3596G	52.53	54.00	-1.47	32.16	3	Vertical	7	1.63	-
AV	2.4268G	99.49	Inf	-Inf	32.41	3	Vertical	7	1.63	-
AV	2.483502G	47.26	54.00	-6.74	32.61	3	Vertical	7	1.63	-
PK	2.3896G	62.30	74.00	-11.70	32.28	3	Vertical	7	1.63	-
PK	2.428G	108.65	Inf	-Inf	32.41	3	Vertical	7	1.63	-
PK	2.483502G	58.64	74.00	-15.36	32.61	3	Vertical	7	1.63	-

HT30_Nss1,(MCS0)_2TX

2422MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3896G	52.75	54.00	-1.25	32.28	3	Horizontal	7	1.67	-
AV	2.4136G	99.26	Inf	-Inf	32.36	3	Horizontal	7	1.67	-
AV	2.483502G	47.84	54.00	-6.16	32.61	3	Horizontal	7	1.67	-
PK	2.3896G	64.04	74.00	-9.96	32.28	3	Horizontal	7	1.67	-
PK	2.4136G	108.75	Inf	-Inf	32.36	3	Horizontal	7	1.67	-
PK	2.4844G	59.29	74.00	-14.71	32.61	3	Horizontal	7	1.67	-

HT30_Nss1,(MCS0)_2TX

2437MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3602G	52.75	54.00	-1.25	32.16	3	Vertical	7	1.63	-
AV	2.4274G	100.76	Inf	-Inf	32.41	3	Vertical	7	1.63	-
AV	2.483502G	47.97	54.00	-6.03	32.61	3	Vertical	7	1.63	-
PK	2.3722G	61.40	74.00	-12.60	32.21	3	Vertical	7	1.63	-
PK	2.4298G	109.33	Inf	-Inf	32.42	3	Vertical	7	1.63	-
PK	2.483502G	57.90	74.00	-16.10	32.61	3	Vertical	7	1.63	-

HT30_Nss1,(MCS0)_2TX

2437MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3746G	50.26	54.00	-3.74	32.22	3	Horizontal	6	1.58	-
AV	2.4442G	99.43	Inf	-Inf	32.47	3	Horizontal	6	1.58	-
AV	2.483502G	47.70	54.00	-6.30	32.61	3	Horizontal	6	1.58	-
PK	2.317G	62.17	74.00	-11.83	32.01	3	Horizontal	6	1.58	-
PK	2.4478G	108.65	Inf	-Inf	32.48	3	Horizontal	6	1.58	-
PK	2.4898G	58.17	74.00	-15.83	32.64	3	Horizontal	6	1.58	-

HT30_Nss1,(MCS0)_2TX

2437MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.86752G	30.16	54.00	-23.84	3.13	3	Vertical	121	1.32	-
PK	4.88064G	43.92	74.00	-30.08	3.16	3	Vertical	156	1.32	-

HT30_Nss1,(MCS0)_2TX

2437MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.88116G	30.23	54.00	-23.77	3.16	3	Horizontal	14	1.50	-
PK	4.87856G	43.79	74.00	-30.21	3.15	3	Horizontal	14	1.50	-

HT30_Nss1,(MCS0)_2TX

2452MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.32G	53.66	54.00	-0.34	32.02	3	Vertical	6	1.67	-
AV	2.4424G	101.09	Inf	-Inf	32.46	3	Vertical	6	1.67	-
AV	2.483502G	52.15	54.00	-1.85	32.61	3	Vertical	6	1.67	-
PK	2.32G	63.70	74.00	-10.30	32.02	3	Vertical	6	1.67	-
PK	2.4484G	110.03	Inf	-Inf	32.48	3	Vertical	6	1.67	-
PK	2.488G	62.78	74.00	-11.22	32.63	3	Vertical	6	1.67	-

HT30_Nss1,(MCS0)_2TX

2452MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3788G	50.36	54.00	-3.64	32.23	3	Horizontal	6	1.65	-
AV	2.44G	99.69	Inf	-Inf	32.45	3	Horizontal	6	1.65	-
AV	2.483502G	53.89	54.00	-0.11	32.61	3	Horizontal	6	1.65	-
PK	2.3788G	62.26	74.00	-11.74	32.23	3	Horizontal	6	1.65	-
PK	2.4508G	109.21	Inf	-Inf	32.49	3	Horizontal	6	1.65	-
PK	2.4844G	65.19	74.00	-8.81	32.61	3	Horizontal	6	1.65	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	52.41	54.00	-1.59	32.02	3	Vertical	6	1.72	-
AV	2.4486G	99.61	Inf	-Inf	32.48	3	Vertical	6	1.72	-
AV	2.483502G	53.53	54.00	-0.47	32.61	3	Vertical	6	1.72	-
PK	2.3502G	62.23	74.00	-11.77	32.13	3	Vertical	6	1.72	-
PK	2.4474G	108.44	Inf	-Inf	32.48	3	Vertical	6	1.72	-
PK	2.4846G	64.61	74.00	-9.39	32.61	3	Vertical	6	1.72	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

05/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3202G	49.87	54.00	-4.13	32.02	3	Horizontal	6	1.60	-
AV	2.4462G	97.19	Inf	-Inf	32.48	3	Horizontal	6	1.60	-
AV	2.483502G	53.25	54.00	-0.75	32.61	3	Horizontal	6	1.60	-
PK	2.3706G	61.31	74.00	-12.69	32.20	3	Horizontal	6	1.60	-
PK	2.445G	106.50	Inf	-Inf	32.47	3	Horizontal	6	1.60	-
PK	2.483502G	67.01	74.00	-6.99	32.61	3	Horizontal	6	1.60	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.91304G	30.65	54.00	-23.35	3.23	3	Vertical	12	1.48	-
PK	4.9222G	44.74	74.00	-29.26	3.25	3	Vertical	12	1.48	-

HT30_Nss1,(MCS0)_2TX

2457MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.9218G	30.35	54.00	-23.65	3.25	3	Horizontal	16	1.49	-
PK	4.90808G	44.27	74.00	-29.73	3.22	3	Horizontal	16	1.49	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3896G	53.48	54.00	-0.52	32.28	3	Vertical	7	1.68	-
AV	2.4064G	94.63	Inf	-Inf	32.33	3	Vertical	7	1.68	-
AV	2.4844G	46.76	54.00	-7.24	32.61	3	Vertical	7	1.68	-
PK	2.3896G	71.39	74.00	-2.61	32.28	3	Vertical	7	1.68	-
PK	2.4052G	105.11	Inf	-Inf	32.33	3	Vertical	7	1.68	-
PK	2.4868G	57.94	74.00	-16.06	32.62	3	Vertical	7	1.68	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3896G	51.72	54.00	-2.28	32.28	3	Horizontal	6	1.78	-
AV	2.4148G	92.93	Inf	-Inf	32.36	3	Horizontal	6	1.78	-
AV	2.4844G	46.08	54.00	-7.92	32.61	3	Horizontal	6	1.78	-
PK	2.3896G	67.57	74.00	-6.43	32.28	3	Horizontal	6	1.78	-
PK	2.4112G	102.34	Inf	-Inf	32.35	3	Horizontal	6	1.78	-
PK	2.4844G	57.09	Inf	-16.91	32.61	3	Horizontal	6	1.78	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.84528G	29.71	54.00	-24.29	3.08	3	Vertical	13	1.50	-
PK	4.84232G	43.98	74.00	-30.02	3.07	3	Vertical	13	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2422MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8476G	31.06	54.00	-22.94	3.08	3	Horizontal	15	1.50	-
PK	4.83576G	45.09	74.00	-28.91	3.06	3	Horizontal	15	1.50	-

802.11n HT40_Nss1,(MCS0)_2TX

2427MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2794G	53.34	54.00	-0.66	31.87	3	Vertical	8	1.60	-
AV	2.4114G	97.14	Inf	-Inf	32.35	3	Vertical	8	1.60	-
AV	2.483502G	46.97	54.00	-7.03	32.61	3	Vertical	8	1.60	-
PK	2.3886G	63.88	74.00	-10.12	32.27	3	Vertical	8	1.60	-
PK	2.4138G	106.50	Inf	-Inf	32.36	3	Vertical	8	1.60	-
PK	2.483502G	57.51	74.00	-16.49	32.61	3	Vertical	8	1.60	-

802.11n HT40_Nss1,(MCS0)_2TX

2427MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	53.23	54.00	-0.77	32.28	3	Horizontal	7	1.67	-
AV	2.421G	96.38	Inf	-Inf	32.39	3	Horizontal	7	1.67	-
AV	2.483502G	46.96	54.00	-7.04	32.61	3	Horizontal	7	1.67	-
PK	2.3898G	64.05	74.00	-9.95	32.28	3	Horizontal	7	1.67	-
PK	2.4258G	106.06	Inf	-Inf	32.40	3	Horizontal	7	1.67	-
PK	2.4894G	56.40	74.00	-17.60	32.63	3	Horizontal	7	1.67	-

802.11n HT40_Nss1,(MCS0)_2TX

2432MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2796G	53.03	54.00	-0.97	31.87	3	Vertical	7	1.71	-
AV	2.426G	97.49	Inf	-Inf	32.40	3	Vertical	7	1.71	-
AV	2.483502G	47.88	54.00	-6.12	32.61	3	Vertical	7	1.71	-
PK	2.3864G	62.52	74.00	-11.48	32.26	3	Vertical	7	1.71	-
PK	2.426G	107.32	Inf	-Inf	32.40	3	Vertical	7	1.71	-
PK	2.483502G	59.25	74.00	-14.75	32.61	3	Vertical	7	1.71	-

802.11n HT40_Nss1,(MCS0)_2TX

2432MHz_TX

04/07/2018



Legend for the spectrum plot:


- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Red line with a flat icon
- AV: Blue line with a flat icon

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	52.49	54.00	-1.51	32.28	3	Horizontal	6	1.61	-
AV	2.4188G	97.50	Inf	-Inf	32.38	3	Horizontal	6	1.61	-
AV	2.483502G	47.79	54.00	-6.21	32.61	3	Horizontal	6	1.61	-
PK	2.389998G	63.19	74.00	-10.81	32.28	3	Horizontal	6	1.61	-
PK	2.4164G	106.81	Inf	-Inf	32.37	3	Horizontal	6	1.61	-
PK	2.4908G	58.88	74.00	-15.12	32.64	3	Horizontal	6	1.61	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2798G	52.63	54.00	-1.37	31.87	3	Vertical	9	1.76	-
AV	2.4226G	98.57	Inf	-Inf	32.39	3	Vertical	9	1.76	-
AV	2.483502G	49.12	54.00	-4.88	32.61	3	Vertical	9	1.76	-
PK	2.389998G	61.52	74.00	-12.48	32.28	3	Vertical	9	1.76	-
PK	2.4262G	107.86	Inf	-Inf	32.40	3	Vertical	9	1.76	-
PK	2.483502G	61.04	74.00	-12.96	32.61	3	Vertical	9	1.76	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.389998G	51.93	54.00	-2.07	32.28	3	Horizontal	8	1.70	-
AV	2.4286G	98.01	Inf	-Inf	32.41	3	Horizontal	8	1.70	-
AV	2.483502G	49.95	54.00	-4.05	32.61	3	Horizontal	8	1.70	-
PK	2.389998G	64.32	74.00	-9.68	32.28	3	Horizontal	8	1.70	-
PK	2.4322G	107.67	Inf	-Inf	32.43	3	Horizontal	8	1.70	-
PK	2.485G	61.17	74.00	-12.83	32.61	3	Horizontal	8	1.70	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.86924G	31.38	54.00	-22.62	3.13	3	Vertical	10	1.89	-
PK	4.87416G	45.25	74.00	-28.75	3.14	3	Vertical	10	1.89	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.8804G	31.34	54.00	-22.66	3.16	3	Horizontal	18	1.49	-
PK	4.87736G	45.08	74.00	-28.92	3.15	3	Horizontal	18	1.49	-

802.11n HT40_Nss1,(MCS0)_2TX

2437MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2394G	60.29	54.00	6.29	31.73	3	Vertical	8	1.65	-
AV	2.4226G	104.48	Inf	-Inf	32.39	3	Vertical	8	1.65	-
AV	2.483502G	54.12	54.00	0.12	32.61	3	Vertical	8	1.65	-
PK	2.3602G	70.04	74.00	-3.96	32.16	3	Vertical	8	1.65	-
PK	2.4234G	114.61	Inf	-Inf	32.39	3	Vertical	8	1.65	-
PK	2.483502G	65.27	74.00	-8.73	32.61	3	Vertical	8	1.65	-

802.11n HT40_Nss1,(MCS0)_2TX

2447MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2802G	52.81	54.00	-1.19	31.87	3	Vertical	8	1.63	-
AV	2.4302G	98.40	Inf	-Inf	32.42	3	Vertical	8	1.63	-
AV	2.483502G	52.06	54.00	-1.94	32.61	3	Vertical	8	1.63	-
PK	2.3234G	60.69	74.00	-13.31	32.04	3	Vertical	8	1.63	-
PK	2.4326G	107.71	Inf	-Inf	32.43	3	Vertical	8	1.63	-
PK	2.4842G	62.83	74.00	-11.17	32.61	3	Vertical	8	1.63	-

802.11n HT40_Nss1,(MCS0)_2TX

2447MHz_TX

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3234G	49.83	54.00	-4.17	32.04	3	Horizontal	6	1.64	-
AV	2.441G	97.13	Inf	-Inf	32.46	3	Horizontal	6	1.64	-
AV	2.483502G	53.68	54.00	-0.32	32.61	3	Horizontal	6	1.64	-
PK	2.3594G	62.42	74.00	-11.58	32.16	3	Horizontal	6	1.64	-
PK	2.4386G	106.92	Inf	-Inf	32.45	3	Horizontal	6	1.64	-
PK	2.4842G	65.68	74.00	-8.32	32.61	3	Horizontal	6	1.64	-

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX


04/07/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.2792G	53.28	54.00	-0.72	31.87	3	Vertical	10	1.75	-
AV	2.4364G	95.27	Inf	-Inf	32.44	3	Vertical	10	1.75	-
AV	2.483502G	52.02	54.00	-1.98	32.61	3	Vertical	10	1.75	-
PK	2.2804G	62.73	74.00	-11.27	31.87	3	Vertical	10	1.75	-
PK	2.44G	105.17	Inf	-Inf	32.45	3	Vertical	10	1.75	-
PK	2.483502G	69.40	74.00	-4.60	32.61	3	Vertical	10	1.75	-

**802.11n HT40_Nss1,(MCS0)_2TX
2452MHz_TX**

04/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.386G	48.95	54.00	-5.05	32.26	3	Horizontal	10	1.74	-
AV	2.4376G	95.43	Inf	-Inf	32.45	3	Horizontal	10	1.74	-
AV	2.483502G	53.55	54.00	-0.45	32.61	3	Horizontal	10	1.74	-
PK	2.386G	60.61	74.00	-13.39	32.26	3	Horizontal	10	1.74	-
PK	2.4352G	104.91	Inf	-Inf	32.44	3	Horizontal	10	1.74	-
PK	2.483502G	70.61	74.00	-3.39	32.61	3	Horizontal	10	1.74	-

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX

09/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.90436G	31.01	54.00	-22.99	3.21	3	Vertical	11	1.49	-
PK	4.90856G	45.23	74.00	-28.77	3.22	3	Vertical	11	1.49	-

802.11n HT40_Nss1,(MCS0)_2TX

2452MHz_TX

09/07/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.90136G	30.83	54.00	-23.17	3.20	3	Horizontal	20	1.97	-
PK	4.89628G	45.07	74.00	-28.93	3.19	3	Horizontal	20	1.97	-