





Annex C

15.207 A/C Powerline Conducted Emission





L1 Avg

Frequency	Measured Data	LISN Correction Factor	Cable Correction Factor	Attenuator	Corrected Data	Limit	Margin
193.98 KHz	29.03	0.2	0.02	10.1	39.35	54.743	-15.393
191.71 KHz	27.8	0.2	0.02	10.1	38.12	54.808	-16.688
191.62 KHz	28.31	0.2	0.02	10.1	38.627	54.811	-16.184
189.38 KHz	27.86	0.2	0.02	10.1	38.183	54.875	-16.692
188.4 KHz	25.73	0.2	0.02	10.1	36.05	54.903	-18.853
186.64 KHz	23.84	0.2	0.02	10.1	34.16	54.953	-20.793

L2 Avg

Frequency	Measured Data	LISN Correction Factor	Cable Correction Factor	Attenuator	Corrected Data	Limit	Margin
193.13 KHz	26.91	0.2	0.02	10.1	37.227	54.768	-17.541
192.76 KHz	22.11	0.2	0.02	10.1	32.427	54.778	-22.352
192.34 KHz	26.6	0.2	0.02	10.1	36.92	54.79	-17.87
189.31 KHz	17.64	0.2	0.02	10.1	27.96	54.877	-26.917
153.2 KHz	11.11	0.27	0.02	10.2	21.598	55.909	-34.311
150.07 KHz	12.95	0.3	0.02	10.2	23.473	55.998	-32.525

L1 QP

Frequency	Measured Data	LISN Correction Factor	Cable Correction Factor	Attenuator	Corrected Data	Limit	Margin
193.98 KHz	44.17	0.2	0.02	10.1	54.49	64.743	-10.253
191.71 KHz	44.06	0.2	0.02	10.1	54.38	64.808	-10.428
191.62 KHz	44.55	0.2	0.02	10.1	54.87	64.811	-9.941
189.38 KHz	45.54	0.2	0.02	10.1	55.86	64.875	-9.015
188.4 KHz	44.75	0.2	0.02	10.1	55.07	64.903	-9.833
186.64 KHz	44.29	0.2	0.02	10.1	54.61	64.953	-10.343

L2 QP

Frequency	Measured Data	LISN Correction Factor	Cable Correction Factor	Attenuator	Corrected Data	Limit	Margin
193.13 KHz	42.4	0.2	0.02	10.1	52.72	64.768	-12.048
192.76 KHz	41.74	0.2	0.02	10.1	52.06	64.778	-12.718
192.34 KHz	42.65	0.2	0.02	10.1	52.97	64.79	-11.82
189.31 KHz	42.2	0.2	0.02	10.1	52.52	64.877	-12.357
153.2 KHz	35.53	0.27	0.02	10.2	46.018	65.909	-19.891
150.07 KHz	35.91	0.3	0.02	10.2	46.429	65.998	-19.569