

SR2 MANUAL

MODULAR USAGE

The SR2 hi-power mini-PCI 802.11b/g radio card module has been specifically designed for use in outdoor wireless applications where additional link gain is critical. It is compatible with existing Atheros linux drivers and is capable of operation in the 2412-2462 MHz frequency range. Power and frequency limits are hard programmed into the radio card EEPROM, but card compatibility can be achieved with any Atheros Linux based software. Many SBC host platforms have been qualified for use with the SR2 module including:

- -Mikrotik Router Boards
- -PC Engines WRAP boards
- -Many SBC platforms from large telecommunication companies

It is necessary that the system integrators perform all applicable retesting and certification for their final system configurations.

EXAMPLE OEM SYSTEM USAGE





Software Driver

ATHEROS

PUBLIC

MADWIFI Driver

Pac Wireless Roo Tenna Antenna/Enclosure



©Pacific Wireless



SR2 IMPORTANT MODULAR APPROVAL INFORMATION

This device is intended only form OEM integrator under the following conditions:

- 1) The antenna must be installed such that 20cm is maintained between the antenna and users, and
- 2) The transmitter module may not be co-located with any other transmitter or antenna.

IMPORTANT NOTE: In the event that these conditions cannot be met (for example certain laptop configurations or co-location with another transmitter), then the FCC authorization is no longer considered valid and the FCC ID cannot be used on the final product. In these circumstances, the OEM integrator will be responsible for re-evaluating the end product (including the transmitter) and obtaining a separate FCC authorization.

End Product Labeling

This transmitter module is authorized only for use in devices where the antenna may be installed such that 20 cm may be maintained between the antenna and users (for example access points, routers, wireless ADSL modems, and similar equipment). The final end product must be labeled in visible area with the following:

"Contains TX FCC ID SWX-SR2:

End Product Manual Information

The user manual for end users must include the following information in a prominent location "IMPORTANT NOTE: To comply with FCC RF exposure compliance requirements, the antenna used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter."



SR2 IMPORTANT OPERATION INFORMATION

FCC Notice to Users and Operators

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case the user will be required to correct the interference at his own expense. If this equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to correct the interference by using one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase separation between the equipment and receiver
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician.

Caution This Part 15 radio device operates on a non-interference basis with other devices operating at this frequency. Any changes or modification to said product not expressly approved by Ubiquiti Networks could void the user's authority to operate this device.

Safety Information

The Federal Communications Commission (FCC) with its action in ET docket 96-8 has adopted a safety standard for human exposure to RF electromagnetic energy emitted by FCC certified equipment. The AP-ONE meets the uncontrolled environmental limts found in OET-65 and ANSI C95.1, 1991.

The following are guidelines to insure safe operation of the AP-One:

- Do not touch or move the antennas while the unit is transmitting or receiving
- Do not hold any component containing a radio such that the antenna is very close to or touching any exposed parts of the body, especially the face or eyes, while transmitting
- Do not operate the radio or attempt to transmit data unless the antenna is connected, otherwise, the radio may be damaged.
- Use in specific environments:
- --Do not operate a portable transmitter near unshielded blasting caps or in an explosive environment unless it is a type especially qualified for such use.
- --The use of wireless devices in hazardous locations is limited to the constraints posed by the safety directors of such environments.
- --The use of wireless devices on airplanes is governed by the Federal Aviation Administration (FAA)
- -- The use of wireless devices in hostpitals is restricted to the limits set forth by each hospital
 - Antenna use
- --The antenna(s) used for this device must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.