

# **FCC RF Exposure Report**

: SWX-U6LITE FCC ID

**Equipment** : UniFi 6 Lite

Model No. : U6-Lite

**Brand Name** : UBIQUITI

: Ubiquiti Inc. **Applicant** 

**Address** : 685 Third Avenue, New York, New York 10017

USA

: 47 CFR FCC Part 2.1091 Standard

**Received Date** : Mar. 03, 2020

**Tested Date** : Jun. 06 ~ Aug. 10, 2020

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by: Approved by:

Along Chen // Assistant Manager

Testing Laboratory

Page: 1 of 6

Report No.: FA030302-02

Report Version: Rev. 02

The previous version of the test report has been cancelled and replaced by new version.



## **Table of Contents**

1	MPE EVALUATION OF MOBILE DEVICES	4
1.1	LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE	
1.2	MPE EVALUATION FORMULA	
1.3	DEVIATION FROM TEST STANDARD AND MEASUREMENT PROCEDURE	
1.4	MEASUREMENT UNCERTAINTY	4
1.5	MPE EVALUATION RESULTS	5
1.6	MPE EVALUATION OF SIMULTANEOUS TRANSMISSION	5
2	TEST LABORATORY INFORMATION	F

Page : 2 of 6



## **Release Record**

Report No.	Version	Description	Issued Date	
FA030302-02	Rev. 01	Initial issue	Jul. 22, 2020	
FA030302-02	Rev. 02	BLE power changed.	Aug. 12, 2020	

Report No.: FA030302-02 Page: 3 of 6

Report Version: Rev. 02



#### 1 MPE EVALUATION OF MOBILE DEVICES

#### 1.1 LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE

Frequency Range (	MHz) I	Power Density (mW /cm²)	Averaging Time (minutes)		
300~1500		F/1500	30		
1500~100000		1.0	30		

#### 1.2 MPE EVALUATION FORMULA

$$Pd = \frac{Pt}{4 * Pi * R^2}$$

Where

Pd= Power density in mW/cm<sup>2</sup>

Pt= EIRP in mW

Pi= 3.1416

R= Measurement distance

#### 1.3 DEVIATION FROM TEST STANDARD AND MEASUREMENT PROCEDURE

None

#### 1.4 MEASUREMENT UNCERTAINTY

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2)).

Parameters	Uncertainty		
Conducted power	±0.808 dB		

#### **Declaration of Conformity:**

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

#### **Comments and Explanations:**

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

Page: 4 of 6

Report No.: FA030302-02

Report Version: Rev. 02

The previous version of the test report has been cancelled and replaced by new version.



#### 1.5 MPE EVALUATION RESULTS

Frequency Range (MHz)	Maximum Conducted Power (dBm)	Rated Power (dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)	*Ratio	Pass / Fail
2412~2462* (Wi-Fi)	23.37	23.50	3.8	20	0.107	1	0.107	Pass
5150~5250* (Wi-Fi)	23.47	23.50	4	20	0.112	1	0.112	Pass
5250~5350 (Wi-Fi)	23.44	23.50	4	20	0.112	1	0.112	Pass
5470~5725 (Wi-Fi)	23.31	23.50	4	20	0.112	1	0.112	Pass
5725~5850* (Wi-Fi)	23.48	23.50	4	20	0.112	1	0.112	Pass
2402-2480 (BT LE)	13.92	14.00	0	20	0.005	1	0.005	Pass

<sup>\*</sup>Ratio = Power density / Limit.

#### 1.6 MPE EVALUATION OF SIMULTANEOUS TRANSMISSION

Mode	Max Ratio of Each Mode
2.4 GHz Wi-Fi	0.107
5 GHz Wi-Fi	0.112
BT EDR	0.005
Sum	0.224
Limit	1
Pass / Fail	Pass

Report No.: FA030302-02 Page: 5 of 6

Report Version: Rev. 02

<sup>&</sup>quot;\*": These 3 frequency bands are certified for original grant.



### 2 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <a href="http://www.icertifi.com.tw">http://www.icertifi.com.tw</a>.

#### Linkou

Tel: 886-2-2601-1640 No. 30-2, Ding Fwu Tsuen, Lin Kou District, New Taipei City,

Taiwan, R.O.C.

#### Kwei Shan

Tel: 886-3-271-8666 No. 3-1, Lane 6, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C.

#### Kwei Shan Site II

Tel: 886-3-271-8640

No. 14-1, Lane 19, Wen San 3rd St., Kwei Shan District, Tao Yuan City 333, Taiwan, R.O.C..

Page: 6 of 6

If you have any suggestion, please feel free to contact us as below information

Tel: 886-3-271-8666 Fax: 886-3-318-0155

Email: ICC\_Service@icertifi.com.tw



Report No.: FA030302-02

Report Version: Rev. 02