

TR5784 U6-Pro UNII-3 Annex

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	5745.000	24.0	20.000000	PASS
RF output power	5745.000	24.0	20.000000	PASS
Power Spectral Density	5745.000	24.0	20.000000	PASS
Minimum Emission Bandwidth 6 dB	5745.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	5745.000	24.0	20.000000	PASS
Frequency Error	5745.000	24.0	20.000000	PASS
Tx Spurious Emission	5745.000	24.0	20.000000	PASS
Emission Bandwidth 26 dB	5775.000	24.0	20.000000	PASS
Minimum Emission Bandwidth 6 dB	5775.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	5775.000	24.0	20.000000	PASS
Frequency Error	5775.000	24.0	20.000000	PASS
Tx Spurious Emission	5775.000	24.0	20.000000	PASS
Emission Bandwidth 26 dB	5825.000	24.0	20.000000	PASS
Minimum Emission Bandwidth 6 dB	5825.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	5825.000	24.0	20.000000	PASS
Frequency Error	5825.000	24.0	20.000000	PASS
Tx Spurious Emission	5825.000	24.0	20.000000	PASS
Emission Bandwidth 26 dB	5755.000	24.0	40.000000	PASS
Minimum Emission Bandwidth 6 dB	5755.000	24.0	40.000000	PASS
Occupied Channel Bandwidth 99%	5755.000	24.0	40.000000	PASS
Tx Spurious Emission	5755.000	24.0	40.000000	PASS
Emission Bandwidth 26 dB	5775.000	24.0	40.000000	PASS
Minimum Emission Bandwidth 6 dB	5775.000	24.0	40.000000	PASS
Occupied Channel Bandwidth 99%	5775.000	24.0	40.000000	PASS
Tx Spurious Emission	5775.000	24.0	40.000000	PASS
Emission Bandwidth 26 dB	5795.000	24.0	40.000000	PASS
Minimum Emission Bandwidth 6 dB	5795.000	24.0	40.000000	PASS
Occupied Channel Bandwidth 99%	5795.000	24.0	40.000000	PASS
Tx Spurious Emission	5795.000	24.0	40.000000	PASS
Emission Bandwidth 26 dB	5775.000	24.0	80.000000	PASS
Minimum Emission Bandwidth 6 dB	5775.000	24.0	80.000000	PASS
Occupied Channel Bandwidth 99%	5775.000	24.0	80.000000	PASS
Tx Spurious Emission	5775.000	24.0	80.000000	PASS

Emission Bandwidth 26 dB (5745 MHz; 24.000 dBm; 20 MHz)


Customized settings.

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5745.000000	21.300000	---	---	5734.450000	5755.750000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5745.000000	6.3	PASS



Bandwidth



Date: 18 JAN 2021 12:31:43

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.72500 GHz	5.72500 GHz
Stop Frequency	5.76500 GHz	5.76500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	28.477 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (5745 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5745.000000	24.0	---	24.0	85.928	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

Power Spectral Density (5745 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5745.000000	5753.910891	7.088	30.0	PASS

Ports

Port	State
1	used
2	used
3	used
4	used

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.73500 GHz	5.73500 GHz
Stop Frequency	5.75500 GHz	5.75500 GHz
Span	20.000 MHz	20.000 MHz
RBW	500.000 kHz	<= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	4 / max. 15	max. 15
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.30 dB

Minimum Emission Bandwidth 6 dB (5745 MHz; 24.000 dBm; 20 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5745.000000	19.200000	0.500000	---	5735.375000	5754.575000


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5745.000000	2.0	PASS

6 dB Bandwidth



Bandwidth



Date: 18 JAN 2021 12:33:23

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.72500 GHz	5.72500 GHz
Stop Frequency	5.76500 GHz	5.76500 GHz
Span	40.000 MHz	40.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	800	~ 800
SweepTime	56.836 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Occupied Channel Bandwidth 99% (5745 MHz; 24.000 dBm; 20 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5745.000000	19.200000	---	---	5735.350000	5754.550000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5745.000000	PASS



Bandwidth



Date: 18, JAN, 2021 12:33:31

Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.72500 GHz	5.72500 GHz
Stop Frequency	5.76500 GHz	5.76500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	≥ 200.000 kHz
VBW	1.000 MHz	≥ 600.000 kHz
SweepPoints	400	~ 400
SweepTime	28.477 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Frequency Error (5745 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5745.000000	5744.997000	0.522	-3.000000	---	---	PASS

Frequency stability Pre



Center frequency Max Hold

Frequency stability




Edge points Max Hold Center frequency

Frequency stability Pre



Date: 18, JAN, 2021 12:33:45

Frequency stability



Date: 18 JAN 2021 12:34:28

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.73500 GHz	5.73500 GHz
Stop Frequency	5.75500 GHz	5.75500 GHz
Span	20.000 MHz	20.000 MHz
RBW	20.000 kHz	≤ 20.000 kHz
VBW	100.000 kHz	≥ 60.000 kHz
SweepPoints	10001	~ 10001
SweepTime	474.291 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	1.00 dB	1.00 dB
Run	39 / max. 150	max. 150
Stable	1 / 1	1
Max Stable Difference	0.90 dB	1.00 dB

Tx Spurious Emission (5745 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5745.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
6032.250000	-41.1	14.1	-27.0
6090.750000	-41.4	14.4	-27.0
6032.750000	-41.4	14.4	-27.0
6086.750000	-41.5	14.5	-27.0
5612.750000	-41.5	14.5	-27.0
6022.750000	-41.5	14.5	-27.0
6052.750000	-41.6	14.6	-27.0
5948.250000	-41.6	14.6	-27.0
5947.750000	-41.6	14.6	-27.0
6053.750000	-41.6	14.6	-27.0
6067.250000	-41.6	14.6	-27.0
6068.750000	-41.6	14.6	-27.0
6052.250000	-41.7	14.7	-27.0
5593.750000	-41.7	14.7	-27.0
6053.250000	-41.7	14.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious





Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	1260	~ 1260
SweepTime	85.781 μs	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5775 MHz; 24.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	21.800000	---	---	5764.350000	5786.150000


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5775.000000	5.9	PASS

26 dB Bandwidth



Bandwidth



Date: 18 JAN 2021 12:35:38

Minimum Emission Bandwidth 6 dB (5775 MHz; 24.000 dBm; 20 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	19.200000	0.500000	---	5765.375000	5784.575000


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5775.000000	2.0	PASS

6 dB Bandwidth



Bandwidth



Date: 18.JAN.2021 12:37:15

Occupied Channel Bandwidth 99% (5775 MHz; 24.000 dBm; 20 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	19.100000	---	---	5765.450000	5784.550000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5775.000000	PASS



Bandwidth




Date: 18 JAN 2021 12:37:23

Frequency Error (5775 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5775.000000	5774.999000	0.173	-1.000000	---	---	PASS

Frequency stability Pre



Center frequency Max Hold

Frequency stability




Edge points Max Hold Center frequency

Frequency stability Pre



Date: 18.JAN.2021 12:37:36

Frequency stability



Date: 18, JAN, 2021 12:38:16

Tx Spurious Emission (5775 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5775.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5931.250000	-40.8	13.8	-27.0
5929.750000	-40.9	13.9	-27.0
5924.750000	-40.8	14.0	-26.8
5938.750000	-41.2	14.2	-27.0
5633.250000	-41.2	14.2	-27.0
5924.250000	-40.7	14.3	-26.4
6044.750000	-41.3	14.3	-27.0
5929.250000	-41.3	14.3	-27.0
5633.750000	-41.4	14.4	-27.0
5930.750000	-41.4	14.4	-27.0
5939.250000	-41.5	14.5	-27.0
5927.750000	-41.5	14.5	-27.0
6085.250000	-41.5	14.5	-27.0
5639.250000	-41.5	14.5	-27.0
5943.750000	-41.5	14.5	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious





Emission Bandwidth 26 dB (5825 MHz; 24.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5825.000000	21.300000	---	---	5814.450000	5835.750000


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5825.000000	5.4	PASS

26 dB Bandwidth



Bandwidth



Date: 18, JAN, 2021 12:40:13

Minimum Emission Bandwidth 6 dB (5825 MHz; 24.000 dBm; 20 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5825.000000	19.150000	0.500000	---	5815.425000	5834.575000


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5825.000000	2.3	PASS

6 dB Bandwidth



Bandwidth



Date: 18, JAN, 2021 12:41:52

Occupied Channel Bandwidth 99% (5825 MHz; 24.000 dBm; 20 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5825.000000	19.200000	---	---	5815.350000	5834.550000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5825.000000	PASS



Bandwidth




Date: 18 JAN 2021 12:42:01

Frequency Error (5825 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5825.000000	5824.997000	0.515	-3.000000	---	---	PASS

Frequency stability Pre



Center frequency Max Hold

Frequency stability




Edge points Max Hold Center frequency

Frequency stability Pre



Date: 18, JAN, 2021 12:42:16

Frequency stability



Date: 18 JAN 2021 12:43:05

Tx Spurious Emission (5825 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5825.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
6031.250000	-40.6	13.6	-27.0
6030.750000	-41.0	14.0	-27.0
6031.750000	-41.1	14.1	-27.0
5979.750000	-41.1	14.1	-27.0
5953.750000	-41.2	14.2	-27.0
5980.250000	-41.2	14.2	-27.0
5985.250000	-41.4	14.4	-27.0
5980.750000	-41.4	14.4	-27.0
5996.750000	-41.5	14.5	-27.0
6032.250000	-41.6	14.6	-27.0
5968.250000	-41.6	14.6	-27.0
6067.750000	-41.6	14.6	-27.0
6007.750000	-41.6	14.6	-27.0
5984.750000	-41.6	14.6	-27.0
6089.750000	-41.7	14.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious





Emission Bandwidth 26 dB (5755 MHz; 24.000 dBm; 40 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5755.000000	40.225140	---	---	5734.887430	5775.112570


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5755.000000	4.3	PASS

26 dB Bandwidth



Bandwidth



Date: 18 JAN 2021 12:44:49

Minimum Emission Bandwidth 6 dB (5755 MHz; 24.000 dBm; 40 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5755.000000	37.550000	0.500000	---	5736.025000	5773.575000


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5755.000000	0.2	PASS

6 dB Bandwidth



Bandwidth



Date: 18, JAN, 2021 12:46:39

Occupied Channel Bandwidth 99% (5755 MHz; 24.000 dBm; 40 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5755.000000	37.750000	---	---	5736.125000	5773.875000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5755.000000	PASS



Bandwidth



Date: 18 JAN 2021 12:46:48

Tx Spurious Emission (5755 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5755.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5578.750000	-40.5	13.5	-27.0
5578.250000	-40.6	13.6	-27.0
5579.250000	-41.0	14.0	-27.0
6078.250000	-41.1	14.1	-27.0
5960.750000	-41.2	14.2	-27.0
5564.250000	-41.2	14.2	-27.0
5590.250000	-41.2	14.2	-27.0
6078.750000	-41.2	14.2	-27.0
5590.750000	-41.3	14.3	-27.0
5944.250000	-41.3	14.3	-27.0
6024.250000	-41.3	14.3	-27.0
5565.250000	-41.3	14.3	-27.0
5598.250000	-41.3	14.3	-27.0
5619.250000	-41.3	14.3	-27.0
6024.750000	-41.3	14.3	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious





Emission Bandwidth 26 dB (5775 MHz; 24.000 dBm; 40 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	40.375235	---	---	5754.587242	5794.962477


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5775.000000	5.5	PASS

26 dB Bandwidth



Bandwidth



Date: 18.JAN.2021 12:50:16

Minimum Emission Bandwidth 6 dB (5775 MHz; 24.000 dBm; 40 MHz)


Customized settings.

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	34.350000	0.500000	---	5757.725000	5792.075000

(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5775.000000	1.8	PASS



Bandwidth



Date: 18.JAN.2021 12:52:06

Occupied Channel Bandwidth 99% (5775 MHz; 24.000 dBm; 40 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	37.750000	---	---	5756.125000	5793.875000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5775.000000	PASS



Bandwidth



Date: 18 JAN 2021 12:52:14

Tx Spurious Emission (5775 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5775.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5622.750000	-40.8	13.8	-27.0
5624.750000	-40.8	13.8	-27.0
5623.250000	-40.8	13.8	-27.0
5602.250000	-40.8	13.8	-27.0
5601.750000	-40.9	13.9	-27.0
5619.750000	-40.9	13.9	-27.0
5943.750000	-40.9	13.9	-27.0
5948.250000	-41.0	14.0	-27.0
5612.250000	-41.0	14.0	-27.0
5625.250000	-41.0	14.0	-27.0
5629.250000	-41.1	14.1	-27.0
5583.750000	-41.1	14.1	-27.0
5944.750000	-41.1	14.1	-27.0
5646.750000	-41.1	14.1	-27.0
5612.750000	-41.1	14.1	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious





Emission Bandwidth 26 dB (5795 MHz; 24.000 dBm; 40 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5795.000000	39.774860	---	---	5775.187617	5814.962477


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5795.000000	5.4	PASS

26 dB Bandwidth



Bandwidth



Date: 18 JAN 2021 12:53:12

Minimum Emission Bandwidth 6 dB (5795 MHz; 24.000 dBm; 40 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5795.000000	38.100000	0.500000	---	5775.925000	5814.025000


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5795.000000	-1.0	PASS

6 dB Bandwidth



Bandwidth



Date: 18, JAN, 2021 12:55:01

Occupied Channel Bandwidth 99% (5795 MHz; 24.000 dBm; 40 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5795.000000	37.500000	---	---	5776.125000	5813.625000


(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5795.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18 JAN 2021 12:55:10

Tx Spurious Emission (5795 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5795.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5948.250000	-40.5	13.5	-27.0
5947.250000	-40.5	13.5	-27.0
5962.750000	-40.5	13.5	-27.0
5946.750000	-40.6	13.6	-27.0
5948.750000	-40.6	13.6	-27.0
5639.250000	-40.8	13.8	-27.0
5930.250000	-40.8	13.8	-27.0
5962.250000	-40.8	13.8	-27.0
5932.750000	-40.9	13.9	-27.0
5971.250000	-41.0	14.0	-27.0
5970.750000	-41.0	14.0	-27.0
5947.750000	-41.0	14.0	-27.0
5953.750000	-41.0	14.0	-27.0
5638.750000	-41.1	14.1	-27.0
5931.250000	-41.1	14.1	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious





Emission Bandwidth 26 dB (5775 MHz; 24.000 dBm; 80 MHz)

Customized settings.

26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	81.500000	---	---	5734.250000	5815.750000


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5775.000000	7.5	PASS

26 dB Bandwidth



Bandwidth



Date: 18 JAN 2021 12:56:26

Minimum Emission Bandwidth 6 dB (5775 MHz; 24.000 dBm; 80 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	78.150000	0.500000	---	5735.875000	5814.025000


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
5775.000000	-4.2	PASS

6 dB Bandwidth



Bandwidth



Date: 18, JAN, 2021 12:58:48

Occupied Channel Bandwidth 99% (5775 MHz; 24.000 dBm; 80 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5775.000000	77.500000	---	---	5736.250000	5813.750000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
5775.000000	PASS



Bandwidth



Date: 18 JAN. 2021 12:58:59

Tx Spurious Emission (5775 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
5775.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
5643.250000	-31.0	4.0	-27.0
5646.250000	-31.0	4.0	-27.0
5642.750000	-31.1	4.1	-27.0
5646.750000	-31.2	4.2	-27.0
5643.750000	-31.3	4.3	-27.0
5649.250000	-31.4	4.4	-27.0
5650.750000	-30.9	4.4	-26.4
5642.250000	-31.4	4.4	-27.0
5648.750000	-31.6	4.6	-27.0
5651.250000	-30.7	4.6	-26.1
5645.750000	-31.7	4.7	-27.0
5641.750000	-31.7	4.7	-27.0
5650.250000	-31.6	4.8	-26.8
5649.750000	-31.9	4.9	-27.0
5648.250000	-32.1	5.1	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
5470.000000	6100.000000	2	2

Spurious

