

## FCC 47 CFR PART 15 SUBPART E

### DFS Test Report

Applicant : Ubiquiti Networks, Inc.  
Address : 2580 Orchard Parkway, San Jose, California, United States, 95131  
Product Type : Access Point  
Trade Name : UBIQUITI  
Model Number : UAP-AC-LITE  
Applicable Standard : FCC 47 CFR PART 15 SUBPART E: Oct., 2014  
ANSI C63.10-2013  
Receive Date : Apr. 08, 2015  
Test Period : Aug. 06 ~ Aug. 31, 2015  
Issue Date : Nov. 04, 2015

#### Issue by

A Test Lab Techno Corp.  
No. 140-1, Changan Street, Bade City,  
Taoyuan County 334, Taiwan R.O.C.  
Tel : +886-3-2710188 / Fax : +886-3-2710190



Taiwan Accreditation Foundation accreditation number: 1330

**Note:** This report shall not be reproduced except in full, without the written approval of A Test Lab Techno Corp. This document may be altered or revised by A Test Lab Techno Corp. personnel only, and shall be noted in the revision section of the document. The client should not use it to claim product endorsement by TAF, or any government agencies. The test results in the report only apply to the tested sample.

---

**Revision History**

Rev.	Issue Date	Revisions	Revised By
00	Sep. 04, 2015	Initial Issue	
01	Nov. 04, 2015	Revised report information.	Peggy Chang

## Verification of Compliance

Issued Date: 11/04/2015

Applicant : Ubiquiti Networks, Inc.  
Address : 2580 Orchard Parkway, San Jose, California, United States, 95131  
Product Type : Access Point  
Trade Name : UBIQUITI  
Model Number : UAP-AC-LITE  
FCC ID : SWX-UAPACL  
EUT Rated Voltage : DC 24V, 0.5A  
Test Voltage : 120 Vac / 60 Hz  
Applicable Standard : FCC 47 CFR PART 15 SUBPART E: Oct., 2014  
ANSI C63.10-2013  
Test Result : Complied  
Application Purpose : Class II Permissive Change  
Performing Lab. : A Test Lab Techno Corp.

No. 140-1, Changan Street, Bade City,  
Taoyuan County 334, Taiwan R.O.C.

Tel : +886-3-2710188 / Fax : +886-3-2710190

Taiwan Accreditation Foundation accreditation number: 1330

<http://www.atl-lab.com.tw/e-index.htm>



A Test Lab Techno Corp. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by A Test Lab Techno Corp. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Approved By : Fly Lu Reviewed By : Eric Ou Yang  
(Manager) (Fly Lu) (Testing Engineer) (Eric Ou Yang)

**TABLE OF CONTENTS**

<b>1</b>	<b>EUT Description.....</b>	<b>5</b>
<b>2</b>	<b>Test Methodology.....</b>	<b>5</b>
<b>3</b>	<b>Dynamic Frequency Selection .....</b>	<b>6</b>
	3.1. Limits .....	6
	3.2. Test and Measurement System .....	10
	3.3. Test Instruments .....	11
<b>4</b>	<b>Test Methodology.....</b>	<b>12</b>
	4.1. Mode of Operation.....	12
	4.2. EUT Exercise Software .....	12
	4.3. Test Site Environment.....	12
<b>5</b>	<b>Test Results .....</b>	<b>13</b>
	5.1. Radar Waveforms and Traffic Measurement .....	13
	5.2. Traffic Plots.....	21
	5.3. Channel Availability Check Time Measurement.....	23
	5.4. Move and Closing Time Measurement .....	38
	5.5. Non-Occupancy Period Measurement.....	40
	5.6. Detection Bandwidth Measurement.....	41
	5.7. In-Service Monitoring Measurement.....	45

## 1 EUT Description

Applicant	Ubiquiti Networks, Inc. 2580 Orchard Parkway, San Jose, California, United States, 95131			
Manufacturer	Ubiquiti Networks, Inc. 2580 Orchard Parkway, San Jose, California, United States, 95131			
Product Type	Access Point			
Trade Name	UBIQUITI			
Model Number	UAP-AC-LITE			
FCC ID	SWX-UAPACL			
Class II Permissive Change	Add U-NII Band II function by software control. The change reference Class II Permissive Change Letter in detail.			
Operate Frequency	Frequency Band		Frequency Range (MHz)	Number of Channels
	IEEE 802.11a	U-NII Band II-A	5260 – 5320	4
		U-NII Band II-C	5500 – 5700	11
	IEEE 802.11n 5GHz 20 MHz	U-NII Band II-A	5260 – 5320	4
		U-NII Band II-C	5500 – 5700	11
	IEEE 802.11n 5GHz 40 MHz	U-NII Band II-A	5270 – 5310	2
		U-NII Band II-C	5510 – 5670	5
	IEEE 802.11ac 80 MHz	U-NII Band II-A	5290	1
U-NII Band II-C		5530 – 5610	2	
Modulation Type	OFDM			
Equipment Type (DFS)	Master			
Antenna Type	Dual band antenna			
Max. Antenna Gain	3 dBi			
Antenna Delivery	2TX + 2RX			

## 2 Test Methodology

The tests documented in this report were performed in accordance with ANSI C63.10-2013, FCC CFR 47 Part 2, FCC CFR 47 Part 15.

The tests documented in this report were performed in accordance with FCC KDB request:

- FCC KDB 443999 D01 Approval of DFS UNII Devices v01r04
- FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v01r02

### 3 Dynamic Frequency Selection

#### 3.1. Limits

§15.407 (h) and FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v01r02 Compliance measurement procedures for unlicensed-national information infrastructure devcies operating in the 5250-5350 MHZ and 5470-5725 MHZ bands incorporating dynamic frequency selection.

Table 1: Applicability of DFS Requirements Prior to Use of a Channel			
Requirement	Operational Mode		
	Master	Client (without DFS )	Client (with DFS)
Non-Occupancy Period	Yes	Not required	Yes
DFS Detection Threshold	Yes	Not required	Yes
Channel Availability Check Time	Yes	Not required	Not required
U-NII Detection Bandwidth	Yes	Not required	Yes

Table 2: Applicability of DFS requirements during normal operation		
Requirement	Operational Mode	
	Master Device or Client With Radar Detection	Client without Radar Detection
DFS Detection Threshold	Yes	Not required
Channel Closing Transmission Time	Yes	Yes
Channel Move Time	Yes	Yes
U-NII Detection Bandwidth	Yes	Not required

Additional requirements for devices with multiple bandwidth modes	Master Device or Client With Radar Detection	Client without Radar Detection
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required
Channel Move Time and Channel Closing Transmission Time	Test using widest BW mode available	Test using the widest BW mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

Table 3: DFS Detection Thresholds for Master Devices and Client Devices With Radar Detection	
Maximum Transmit Power	Value (See Notes 1,2 and 3)
EIRP $\geq$ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and Power spectral density < 10 dBm/MHz	-62 dBm
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm
<p>Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.</p> <p>Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.</p> <p>Note 3: EIRP is based on the highest antenna gain. For MIMO devices refer to FCC KDB Publication 662911 D01.</p>	

Table 4: DFS Response Requirement Values	
Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds See Note 1.
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.
<p>Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.</p> <p>Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.</p> <p>Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.</p>	

Table 5: Short Pulse Radar Test Waveforms					
Radar Type	Pulse Width (μsec)	PRI (μsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a <hr/> Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A	$\text{Roundup} \left\{ \begin{array}{l} \left( \frac{1}{360} \right) \cdot \\ \left( \frac{19 \cdot 10^6}{\text{PRI}_{\mu\text{sec}}} \right) \end{array} \right\}$	60%	30
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggregate (Radar Types 1-4)				80%	120
Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.					



Table 5a: Pulse Repetition Intervals Values for Test A		
Pulse Repetition Frequency Number	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658
9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066


Table 6 – Long Pulse Radar Test Signal							
Radar Waveform	Bursts	Pulses per Burst	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Minimum Percentage of Successful Detection	Minimum Trials
5	8-20	1-3	50-100	5-20	1000-2000	80%	30

Table 7 – Frequency Hopping Radar Test Signal							
Radar Waveform	Pulse Width (µsec)	PRI (µsec)	Burst Length (ms)	Pulses per Hop	Hopping Rate (kHz)	Minimum Percentage of Successful Detection	Minimum Trials
6	1	333	300	9	0.333	70%	30

### 3.2. Test and Measurement System

#### 3.2.1. Setup for Master with injection at the Master

Example Conducted Setup where UUT is a Master and Radar Test Waveforms are injected into the Master



#### 3.2.2. System Calibration

The short pulse and long pulse signal generating system utilizes the NTIA software. The Vector Signal Generator has been validated by the NTIA. The hopping signal generating system utilizes the A Test lab techno. Corp. simulated hopping method and system, which has been validated by the DoD, FCC and NTIA. The software selects waveform parameters from within the bounds of the signal type on a random basis using uniform distribution.

The short pulse types 0, 1, 2, 3 and 4, and the long pulse type 5 parameters are randomized at run-time. The hopping type 6 pulse parameters are fixed while the hopping sequence is based on the August 2005 NTIA Hopping Frequency List. The initial starting point randomized at run-time and each subsequent starting point is incremented by 475. Each frequency in the 100-length segment is compared to the boundaries of the EUT Detection Bandwidth and the software creates a hopping burst pattern in accordance with Section 7.4.1.3 Method #2 Simulated Frequency Hopping Radar Waveform Generating Subsystem of FCC KDB 905462 D02 UNII DFS Compliance Procedures New Rules v01r02. The frequency of the signal generator is incremented in 1 MHz steps from FL to FH for each successive trial. This incremental sequence is repeated as required to generate a minimum of 30 total trials and to maintain a uniform frequency distribution over the entire Detection Bandwidth.

The signal monitoring equipment consists of a spectrum analyzer. The aggregate ON time is calculated by multiplying the number of bins above a threshold during a particular observation period by the dwell time per bin, with the analyzer set to peak detection and max hold.

### 3.2.3. System Calibration

A 50-ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected to a horn antenna via a coaxial cable, with the reference level offset set to (horn antenna gain – coaxial cable loss). The signal generator is set to CW mode. The amplitude of the signal generator is adjusted to yield a level of -64 dBm as measured on the spectrum analyzer.

Without changing any of the instrument settings, the spectrum analyzer is reconnected to the Common port of the Spectrum Analyzer Combiner/Divider. The Reference Level Offset of the spectrum analyzer is adjusted so that the displayed amplitude of the signal is -64 dBm.

The spectrum analyzer displays the level of the signal generator as received at the antenna ports of the Master Device. The interference detection threshold may be varied from the calibrated value of -64 dBm and the spectrum analyzer will still indicate the level as received by the Master Device.

### 3.2.4. Adjustment of Displayed Traffic Level

A link is established between the Master and Slave and the distance between the units is adjusted as needed to provide a suitable received level at the Master and Slave devices. The video test file is streamed to generate WLAN traffic. The monitoring antenna is adjusted so that the WLAN traffic level, as displayed on the spectrum analyzer, is at lower amplitude than the radar detection threshold.

## 3.3. Test Instruments

Equipment	Manufacturer	Model Number	Serial Number	Cal. Date	Cal. Period
Spectrum Analyzer	Agilent	E4446A	MY46180578	07/27/2015	1 year
Signal Generator	Agilent	N5182B	MY53050382	05/28/2015	1 year
Test Site	ATL	TE02	TE02	N.C.R.	----

Note N.C.R. = No Calibration Request.

## 4 Test Methodology

### 4.1. Mode of Operation

Decision of Test ATL has verified the construction and function in typical operation. All the test modes were carried out with the EUT in normal operation, which was shown in this test report and defined as:

Test Mode
Mode 1: IEEE 802.11n 5GHz (20MHz) link mode
Mode 2: IEEE 802.11n 5GHz (40MHz) link mode
Mode 3: IEEE 802.11ac 80MHz link mode

Software used to control the EUT for staying in continuous transmitting mode was programmed.

After verification, all tests were carried out with the worst case test modes as shown below except radiated spurious emission below 1GHz and power line conducted emissions below 30MHz, which worst case was in normal link mode only.

Test Mode	Band	Test Channel
Mode 1	U-NII Band II-A	64
	U-NII Band II-C	112
Mode 2	U-NII Band II-A	62
	U-NII Band II-C	134
Mode 3	U-NII Band II-A	58
	U-NII Band II-C	106

### 4.2. EUT Exercise Software

1.	Setup the EUT shown on 3.3.
2.	Turn on the power of all equipment.
3.	Turn on Wi-Fi function link to Notebook.
4.	EUT run test program.


### 4.3. Test Site Environment

Items	Required (IEC 60068-1)	Actual
Temperature (°C)	15-35	26
Humidity (%RH)	25-75	60
Barometric pressure (mbar)	860-1060	950

## 5 Test Results


### 5.1. Radar Waveforms and Traffic Measurement

#### ■ Test Graphs




Mode 1: IEEE 802.11n 5GHz (20MHz) link mode \_ 5320MHz


Radars Type 2




Radars Type 3




Mode 1: IEEE 802.11n 5GHz (20MHz) link mode \_ 5320MHz  
 Radar Type 4



Radar Type 5









Mode 1: IEEE 802.11n 5GHz (20MHz) link mode \_ 5560MHz

Radar Type 0




Radar Type 1




Mode 1: IEEE 802.11n 5GHz (20MHz) link mode \_ 5560MHz


Radars Type 2




Radars Type 3




Mode 1: IEEE 802.11n 5GHz (20MHz) link mode \_ 5560MHz  
 Radar Type 4





Radar Type 5






## 5.2. Traffic Plots

### ■ Duty cycle $\geq 17\%$





### 5.3. Channel Availability Check Time Measurement

#### ■ Procedure to Determine Initial Power-Up Cycle Time

A link was established on channel then the EUT was rebooted. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total power-up cycle. The time to complete the initial power-up period is 60 seconds less than this total power-up time.

#### ■ Procedure for Timing of Radar Burst

With a link established on channel, the EUT was rebooted. A radar signal was triggered within 0 to 6 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, the EUT was rebooted. A radar signal was triggered within 54 to 60 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

#### ■ Test Results


Model Number	UAP-AC-LITE				
Test Item	Channel Availability Check Time				
Test Mode	Mode 1: IEEE 802.11n 5GHz (20MHz) link mode				
Radar Type	Type 0				
Date of Test	08/06/2015				
No Radar Triggered					
Frequency (MHz)	Timing of Reboot (sec)	Delta (sec)	Timing of Start of Traffic (sec)	Total Power-up Cycle Time (sec)	Initial Power-up Cycle Time (sec)
5320	7.125	91.500	98.625	91.500	31.500
5560	9.750	91.120	100.870	91.120	31.120
Radar Near Beginning of CAC					
Frequency (MHz)	Timing of Reboot (sec)	Timing of Radar Burst (sec)	Radar Relative to Reboot (sec)	Radar Relative to Start of CAC (sec)	
5320	7.125	38.660	31.535	0.035	
5560	9.750	41.620	31.870	0.750	
Radar Near End of CAC					
Frequency (MHz)	Timing of Radar Burst (sec)	Radar Relative to Reboot (sec)	Radar Relative to Start of CAC (sec)	Radar Relative to Start of CAC (sec)	
5320	7.125	93.38	86.255	54.755	
5560	9.750	94.880	85.130	54.010	


Model Number	UAP-AC-LITE				
Test Item	Channel Availability Check Time				
Test Mode	Mode 2: IEEE 802.11n 5GHz (40MHz) link mode				
Radar Type	Type 0				
Date of Test	08/06/2015				
No Radar Triggered					
Frequency (MHz)	Timing of Reboot (sec)	Delta (sec)	Timing of Start of Traffic (sec)	Total Power-up Cycle Time (sec)	Initial Power-up Cycle Time (sec)
5310	9.750	91.500	101.250	91.500	31.500
5670	7.125	91.880	99.005	91.880	31.880
Radar Near Beginning of CAC					
Frequency (MHz)	Timing of Reboot (sec)	Timing of Radar Burst (sec)	Radar Relative to Reboot (sec)	Radar Relative to Start of CAC (sec)	
5310	9.750	42.000	32.250	0.750	
5670	7.125	39.750	32.625	0.745	
Radar Near End of CAC					
Frequency (MHz)	Timing of Radar Burst (sec)	Radar Relative to Reboot (sec)	Radar Relative to Start of CAC (sec)	Radar Relative to Start of CAC (sec)	
5310	9.750	96.000	86.250	54.750	
5670	7.125	93.380	86.255	54.375	





Model Number	UAP-AC-LITE				
Test Item	Channel Availability Check Time				
Test Mode	Mode 3: IEEE 802.11ac 80MHz link mode				
Radar Type	Type 0				
Date of Test	08/06/2015				
No Radar Triggered					
Frequency (MHz)	Timing of Reboot (sec)	Delta (sec)	Timing of Start of Traffic (sec)	Total Power-up Cycle Time (sec)	Initial Power-up Cycle Time (sec)
5290	7.500	93.000	100.500	93.000	33.000
5530	7.125	91.500	98.625	91.500	31.500
Radar Near Beginning of CAC					
Frequency (MHz)	Timing of Reboot (sec)	Timing of Radar Burst (sec)	Radar Relative to Reboot (sec)	Radar Relative to Start of CAC (sec)	
5290	7.500	42.750	35.250	2.250	
5530	7.125	40.120	32.995	1.495	
Radar Near End of CAC					
Frequency (MHz)	Timing of Radar Burst (sec)	Radar Relative to Reboot (sec)	Radar Relative to Start of CAC (sec)	Radar Relative to Start of CAC (sec)	
5290	7.500	95.620	88.120	55.120	
5530	7.125	93.380	86.255	54.755	


■ Test Graphs


































## 5.4. Move and Closing Time Measurement

### ■ Reporting Notes

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse.  
This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:



Aggregate Transmission Time = (Number of analyzer bins showing transmission) \* (dwell time per bin)

The observation period over which the FCC aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).

### ■ Test Results

Model Number	UAP-AC-LITE		
Test Item	Move and Closing Time		
Test Mode	Mode 3: IEEE 802.11ac 80MHz link mode		
Radar Type	Type 0		
Date of Test	08/22/2015		
Frequency (MHz)	Radar Type	Channel Move Time (msec)	Limit (sec)
5290	Type 0	0.510	10
5530	Type 0	0	10
Frequency (MHz)	Radar Type	Aggregate Channel Closing Transmission Time (msec)	Limit (msec)
5290	Type 0	0.003	60
5530	Type 0	0	60



■ Test Graphs



### 5.5. Non-Occupancy Period Measurement

#### ■ Test Graphs

No EUT transmissions were observed on the test channel during the 30-minute observation time.





## 5.6. Detection Bandwidth Measurement



### ■ Test Results



Model Number	UAP-AC-LITE					
Test Item	Detection Bandwidth					
Test Mode	Mode 1: IEEE 802.11n 5GHz (20MHz) link mode					
Date of Test	08/31/2015					
Frequency (MHz)	FL (MHz)	FH (MHz)	Detection Bandwidth (MHz)	99% Power Bandwidth (MHz)	Ratio of Detection BW to 99% Power BW (%)	Minimum Limit (%)
5320	5310	5330	20	18.061	110.74	$\geq 100$
5560	5551	5569	18	17.784	101.21	$\geq 100$



Model Number	UAP-AC-LITE					
Test Item	Detection Bandwidth					
Test Mode	Mode 2: IEEE 802.11n 5GHz (40MHz) link mode					
Date of Test	08/31/2015					
Frequency (MHz)	FL (MHz)	FH (MHz)	Detection Bandwidth (MHz)	99% Power Bandwidth (MHz)	Ratio of Detection BW to 99% Power BW (%)	Minimum Limit (%)
5310	5290	5330	40	37.303	107.23	$\geq 100$
5550	5531	5569	38	36.581	103.88	$\geq 100$

Model Number	UAP-AC-LITE					
Test Item	Detection Bandwidth					
Test Mode	Mode 3: IEEE 802.11ac 80MHz link mode					
Date of Test	08/31/2015					
Frequency (MHz)	FL (MHz)	FH (MHz)	Detection Bandwidth (MHz)	99% Power Bandwidth (MHz)	Ratio of Detection BW to 99% Power BW (%)	Minimum Limit (%)
5290	5252	5328	76	75.47	100.70	$\geq 100$
5530	5492	5569	77	76.166	101.09	$\geq 100$

■ Test Graphs







## 5.7. In-Service Monitoring Measurement

### ■ Test Results

Model Number	UAP-AC-LITE						
Test Item	In-Service Monitoring						
Test Mode	Mode 1: IEEE 802.11n 5GHz (20MHz) link mode						
Date of Test	08/31/2015						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5320	Type1	Table 5a	1	27	3	90.00%	≥ 60%
	Type2	Random	Random	26	4	86.67%	≥ 60%
	Type3	Random	Random	27	3	90.00%	≥ 60%
	Type4	Random	Random	26	4	86.67%	≥ 60%
	Type1~4					88.33%	≥ 80%
	Type5	Random	Random	27	3	90.00%	≥ 80%
	Type6	Hopping	1	26	4	86.67%	≥ 70%
5560	Type1	Table 5a	1	27	3	90.00%	≥ 60%
	Type2	Random	Random	25	5	83.33%	≥ 60%
	Type3	Random	Random	26	4	86.67%	≥ 60%
	Type4	Random	Random	26	4	86.67%	≥ 60%
	Type1~4					86.67%	≥ 80%
	Type5	Random	Random	27	3	90.00%	≥ 80%
	Type6	Hopping	1	27	3	90.00%	≥ 70%
5600	Type1	Table 5a	1	25	5	83.33%	≥ 60%
	Type2	Random	Random	25	5	83.33%	≥ 60%
	Type3	Random	Random	26	4	86.67%	≥ 60%
	Type4	Random	Random	26	4	86.67%	≥ 60%
	Type1~4					85.00%	≥ 80%
	Type5	Random	Random	26	4	86.67%	≥ 80%
	Type6	Hopping	1	26	4	86.67%	≥ 70%

Model Number	UAP-AC-LITE						
Test Item	In-Service Monitoring						
Test Mode	Mode 2: IEEE 802.11n 5GHz (40MHz) link mode						
Date of Test	08/31/2015						
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit
5310	Type1	Table 5a	1	27	4	87.10%	≥ 60%
	Type2	Random	Random	27	4	87.10%	≥ 60%
	Type3	Random	Random	27	5	84.38%	≥ 60%
	Type4	Random	Random	24	6	80.00%	≥ 60%
	Type1~4					84.64%	≥ 80%
	Type5	Random	Random	26	5	83.87%	≥ 80%
	Type6	Hopping	1	25	2	92.59%	≥ 70%
5550	Type1	Table 5a	1	27	3	90.00%	≥ 60%
	Type2	Random	Random	27	3	90.00%	≥ 60%
	Type3	Random	Random	26	4	86.67%	≥ 60%
	Type4	Random	Random	27	3	90.00%	≥ 60%
	Type1~4					89.17%	≥ 80%
	Type5	Random	Random	27	3	90.00%	≥ 80%
	Type6	Hopping	1	26	4	86.67%	≥ 70%
5630	Type1	Table 5a	1	26	4	86.67%	≥ 60%
	Type2	Random	Random	25	5	83.33%	≥ 60%
	Type3	Random	Random	26	4	86.67%	≥ 60%
	Type4	Random	Random	26	4	86.67%	≥ 60%
	Type1~4					85.83%	≥ 80%
	Type5	Random	Random	26	4	86.67%	≥ 80%
	Type6	Hopping	1	27	3	90.00%	≥ 70%

Model Number	UAP-AC-LITE							
Test Item	In-Service Monitoring							
Test Mode	Mode 3: IEEE 802.11ac 80MHz link mode							
Date of Test	08/31/2015							
Frequency (MHz)	Radar Signal	PRI (Msec)	Pulse width W (μs)	Pass Times	Fail Times	Probability	Limit	
5290	Type1	Table 5a	1	26	4	86.67%	≥ 60%	
	Type2	Random	Random	26	4	86.67%	≥ 60%	
	Type3	Random	Random	25	5	83.33%	≥ 60%	
	Type4	Random	Random	25	5	83.33%	≥ 60%	
	Type1~4						85.00%	≥ 80%
	Type5	Random	Random	26	4	86.67%	≥ 80%	
	Type6	Hopping	1	25	5	83.33%	≥ 70%	
5530	Type1	Table 5a	1	27	3	90.00%	≥ 60%	
	Type2	Random	Random	26	4	86.67%	≥ 60%	
	Type3	Random	Random	26	4	86.67%	≥ 60%	
	Type4	Random	Random	27	3	90.00%	≥ 60%	
	Type1~4						88.33%	≥ 80%
	Type5	Random	Random	26	4	86.67%	≥ 80%	
	Type6	Hopping	1	26	4	86.67%	≥ 70%	
5610	Type1	Table 5a	1	26	4	86.67%	≥ 60%	
	Type2	Random	Random	26	4	86.67%	≥ 60%	
	Type3	Random	Random	26	4	86.67%	≥ 60%	
	Type4	Random	Random	27	3	90.00%	≥ 60%	
	Type1~4						87.50%	≥ 80%
	Type5	Random	Random	25	5	83.33%	≥ 80%	
	Type6	Hopping	1	26	4	86.67%	≥ 70%	

Test Mode		Mode 1				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5311	1	638	1567	83	1
2	5312	1	858	1166	62	1
3	5313	1	738	1355	72	1
4	5314	1	538	1859	99	0
5	5315	1	778	1285	68	1
6	5316	1	658	1520	81	1
7	5317	1	3066	326	18	1
8	5318	1	598	1672	89	1
9	5319	1	578	1730	92	1
10	5320	1	698	1433	76	1
11	5321	1	618	1618	86	1
12	5322	1	798	1253	67	1
13	5323	1	678	1475	78	0
14	5324	1	558	1792	95	1
15	5325	1	818	1222	65	1
16	5326	1	1541	649	35	1
17	5327	1	891	1122	60	1
18	5328	1	929	1076	57	1
19	5329	1	2448	408	22	1
20	5311	1	1833	546	29	1
21	5312	1	1865	536	29	1
22	5313	1	1542	649	35	1
23	5314	1	2995	334	18	0
24	5315	1	1202	832	44	1
25	5316	1	1165	858	46	1
26	5317	1	1244	804	43	1
27	5318	1	2852	351	19	1
28	5319	1	2242	446	24	1
29	5320	1	1157	864	46	1
30	5321	1	1288	776	41	1
Detection Percentage (%)						90.00



Test Mode		Mode 1				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5311	2.6	228	4386	23	1
2	5312	4.6	150	6667	27	1
3	5313	1.1	184	5435	29	1
4	5314	4.8	203	4926	24	1
5	5315	3.7	189	5291	25	1
6	5316	2.6	201	4975	24	1
7	5317	3.5	216	4630	26	1
8	5318	4.2	194	5155	23	1
9	5319	2.9	225	4444	25	1
10	5320	3.3	206	4854	27	1
11	5321	3.9	213	4695	28	1
12	5322	4.7	159	6289	26	1
13	5323	3.1	167	5988	24	1
14	5324	1.9	217	4608	23	1
15	5325	2.4	162	6173	25	1
16	5326	3.4	204	4902	28	1
17	5327	2.3	170	5882	27	0
18	5328	3.5	184	5435	23	1
19	5329	4.9	150	6667	27	1
20	5311	4.6	211	4739	29	0
21	5312	2.9	158	6329	23	1
22	5313	2.6	226	4425	27	0
23	5314	1.6	204	4902	26	1
24	5315	3.9	181	5525	25	1
25	5316	4.6	202	4950	24	1
26	5317	4.1	194	5155	27	0
27	5318	2.3	193	5181	28	1
28	5319	3.9	173	5780	29	1
29	5320	4.3	188	5319	23	1
30	5321	1.5	215	4651	26	1
Detection Percentage (%)						86.67

Test Mode		Mode 1				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5311	8.0	492	2033	16	1
2	5312	6.7	200	5000	18	1
3	5313	8.6	418	2392	16	1
4	5314	9.4	351	2849	17	1
5	5315	7.4	383	2611	18	0
6	5316	9.8	232	4310	16	1
7	5317	7.6	245	4082	18	1
8	5318	8.2	289	3460	17	1
9	5319	6.5	306	3268	18	1
10	5320	7.3	421	2375	16	1
11	5321	7.8	335	2985	18	1
12	5322	8.8	375	2667	17	1
13	5323	9.6	324	3086	16	1
14	5324	9.4	259	3861	18	1
15	5325	6.4	220	4545	17	1
16	5326	7.2	342	2924	16	0
17	5327	9.1	377	2653	17	1
18	5328	9.6	457	2188	16	1
19	5329	8.0	471	2123	18	1
20	5311	9.0	304	3289	18	1
21	5312	8.0	316	3165	17	1
22	5313	9.8	325	3077	16	0
23	5314	8.0	409	2445	17	1
24	5315	9.9	200	5000	17	1
25	5316	8.8	458	2183	16	1
26	5317	8.0	232	4310	18	1
27	5318	8.3	250	4000	16	1
28	5319	8.7	270	3704	16	1
29	5320	7.7	350	2857	17	1
30	5321	7.1	230	4348	16	1
Detection Percentage (%)						90.00

Test Mode		Mode 1				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5311	18.0	493	2028	15	1
2	5312	19.9	200	5000	12	1
3	5313	12.9	487	2053	14	1
4	5314	13.7	377	2653	13	1
5	5315	15.6	462	2165	15	1
6	5316	18.4	358	2793	16	1
7	5317	13.4	267	3745	12	1
8	5318	15.7	349	2865	14	1
9	5319	19.1	409	2445	15	0
10	5320	18.2	423	2364	16	1
11	5321	13.2	325	3077	13	1
12	5322	14.6	264	3788	12	1
13	5323	18.6	326	3067	14	1
14	5324	15.0	452	2212	13	1
15	5325	16.3	230	4348	12	1
16	5326	19.8	238	4202	13	1
17	5327	18.2	420	2381	16	1
18	5328	16.3	452	2212	15	0
19	5329	14.2	495	2020	12	1
20	5311	17.8	228	4386	16	1
21	5312	19.1	211	4739	16	0
22	5313	18.4	283	3534	15	1
23	5314	11.8	411	2433	12	1
24	5315	14.2	284	3521	13	1
25	5316	13.9	202	4950	12	1
26	5317	17.8	340	2941	14	1
27	5318	15.6	290	3448	16	1
28	5319	14.6	250	4000	16	1
29	5320	14.4	484	2066	15	0
30	5321	18.9	387	2584	13	1
Detection Percentage (%)						86.67

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5315	1	2	51.7	7	1146.3		647836	1
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5322	1	2	66.3	2	1226.7		3658	0
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5318	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5325	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5328	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5323	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5316	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5327	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5326	1	3	13	13	1499.3	1528.3	125412	1
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5319	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5316	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5325	1	2	80.5	10	1697.5		546448	0
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	



Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5312	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5328	1	1	96.7	7			288367	1
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5314	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5317	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5316	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5316	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5312	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5313	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5314	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5323	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5319	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5316	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5317	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5320	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5315	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5327	1	1	95.4	6			273267	0
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 1							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5316	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5325	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									90.00



Test Mode	Mode 1			
Frequency	5.250~5.350 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	1
4	9	1	333	1
5	9	1	333	1
6	9	1	333	1
7	9	1	333	1
8	9	1	333	0
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	0
16	9	1	333	1
17	9	1	333	1
18	9	1	333	1
19	9	1	333	1
20	9	1	333	1
21	9	1	333	1
22	9	1	333	1
23	9	1	333	1
24	9	1	333	0
25	9	1	333	1
26	9	1	333	0
27	9	1	333	1
28	9	1	333	1
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				86.67

Test Mode		Mode 1				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5551	1	638	1567	83	1
2	5552	1	858	1166	62	1
3	5553	1	738	1355	72	1
4	5554	1	538	1859	99	0
5	5555	1	778	1285	68	1
6	5556	1	658	1520	81	1
7	5557	1	3066	326	18	1
8	5558	1	598	1672	89	1
9	5559	1	578	1730	92	1
10	5560	1	698	1433	76	1
11	5561	1	618	1618	86	1
12	5562	1	798	1253	67	1
13	5563	1	678	1475	78	0
14	5564	1	558	1792	95	1
15	5565	1	818	1222	65	1
16	5566	1	1541	649	35	1
17	5567	1	891	1122	60	1
18	5568	1	929	1076	57	1
19	5569	1	2448	408	22	1
20	5551	1	1833	546	29	1
21	5552	1	1865	536	29	1
22	5553	1	1542	649	35	1
23	5554	1	2995	334	18	0
24	5555	1	1202	832	44	1
25	5556	1	1165	858	46	1
26	5557	1	1244	804	43	1
27	5558	1	2852	351	19	1
28	5559	1	2242	446	24	1
29	5560	1	1157	864	46	1
30	5561	1	1288	776	41	1
Detection Percentage (%)						90.00

Test Mode		Mode 1				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5551	2.6	228	4386	23	1
2	5552	4.6	150	6667	27	0
3	5553	1.1	184	5435	29	1
4	5554	4.8	203	4926	24	1
5	5555	3.7	189	5291	25	1
6	5556	2.6	201	4975	24	1
7	5557	3.5	216	4630	26	1
8	5558	4.2	194	5155	23	1
9	5559	2.9	225	4444	25	1
10	5560	3.3	206	4854	27	0
11	5561	3.9	213	4695	28	1
12	5562	4.7	159	6289	26	1
13	5563	3.1	167	5988	24	1
14	5564	1.9	217	4608	23	1
15	5565	2.4	162	6173	25	1
16	5566	3.4	204	4902	28	0
17	5567	2.3	170	5882	27	1
18	5568	3.5	184	5435	23	0
19	5569	4.9	150	6667	27	1
20	5551	4.6	211	4739	29	1
21	5552	2.9	158	6329	23	1
22	5553	2.6	226	4425	27	1
23	5554	1.6	204	4902	26	1
24	5555	3.9	181	5525	25	1
25	5556	4.6	202	4950	24	1
26	5557	4.1	194	5155	27	0
27	5558	2.3	193	5181	28	1
28	5559	3.9	173	5780	29	1
29	5560	4.3	188	5319	23	1
30	5561	1.5	215	4651	26	1
Detection Percentage (%)						83.33

Test Mode		Mode 1				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5551	8.0	492	2033	16	1
2	5552	6.7	200	5000	18	1
3	5553	8.6	418	2392	16	1
4	5554	9.4	351	2849	17	1
5	5555	7.4	383	2611	18	0
6	5556	9.8	232	4310	16	1
7	5557	7.6	245	4082	18	1
8	5558	8.2	289	3460	17	1
9	5559	6.5	306	3268	18	1
10	5560	7.3	421	2375	16	1
11	5561	7.8	335	2985	18	1
12	5562	8.8	375	2667	17	0
13	5563	9.6	324	3086	16	1
14	5564	9.4	259	3861	18	1
15	5565	6.4	220	4545	17	1
16	5566	7.2	342	2924	16	1
17	5567	9.1	377	2653	17	0
18	5568	9.6	457	2188	16	1
19	5569	8.0	471	2123	18	1
20	5551	9.0	304	3289	18	1
21	5552	8.0	316	3165	17	1
22	5553	9.8	325	3077	16	1
23	5554	8.0	409	2445	17	1
24	5555	9.9	200	5000	17	0
25	5556	8.8	458	2183	16	1
26	5557	8.0	232	4310	18	1
27	5558	8.3	250	4000	16	1
28	5559	8.7	270	3704	16	1
29	5560	7.7	350	2857	17	1
30	5561	7.1	230	4348	16	1
Detection Percentage (%)						86.67

Test Mode		Mode 1				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5551	18.0	493	2028	15	1
2	5552	19.9	200	5000	12	1
3	5553	12.9	487	2053	14	1
4	5554	13.7	377	2653	13	0
5	5555	15.6	462	2165	15	1
6	5556	18.4	358	2793	16	1
7	5557	13.4	267	3745	12	0
8	5558	15.7	349	2865	14	1
9	5559	19.1	409	2445	15	1
10	5560	18.2	423	2364	16	1
11	5561	13.2	325	3077	13	1
12	5562	14.6	264	3788	12	1
13	5563	18.6	326	3067	14	1
14	5564	15.0	452	2212	13	1
15	5565	16.3	230	4348	12	1
16	5566	19.8	238	4202	13	0
17	5567	18.2	420	2381	16	1
18	5568	16.3	452	2212	15	1
19	5569	14.2	495	2020	12	1
20	5551	17.8	228	4386	16	1
21	5552	19.1	211	4739	16	1
22	5553	18.4	283	3534	15	1
23	5554	11.8	411	2433	12	0
24	5555	14.2	284	3521	13	1
25	5556	13.9	202	4950	12	1
26	5557	17.8	340	2941	14	1
27	5558	15.6	290	3448	16	1
28	5559	14.6	250	4000	16	1
29	5560	14.4	484	2066	15	1
30	5561	18.9	387	2584	13	1
Detection Percentage (%)						86.67

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5562	1	2	51.7	7	1146.3		647836	0
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5568	1	2	66.3	2	1226.7		3658	1
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5563	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5565	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5557	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5559	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5559	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5556	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	



Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5558	1	3	13	13	1499.3	1528.3	125412	1
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5567	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5552	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5562	1	2	80.5	10	1697.5		546448	0
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5563	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5559	1	1	96.7	7			288367	1
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5568	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5555	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5555	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5553	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5559	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5563	1	2	96.9	19	1008.1		283689	0
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5557	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5561	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5554	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5557	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5552	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5565	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	



Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5559	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5565	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 1							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5562	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5556	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									90.00

Test Mode	Mode 1			
Frequency	5.470~5.725 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	1
4	9	1	333	1
5	9	1	333	0
6	9	1	333	1
7	9	1	333	1
8	9	1	333	1
9	9	1	333	1
10	9	1	333	0
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	1
16	9	1	333	1
17	9	1	333	1
18	9	1	333	1
19	9	1	333	1
20	9	1	333	1
21	9	1	333	1
22	9	1	333	1
23	9	1	333	0
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	1
28	9	1	333	1
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				90.00

Test Mode		Mode 1				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5591	1	638	1567	83	1
2	5592	1	858	1166	62	1
3	5593	1	738	1355	72	1
4	5594	1	538	1859	99	0
5	5595	1	778	1285	68	1
6	5596	1	658	1520	81	1
7	5597	1	3066	326	18	1
8	5598	1	598	1672	89	1
9	5599	1	578	1730	92	1
10	5600	1	698	1433	76	1
11	5601	1	618	1618	86	0
12	5602	1	798	1253	67	1
13	5603	1	678	1475	78	1
14	5604	1	558	1792	95	1
15	5605	1	818	1222	65	1
16	5606	1	1541	649	35	0
17	5607	1	891	1122	60	1
18	5608	1	929	1076	57	1
19	5609	1	2448	408	22	1
20	5591	1	1833	546	29	1
21	5592	1	1865	536	29	1
22	5593	1	1542	649	35	1
23	5594	1	2995	334	18	1
24	5595	1	1202	832	44	1
25	5596	1	1165	858	46	1
26	5597	1	1244	804	43	1
27	5598	1	2852	351	19	0
28	5599	1	2242	446	24	1
29	5600	1	1157	864	46	0
30	5601	1	1288	776	41	1
Detection Percentage (%)						83.33

Test Mode		Mode 1				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5591	2.6	228	4386	23	1
2	5592	4.6	150	6667	27	1
3	5593	1.1	184	5435	29	1
4	5594	4.8	203	4926	24	1
5	5595	3.7	189	5291	25	1
6	5596	2.6	201	4975	24	0
7	5597	3.5	216	4630	26	1
8	5598	4.2	194	5155	23	1
9	5599	2.9	225	4444	25	1
10	5600	3.3	206	4854	27	1
11	5601	3.9	213	4695	28	1
12	5602	4.7	159	6289	26	1
13	5603	3.1	167	5988	24	1
14	5604	1.9	217	4608	23	1
15	5605	2.4	162	6173	25	1
16	5606	3.4	204	4902	28	0
17	5607	2.3	170	5882	27	1
18	5608	3.5	184	5435	23	0
19	5609	4.9	150	6667	27	1
20	5591	4.6	211	4739	29	1
21	5592	2.9	158	6329	23	1
22	5593	2.6	226	4425	27	1
23	5594	1.6	204	4902	26	1
24	5595	3.9	181	5525	25	1
25	5596	4.6	202	4950	24	1
26	5597	4.1	194	5155	27	0
27	5598	2.3	193	5181	28	1
28	5599	3.9	173	5780	29	1
29	5600	4.3	188	5319	23	0
30	5601	1.5	215	4651	26	1
Detection Percentage (%)						83.33

Test Mode		Mode 1				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5591	8.0	492	2033	16	1
2	5592	6.7	200	5000	18	1
3	5593	8.6	418	2392	16	1
4	5594	9.4	351	2849	17	1
5	5595	7.4	383	2611	18	1
6	5596	9.8	232	4310	16	1
7	5597	7.6	245	4082	18	1
8	5598	8.2	289	3460	17	0
9	5599	6.5	306	3268	18	1
10	5600	7.3	421	2375	16	1
11	5601	7.8	335	2985	18	1
12	5602	8.8	375	2667	17	0
13	5603	9.6	324	3086	16	1
14	5604	9.4	259	3861	18	1
15	5605	6.4	220	4545	17	1
16	5606	7.2	342	2924	16	1
17	5607	9.1	377	2653	17	1
18	5608	9.6	457	2188	16	1
19	5609	8.0	471	2123	18	1
20	5591	9.0	304	3289	18	1
21	5592	8.0	316	3165	17	1
22	5593	9.8	325	3077	16	1
23	5594	8.0	409	2445	17	1
24	5595	9.9	200	5000	17	0
25	5596	8.8	458	2183	16	1
26	5597	8.0	232	4310	18	1
27	5598	8.3	250	4000	16	0
28	5599	8.7	270	3704	16	1
29	5600	7.7	350	2857	17	1
30	5601	7.1	230	4348	16	1
Detection Percentage (%)						86.67

Test Mode		Mode 1				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5591	18.0	493	2028	15	1
2	5592	19.9	200	5000	12	1
3	5593	12.9	487	2053	14	0
4	5594	13.7	377	2653	13	1
5	5595	15.6	462	2165	15	1
6	5596	18.4	358	2793	16	1
7	5597	13.4	267	3745	12	1
8	5598	15.7	349	2865	14	1
9	5599	19.1	409	2445	15	1
10	5600	18.2	423	2364	16	0
11	5601	13.2	325	3077	13	1
12	5602	14.6	264	3788	12	1
13	5603	18.6	326	3067	14	1
14	5604	15.0	452	2212	13	1
15	5605	16.3	230	4348	12	1
16	5606	19.8	238	4202	13	1
17	5607	18.2	420	2381	16	1
18	5608	16.3	452	2212	15	0
19	5609	14.2	495	2020	12	1
20	5591	17.8	228	4386	16	1
21	5592	19.1	211	4739	16	1
22	5593	18.4	283	3534	15	1
23	5594	11.8	411	2433	12	0
24	5595	14.2	284	3521	13	1
25	5596	13.9	202	4950	12	1
26	5597	17.8	340	2941	14	1
27	5598	15.6	290	3448	16	1
28	5599	14.6	250	4000	16	1
29	5600	14.4	484	2066	15	1
30	5601	18.9	387	2584	13	1
Detection Percentage (%)						86.67

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5605	1	2	51.7	7	1146.3		647836	1
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5606	1	2	66.3	2	1226.7		3658	0
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5593	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	



Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5601	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5598	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5598	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5603	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5592	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5594	1	3	13	13	1499.3	1528.3	125412	1
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5592	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5604	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5598	1	2	80.5	10	1697.5		546448	1
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5603	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5599	1	1	96.7	7			288367	1
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5608	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5599	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5599	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5595	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5596	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5600	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5599	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	



Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5603	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5602	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5596	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5600	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5606	1	1	55.3	12			453512	0
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5603	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5608	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 1							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5603	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5608	1	1	61.2	14			251660	0
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									86.67

Test Mode	Mode 1			
Frequency	5.600~5.650 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	1
4	9	1	333	1
5	9	1	333	1
6	9	1	333	1
7	9	1	333	0
8	9	1	333	1
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	1
16	9	1	333	1
17	9	1	333	1
18	9	1	333	0
19	9	1	333	1
20	9	1	333	1
21	9	1	333	1
22	9	1	333	1
23	9	1	333	0
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	0
28	9	1	333	1
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				86.67

Test Mode		Mode 2				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5292	1	638	1567	83	1
2	5293	1	858	1166	62	1
3	5294	1	738	1355	72	1
4	5295	1	538	1859	99	1
5	5296	1	778	1285	68	1
6	5297	1	658	1520	81	1
7	5298	1	3066	326	18	0
8	5299	1	598	1672	89	1
9	5300	1	578	1730	92	1
10	5301	1	698	1433	76	1
11	5302	1	618	1618	86	1
12	5303	1	798	1253	67	1
13	5304	1	678	1475	78	1
14	5305	1	558	1792	95	1
15	5306	1	818	1222	65	0
16	5307	1	1541	649	35	1
17	5308	1	891	1122	60	1
18	5309	1	929	1076	57	1
19	5310	1	2448	408	22	1
20	5311	1	1833	546	29	1
21	5312	1	1865	536	29	1
22	5313	1	1542	649	35	1
23	5314	1	2995	334	18	1
24	5315	1	1202	832	44	1
25	5316	1	1165	858	46	1
26	5317	1	1244	804	43	1
27	5318	1	2852	351	19	0
28	5319	1	2242	446	24	1
29	5320	1	1157	864	46	1
30	5321	1	1288	776	41	1
Detection Percentage (%)						90.00

Test Mode		Mode 2				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5292	2.6	228	4386	23	1
2	5293	4.6	150	6667	27	1
3	5294	1.1	184	5435	29	1
4	5295	4.8	203	4926	24	0
5	5296	3.7	189	5291	25	1
6	5297	2.6	201	4975	24	1
7	5298	3.5	216	4630	26	1
8	5299	4.2	194	5155	23	1
9	5300	2.9	225	4444	25	1
10	5301	3.3	206	4854	27	1
11	5302	3.9	213	4695	28	1
12	5303	4.7	159	6289	26	1
13	5304	3.1	167	5988	24	1
14	5305	1.9	217	4608	23	1
15	5306	2.4	162	6173	25	1
16	5307	3.4	204	4902	28	1
17	5308	2.3	170	5882	27	0
18	5309	3.5	184	5435	23	1
19	5310	4.9	150	6667	27	1
20	5311	4.6	211	4739	29	1
21	5312	2.9	158	6329	23	1
22	5313	2.6	226	4425	27	1
23	5314	1.6	204	4902	26	1
24	5315	3.9	181	5525	25	1
25	5316	4.6	202	4950	24	0
26	5317	4.1	194	5155	27	1
27	5318	2.3	193	5181	28	1
28	5319	3.9	173	5780	29	1
29	5320	4.3	188	5319	23	1
30	5321	1.5	215	4651	26	1
Detection Percentage (%)						90.00

Test Mode		Mode 2				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5292	8.0	492	2033	16	1
2	5293	6.7	200	5000	18	1
3	5294	8.6	418	2392	16	1
4	5295	9.4	351	2849	17	1
5	5296	7.4	383	2611	18	0
6	5297	9.8	232	4310	16	1
7	5298	7.6	245	4082	18	1
8	5299	8.2	289	3460	17	1
9	5300	6.5	306	3268	18	1
10	5301	7.3	421	2375	16	1
11	5302	7.8	335	2985	18	1
12	5303	8.8	375	2667	17	1
13	5304	9.6	324	3086	16	1
14	5305	9.4	259	3861	18	0
15	5306	6.4	220	4545	17	1
16	5307	7.2	342	2924	16	1
17	5308	9.1	377	2653	17	1
18	5309	9.6	457	2188	16	1
19	5310	8.0	471	2123	18	1
20	5311	9.0	304	3289	18	1
21	5312	8.0	316	3165	17	1
22	5313	9.8	325	3077	16	1
23	5314	8.0	409	2445	17	1
24	5315	9.9	200	5000	17	0
25	5316	8.8	458	2183	16	1
26	5317	8.0	232	4310	18	1
27	5318	8.3	250	4000	16	1
28	5319	8.7	270	3704	16	1
29	5320	7.7	350	2857	17	1
30	5321	7.1	230	4348	16	1
Detection Percentage (%)						90.00



Test Mode		Mode 2				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5292	18.0	493	2028	15	1
2	5293	19.9	200	5000	12	1
3	5294	12.9	487	2053	14	1
4	5295	13.7	377	2653	13	1
5	5296	15.6	462	2165	15	1
6	5297	18.4	358	2793	16	1
7	5298	13.4	267	3745	12	0
8	5299	15.7	349	2865	14	1
9	5300	19.1	409	2445	15	1
10	5301	18.2	423	2364	16	1
11	5302	13.2	325	3077	13	1
12	5303	14.6	264	3788	12	0
13	5304	18.6	326	3067	14	1
14	5305	15.0	452	2212	13	1
15	5306	16.3	230	4348	12	0
16	5307	19.8	238	4202	13	1
17	5308	18.2	420	2381	16	1
18	5309	16.3	452	2212	15	1
19	5310	14.2	495	2020	12	0
20	5311	17.8	228	4386	16	1
21	5312	19.1	211	4739	16	1
22	5313	18.4	283	3534	15	0
23	5314	11.8	411	2433	12	1
24	5315	14.2	284	3521	13	1
25	5316	13.9	202	4950	12	1
26	5317	17.8	340	2941	14	0
27	5318	15.6	290	3448	16	1
28	5319	14.6	250	4000	16	1
29	5320	14.4	484	2066	15	1
30	5321	18.9	387	2584	13	1
Detection Percentage (%)						80.00

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5319	1	2	51.7	7	1146.3		647836	0
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5324	1	2	66.3	2	1226.7		3658	1
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5298	1	3	76.5	5	1658.5	1885.5	341903	0
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5306	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5295	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5316	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5317	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5313	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5298	1	3	13	13	1499.3	1528.3	125412	0
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5312	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5295	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5294	1	2	80.5	10	1697.5		546448	1
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5295	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5318	1	1	96.7	7			288367	1
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5312	1	3	74.8	15	1654.2	1233.2	145982	0
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5304	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	



Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5313	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5300	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5310	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5301	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5315	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5316	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5310	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5308	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5308	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5299	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5323	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5300	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 2							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5303	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5316	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									86.67

Test Mode	Mode 2			
Frequency	5.250~5.350 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	1
4	9	1	333	1
5	9	1	333	1
6	9	1	333	1
7	9	1	333	0
8	9	1	333	1
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	0
15	9	1	333	1
16	9	1	333	1
17	9	1	333	1
18	9	1	333	1
19	9	1	333	1
20	9	1	333	0
21	9	1	333	1
22	9	1	333	0
23	9	1	333	1
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	0
28	9	1	333	1
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				83.33

Test Mode		Mode 2				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5652	1	638	1567	83	1
2	5653	1	858	1166	62	1
3	5654	1	738	1355	72	1
4	5655	1	538	1859	99	1
5	5656	1	778	1285	68	1
6	5657	1	658	1520	81	1
7	5658	1	3066	326	18	0
8	5659	1	598	1672	89	1
9	5660	1	578	1730	92	1
10	5661	1	698	1433	76	1
11	5662	1	618	1618	86	1
12	5663	1	798	1253	67	1
13	5664	1	678	1475	78	0
14	5665	1	558	1792	95	1
15	5666	1	818	1222	65	1
16	5667	1	1541	649	35	1
17	5668	1	891	1122	60	1
18	5669	1	929	1076	57	1
19	5670	1	2448	408	22	1
20	5671	1	1833	546	29	1
21	5672	1	1865	536	29	1
22	5673	1	1542	649	35	1
23	5674	1	2995	334	18	1
24	5675	1	1202	832	44	1
25	5676	1	1165	858	46	1
26	5677	1	1244	804	43	1
27	5678	1	2852	351	19	0
28	5679	1	2242	446	24	1
29	5680	1	1157	864	46	1
30	5681	1	1288	776	41	1
Detection Percentage (%)						90.00



Test Mode		Mode 2				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5652	2.6	228	4386	23	1
2	5653	4.6	150	6667	27	1
3	5654	1.1	184	5435	29	1
4	5655	4.8	203	4926	24	1
5	5656	3.7	189	5291	25	0
6	5657	2.6	201	4975	24	1
7	5658	3.5	216	4630	26	1
8	5659	4.2	194	5155	23	1
9	5660	2.9	225	4444	25	1
10	5661	3.3	206	4854	27	1
11	5662	3.9	213	4695	28	1
12	5663	4.7	159	6289	26	1
13	5664	3.1	167	5988	24	1
14	5665	1.9	217	4608	23	1
15	5666	2.4	162	6173	25	1
16	5667	3.4	204	4902	28	1
17	5668	2.3	170	5882	27	1
18	5669	3.5	184	5435	23	1
19	5670	4.9	150	6667	27	0
20	5671	4.6	211	4739	29	1
21	5672	2.9	158	6329	23	1
22	5673	2.6	226	4425	27	0
23	5674	1.6	204	4902	26	1
24	5675	3.9	181	5525	25	1
25	5676	4.6	202	4950	24	1
26	5677	4.1	194	5155	27	1
27	5678	2.3	193	5181	28	1
28	5679	3.9	173	5780	29	1
29	5680	4.3	188	5319	23	1
30	5681	1.5	215	4651	26	1
Detection Percentage (%)						90.00

Test Mode		Mode 2				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5652	8.0	492	2033	16	1
2	5653	6.7	200	5000	18	1
3	5654	8.6	418	2392	16	1
4	5655	9.4	351	2849	17	1
5	5656	7.4	383	2611	18	0
6	5657	9.8	232	4310	16	1
7	5658	7.6	245	4082	18	1
8	5659	8.2	289	3460	17	1
9	5660	6.5	306	3268	18	1
10	5661	7.3	421	2375	16	1
11	5662	7.8	335	2985	18	1
12	5663	8.8	375	2667	17	1
13	5664	9.6	324	3086	16	1
14	5665	9.4	259	3861	18	1
15	5666	6.4	220	4545	17	1
16	5667	7.2	342	2924	16	1
17	5668	9.1	377	2653	17	0
18	5669	9.6	457	2188	16	1
19	5670	8.0	471	2123	18	1
20	5671	9.0	304	3289	18	1
21	5672	8.0	316	3165	17	1
22	5673	9.8	325	3077	16	0
23	5674	8.0	409	2445	17	1
24	5675	9.9	200	5000	17	0
25	5676	8.8	458	2183	16	1
26	5677	8.0	232	4310	18	1
27	5678	8.3	250	4000	16	1
28	5679	8.7	270	3704	16	1
29	5680	7.7	350	2857	17	1
30	5681	7.1	230	4348	16	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5652	18.0	493	2028	15	1
2	5653	19.9	200	5000	12	1
3	5654	12.9	487	2053	14	1
4	5655	13.7	377	2653	13	1
5	5656	15.6	462	2165	15	1
6	5657	18.4	358	2793	16	1
7	5658	13.4	267	3745	12	1
8	5659	15.7	349	2865	14	1
9	5660	19.1	409	2445	15	0
10	5661	18.2	423	2364	16	1
11	5662	13.2	325	3077	13	1
12	5663	14.6	264	3788	12	1
13	5664	18.6	326	3067	14	1
14	5665	15.0	452	2212	13	1
15	5666	16.3	230	4348	12	1
16	5667	19.8	238	4202	13	1
17	5668	18.2	420	2381	16	0
18	5669	16.3	452	2212	15	1
19	5670	14.2	495	2020	12	1
20	5671	17.8	228	4386	16	1
21	5672	19.1	211	4739	16	1
22	5673	18.4	283	3534	15	1
23	5674	11.8	411	2433	12	0
24	5675	14.2	284	3521	13	1
25	5676	13.9	202	4950	12	1
26	5677	17.8	340	2941	14	1
27	5678	15.6	290	3448	16	1
28	5679	14.6	250	4000	16	1
29	5680	14.4	484	2066	15	1
30	5681	18.9	387	2584	13	1
Detection Percentage (%)						90.00

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5682	1	2	51.7	7	1146.3		647836	0
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5670	1	2	66.3	2	1226.7		3658	1
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5654	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5662	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5675	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5673	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5659	1	2	59.5	14	1515.5		154623	0
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5680	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5667	1	3	13	13	1499.3	1528.3	125412	1
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5669	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5654	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5657	1	2	80.5	10	1697.5		546448	1
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	



Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5671	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5678	1	1	96.7	7			288367	0
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5666	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5673	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5686	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5656	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5685	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5683	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5676	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5684	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5679	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5661	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5667	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5676	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5676	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5663	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 2							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5663	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5675	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									90.00



Test Mode	Mode 2			
Frequency	5.470~5.725 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	0
4	9	1	333	1
5	9	1	333	1
6	9	1	333	1
7	9	1	333	1
8	9	1	333	1
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	1
16	9	1	333	1
17	9	1	333	0
18	9	1	333	1
19	9	1	333	1
20	9	1	333	0
21	9	1	333	1
22	9	1	333	1
23	9	1	333	1
24	9	1	333	1
25	9	1	333	1
26	9	1	333	0
27	9	1	333	1
28	9	1	333	1
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				86.67

Test Mode		Mode 2				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5612	1	638	1567	83	1
2	5613	1	858	1166	62	1
3	5614	1	738	1355	72	1
4	5615	1	538	1859	99	1
5	5616	1	778	1285	68	1
6	5617	1	658	1520	81	1
7	5618	1	3066	326	18	0
8	5619	1	598	1672	89	1
9	5620	1	578	1730	92	1
10	5621	1	698	1433	76	1
11	5622	1	618	1618	86	0
12	5623	1	798	1253	67	1
13	5624	1	678	1475	78	1
14	5625	1	558	1792	95	1
15	5626	1	818	1222	65	1
16	5627	1	1541	649	35	1
17	5628	1	891	1122	60	0
18	5629	1	929	1076	57	1
19	5630	1	2448	408	22	1
20	5631	1	1833	546	29	1
21	5632	1	1865	536	29	1
22	5633	1	1542	649	35	1
23	5634	1	2995	334	18	0
24	5635	1	1202	832	44	1
25	5636	1	1165	858	46	1
26	5637	1	1244	804	43	1
27	5638	1	2852	351	19	1
28	5639	1	2242	446	24	1
29	5640	1	1157	864	46	1
30	5641	1	1288	776	41	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5612	2.6	228	4386	23	1
2	5613	4.6	150	6667	27	1
3	5614	1.1	184	5435	29	1
4	5615	4.8	203	4926	24	1
5	5616	3.7	189	5291	25	1
6	5617	2.6	201	4975	24	1
7	5618	3.5	216	4630	26	1
8	5619	4.2	194	5155	23	0
9	5620	2.9	225	4444	25	1
10	5621	3.3	206	4854	27	1
11	5622	3.9	213	4695	28	1
12	5623	4.7	159	6289	26	1
13	5624	3.1	167	5988	24	1
14	5625	1.9	217	4608	23	1
15	5626	2.4	162	6173	25	0
16	5627	3.4	204	4902	28	1
17	5628	2.3	170	5882	27	1
18	5629	3.5	184	5435	23	1
19	5630	4.9	150	6667	27	0
20	5631	4.6	211	4739	29	1
21	5632	2.9	158	6329	23	1
22	5633	2.6	226	4425	27	1
23	5634	1.6	204	4902	26	1
24	5635	3.9	181	5525	25	1
25	5636	4.6	202	4950	24	0
26	5637	4.1	194	5155	27	1
27	5638	2.3	193	5181	28	1
28	5639	3.9	173	5780	29	0
29	5640	4.3	188	5319	23	1
30	5641	1.5	215	4651	26	1
Detection Percentage (%)						83.33

Test Mode		Mode 2				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5612	8.0	492	2033	16	1
2	5613	6.7	200	5000	18	1
3	5614	8.6	418	2392	16	1
4	5615	9.4	351	2849	17	1
5	5616	7.4	383	2611	18	1
6	5617	9.8	232	4310	16	1
7	5618	7.6	245	4082	18	0
8	5619	8.2	289	3460	17	1
9	5620	6.5	306	3268	18	1
10	5621	7.3	421	2375	16	1
11	5622	7.8	335	2985	18	1
12	5623	8.8	375	2667	17	1
13	5624	9.6	324	3086	16	1
14	5625	9.4	259	3861	18	0
15	5626	6.4	220	4545	17	1
16	5627	7.2	342	2924	16	1
17	5628	9.1	377	2653	17	1
18	5629	9.6	457	2188	16	1
19	5630	8.0	471	2123	18	0
20	5631	9.0	304	3289	18	1
21	5632	8.0	316	3165	17	1
22	5633	9.8	325	3077	16	1
23	5634	8.0	409	2445	17	1
24	5635	9.9	200	5000	17	0
25	5636	8.8	458	2183	16	1
26	5637	8.0	232	4310	18	1
27	5638	8.3	250	4000	16	1
28	5639	8.7	270	3704	16	1
29	5640	7.7	350	2857	17	1
30	5641	7.1	230	4348	16	1
Detection Percentage (%)						86.67

Test Mode		Mode 2				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5612	18.0	493	2028	15	1
2	5613	19.9	200	5000	12	1
3	5614	12.9	487	2053	14	1
4	5615	13.7	377	2653	13	1
5	5616	15.6	462	2165	15	1
6	5617	18.4	358	2793	16	1
7	5618	13.4	267	3745	12	1
8	5619	15.7	349	2865	14	0
9	5620	19.1	409	2445	15	1
10	5621	18.2	423	2364	16	1
11	5622	13.2	325	3077	13	1
12	5623	14.6	264	3788	12	1
13	5624	18.6	326	3067	14	1
14	5625	15.0	452	2212	13	1
15	5626	16.3	230	4348	12	0
16	5627	19.8	238	4202	13	1
17	5628	18.2	420	2381	16	1
18	5629	16.3	452	2212	15	1
19	5630	14.2	495	2020	12	1
20	5631	17.8	228	4386	16	1
21	5632	19.1	211	4739	16	0
22	5633	18.4	283	3534	15	1
23	5634	11.8	411	2433	12	1
24	5635	14.2	284	3521	13	1
25	5636	13.9	202	4950	12	1
26	5637	17.8	340	2941	14	1
27	5638	15.6	290	3448	16	0
28	5639	14.6	250	4000	16	1
29	5640	14.4	484	2066	15	1
30	5641	18.9	387	2584	13	1
Detection Percentage (%)						86.67

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5645	1	2	51.7	7	1146.3		647836	1
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5640	1	2	66.3	2	1226.7		3658	1
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5615	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5627	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5633	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5633	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5635	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5623	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	



Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5624	1	3	13	13	1499.3	1528.3	125412	0
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5646	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5640	5670	1	1	57.4	14			1
			2	3	83.9	15	1079.1	1717.1	
			3	2	67.1	17	1333.9		
			4	2	91.3	14	1877.7		
			5	3	60.1	9	1784.9	1515.9	
			6	1	72.3	11			
			7	2	92.6	7	1077.4		
			8	1	86.2	12			
			9	3	86.8	18	1713.2	1589.2	
			10	1	98.7	6			
			11	2	90.2	19	1747.8		
			12	2	63.9	9	1657.1		
			13	1	73.2	11			
			14	3	51.9	9	1842.1	1910.1	
			15	3	71.8	6	931.2	1825.2	
			16	2	56.9	8	1860.1		
12	5644	5670	1	2	80.5	10	1697.5		1
			2	1	72.8	5			
			3	3	71	8	1728	1497	
			4	1	75.9	10			
			5	1	54.5	11			
			6	3	89.7	11	1854.3	1023.3	
			7	2	81.7	13	1285.3		
			8	3	59.1	10	1476.9	1529.9	
			9	2	73.4	15	1281.6		
			10	3	76	13	993	1043	
			11	1	55.3	19			
			12	2	70.2	11	1911.8		
			13	3	60.5	5	939.5	1600.5	
			14	2	95	5	964		
			15	1	68.6	6			
			16	1	99.3	5			
			17	2	84.8	18	1172.2		
			18	3	97	10	1390	1123	
			19	2	56.9	5	1291.1		
			20	3	97.1	7	1558.9	1362.9	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5622	1	2	96.9	19	1008.1		283689	0
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5643	1	1	96.7	7			288367	0
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5632	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5635	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5631	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5636	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5640	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5614	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5616	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5636	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5615	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5616	1	3	79.8	14	1346.3	1824.3	432429	0
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5625	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5618	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	



Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5637	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5634	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 2							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5618	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5645	1	1	61.2	14			251660	0
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									86.67

Test Mode	Mode 2			
Frequency	5.600~5.650 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	1
4	9	1	333	0
5	9	1	333	1
6	9	1	333	1
7	9	1	333	1
8	9	1	333	1
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	1
16	9	1	333	1
17	9	1	333	0
18	9	1	333	1
19	9	1	333	1
20	9	1	333	1
21	9	1	333	1
22	9	1	333	1
23	9	1	333	1
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	1
28	9	1	333	0
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				90.00

Test Mode		Mode 3				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5276	1	638	1567	83	1
2	5277	1	858	1166	62	1
3	5278	1	738	1355	72	0
4	5279	1	538	1859	99	1
5	5280	1	778	1285	68	1
6	5281	1	658	1520	81	1
7	5282	1	3066	326	18	1
8	5283	1	598	1672	89	1
9	5284	1	578	1730	92	1
10	5285	1	698	1433	76	0
11	5286	1	618	1618	86	1
12	5287	1	798	1253	67	1
13	5288	1	678	1475	78	1
14	5289	1	558	1792	95	1
15	5290	1	818	1222	65	1
16	5291	1	1541	649	35	1
17	5292	1	891	1122	60	0
18	5293	1	929	1076	57	1
19	5294	1	2448	408	22	1
20	5295	1	1833	546	29	1
21	5296	1	1865	536	29	1
22	5297	1	1542	649	35	1
23	5298	1	2995	334	18	1
24	5299	1	1202	832	44	1
25	5300	1	1165	858	46	1
26	5301	1	1244	804	43	1
27	5302	1	2852	351	19	1
28	5303	1	2242	446	24	0
29	5304	1	1157	864	46	1
30	5305	1	1288	776	41	1
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5276	2.6	228	4386	23	1
2	5277	4.6	150	6667	27	0
3	5278	1.1	184	5435	29	1
4	5279	4.8	203	4926	24	1
5	5280	3.7	189	5291	25	1
6	5281	2.6	201	4975	24	0
7	5282	3.5	216	4630	26	1
8	5283	4.2	194	5155	23	1
9	5284	2.9	225	4444	25	1
10	5285	3.3	206	4854	27	1
11	5286	3.9	213	4695	28	1
12	5287	4.7	159	6289	26	1
13	5288	3.1	167	5988	24	1
14	5289	1.9	217	4608	23	0
15	5290	2.4	162	6173	25	1
16	5291	3.4	204	4902	28	1
17	5292	2.3	170	5882	27	1
18	5293	3.5	184	5435	23	1
19	5294	4.9	150	6667	27	1
20	5295	4.6	211	4739	29	1
21	5296	2.9	158	6329	23	1
22	5297	2.6	226	4425	27	1
23	5298	1.6	204	4902	26	0
24	5299	3.9	181	5525	25	1
25	5300	4.6	202	4950	24	1
26	5301	4.1	194	5155	27	1
27	5302	2.3	193	5181	28	1
28	5303	3.9	173	5780	29	1
29	5304	4.3	188	5319	23	1
30	5305	1.5	215	4651	26	1
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5276	8.0	492	2033	16	1
2	5277	6.7	200	5000	18	1
3	5278	8.6	418	2392	16	0
4	5279	9.4	351	2849	17	1
5	5280	7.4	383	2611	18	1
6	5281	9.8	232	4310	16	1
7	5282	7.6	245	4082	18	0
8	5283	8.2	289	3460	17	1
9	5284	6.5	306	3268	18	1
10	5285	7.3	421	2375	16	1
11	5286	7.8	335	2985	18	1
12	5287	8.8	375	2667	17	1
13	5288	9.6	324	3086	16	1
14	5289	9.4	259	3861	18	1
15	5290	6.4	220	4545	17	1
16	5291	7.2	342	2924	16	1
17	5292	9.1	377	2653	17	0
18	5293	9.6	457	2188	16	1
19	5294	8.0	471	2123	18	1
20	5295	9.0	304	3289	18	0
21	5296	8.0	316	3165	17	1
22	5297	9.8	325	3077	16	1
23	5298	8.0	409	2445	17	1
24	5299	9.9	200	5000	17	0
25	5300	8.8	458	2183	16	1
26	5301	8.0	232	4310	18	1
27	5302	8.3	250	4000	16	1
28	5303	8.7	270	3704	16	1
29	5304	7.7	350	2857	17	1
30	5305	7.1	230	4348	16	1
Detection Percentage (%)						83.33

Test Mode		Mode 3				
Frequency		5.250~5.350 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5276	18.0	493	2028	15	1
2	5277	19.9	200	5000	12	1
3	5278	12.9	487	2053	14	1
4	5279	13.7	377	2653	13	0
5	5280	15.6	462	2165	15	1
6	5281	18.4	358	2793	16	1
7	5282	13.4	267	3745	12	1
8	5283	15.7	349	2865	14	1
9	5284	19.1	409	2445	15	1
10	5285	18.2	423	2364	16	0
11	5286	13.2	325	3077	13	1
12	5287	14.6	264	3788	12	1
13	5288	18.6	326	3067	14	1
14	5289	15.0	452	2212	13	1
15	5290	16.3	230	4348	12	1
16	5291	19.8	238	4202	13	1
17	5292	18.2	420	2381	16	0
18	5293	16.3	452	2212	15	1
19	5294	14.2	495	2020	12	1
20	5295	17.8	228	4386	16	0
21	5296	19.1	211	4739	16	1
22	5297	18.4	283	3534	15	1
23	5298	11.8	411	2433	12	1
24	5299	14.2	284	3521	13	1
25	5300	13.9	202	4950	12	1
26	5301	17.8	340	2941	14	1
27	5302	15.6	290	3448	16	1
28	5303	14.6	250	4000	16	0
29	5304	14.4	484	2066	15	1
30	5305	18.9	387	2584	13	1
Detection Percentage (%)						83.33

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5288	1	2	51.7	7	1146.3		647836	1
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5286	1	2	66.3	2	1226.7		3658	0
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5304	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	



Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5288	1	3	50.9	16	1321.1	1333.1	77627	0
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5271	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5277	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5277	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		8	5321	1	3	95.8	12	1628.2	
2	2			52.2	15	1291.8		865214	
3	1			99.9	11			1685231	
4	3			97.4	8	1853.6	1822.6	2035426	
5	2			98.4	11	1706.6		2846253	
6	3			74.2	12	1752.8	1348.8	3625642	
7	1			63.1	6			4123561	
8	2			70.3	13	1127.7		4953621	
9	3			85.5	10	1782.5	1179.5	5512365	
10	2			73.3	18	1409.7		6125403	
11	1			50.9	10			6865868	
12	3			64.7	13	1564.3	1184.3	7421568	
13	1			56.1	10			8088234	
14	3			86.3	12	980.7	1184.7	8645235	
15	1			78	13			9236581	
16	2			62.9	11	1426.1		10132561	
17	2			88.8	10	1513.2		10765249	
18	3			67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5276	1	3	13	13	1499.3	1528.3	125412	0
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5311	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5302	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5276	1	2	80.5	10	1697.5		546448	1
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5319	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5318	1	1	96.7	7			288367	1
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5266	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5297	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5272	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5318	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5277	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5270	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5259	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	



Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5292	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5286	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5259	1	3	79.8	14	1346.3	1824.3	432429	0
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5294	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5276	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5319	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5316	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 3							
Frequency		5.250~5.350 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5288	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5271	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									86.67

Test Mode	Mode 3			
Frequency	5.250~5.350 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	1
3	9	1	333	1
4	9	1	333	1
5	9	1	333	1
6	9	1	333	0
7	9	1	333	1
8	9	1	333	1
9	9	1	333	1
10	9	1	333	0
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	0
16	9	1	333	1
17	9	1	333	1
18	9	1	333	1
19	9	1	333	1
20	9	1	333	0
21	9	1	333	1
22	9	1	333	1
23	9	1	333	1
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	0
28	9	1	333	1
29	9	1	333	1
30	9	1	333	1
Detection Percentage (%)				83.33

Test Mode		Mode 3				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5516	1	638	1567	83	1
2	5517	1	858	1166	62	1
3	5518	1	738	1355	72	1
4	5519	1	538	1859	99	1
5	5520	1	778	1285	68	1
6	5521	1	658	1520	81	0
7	5522	1	3066	326	18	1
8	5523	1	598	1672	89	1
9	5524	1	578	1730	92	1
10	5525	1	698	1433	76	1
11	5526	1	618	1618	86	0
12	5527	1	798	1253	67	1
13	5528	1	678	1475	78	1
14	5529	1	558	1792	95	1
15	5530	1	818	1222	65	1
16	5531	1	1541	649	35	1
17	5532	1	891	1122	60	1
18	5533	1	929	1076	57	1
19	5534	1	2448	408	22	1
20	5535	1	1833	546	29	1
21	5536	1	1865	536	29	1
22	5537	1	1542	649	35	1
23	5538	1	2995	334	18	1
24	5539	1	1202	832	44	1
25	5540	1	1165	858	46	0
26	5541	1	1244	804	43	1
27	5542	1	2852	351	19	1
28	5543	1	2242	446	24	1
29	5544	1	1157	864	46	1
30	5545	1	1288	776	41	1
Detection Percentage (%)						90.00

Test Mode		Mode 3				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5516	2.6	228	4386	23	1
2	5517	4.6	150	6667	27	1
3	5518	1.1	184	5435	29	1
4	5519	4.8	203	4926	24	1
5	5520	3.7	189	5291	25	1
6	5521	2.6	201	4975	24	1
7	5522	3.5	216	4630	26	1
8	5523	4.2	194	5155	23	1
9	5524	2.9	225	4444	25	0
10	5525	3.3	206	4854	27	1
11	5526	3.9	213	4695	28	1
12	5527	4.7	159	6289	26	1
13	5528	3.1	167	5988	24	1
14	5529	1.9	217	4608	23	1
15	5530	2.4	162	6173	25	0
16	5531	3.4	204	4902	28	1
17	5532	2.3	170	5882	27	1
18	5533	3.5	184	5435	23	1
19	5534	4.9	150	6667	27	1
20	5535	4.6	211	4739	29	1
21	5536	2.9	158	6329	23	1
22	5537	2.6	226	4425	27	0
23	5538	1.6	204	4902	26	1
24	5539	3.9	181	5525	25	1
25	5540	4.6	202	4950	24	0
26	5541	4.1	194	5155	27	1
27	5542	2.3	193	5181	28	1
28	5543	3.9	173	5780	29	1
29	5544	4.3	188	5319	23	1
30	5545	1.5	215	4651	26	1
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5516	8.0	492	2033	16	1
2	5517	6.7	200	5000	18	1
3	5518	8.6	418	2392	16	0
4	5519	9.4	351	2849	17	1
5	5520	7.4	383	2611	18	1
6	5521	9.8	232	4310	16	1
7	5522	7.6	245	4082	18	1
8	5523	8.2	289	3460	17	1
9	5524	6.5	306	3268	18	1
10	5525	7.3	421	2375	16	1
11	5526	7.8	335	2985	18	1
12	5527	8.8	375	2667	17	1
13	5528	9.6	324	3086	16	1
14	5529	9.4	259	3861	18	1
15	5530	6.4	220	4545	17	1
16	5531	7.2	342	2924	16	0
17	5532	9.1	377	2653	17	1
18	5533	9.6	457	2188	16	1
19	5534	8.0	471	2123	18	1
20	5535	9.0	304	3289	18	0
21	5536	8.0	316	3165	17	1
22	5537	9.8	325	3077	16	1
23	5538	8.0	409	2445	17	1
24	5539	9.9	200	5000	17	1
25	5540	8.8	458	2183	16	1
26	5541	8.0	232	4310	18	1
27	5542	8.3	250	4000	16	1
28	5543	8.7	270	3704	16	1
29	5544	7.7	350	2857	17	0
30	5545	7.1	230	4348	16	1
Detection Percentage (%)						86.67



Test Mode		Mode 3				
Frequency		5.470~5.725 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5516	18.0	493	2028	15	1
2	5517	19.9	200	5000	12	1
3	5518	12.9	487	2053	14	0
4	5519	13.7	377	2653	13	1
5	5520	15.6	462	2165	15	1
6	5521	18.4	358	2793	16	1
7	5522	13.4	267	3745	12	1
8	5523	15.7	349	2865	14	1
9	5524	19.1	409	2445	15	1
10	5525	18.2	423	2364	16	1
11	5526	13.2	325	3077	13	1
12	5527	14.6	264	3788	12	1
13	5528	18.6	326	3067	14	1
14	5529	15.0	452	2212	13	0
15	5530	16.3	230	4348	12	1
16	5531	19.8	238	4202	13	1
17	5532	18.2	420	2381	16	1
18	5533	16.3	452	2212	15	1
19	5534	14.2	495	2020	12	1
20	5535	17.8	228	4386	16	1
21	5536	19.1	211	4739	16	1
22	5537	18.4	283	3534	15	1
23	5538	11.8	411	2433	12	1
24	5539	14.2	284	3521	13	1
25	5540	13.9	202	4950	12	1
26	5541	17.8	340	2941	14	1
27	5542	15.6	290	3448	16	0
28	5543	14.6	250	4000	16	1
29	5544	14.4	484	2066	15	1
30	5545	18.9	387	2584	13	1
Detection Percentage (%)						90.00

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5516	1	2	51.7	7	1146.3		647836	0
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5506	1	2	66.3	2	1226.7		3658	1
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5546	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5531	1	3	50.9	16	1321.1	1333.1	77627	0
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5502	1	1	81.8	7			255617	1
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5507	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5514	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5515	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5557	1	3	13	13	1499.3	1528.3	125412	1
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5521	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5515	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5549	1	2	80.5	10	1697.5		546448	1
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5528	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5533	1	1	96.7	7			288367	1
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5512	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5524	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	



Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5535	1	2	92.4	13	1522.6		354862	0
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5498	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5506	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5538	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5561	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5533	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5548	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5552	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5515	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5552	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5537	1	2	78.4	12	1532.5		553748	0
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5506	1	1	95.4	6			273267	1
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 3							
Frequency		5.470~5.725 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5510	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5553	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									86.67

Test Mode	Mode 3			
Frequency	5.470~5.725 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	0
3	9	1	333	1
4	9	1	333	1
5	9	1	333	1
6	9	1	333	1
7	9	1	333	1
8	9	1	333	1
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	0
14	9	1	333	1
15	9	1	333	1
16	9	1	333	1
17	9	1	333	1
18	9	1	333	1
19	9	1	333	0
20	9	1	333	1
21	9	1	333	1
22	9	1	333	1
23	9	1	333	1
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	1
28	9	1	333	1
29	9	1	333	0
30	9	1	333	1
Detection Percentage (%)				86.67

Test Mode		Mode 3				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5596	1	638	1567	83	1
2	5597	1	858	1166	62	1
3	5598	1	738	1355	72	1
4	5599	1	538	1859	99	1
5	5600	1	778	1285	68	1
6	5601	1	658	1520	81	1
7	5602	1	3066	326	18	1
8	5603	1	598	1672	89	1
9	5604	1	578	1730	92	0
10	5605	1	698	1433	76	1
11	5606	1	618	1618	86	1
12	5607	1	798	1253	67	1
13	5608	1	678	1475	78	1
14	5609	1	558	1792	95	1
15	5610	1	818	1222	65	0
16	5611	1	1541	649	35	1
17	5612	1	891	1122	60	1
18	5613	1	929	1076	57	1
19	5614	1	2448	408	22	1
20	5615	1	1833	546	29	1
21	5616	1	1865	536	29	1
22	5617	1	1542	649	35	1
23	5618	1	2995	334	18	1
24	5619	1	1202	832	44	1
25	5620	1	1165	858	46	0
26	5621	1	1244	804	43	0
27	5622	1	2852	351	19	1
28	5623	1	2242	446	24	1
29	5624	1	1157	864	46	1
30	5625	1	1288	776	41	1
Detection Percentage (%)						86.67



Test Mode		Mode 3				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5596	2.6	228	4386	23	1
2	5597	4.6	150	6667	27	1
3	5598	1.1	184	5435	29	1
4	5599	4.8	203	4926	24	1
5	5600	3.7	189	5291	25	1
6	5601	2.6	201	4975	24	1
7	5602	3.5	216	4630	26	1
8	5603	4.2	194	5155	23	1
9	5604	2.9	225	4444	25	0
10	5605	3.3	206	4854	27	1
11	5606	3.9	213	4695	28	1
12	5607	4.7	159	6289	26	1
13	5608	3.1	167	5988	24	1
14	5609	1.9	217	4608	23	1
15	5610	2.4	162	6173	25	1
16	5611	3.4	204	4902	28	1
17	5612	2.3	170	5882	27	0
18	5613	3.5	184	5435	23	1
19	5614	4.9	150	6667	27	1
20	5615	4.6	211	4739	29	1
21	5616	2.9	158	6329	23	1
22	5617	2.6	226	4425	27	1
23	5618	1.6	204	4902	26	0
24	5619	3.9	181	5525	25	1
25	5620	4.6	202	4950	24	1
26	5621	4.1	194	5155	27	1
27	5622	2.3	193	5181	28	0
28	5623	3.9	173	5780	29	1
29	5624	4.3	188	5319	23	1
30	5625	1.5	215	4651	26	1
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5596	8.0	492	2033	16	1
2	5597	6.7	200	5000	18	1
3	5598	8.6	418	2392	16	1
4	5599	9.4	351	2849	17	1
5	5600	7.4	383	2611	18	1
6	5601	9.8	232	4310	16	1
7	5602	7.6	245	4082	18	0
8	5603	8.2	289	3460	17	1
9	5604	6.5	306	3268	18	1
10	5605	7.3	421	2375	16	1
11	5606	7.8	335	2985	18	1
12	5607	8.8	375	2667	17	1
13	5608	9.6	324	3086	16	1
14	5609	9.4	259	3861	18	1
15	5610	6.4	220	4545	17	1
16	5611	7.2	342	2924	16	1
17	5612	9.1	377	2653	17	1
18	5613	9.6	457	2188	16	0
19	5614	8.0	471	2123	18	1
20	5615	9.0	304	3289	18	1
21	5616	8.0	316	3165	17	1
22	5617	9.8	325	3077	16	1
23	5618	8.0	409	2445	17	1
24	5619	9.9	200	5000	17	0
25	5620	8.8	458	2183	16	1
26	5621	8.0	232	4310	18	1
27	5622	8.3	250	4000	16	1
28	5623	8.7	270	3704	16	1
29	5624	7.7	350	2857	17	0
30	5625	7.1	230	4348	16	1
Detection Percentage (%)						86.67

Test Mode		Mode 3				
Frequency		5.600~5.650 GHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	PRF (Hz)	Pulses / Burst	1=Detection ; 0=No Detection
1	5596	18.0	493	2028	15	1
2	5597	19.9	200	5000	12	1
3	5598	12.9	487	2053	14	0
4	5599	13.7	377	2653	13	1
5	5600	15.6	462	2165	15	0
6	5601	18.4	358	2793	16	1
7	5602	13.4	267	3745	12	1
8	5603	15.7	349	2865	14	1
9	5604	19.1	409	2445	15	1
10	5605	18.2	423	2364	16	1
11	5606	13.2	325	3077	13	0
12	5607	14.6	264	3788	12	1
13	5608	18.6	326	3067	14	1
14	5609	15.0	452	2212	13	1
15	5610	16.3	230	4348	12	1
16	5611	19.8	238	4202	13	1
17	5612	18.2	420	2381	16	1
18	5613	16.3	452	2212	15	1
19	5614	14.2	495	2020	12	1
20	5615	17.8	228	4386	16	1
21	5616	19.1	211	4739	16	1
22	5617	18.4	283	3534	15	1
23	5618	11.8	411	2433	12	1
24	5619	14.2	284	3521	13	1
25	5620	13.9	202	4950	12	1
26	5621	17.8	340	2941	14	1
27	5622	15.6	290	3448	16	1
28	5623	14.6	250	4000	16	1
29	5624	14.4	484	2066	15	1
30	5625	18.9	387	2584	13	1
Detection Percentage (%)						86.67

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
1	5598	1	2	51.7	7	1146.3		647836	1
		2	1	93.2	15			1409398	
		3	3	79.6	10	1290.4	964.4	2872945	
		4	2	85.8	14	1559.2		4049183	
		5	2	76.5	14	1210.5	1553.5	4494059	
		6	1	61.7	8			5716328	
		7	3	83.6	7	1205.4	993.4	7308202	
		8	1	59.8	5			8119962	
		9	2	69.9	10	1355.1		9532813	
		10	3	94.3	10	1747.7	1408.7	10751035	
		11	2	61.8	18	1000.2		11053268	
2	5604	1	2	66.3	2	1226.7		3658	0
		2	1	94.2	9			1529901	
		3	3	96.7	6	1255.6	1330.6	2951972	
		4	2	60.8	11	1703.1		3038072	
		5	2	70	8	1886.2		4885843	
		6	1	93	16			5281738	
		7	3	87.7	10	1474.2	1427.2	6746502	
		8	1	84.5	18			7749910	
		9	2	89	12	1302.3		8035675	
		10	3	66.4	11	1031.7	1634.7	9089628	
		11	2	71.5	15	917.3		10039865	
		12	1	71.1	11			11195005	
3	5586	1	3	76.5	5	1658.5	1885.5	341903	1
		2	3	89.5	5	1162.5	1012.5	1039290	
		3	1	92.5	15			2530435	
		4	2	82.5	5	1869.5		3352797	
		5	1	68.5	9			3783207	
		6	3	78.3	17	1239.7	936.7	5292381	
		7	1	91	6			6334407	
		8	2	59.3	7	1898.7		6688649	
		9	2	58	13	1884		7600600	
		10	3	92.8	17	1029.2	1258.2	8865035	
		11	1	77.4	10			9464201	
		12	3	90.8	10	1219.2	1458.2	10488185	
		13	2	87.9	8	1764.1		11914643	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
4	5631	1	3	50.9	16	1321.1	1333.1	77627	1
		2	2	73.9	16	1538.1		2317135	
		3	3	71.9	17	1596.1	1584.1	2684349	
		4	1	54.3	14			4779891	
		5	2	84.2	9	1055.8		5502401	
		6	1	99.3	18			6827573	
		7	1	89.5	13			8051166	
		8	3	78.1	5	1436.9	1262.9	9980082	
		9	2	51.1	13	1700.9		11274601	
5	5603	1	1	81.8	7			255617	0
		2	3	55.4	5	1016.6	1310.6	929954	
		3	2	61.7	18	1616.3		1699277	
		4	3	78.6	19	1882.4	1115.4	2516220	
		5	3	75.3	7	1730.7	1082.7	3350667	
		6	1	88.6	7			4671144	
		7	2	74.1	5	1510.9		5553525	
		8	1	75	18			6315577	
		9	3	79.5	8	1722.5	925.5	7021793	
		10	1	91.5	6			7652757	
		11	2	74.8	9	1531.2		8144794	
		12	2	88.4	10	1475.6		9507618	
		13	1	51.7	16			9965188	
		14	3	88.1	12	1605.9	1230.9	10600830	
		15	2	63.2	16	1448.8		11228243	
6	5611	1	3	81.6	15	1326.4	1816.4	420027	1
		2	3	81.6	9	960.4	1855.4	1213961	
		3	1	73.5	12			2412241	
		4	2	61.7	5	1305.3		2705526	
		5	1	63.1	15			4149665	
		6	3	61.4	15	1499.6	1396.6	4418842	
		7	1	99.3	11			5456509	
		8	2	74.9	5	1604.1		6153274	
		9	2	64.3	7	1079.7		7420401	
		10	3	71.1	15	1154.9	1510.9	8105166	
		11	1	59.4	12			9087685	
		12	1	84.5	17			9743762	
		13	3	99.1	11	1357.9	1730.9	10514412	
		14	2	78.4	12	1576.6		11920466	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
7	5588	1	2	59.5	14	1515.5		154623	1
		2	1	71.2	5			860435	
		3	3	72.1	13	1820.9	1327.9	1566260	
		4	2	50.4	19	1603.6		2272135	
		5	3	99.2	11	1157.8	1085.8	2977376	
		6	1	53.8	13			3682861	
		7	2	93.4	7	1133.6		4388707	
		8	3	59.4	7	1374.6	993.6	5094518	
		9	2	53.6	13	1092.4		5799787	
		10	1	59.8	8			6505670	
		11	3	97.7	6	1593.3	1125.3	7209959	
		12	1	84.2	10			7915377	
		13	3	93.2	9	1104.8	1300.8	8619959	
		14	1	97.7	11			9326217	
		15	2	71.2	6	1580.8		10032059	
		16	2	79.8	8	1537.2		10736631	
		17	3	77.2	17	1423.8	1233.8	11442475	
8	5589	1	3	95.8	12	1628.2	1867.2	132542	1
		2	2	52.2	15	1291.8		865214	
		3	1	99.9	11			1685231	
		4	3	97.4	8	1853.6	1822.6	2035426	
		5	2	98.4	11	1706.6		2846253	
		6	3	74.2	12	1752.8	1348.8	3625642	
		7	1	63.1	6			4123561	
		8	2	70.3	13	1127.7		4953621	
		9	3	85.5	10	1782.5	1179.5	5512365	
		10	2	73.3	18	1409.7		6125403	
		11	1	50.9	10			6865868	
		12	3	64.7	13	1564.3	1184.3	7421568	
		13	1	56.1	10			8088234	
		14	3	86.3	12	980.7	1184.7	8645235	
		15	1	78	13			9236581	
		16	2	62.9	11	1426.1		10132561	
		17	2	88.8	10	1513.2		10765249	
		18	3	67.4	14	1249.6	1172.6	11235461	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
9	5593	1	3	13	13	1499.3	1528.3	125412	1
		2	1	17	17			782539	
		3	3	17	17	1939.3	1576.3	1526841	
		4	1	11	11			2156487	
		5	1	14	14			2651285	
		6	3	9	9	1629.4	1414.4	3326582	
		7	2	7	7	1535.8		3988625	
		8	3	14	14	1343	1104	4725418	
		9	2	14	14	1553.1		5326874	
		10	3	13	13	1520.9	918.9	5933652	
		11	1	13	13			6529425	
		12	2	11	11	1028.4		7149632	
		13	3	15	15	1525.4	1407.4	7759932	
		14	2	19	19	1369.6		8425981	
		15	1	8	8			9258412	
		16	1	9	9			9925874	
		17	2	9	9	1050.3		1026582	
		18	3	5	5	1701.2	1173.2	10963658	
		19	2	6	6	1305.2		11456981	
10	5592	1	1	60.7	9			353222	1
		2	3	59.2	13	1331.8	1077.8	1659461	
		3	2	96.1	8	1237.9		3432174	
		4	3	70.5	16	1145.5	1708.5	5432909	
		5	2	63.2	13	1721.8		6953575	
		6	1	51.5	7			8826390	
		7	1	89.1	5			10242227	
		8	2	86.1	12	1499.9		10759333	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
11	5608	1	1	57.4	14			472419	1
		2	3	83.9	15	1079.1	1717.1	861133	
		3	2	67.1	17	1333.9		1822100	
		4	2	91.3	14	1877.7		2679041	
		5	3	60.1	9	1784.9	1515.9	3219408	
		6	1	72.3	11			4454844	
		7	2	92.6	7	1077.4		5169008	
		8	1	86.2	12			5476228	
		9	3	86.8	18	1713.2	1589.2	6009079	
		10	1	98.7	6			7247320	
		11	2	90.2	19	1747.8		7640035	
		12	2	63.9	9	1657.1		8752849	
		13	1	73.2	11			9365509	
		14	3	51.9	9	1842.1	1910.1	9792446	
		15	3	71.8	6	931.2	1825.2	10872322	
		16	2	56.9	8	1860.1		11513196	
12	5622	1	2	80.5	10	1697.5		546448	1
		2	1	72.8	5			648691	
		3	3	71	8	1728	1497	1673517	
		4	1	75.9	10			2025762	
		5	1	54.5	11			2534224	
		6	3	89.7	11	1854.3	1023.3	3251572	
		7	2	81.7	13	1285.3		3757399	
		8	3	59.1	10	1476.9	1529.9	4604714	
		9	2	73.4	15	1281.6		4987161	
		10	3	76	13	993	1043	5610535	
		11	1	55.3	19			6424881	
		12	2	70.2	11	1911.8		6679663	
		13	3	60.5	5	939.5	1600.5	7239430	
		14	2	95	5	964		7924694	
		15	1	68.6	6			8552192	
		16	1	99.3	5			9466622	
		17	2	84.8	18	1172.2		9696724	
		18	3	97	10	1390	1123	10603979	
		19	2	56.9	5	1291.1		10940382	
		20	3	97.1	7	1558.9	1362.9	11654047	



Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
13	5631	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
14	5602	1	1	96.7	7			288367	0
		2	1	54.7	17			660896	
		3	3	52.6	10	1536.4	1334.4	1309965	
		4	2	64.1	17	1168.9		1923650	
		5	2	80.1	18	1808.9		2620524	
		6	3	78.4	19	1726.6	1378.6	3143297	
		7	3	84.3	17	1539.7	1402.7	3735001	
		8	3	81	17	1881	1717	4666585	
		9	2	74.1	18	1575.9		4851931	
		10	1	62.6	15			5483962	
		11	1	67.4	15			6577008	
		12	2	60.4	15	946.6		7056458	
		13	1	51.6	7			7440565	
		14	2	93.6	13	1476.4		8285629	
		15	3	97.5	8	1675.5	1795.5	8889250	
		16	3	73.7	6	1463.3	1294.3	9442593	
		17	2	91.3	9	916.7		9726948	
		18	1	56.5	7			10209408	
		19	2	72.6	14	1831.4		10836022	
		20	3	64.7	16	1625.3	1406.3	11597510	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
15	5624	1	3	74.8	15	1654.2	1233.2	145982	1
		2	1	89.9	5			1058238	
		3	3	58.4	7	1156.6	1161.6	1435873	
		4	2	69.9	10	1722.1		2058964	
		5	2	52.6	16	1393.4		2799658	
		6	3	51.5	5	1113.5	1706.5	3158357	
		7	1	72.2	12			4215839	
		8	3	79.2	13	1336.8	1332.8	4835982	
		9	2	83.7	7	1758.3		5365821	
		10	1	52.8	5			5793588	
		11	1	86.9	11			6523987	
		12	3	83.5	13	1468.5	1231.5	7233985	
		13	2	73.9	18	1220.1		7736982	
		14	2	60.6	5	1880.4		8536827	
		15	1	86.3	6			8935821	
		16	3	97.4	14	1855.6	912.6	9726853	
		17	1	86.7	11			10236581	
		18	2	50.7	14	1644.3		10836582	
		19	3	60.2	5	1924.8	1679.8	11436882	
16	5621	1	3	67.7	13	1787.3	1501.3	193161	1
		2	2	96	10	1092		840518	
		3	1	74.5	7			1979690	
		4	3	95	8	907	1443	2372262	
		5	2	82.3	10	961.7		2691289	
		6	3	84.1	17	978.9	1507.9	3711257	
		7	1	63	10			4053880	
		8	2	93.6	19	1059.4		5119453	
		9	1	61.4	9			5565324	
		10	1	86	14			6228245	
		11	1	63.3	10			6802603	
		12	3	88.6	6	979.4	984.4	7553159	
		13	2	86.6	9	1035.4		8068688	
		14	3	62.4	16	1234.6	985.6	8939294	
		15	2	65.9	11	1859.1		9445705	
		16	2	51.5	15	1339.5		10042487	
		17	1	98.7	10			10888558	
		18	3	66.3	19	1350.7	1640.7	11906444	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
17	5587	1	2	92.4	13	1522.6		354862	1
		2	2	85.9	16	1893.1		860452	
		3	3	65.9	7	1857.1	1823.1	1526845	
		4	1	95.1	9			2256871	
		5	3	87.1	11	934.9	928.9	2958635	
		6	1	73.5	8			3945874	
		7	2	68.7	8	1508.3		4756882	
		8	3	52.1	11	1324.9	987.9	5036528	
		9	1	76.4	10			5945372	
		10	3	96.4	5	1337.6	1898.6	6852981	
		11	2	83.4	11	1597.6		7535962	
		12	1	96.5	18			8018265	
		13	1	79.7	16			8625478	
		14	1	73	14			9347658	
		15	2	86.4	13	1439.6		9925348	
		16	3	90.8	17	1502.2	1389.2	10754826	
		17	3	67.1	16	1532.9	1649.9	11458283	
18	5641	1	1	51.3	11			420200	1
		2	3	56.3	12	1767.7	1360.7	1045128	
		3	2	61.7	10	1582.3		2054476	
		4	2	90.5	8	1722.5		2830215	
		5	3	87.8	13	1288.2	1741.2	3432245	
		6	1	50.9	19			4196566	
		7	1	54.4	12			4953029	
		8	2	91.6	18	1612.4		6311483	
		9	3	87.7	6	1436.3	1258.3	7141870	
		10	3	65.7	16	1723.3	1896.3	7944048	
		11	1	75.3	12			8374995	
		12	2	73.7	15	1892.3		9016434	
		13	2	96.2	13	1411.8		10197913	
		14	1	70.1	12			10817077	
		15	3	52.7	13	1021.3	1393.3	11848236	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
19	5609	1	1	58.9	15			266760	1
		2	2	89.3	18	1728.7		1250019	
		3	1	53.6	14			1804563	
		4	2	66.6	14	1719.4		2650483	
		5	2	64.2	12	1649.8		3910049	
		6	3	57.4	19	1085.6	1816.6	4529777	
		7	1	64.9	10			5348374	
		8	2	69	19	1700		6227024	
		9	2	62	16	1885		7189539	
		10	3	69.2	8	1711.8	1049.8	8019511	
		11	3	80.1	19	1763.9	1461.9	8711083	
		12	1	84.4	9			9670463	
		13	3	59.6	19	1597.4	1092.4	10840806	
		14	3	69.7	17	1392.3	1694.3	11966423	
20	5628	1	2	96.9	19	1008.1		283689	1
		2	2	99	19	1492		1676999	
		3	3	87.1	13	989.9	1019.9	2426967	
		4	1	61.1	18			3625360	
		5	3	62.2	11	1243.8	1766.8	5925658	
		6	1	76	10			6865716	
		7	3	87.2	17	1144.8	1665.8	7529060	
		8	2	81.5	15	1055.5		9383932	
		9	1	69.8	17			10622080	
		10	2	92	19	1683		10957742	
21	5641	1	2	67.2	2	1432.5		3522	1
		2	1	93.3	8			1642901	
		3	3	95.8	7	1388.6	1342.6	2881972	
		4	2	61.7	13	1642.1		3426072	
		5	2	70.5	9	1765.2		4826843	
		6	1	92.7	15			5325738	
		7	3	86.7	9	1356.2	1567.2	6685502	
		8	1	83.2	17			7854910	
		9	2	88.6	13	1389.3		8926675	
		10	3	65.2	10	1211.6	1588.7	9237628	
		11	2	70.3	14	932.2		10074565	
		12	1	70.8	12			11184205	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
22	5636	1	3	61.2	17	1426.1	1426.1	77457	1
		2	2	72.3	15	1674.1		1764135	
		3	3	69.5	16	1625.1	1621.1	2759349	
		4	1	83.2	13			4821891	
		5	2	82.6	10	1103.8		5492401	
		6	1	89.5	17			6759573	
		7	1	87.4	12			8102166	
		8	3	75.2	4	1379.9	1289.9	9890082	
		9	2	50.7	12	1694.9		11314601	
23	5613	1	1	80.2	9			248517	1
		2	3	54.3	4	1212.6	1276.6	976354	
		3	2	60.8	17	1587.3		1647277	
		4	3	72.5	17	1854.4	1202.4	2491220	
		5	3	74.3	6	1730.7	1117.7	3364667	
		6	1	87.6	8			4854144	
		7	2	74.9	6	1491.9		5632525	
		8	1	74	19			6428577	
		9	3	78.2	9	1716.5	945.7	7327793	
		10	1	90.8	7			7543757	
		11	2	74.8	10	1542.2		8279794	
		12	2	87.5	9	1481.6		9223718	
		13	1	50.3	15			9849588	
		14	3	87.7	13	1546.9	1246.6	10197832	
		15	2	64.2	15	1475.8		11345245	
24	5597	1	3	79.8	14	1346.3	1824.3	432429	1
		2	3	75.6	10	958.6	1762.4	1623461	
		3	1	74.7	11			2254243	
		4	2	62.3	6	1324.3		2724526	
		5	1	61.9	12			3169665	
		6	3	61.5	13	1512.6	1388.7	4347842	
		7	1	94.3	9			5546509	
		8	2	72.5	7	1642.1		6346274	
		9	2	62.7	6	1167.7		7501401	
		10	3	70.2	13	1164.9	1497.8	8203168	
		11	1	58.7	14			9129685	
		12	1	82.4	16			9678762	
		13	3	98.4	9	1421.9	1812.9	10274415	
		14	2	77.3	11	1621.6		11320469	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
25	5591	1	3	93.2	13	1571.2	1867.2	142343	1
		2	2	51.4	13	1346.8		858714	
		3	1	96.4	12			1642231	
		4	3	95.2	9	1764.6	1763.7	2128428	
		5	2	96.7	12	1632.6		2754253	
		6	3	75.6	11	1679.8	1346.8	3624642	
		7	1	62.1	7			4237561	
		8	2	69.8	11	1326.7		4846623	
		9	3	88.3	12	1842.5	1201.4	5498365	
		10	2	71.4	17	1513.7		6237403	
		11	1	54.7	9			6742869	
		12	3	62.3	12	1614.3	1192.3	7379568	
		13	1	57.8	12			8124234	
		14	3	84.6	11	978.3	1194.7	8527236	
		15	1	77.3	12			9346581	
		16	2	63.4	10	1518.1		10292563	
		17	2	89.7	9	1462.2		10775249	
		18	3	65.6	12	1372.6	1218.2	11445468	
26	5639	1	1	55.3	12			453512	1
		2	3	52.7	13	1134.2	1642.1	864234	
		3	2	66.3	16	1347.4		1735103	
		4	2	90.2	13	1756.7		2648041	
		5	3	61.3	8	1647.4	1457.9	3628408	
		6	1	74.5	10			4589847	
		7	2	91.7	6	1127.3		5628008	
		8	1	84.3	11			5953726	
		9	3	84.5	17	1612.2	1743.2	6241079	
		10	1	94.7	7			7351321	
		11	2	91.5	18	1648.7		7642036	
		12	2	62.9	10	1572.3		8637847	
		13	1	82.4	9			9428509	
		14	3	50.7	10	1745.2	1845.1	9654445	
		15	3	70.4	7	927.2	1798.2	10327325	
		16	2	55.3	9	1774.3		11134196	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
27	5579	1	2	78.4	12	1532.5		553748	1
		2	1	70.4	4			647891	
		3	3	71.6	7	1624	1479	1628517	
		4	1	73.7	10			2327762	
		5	1	52.7	13			2512224	
		6	3	87.9	9	1632.3	1208.3	3435572	
		7	2	81.2	10	1419.3		3727399	
		8	3	55.4	10	1478.9	1547.9	4819714	
		9	2	71.7	16	1429.6		4915161	
		10	3	73.8	13	756	1345	5516535	
		11	1	53.7	17			6823881	
		12	2	66.5	11	1749.8		6917663	
		13	3	62.7	6	875.5	1624.5	7428430	
		14	2	93.6	7	754		7924694	
		15	1	64.8	5			8916192	
		16	1	96.2	3			9623622	
		17	2	82.8	15	1315.2		9727724	
		18	3	96.5	10	1346	1324	10123949	
		19	2	54.9	8	1427.1		10790385	
		20	3	95.2	10	1549.9	1512.9	11384046	
28	5631	1	1	95.4	6			273267	0
		2	1	53.2	16			654996	
		3	3	51.6	9	1432.4	1279.4	1278965	
		4	2	63.4	15	1241.9		1846650	
		5	2	79.8	16	1756.9		2549524	
		6	3	77.6	18	1642.6	1428.6	3332297	
		7	3	83.4	17	1432.7	1399.7	3642001	
		8	3	80.2	16	1765	1648	4724585	
		9	2	72.9	17	1649.9		4868931	
		10	1	61.7	13			5516962	
		11	1	65.4	15			6613008	
		12	2	61.8	14	957.6		7127458	
		13	1	52.5	6			7742365	
		14	2	92.7	12	1321.4		8317629	
		15	3	95.6	7	1547.5	1815.5	8776250	
		16	3	72.6	8	1516.3	1315.3	9519593	
		17	2	92.7	10	925.7		9619948	
		18	1	55.4	6			10328408	
		19	2	71.8	13	1759.4		10750022	
		20	3	52.4	15	1637.3	1328.3	11495510	

Test Mode		Mode 3							
Frequency		5.600~5.650 GHz							
Radar Signal		Type 5							
Trial #	Test Frequency (MHz)	Burst#	No. of Pulses	Pulse Width (us)	Chirp (MHz)	Pulse 1-to-2 Spacing (us)	Pulse 2-to-3 Spacing (us)	Starting Location Within Interval (us)	1=Detection ; 0=No Detection
29	5596	1	2	91.2	12	1426.6		344862	1
		2	2	86.4	15	1732.1		856752	
		3	3	64.2	8	1746.1	1728.1	1498845	
		4	1	94.3	10			2321871	
		5	3	88.4	10	932.9	937.9	2827635	
		6	1	72.1	9			3854874	
		7	2	67.4	7	1613.3		4647882	
		8	3	51.4	11	1334.9	967.9	5127528	
		9	1	74.3	11			5846372	
		10	3	94.8	6	1327.6	1795.6	6750981	
		11	2	82.1	10	1627.6		7432962	
		12	1	95.7	16			8128265	
		13	1	78.3	15			8567478	
		14	1	72.1	14			9201658	
		15	2	85.7	13	1517.6		9891348	
		16	3	91.3	16	1642.2	1426.2	10274828	
		17	3	68.2	15	1637.9	1527.9	11468285	
30	5627	1	1	61.2	14			251660	1
		2	2	88.4	18	1628.7		1318019	
		3	1	52.1	13			1742563	
		4	2	65.9	15	1678.4		2543483	
		5	2	63.2	13	1658.8		3873049	
		6	3	58.3	18	1129.6	1754.6	4627777	
		7	1	62.9	11			5438374	
		8	2	68.4	17	1627		6357024	
		9	2	63.1	15	1782		7219539	
		10	3	68.2	7	1641.8	1129.8	8128511	
		11	3	79.8	19	1645.9	1518.9	8624083	
		12	1	82.7	10			9714463	
		13	3	60.2	18	1427.4	1128.4	10260806	
		14	3	68.7	16	1384.3	1572.3	11876423	
Detection Percentage (%)									83.33



Test Mode	Mode 3			
Frequency	5.600~5.650 GHz			
Radar Signal	Type 6			
Trial #	Pulse Width (us)	PRI (us)	PRF (Hz)	1=Detection ; 0=No Detection
1	9	1	333	1
2	9	1	333	0
3	9	1	333	1
4	9	1	333	1
5	9	1	333	1
6	9	1	333	1
7	9	1	333	1
8	9	1	333	0
9	9	1	333	1
10	9	1	333	1
11	9	1	333	1
12	9	1	333	1
13	9	1	333	1
14	9	1	333	1
15	9	1	333	1
16	9	1	333	1
17	9	1	333	0
18	9	1	333	1
19	9	1	333	1
20	9	1	333	1
21	9	1	333	1
22	9	1	333	1
23	9	1	333	1
24	9	1	333	1
25	9	1	333	1
26	9	1	333	1
27	9	1	333	1
28	9	1	333	1
29	9	1	333	0
30	9	1	333	1
Detection Percentage (%)				86.67