

## RF EXPOSURE REPORT



**Applicant:** ID TECH  
10721 Walker Street Cypress, CA 90630

**Manufacturer:** ID TECH  
10721 Walker Street Cypress, CA 90630

**Product Name:** VP3300 OEM EXT

**Brand Name:** ID TECH

**FCC Model No.:** ID-80149016-001, ID-80149016-ABC

**ISED Model No.:** ID-80149016-001, ID-80149016-011

**Model Difference:** Refer to section 1.3

**Report Number:** TESA2309000542ES

**FCC ID** WQJ-ID80149016

**IC:** 9847A-ID80149016

**Date of EUT Received:** Sep. 22, 2023

**Issue Date:** Nov. 10, 2023

Approved By \_\_\_\_\_

*John Yeh*  
John Yeh

**We hereby certify that:**

The above equipment was evaluate by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1093 and RSS-102.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Revision History

| Report Number    | Revision | Description                   | Issue Date    | Revised By  | Remark |
|------------------|----------|-------------------------------|---------------|-------------|--------|
| TESA2309000542ES | 00       | Original                      | Nov. 01, 2023 | Kimmy Chiou |        |
| TESA2309000542ES | 01       | Modify FCC                    | Nov. 08, 2023 | Ruby Ou     | *      |
| TESA2309000542ES | 02       | Update manufacturer's Address | Nov. 10, 2023 | Cindy Chou  | *      |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |

**Note:**

- 1、The remark "\*" indicates modification of the report upon requests from certification body.
- 2、Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received.
- 3、According to manufacture provide information and RF technical judgement, the full function and complex model is ID-80149016-001, could be as representative mode and perform full test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Table of Contents

|          |                                                             |          |
|----------|-------------------------------------------------------------|----------|
| <b>1</b> | <b>DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)</b> .....      | <b>4</b> |
| 1.1      | Product Description .....                                   | 4        |
| 1.2      | Reference Test Report .....                                 | 4        |
| 1.3      | Model Difference .....                                      | 5        |
| <b>2</b> | <b>rf EXPOSURE EVALUATION FOR PORTABLE CONDITIONS</b> ..... | <b>6</b> |
| 2.1      | FCC Standard Applicable: .....                              | 6        |
| 2.2      | ISED Standard Applicable .....                              | 8        |
| 2.3      | Result:.....                                                | 8        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

### 1.1 Product Description

|                                 |                                                            |
|---------------------------------|------------------------------------------------------------|
| Product Name:                   | VP3300 OEM EXT                                             |
| Brand Name:                     | ID TECH                                                    |
| FCC Model No.:                  | ID-80149016-001, ID-80149016-ABC                           |
| ISED Model No.:                 | ID-80149016-001, ID-80149016-011                           |
| Model Difference:               | Refer to section 1.3                                       |
| Hardware Version:               | N/A                                                        |
| Firmware Version:               | N/A                                                        |
| EUT Series No.:                 | ID-80149016-001: 334T141206<br>ID-80149016-011: 334T141199 |
| Power Supply:                   | 5V                                                         |
| Test Software<br>(Name/Version) | HW For TS160/V2.03.005                                     |

### 1.2 Reference Test Report

|                |                                |
|----------------|--------------------------------|
| Test Lab:      | SGS Taiwan Ltd. Central RF Lab |
| Report Number: | TERF2309002319ER               |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.3 Model Difference

|                                |                 |                 |
|--------------------------------|-----------------|-----------------|
| Model No.                      | ID-80149016-001 | ID-80149016-011 |
| Circuit diagram differences    | NFC+ICC         | Only NFC        |
| Internal component differences | NFC+ICC         | Only NFC        |
| Appearance differences         | NFC+ICC         | Only NFC        |
| Functional differences         | NFC+ICC         | Only NFC        |

Family Model No.: ID-80149016-ABC (The letters ABC represent wild cards as A=0~5, B=0~3, and C=1~4 with the below differences)

|   |                         |
|---|-------------------------|
| A | Output encrypted format |
| 0 | EMV3.1, TDES (V1.10)    |
| 1 | EMV3.1, AES (V1.10)     |
| 2 | EMV2.3.1, TDES (V1.01)  |
| 3 | EMV2.3.1, AES (V1.01)   |
| 4 | EMV3.1, TDES (V1.20)    |
| 5 | EMV3.1, AES (V1.20)     |

|   |                                                            |
|---|------------------------------------------------------------|
| B | Card Technology                                            |
| 0 | EMV+CTLS, with mounting hole (NFC+ICC)<br>With RS232+USB   |
| 1 | CTLS only, with mounting hole (Only NFC)<br>With RS232+USB |
| 2 | EMV+CTLS, without mounting hole (NFC+ICC)<br>USB only      |
| 3 | CTLS only, without mounting hole (Only NFC)<br>USB only    |

|   |                   |
|---|-------------------|
| C | Appearance        |
| 1 | White; Production |
| 2 | White; Demo       |
| 3 | Black; Production |
| 4 | Black; Demo       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2 RF EXPOSURE EVALUATION FOR PORTABLE CONDITIONS

### 2.1 FCC Standard Applicable:

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

#### 2.1.1 As per KDB 447498 D01 4.3.1,

**Step a:** For 100 MHz to 6 GHz and test separation distances  $\leq 50$  mm, the 1-g and 10-g SAR test exclusion thresholds are determined by the following:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot [f(\text{GHz})] \leq 3.0$  for 1-g Head & Body SAR and  $\leq 7.5$  for 10-g extremity Hand SAR, where

- $f(\text{GHz})$  is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison
- The values 3.0 and 7.5 are referred to as numeric thresholds in **step b)** below

**Step b:** For 100 MHz to 6 GHz and test separation distances  $> 50$  mm, the 1-g and 10-g SAR test exclusion thresholds are determined by the following (also illustrated in Appendix B):

- 1)  $\{[\text{Power allowed at numeric threshold for 50 mm in step a)}] + [(\text{test separation distance} - 50 \text{ mm}) \cdot (f(\text{MHz})/150)]\}$  mW, for 100 MHz to 1500 MHz
- 2)  $\{[\text{Power allowed at numeric threshold for 50 mm in step a)}] + [(\text{test separation distance} - 50 \text{ mm}) \cdot 10]\}$  mW, for  $> 1500$  MHz and  $\leq 6$  GHz

**Step c:** For frequencies below 100 MHz, the following may be considered for SAR test exclusion (also illustrated in Appendix C):

- 1) For test separation distances  $> 50$  mm and  $< 200$  mm, the power threshold at the corresponding test separation distance at 100 MHz in step b) is multiplied by  $[1 + \log(100/f(\text{MHz}))]$
- 2) For test separation distances  $\leq 50$  mm, the power threshold determined by the equation in c) 1) for 50 mm and 100 MHz is multiplied by  $\frac{1}{2}$
- 3) SAR measurement procedures are not established below 100 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**2.1.2 As per KDB447498D01v06 4.3.1 c)**

SAR test exclusion threshold for NFC (13.56MHz) shall be evaluated as below,

- a) For *test separation distances* ≤ 50 mm, the power threshold determined by the equation in 4.3.1 c) 1) for 50 mm and 100 MHz is multiplied by ½
  - b) The power threshold at 50mm/100 MHz in 4.3.1 b) is multiplied by [1 + log(100/f(MHz))] where f is 13.56MHz
  - c) The power threshold in 4.3.1 b) is [Power allowed at numeric threshold for 50 mm in 4.3.1 a)] + [(test separation distance – 50 mm)·(f(MHz)/150)] mW, for 100 MHz to 1500 MHz where test separation distance is 50mm, frequency is 100MHz.
  - d) Power allowed at numeric threshold for 50 mm in 4.3.1 a) is  $[3/\sqrt{f(\text{GHz})}] \cdot (\text{test separation distance})$
- Hence, SAR test exclusion threshold is calculated in reverse sequence:
- d) :  $[3/\sqrt{0.1}] \cdot 50 = 474.3416\text{mW}$
  - c) :  $474.3416 + (50-50) \cdot (100/150) = 474.3416\text{mW}$
  - b) :  $474.3416 \cdot [1 + \log(100/13.56)] = 885.9469\text{mW}$
  - a) :  $885.9469 \cdot 0.5 = 442.973\text{mW}$

**Step c:**

| Frequency (MHz) | E-FIELD dBuV/m | Test Distance (m) | EIRP (dBm) | EIRP (mW) | Threshold (mW) |
|-----------------|----------------|-------------------|------------|-----------|----------------|
| 13.56           | 37.68          | 30                | -37.47757  | 0.0001787 | 442.973        |

**Note:**

**Distance Factor =  $40\log(\text{Test Distance (m)} / \text{Separation Distance (m)})$**

**E-FIELD (dBuV/m) = E-FIELD (dBuV/m) + Distance Factor(dB)**

**EIRP (dBm) = (E-FIELD(dBuV/m) + 20log(d(m)) - 104.7**

**EIRP(mW) =  $(10^{(EIRP(dBm)/10)})$**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.2 ISED Standard Applicable

As per RSS-102 Issue 5 March 19, 2015, any transmitter shall be compliant with applicable RF exposure prior to being market. In §2.5.1, SAR evaluation is required if the separation distance between the user and/or bystander and the antenna and/or radiating element of the device is less than or equal to 20 cm, except when the device operates at or below the applicable output power level (adjusted for tune-up tolerance) for the specified separation distance defined in Table 1.

Output power level shall be the higher of the maximum conducted or equivalent isotropically radiated power (e.i.r.p.) source-based, time-averaged output power.

For limb-worn devices where the 10 gram value applies, the exemption limits for routine evaluation in Table 1 are multiplied by a factor of 2.5.

## 2.3 Result:

### NFC

| Freq. (MHz) | E-FIELD dBuV/m | Test Distance (m) | EIRP (dBm) | EIRP (mW)  | Exemption Limit (mW) |
|-------------|----------------|-------------------|------------|------------|----------------------|
| 13.56       | 37.68          | 30                | -37.47757  | 0.00017875 | 71                   |

**Distance Factor** =  $40\log(\text{Test Distance (m)} / \text{Required Distance (m)})$

**E-FIELD (dBuV/m)** = E-FIELD (dBuV/m) + Distance Factor(dB)

**EIRP (dBm)** = (E-FIELD(dBuV/m)+ 20log(d(m)))-104.7

**EIRP(W)** =  $(10^{(EIRP(dBm)/10)})/1000$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.