

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
RF output power	2402.000	10.0	1.000000	PASS
Minimum Emission Bandwidth 6 dB	2402.000	10.0	1.000000	PASS
Peak Power Spectral Density	2402.000	10.0	1.000000	PASS
Occupied Channel Bandwidth 99%	2402.000	10.0	1.000000	PASS
Band Edge low	2402.000	10.0	1.000000	PASS
Tx Spurious Emission	2402.000	10.0	1.000000	PASS
Emissions in restricted frequency bands (Average)	2402.000	10.0	1.000000	PASS
RF output power	2442.000	10.0	1.000000	PASS
Minimum Emission Bandwidth 6 dB	2442.000	10.0	1.000000	PASS
Peak Power Spectral Density	2442.000	10.0	1.000000	PASS
Occupied Channel Bandwidth 99%	2442.000	10.0	1.000000	PASS
Tx Spurious Emission	2442.000	10.0	1.000000	PASS
Emissions in restricted frequency bands (Average)	2442.000	10.0	1.000000	PASS
RF output power	2480.000	10.0	1.000000	PASS
Minimum Emission Bandwidth 6 dB	2480.000	10.0	1.000000	PASS
Peak Power Spectral Density	2480.000	10.0	1.000000	PASS
Occupied Channel Bandwidth 99%	2480.000	10.0	1.000000	PASS
Band Edge high	2480.000	10.0	1.000000	PASS
Tx Spurious Emission	2480.000	10.0	1.000000	PASS
Emissions in restricted frequency bands (Average)	2480.000	10.0	1.000000	PASS


RF output power (2402 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
2402.000000	5.6	30.0	7.1	60.657	PASS

Gated Trace



— Gated Trace — Overall — Limit

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

Minimum Emission Bandwidth 6 dB (2402 MHz; Nominal (10 dBm); 1 MHz)


Customized settings.

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2402.000000	0.673268	0.500000	---	2401.623762	2402.297030

(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
2402.000000	4.1	PASS



Bandwidth



Date: 10.JUL.2020 17:45:45

Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.40100 GHz	2.40100 GHz
Stop Frequency	2.40300 GHz	2.40300 GHz
Span	2.000 MHz	2.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	101	~ 40
Sweeptime	18.938 µs	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	10 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.50 dB

Peak Power Spectral Density (2402 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2402.000000	2402.232500	-1.343	8.0	PASS


Ports

Port	State
1	used

Peak Power Spectral Density



PSD Connector 1



Date: 10.JUL.2020 17:46:17

Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.40125 GHz	2.40125 GHz
Stop Frequency	2.40275 GHz	2.40275 GHz
Span	1.500 MHz	1.500 MHz
RBW	10.000 kHz	<= 10.000 kHz
VBW	30.000 kHz	>= 30.000 kHz
SweepPoints	300	~ 300
Sweeptime	1.500 ms	AUTO
Reference Level	-30.000 dBm	-30.000 dBm
Attenuation	0.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	13 / max. 150	max. 150
Stable	2 / 2	2
Max Stable Difference	0.15 dB	0.50 dB

Occupied Channel Bandwidth 99% (2402 MHz; Nominal (10 dBm); 1 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2402.000000	1.015000	---	---	2401.487500	2402.502500

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
2402.000000	PASS



Bandwidth



Date: 10.JUL.2020 17:46:24

Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.40100 GHz	2.40100 GHz
Stop Frequency	2.40300 GHz	2.40300 GHz
Span	2.000 MHz	2.000 MHz
RBW	10.000 kHz	>= 10.000 kHz
VBW	30.000 kHz	>= 30.000 kHz
SweepPoints	400	~ 400
Sweeptime	189.648 μs	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	5 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.07 dB	0.30 dB

Band Edge low (2402 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2402.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
2479.975000	8.8

Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.175000	-39.7	18.5	-21.2	PASS
2399.225000	-39.8	18.6	-21.2	PASS
2399.125000	-40.4	19.3	-21.2	PASS
2399.975000	-41.0	19.9	-21.2	PASS
2399.275000	-41.5	20.4	-21.2	PASS
2399.375000	-42.3	21.1	-21.2	PASS
2399.325000	-42.3	21.1	-21.2	PASS
2399.925000	-42.4	21.2	-21.2	PASS
2399.425000	-42.6	21.4	-21.2	PASS
2399.075000	-42.7	21.5	-21.2	PASS
2399.475000	-43.4	22.2	-21.2	PASS
2399.525000	-44.3	23.1	-21.2	PASS
2399.875000	-44.8	23.6	-21.2	PASS
2399.025000	-46.4	25.3	-21.2	PASS
2399.825000	-47.1	26.0	-21.2	PASS

Band Edge




— Limit — Sum Level × Fail

Gain




Connector1

Attenuation




Connector1

Band Edge Connector 1_0



Date: 10.JUL.2020 17:46:47

Band Edge Connector 1_1



Date: 10.JUL.2020 17:47:22

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	2.31000 GHz	2.31000 GHz
Stop Frequency	2.40000 GHz	2.40000 GHz
Span	90.000 MHz	90.000 MHz
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	1800	~ 1800
Sweeptime	113.672 μs	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweptype	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	10 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.50 dB

Measurement 2

Setting	Instrument Value	Target Value
Start Frequency	2.40000 GHz	2.40000 GHz
Stop Frequency	2.48350 GHz	2.48350 GHz
Span	83.500 MHz	83.500 MHz

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	1670	~ 1670
SweepTime	94.727 μ s	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	26 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.01 dB	0.50 dB

Tx Spurious Emission (2402 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2402.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2558.456970	-40.0	13.9	-26.1
2395.021008	-41.9	15.8	-26.1
2245.651261	-44.5	18.4	-26.1
2528.474182	-46.6	20.5	-26.1
2275.525210	-46.8	20.7	-26.1
25935.037293	-48.3	22.2	-26.1
2588.439758	-49.0	22.9	-26.1
17909.644390	-49.1	23.1	-26.1
17899.650127	-49.4	23.3	-26.1
19888.508394	-49.5	23.4	-26.1
19148.932958	-49.5	23.4	-26.1
20268.290374	-49.7	23.6	-26.1
19908.496919	-49.7	23.6	-26.1
25905.054505	-49.8	23.7	-26.1
17919.638653	-49.8	23.7	-26.1

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2400.000000	1	1
2400.000000	2483.500000	1	1
2483.500000	26000.000000	1	1

Spurious




— Limit — Sum Level - - - Threshold × Critical × Final Critical

Gain




Connector1

Attenuation




Connector1

Spurious Connector 1_0




Date: 10.JUL.2020 17:47:37

Spurious Connector 1_1



Date: 10.JUL.2020 17:47:44

Spurious Connector 1_2



Date: 10.JUL.2020 17:48:10

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	238	~ 238
SweepTime	23.700 ms	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	5 / max. 40	max. 40
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.50 dB

Emissions in restricted frequency bands (Average) (2402 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2402.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2246.250000	-43.0	1.8	-41.2
2246.750000	-43.4	2.2	-41.2
2270.250000	-43.8	2.6	-41.2
2245.750000	-44.2	3.0	-41.2
2269.750000	-45.3	4.1	-41.2
2272.750000	-46.5	5.3	-41.2
2272.250000	-46.5	5.3	-41.2
2270.750000	-46.6	5.4	-41.2
2247.250000	-47.0	5.8	-41.2
73.875000	-66.4	6.5	-59.9
2296.750000	-47.9	6.7	-41.2
73.825000	-66.6	6.7	-59.9
2271.750000	-48.0	6.8	-41.2
74.825000	-66.7	6.8	-59.9
74.925000	-67.0	7.1	-59.9

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	7000.000000	1	1
7000.000000	26000.000000	1	1

Restricted Band




— Limit - - - - Threshold × Critical — Sum Level × Final Critical

Gain




— Connector1

Attenuation




— Connector1

Restricted Band Connector 1_0




Date: 10.JUL.2020 17:55:44

Restricted Band Connector 1_1




Date: 10.JUL.2020 17:56:11

Restricted Band Connector 1_2



Date: 10.JUL.2020 17:56:26

Restricted Band Connector 1_3



Date: 10.JUL.2020 18:00:05

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	12000	~ 12000
SweepTime	12.000 ms	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO
Detector	Average	Average
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	5 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.07 dB	0.50 dB

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	10.000 kHz	<= 10.000 kHz
VBW	30.000 kHz	>= 30.000 kHz
SweepPoints	5998	~ 5998
SweepTime	1.327 ms	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO

Setting	Instrument Value	Target Value
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	5 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.50 dB

RF output power (2442 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Minimum Emission Bandwidth 6 dB (2442 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2442.000000	0.673268	0.500000	---	2441.623762	2442.297030


(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
2442.000000	5.6	PASS

6 dB Bandwidth



Bandwidth



Date: 10.JUL.2020 18:01:23

Peak Power Spectral Density (2442 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Occupied Channel Bandwidth 99% (2442 MHz; Nominal (10 dBm); 1 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2442.000000	0.995000	---	---	2441.502500	2442.497500

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
2442.000000	PASS



Bandwidth



Date: 10.JUL.2020 18:01:45

Tx Spurious Emission (2442 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2442.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2598.434020	-42.4	18.1	-24.4
2285.483193	-45.2	20.8	-24.4
2568.451232	-45.3	20.9	-24.4
2315.357143	-46.8	22.4	-24.4
19918.491181	-48.0	23.7	-24.4
7325.720251	-48.1	23.7	-24.4
19878.514131	-48.3	23.9	-24.4
19888.508394	-48.6	24.2	-24.4
25895.060242	-49.0	24.6	-24.4
15820.843498	-49.1	24.7	-24.4
19898.502656	-49.1	24.7	-24.4
17889.655865	-49.2	24.8	-24.4
20228.313323	-49.2	24.9	-24.4
17879.661602	-49.2	24.9	-24.4
17899.650127	-49.3	24.9	-24.4

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2400.000000	1	1
2400.000000	2483.500000	1	1
2483.500000	26000.000000	1	1

Spurious




— Limit — Sum Level - - - Threshold × Critical × Final Critical

Gain



Connector1

Attenuation



Connector1

Emissions in restricted frequency bands (Average) (2442 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2442.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2286.250000	-43.4	2.2	-41.2
2286.750000	-44.0	2.8	-41.2
2285.750000	-44.7	3.5	-41.2
2312.250000	-46.2	5.0	-41.2
2312.750000	-47.5	6.3	-41.2
7326.849161	-47.9	6.7	-41.2
2311.750000	-48.3	7.1	-41.2
73.275000	-67.0	7.1	-59.9
75.025000	-67.0	7.1	-59.9
75.075000	-67.3	7.4	-59.9
7325.067967	-48.6	7.4	-41.2
73.675000	-67.4	7.5	-59.9
73.525000	-67.4	7.5	-59.9
73.325000	-67.5	7.6	-59.9
73.575000	-67.5	7.6	-59.9

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	7000.000000	1	1
7000.000000	26000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

RF output power (2480 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Minimum Emission Bandwidth 6 dB (2480 MHz; Nominal (10 dBm); 1 MHz)


Customized settings.

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2480.000000	0.693070	0.500000	---	2479.623762	2480.316832

(continuation of the "6 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Max Level (dBm)	Result
2480.000000	5.8	PASS



Bandwidth



Date: 10.JUL.2020 18:06:44

Peak Power Spectral Density (2480 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Occupied Channel Bandwidth 99% (2480 MHz; Nominal (10 dBm); 1 MHz)


Customized settings.

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2480.000000	0.995000	---	---	2479.497500	2480.492500

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Result
2480.000000	PASS



Bandwidth



Date: 10.JUL.2020 18:07:11

Band Edge high (2480 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2480.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
2479.975000	8.8

Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2485.325000	-54.9	33.7	-21.2	PASS
2485.375000	-54.9	33.7	-21.2	PASS
2485.275000	-55.4	34.2	-21.2	PASS
2485.225000	-55.7	34.4	-21.2	PASS
2485.425000	-56.4	35.1	-21.2	PASS
2483.925000	-56.4	35.2	-21.2	PASS
2483.875000	-56.6	35.4	-21.2	PASS
2485.125000	-56.8	35.6	-21.2	PASS
2485.175000	-57.0	35.8	-21.2	PASS
2484.425000	-57.1	35.9	-21.2	PASS
2484.475000	-57.2	36.0	-21.2	PASS
2483.975000	-57.4	36.2	-21.2	PASS
2485.075000	-57.4	36.2	-21.2	PASS
2484.375000	-57.5	36.3	-21.2	PASS
2484.525000	-57.7	36.5	-21.2	PASS

Band Edge




— Limit — Sum Level × Fail

Gain




Connector1

Attenuation




Connector1

Band Edge Connector 1_0



Date: 10.JUL.2020 18:07:30

Band Edge Connector 1_1



Date: 10.JUL.2020 18:07:42

Tx Spurious Emission (2480 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2480.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2638.411071	-42.1	17.8	-24.3
2325.315126	-44.9	20.5	-24.3
2528.474182	-45.6	21.3	-24.3
2345.231092	-46.5	22.1	-24.3
2265.567227	-46.7	22.4	-24.3
2608.428283	-47.1	22.8	-24.3
20198.330535	-48.4	24.1	-24.3
19868.519868	-48.6	24.3	-24.3
17889.655865	-48.8	24.5	-24.3
19938.479707	-49.0	24.6	-24.3
18229.460795	-49.5	25.1	-24.3
17879.661602	-49.6	25.3	-24.3
15560.992669	-49.6	25.3	-24.3
20238.307586	-49.7	25.4	-24.3
19898.502656	-49.8	25.4	-24.3

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2400.000000	1	1
2400.000000	2483.500000	1	1
2483.500000	26000.000000	1	1

Spurious




— Limit — Sum Level - - - Threshold × Critical × Final Critical

Gain



Connector1

Attenuation



Connector1

Emissions in restricted frequency bands (Average) (2480 MHz; Nominal (10 dBm); 1 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
2480.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2483.750000	-43.8	2.6	-41.2
2324.750000	-44.4	3.2	-41.2
2324.250000	-44.4	3.2	-41.2
2350.750000	-46.8	5.6	-41.2
2350.250000	-47.0	5.8	-41.2
2323.750000	-47.9	6.7	-41.2
75.075000	-66.6	6.7	-59.9
75.125000	-66.6	6.7	-59.9
73.825000	-67.0	7.1	-59.9
74.025000	-67.0	7.1	-59.9
73.775000	-67.1	7.2	-59.9
73.975000	-67.3	7.4	-59.9
73.875000	-67.3	7.4	-59.9
74.225000	-67.6	7.7	-59.9
73.375000	-67.6	7.7	-59.9

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
0.009000	30.000000	2	2
30.000000	1000.000000	2	2
1000.000000	7000.000000	1	1
7000.000000	26000.000000	1	1

Restricted Band




— Limit - - - Threshold × Critical — Sum Level × Final Critical

Gain



— Connector1

Attenuation



— Connector1

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	12000	~ 12000
SweepTime	12.000 ms	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO
Detector	Average	Average
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	10.000 kHz	<= 10.000 kHz
VBW	30.000 kHz	>= 30.000 kHz
SweepPoints	5998	~ 5998
SweepTime	1.327 ms	AUTO
Reference Level	-20.000 dBm	-30.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	30	30
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	5 / max. 150	max. 150
Stable	3 / 3	3
Max Stable Difference	0.00 dB	0.50 dB