



FCC Test Report

FCC ID : SWX-UVPT
Equipment : UniFi VoIP Phone Touch
Brand Name : UBIQUITI
Model Name : UVP-Touch
Applicant : Ubiquiti Networks, Inc.
685 Third Avenue, 27th Floor New York,
New York 10017 USA
Manufacturer : Ubiquiti Networks, Inc.
685 Third Avenue, 27th Floor New York,
New York 10017 USA
Standard : 47 CFR FCC Part 15.407

The product was received on Nov. 08, 2018, and testing was started from Nov. 13, 2018 and completed on Dec. 28, 2018. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of government.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.



Approved by: Allen Lin

SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



Table of Contents

HISTORY OF THIS TEST REPORT3

SUMMARY OF TEST RESULT4

1 GENERAL DESCRIPTION5

1.1 Information.....5

1.2 Testing Applied Standards8

1.3 Testing Location Information8

1.4 Measurement Uncertainty8

2 TEST CONFIGURATION OF EUT.....9

2.1 Test Condition9

2.2 Test Channel Mode9

2.3 The Worst Case Measurement Configuration10

2.4 Support Equipment.....11

2.5 Test Setup Diagram12

3 TRANSMITTER TEST RESULT13

3.1 AC Power-line Conducted Emissions13

3.2 Emission Bandwidth14

3.3 Maximum Conducted Output Power15

3.4 Peak Power Spectral Density.....17

3.5 Unwanted Emissions.....19

3.6 Test Equipment and Calibration Data23

APPENDIX A. TEST RESULTS OF AC POWER-LINE CONDUCTED EMISSIONS

APPENDIX B. TEST RESULTS OF EMISSION BANDWIDTH

APPENDIX C. TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER

APPENDIX D. TEST RESULTS OF PEAK POWER SPECTRAL DENSITY

APPENDIX E. TEST RESULTS OF UNWANTED EMISSIONS

APPENDIX F. TEST PHOTOS

PHOTOGRAPHS OF EUT V01



History of this test report

Report No.	Version	Description	Issued Date
FR5O0205-02AN	01	Initial issue of report	Feb. 27, 2019



Summary of Test Result

Report Clause	Ref. Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	15.203	Antenna Requirement	PASS	-
3.1	15.207	AC Power-line Conducted Emissions	PASS	-
3.2	15.407(a)	Emission Bandwidth	PASS	-
3.3	15.407(a)	Maximum Conducted Output Power	PASS	-
3.4	15.407(a)	Peak Power Spectral Density	PASS	-
3.5	15.407(b)	Unwanted Emissions	PASS	-

Declaration of Conformity:
The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.
Comments and explanations:
None

Reviewed by: Jackson Tsai

Report Producer: Ann Hou



1 General Description

1.1 Information

1.1.1 RF General Information

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	a, n (HT20), ac (VHT20)	5180-5240	36-48 [4]
5250-5350		5260-5320	52-64 [4]
5470-5725		5500-5700	100-140 [11]
Straddle 5720		5720	144 [1]
5725-5850		5745-5825	149-165 [5]
5150-5250	n (HT40), ac (VHT40)	5190-5230	38-46 [2]
5250-5350		5270-5310	54-62 [2]
5470-5725		5510-5670	102-134 [5]
Straddle 5710		5710	142 [1]
5725-5850		5755-5795	151-159 [2]
5150-5250	ac (VHT80)	5210	42 [1]
5250-5350		5290	58 [1]
5470-5725		5530-5610	106-122 [2]
Straddle 5690		5690	138 [1]
5725-5850		5775	155 [1]

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11a	20	1TX
5.25-5.35GHz	802.11a	20	1TX
5.47-5.725GHz	802.11a	20	1TX
5.725-5.85GHz	802.11a	20	1TX
5.15-5.25GHz	802.11ac VHT20	20	1TX
5.25-5.35GHz	802.11ac VHT20	20	1TX
5.47-5.725GHz	802.11ac VHT20	20	1TX
5.725-5.85GHz	802.11ac VHT20	20	1TX
5.15-5.25GHz	802.11ac VHT40	40	1TX
5.25-5.35GHz	802.11ac VHT40	40	1TX
5.47-5.725GHz	802.11ac VHT40	40	1TX
5.725-5.85GHz	802.11ac VHT40	40	1TX
5.15-5.25GHz	802.11ac VHT80	80	1TX
5.25-5.35GHz	802.11ac VHT80	80	1TX



Band	Mode	BWch (MHz)	Nant
5.47-5.725GHz	802.11ac VHT80	80	1TX
5.725-5.85GHz	802.11ac VHT80	80	1TX

Note:

- ♦ 11a, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- ♦ VHT20, VHT40, VHT80 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM modulation.
- ♦ BWch is the nominal channel bandwidth.

1.1.2 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector
1	-	-	internal antenna	Murata

Ant.	Port	Gain (dBi)		
		2.4G	5G	BT
1	1	1	1	1

Note 1: The EUT has one antenna.

For 2.4GHz function:

For IEEE 802.11 b/g/n mode (1TX/1RX)

Ant. 1 (port 1) could transmit/receive simultaneously.

For 5GHz function:

For IEEE 802.11 a/n/ac mode (1TX/1RX)

Ant. 1 (port 1) could transmit/receive simultaneously.

For BT function:

For IEEE 802.15.1 Bluetooth mode (1TX/1RX)

Ant. 1 (port 1) could transmit/receive simultaneously.



1.1.3 EUT Information

Operational Condition			
EUT Power Type	From PoE		
EUT Function	<input type="checkbox"/> Outdoor	<input type="checkbox"/> Indoor	
	<input type="checkbox"/> Fixed P2P	<input checked="" type="checkbox"/> Client	
Beamforming Function	<input type="checkbox"/> With beamforming	<input checked="" type="checkbox"/> Without beamforming	
TPC Function	<input checked="" type="checkbox"/> With TPC Function	<input type="checkbox"/> Without TPC Function	
Weather Band	<input checked="" type="checkbox"/> With 5600~5650MHz	<input type="checkbox"/> Without 5600~5650MHz	
Type of EUT			
<input checked="" type="checkbox"/>	Stand-alone		
<input type="checkbox"/>	Combined (EUT where the radio part is fully integrated within another device)		
	Combined Equipment - Brand Name / Model No.:	...	
<input type="checkbox"/>	Plug-in radio (EUT intended for a variety of host systems)		
	Host System - Brand Name / Model No.:	...	
<input type="checkbox"/>	Other:		

1.1.4 Mode Test Duty Cycle

Mode	DC	DCF(dB)	T(s)	VBW(Hz) ≥ 1/T
802.11a	0.841	0.752	1.043m	1k
802.11ac VHT20	0.832	0.799	980u	3k
802.11ac VHT40	0.704	1.524	495u	3k
802.11ac VHT80	0.549	2.604	250u	10k

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

1.2 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ◆ 47 CFR FCC Part 15
- ◆ ANSI C63.10-2013
- ◆ KDB 789033 D02 v02r01

1.3 Testing Location Information

Testing Location				
<input checked="" type="checkbox"/>	HWA YA	ADD : No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)		
		TEL : 886-3-327-3456	FAX : 886-3-327-0973	
Test site Designation No. TW1190 with FCC.				
<input type="checkbox"/>	JHUBEI	ADD : No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County, Taiwan (R.O.C.)		
		TEL : 886-3-656-9065	FAX : 886-3-656-9085	
Test site Designation No. TW0006 with FCC.				

Test Condition	Test Site No.	Test Engineer	Test Environment	Test Date
AC Conduction	CO04-HY	Andy	23°C / 61%	13/Nov/2018
RF Conducted	TH01-HY	Streak	23.4°C / 64%	28/Dec/2018
Radiated	03CH02-HY	Lego	23°C / 63%	28/Dec/2018

1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Test Items	Uncertainty	Remark
Conducted Emission (150kHz ~ 30MHz)	3.54 dB	Confidence levels of 95%
Radiated Emission (9kHz ~ 30MHz)	1.6 dB	Confidence levels of 95%
Radiated Emission (30MHz ~ 1,000MHz)	4.3 dB	Confidence levels of 95%
Radiated Emission (1GHz ~ 18GHz)	3.9 dB	Confidence levels of 95%
Radiated Emission (18GHz ~ 40GHz)	3.5 dB	Confidence levels of 95%
Conducted Emission	1.3 dB	Confidence levels of 95%
Temperature	0.7 °C	Confidence levels of 95%
Humidity	4 %	Confidence levels of 95%



2 Test Configuration of EUT

2.1 Test Condition

Condition Item	Abbreviation/Remark	Remark
RF Conducted	Abbreviation	Remark
TnomVnom	Tnom	20°C
-	Vnom	110V




2.2 Test Channel Mode

Test Software Version	QDART-V 100038
-----------------------	----------------

2.3 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests	
Tests Item	AC power-line conducted emissions
Condition	AC power-line conducted measurement for line and neutral
Operating Mode	CTX
1	PoE mode

The Worst Case Mode for Following Conformance Tests	
Tests Item	Emission Bandwidth Maximum Conducted Output Power Peak Power Spectral Density
Test Condition	Conducted measurement at transmit chains

The Worst Case Mode for Following Conformance Tests			
Tests Item	Unwanted Emissions		
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.		
Operating Mode < 1GHz	CTX		
1	PoE mode		
Operating Mode > 1GHz	CTX		
Orthogonal Planes of EUT	X Plane	Y Plane	Z Plane
			
Worst Planes of EUT			V




2.4 Support Equipment

Support Equipment – AC Conduction				
No.	Equipment	Brand Name	Model Name	FCC ID
1	PoE	UBNT	GP-C500-120G	N/A

Support Equipment – RF Conducted				
No.	Equipment	Brand Name	Model Name	FCC ID
1	Notebook	DELL	E5410	DoC
2	Adapter for NB	N/A	N/A	DoC

Support Equipment – Radiated Emission				
No.	Equipment	Brand Name	Model Name	FCC ID
1	PoE(Remote)	UBNT	GP-C500-120G	N/A

2.5 Test Setup Diagram



3 Transmitter Test Result

3.1 AC Power-line Conducted Emissions

3.1.1 AC Power-line Conducted Emissions Limit

AC Power-line Conducted Emissions Limit		
Frequency Emission (MHz)	Quasi-Peak	Average
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50

Note 1: * Decreases with the logarithm of the frequency.


3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures

Test Method
<input checked="" type="checkbox"/> Refer as ANSI C63.10-2013, clause 6.2 for AC power-line conducted emissions.

3.1.4 Test Setup



3.1.5 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

3.2 Emission Bandwidth

3.2.1 Emission Bandwidth Limit

Emission Bandwidth Limit	
UNII Devices	
<input checked="" type="checkbox"/>	For the 5.15-5.25 GHz band, N/A
<input checked="" type="checkbox"/>	For the 5.25-5.35 GHz band, N/A
<input checked="" type="checkbox"/>	For the 5.47-5.725 GHz band, N/A
<input checked="" type="checkbox"/>	For the 5.725-5.85 GHz band, 6 dB emission bandwidth \geq 500kHz.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.2.3 Test Procedures

Test Method	
<ul style="list-style-type: none"> ▪ For the emission bandwidth shall be measured using one of the options below: 	
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause C for EBW and clause D for OBW measurement.
<input type="checkbox"/>	Refer as ANSI C63.10, clause 6.9.3 for occupied bandwidth testing.
<input type="checkbox"/>	Refer as IC RSS-Gen, clause 6.7 for bandwidth testing.

3.2.4 Test Setup



3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B



3.3 Maximum Conducted Output Power

3.3.1 Maximum Conducted Output Power Limit

Maximum Conducted Output Power Limit	
UNII Devices	
<input checked="" type="checkbox"/> For the 5.15-5.25 GHz band:	
	<ul style="list-style-type: none"> ▪ Outdoor AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$. e.i.r.p. at any elevation angle above 30 degrees ≤ 125mW [21dBm]
	<ul style="list-style-type: none"> ▪ Indoor AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$
	<ul style="list-style-type: none"> ▪ Point-to-point AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 23$ dBi, then $P_{Out} = 30 - (G_{TX} - 23)$.
	<ul style="list-style-type: none"> ▪ Mobile or Portable Client: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.
<input checked="" type="checkbox"/> For the 5.25-5.35 GHz band, the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.47-5.725 GHz band, the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.725-5.85 GHz band:	
	<ul style="list-style-type: none"> ▪ Point-to-multipoint systems (P2M): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$.
	<ul style="list-style-type: none"> ▪ Point-to-point systems (P2P): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W.
P_{Out} = maximum conducted output power in dBm, G_{TX} = the maximum transmitting antenna directional gain in dBi.	



3.3.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures

Test Method	
<ul style="list-style-type: none"> Maximum Conducted Output Power 	
<ul style="list-style-type: none"> Duty cycle $\geq 98\%$ <ul style="list-style-type: none"> <input type="checkbox"/> Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging). Duty cycle $< 98\%$ <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed) 	
Wideband RF power meter and average over on/off periods with duty factor	
<ul style="list-style-type: none"> <input checked="" type="checkbox"/> Refer as KDB 789033, clause E Method PM (using an RF average power meter). 	
<ul style="list-style-type: none"> For conducted measurement. <ul style="list-style-type: none"> If the EUT supports multiple transmit chains using options given below: Refer as KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them. If multiple transmit chains, EIRP calculation could be following as methods: $P_{total} = P_1 + P_2 + \dots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = P_{total} + DG$ 	

3.3.4 Test Setup



3.3.5 Test Result of Maximum Conducted Output Power

Refer as Appendix C

3.4 Peak Power Spectral Density

3.4.1 Peak Power Spectral Density Limit

Peak Power Spectral Density Limit	
UNII Devices	
<input checked="" type="checkbox"/> For the 5.15-5.25 GHz band:	
	<ul style="list-style-type: none"> ▪ Outdoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$. ▪ Indoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$. ▪ Point-to-point AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If $G_{TX} > 23$ dBi, then $P_{Out} = 17 - (G_{TX} - 23)$. ▪ Mobile or Portable Client: the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.
<input checked="" type="checkbox"/> For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.47-5.725 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.725-5.85 GHz band:	
	<ul style="list-style-type: none"> ▪ Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz. If $G_{TX} > 6$ dBi, then $PPSD = 30 - (G_{TX} - 6)$. ▪ Point-to-point systems (P2P): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz.
<p>PPSD = peak power spectral density that he same method as used to determine the conducted output power shall be used to determine the power spectral density. And power spectral density in dBm/MHz</p> <p>G_{TX} = the maximum transmitting antenna directional gain in dBi.</p>	


3.4.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.4.3 Test Procedures

Test Method	
<ul style="list-style-type: none"> ▪ Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options: 	
<input type="checkbox"/>	Refer as KDB 789033, F)5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth Duty cycle ≥ 98%
<input type="checkbox"/>	Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging). Duty cycle < 98%
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
<ul style="list-style-type: none"> ▪ For conducted measurement. 	
<ul style="list-style-type: none"> ▪ If the EUT supports multiple transmit chains using options given below: <ul style="list-style-type: none"> ▪ Measure and sum the spectra across the outputs. Refer as KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace. ▪ If multiple transmit chains, EIRP PPSD calculation could be following as methods: $PPSD_{total} = PPSD_1 + PPSD_2 + \dots + PPSD_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = PPSD_{total} + DG$ 	

3.4.4 Test Setup



3.4.5 Test Result of Peak Power Spectral Density

Refer as Appendix D

3.5 Unwanted Emissions

3.5.1 Transmitter Radiated Unwanted Emissions Limit

Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.

Un-restricted band emissions above 1GHz Limit	
Operating Band	Limit
5.15 - 5.25 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.25 - 5.35 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.47 - 5.725 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.725 - 5.85 GHz	5.650-5700 GHz: e.i.r.p. -27 ~ 10 dBm [68.2 ~ 105.2 dBuV/m@3m] 5.700-5720 GHz: e.i.r.p. 10 ~ 15.6 dBm [105.2 ~ 110.8 dBuV/m@3m] 5.720-5725 GHz: e.i.r.p. 15.6 ~ 27 dBm [110.8 ~ 122.2 dBuV/m@3m] 5.850-5.855 GHz: e.i.r.p. 27 ~ 15.6 dBm [122.2 ~ 110.8 dBuV/m@3m] 5.855-5.875 GHz: e.i.r.p. 15.6 ~ 10 dBm [110.8 ~ 105.2 dBuV/m@3m] 5.875-5.925 GHz: e.i.r.p. 10 ~ -27 dBm [105.2 ~ 68.2dBuV/m@3m] Other un-restricted band: e.i.r.p. -27 dBm [68.2 dBuV/m@3m]

Note 1: Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).


3.5.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

3.5.3 Test Procedures

Test Method	
<ul style="list-style-type: none"> ▪ Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements). 	
<ul style="list-style-type: none"> ▪ The average emission levels shall be measured in [duty cycle \geq 98 or duty factor]. 	
<ul style="list-style-type: none"> ▪ For the transmitter unwanted emissions shall be measured using following options below: 	
	<ul style="list-style-type: none"> ▪ Refer as KDB 789033, clause G)2) for unwanted emissions into non-restricted bands.
	<ul style="list-style-type: none"> ▪ Refer as KDB 789033, clause G)1) for unwanted emissions into restricted bands.
	<input checked="" type="checkbox"/> Refer as KDB 789033, G)6) Method VB (ANSI C63.10, clause 4.1.4.2.3), Reduced VBW.
	<input checked="" type="checkbox"/> Refer as KDB 789033, clause G)5) (ANSI C63.10, clause 4.1.4.2.2), measurement procedure peak limit.
<ul style="list-style-type: none"> ▪ For radiated measurement. 	
	<ul style="list-style-type: none"> ▪ Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m.
	<ul style="list-style-type: none"> ▪ Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m.
	<ul style="list-style-type: none"> ▪ Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.
<ul style="list-style-type: none"> ▪ The any unwanted emissions level shall not exceed the fundamental emission level. 	
<ul style="list-style-type: none"> ▪ All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported. 	

3.5.4 Test Setup





3.5.5 Transmitter Unwanted Emissions (Below 30MHz)

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

3.5.6 Test Result of Transmitter Unwanted Emissions

Refer as Appendix E

3.6 Test Equipment and Calibration Data

Instrument for AC Conduction

Instrument	Manufacturer	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
EMC Receiver	R&S	ESR	102051	9KHz ~ 3.6GHz	03/May/2018	02/May/2019
LISN	R&S	ENV216	101295	9kHz ~ 30MHz	17/Nov/2017	16/Nov/2018
RF Cable-CON	MTJ	RG142	CB002-CO	9kHz ~ 200MHz	17/Sep/2018	16/Sep/2019
AC POWER	APC	AFC-11005G	F310050055	47Hz~63Hz 5~300V	NCR	NCR
Impuls Begrenzer Pulse Limiter	SCHWARZBECK	VTSD 9561-F	9561-F041	9 kHz ~ 30 MHz	12/Oct/2018	11/Oct/2019

NCR : Non-Calibration Require

Instrument for Conducted Test

Instrument	Manufacturer	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Spectrum Analyzer	R&S	FSV 40	101013	10Hz~40GHz	05/Feb/2018	04/Feb/2019
Power Sensor	Anritsu	MA2411B	0917017	300MHz ~ 40GHz	05/Feb/2018	04/Feb/2019
Power Meter	Anritsu	ML2495A	0949003	300MHz ~ 40GHz	05/Feb/2018	04/Feb/2019
2Way Divider	Microwave	MVE8546	TH01-DV-01	1MHz~6MHz	23/Jan/2018	22/Jan/2019
Cable 0.2m	HUBER	MY10710/4	RF Cable - 01	30MHz~1G	11/Jan/2018	10/Jan/2019
Cable 0.2m	HUBER	MY10710/4	RF Cable - 01	1G~18G	11/Jan/2018	10/Jan/2019
Cable 0.5m	HUBER	MY10714/4	RF Cable - 05	30MHz~1G	11/Jan/2018	10/Jan/2019
SMB100A Signal Generator	R&S	SMB100A03	181147	100kHz~40GHz	12/Nov/2018	10/Nov/2020

Instrument for Radiated Test


Instrument	Manufacturer	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	30MHz ~ 1GHz 3m	19/Oct/2018	18/Oct/2019
3m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-3M	03CH02-HY	1GHz ~ 18GHz 3m	17/Oct/2018	16/Oct/2019
Amplifier	Agilent	8447D	2944A11149	100kHz ~ 1.3GHz	27/Jul/2018	02/Jul/2019
Microwave Preamplifier	Agilent	8449B	3008A02373	1GHz ~ 26.5GHz	23/Oct/2018	22/Oct/2019
Signal Analyzer	R&S	FSV40	101500	10Hz ~ 40GHz	18/Jul/2018	17/Jul/2019
RF Cable-R03m	Jye Bao	RG142	CB017	9kHz ~ 1GHz	19/Jan/2018	18/Jan/2019
RF Cable-high	SUHNER	SUCOFLEX104	MY34918/4	1GHz ~ 40GHz	19/Jan/2018	18/Jan/2019
Bilog Antenna & 5dB Attenuator	SCHAFFNER / MTJ	CBL 6112B / MTJ6102-05	2723 / 2	30MHz ~ 1GHz	08/Sep/2018	07/Sep/2019
Broadband Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA 9170154	18GHz ~ 40GHz	06/Feb/2018	05/Feb/2019
Double Ridged Guide Horn Antenna	SCHWARZBECK	BBHA 9120D	BBHA 9120 D 1531	1GHz ~ 18GHz	18/Apr/ 2018	17/Apr/2019
Preamplifier	MITEQ	TTA1840-35-HG	1864481	18GHz ~ 40GHz	24/Aug/2018	23/Aug/2019
EMI Test Receiver	R&S	ESR3	102052	9kHz ~ 3.6GHz	10/Apr/2018	09/Apr/2019




AC Power-line Conducted Emissions Result

Operating Mode	1	Power Phase	Neutral
Operating Function	PoE mode		

13/11/2018



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)
QP	160.094k	41.56	65.46	-23.90	19.66	Neutral	-	21.90	9.63	0.03	10.00
AV	160.094k	31.88	55.46	-23.58	19.66	Neutral	-	12.22	9.63	0.03	10.00
QP	398.886k	48.85	57.87	-9.02	19.71	Neutral	-	29.14	9.61	0.10	10.00
AV	398.886k	41.46	47.87	-6.41	19.71	Neutral	-	21.75	9.61	0.10	10.00
QP	17.974M	47.73	60.00	-12.27	19.84	Neutral	-	27.89	9.71	0.13	10.00
AV	17.974M	46.40	50.00	-3.60	19.84	Neutral	-	26.56	9.71	0.13	10.00
QP	21.285M	47.81	60.00	-12.19	19.86	Neutral	-	27.95	9.71	0.15	10.00
AV	21.285M	42.00	50.00	-8.00	19.86	Neutral	-	22.14	9.71	0.15	10.00
QP	26.728M	50.65	60.00	-9.35	19.81	Neutral	-	30.84	9.70	0.11	10.00
AV	26.728M	47.66	50.00	-2.34	19.81	Neutral	-	27.85	9.70	0.11	10.00
QP	29.329M	50.68	60.00	-9.32	19.95	Neutral	-	30.73	9.69	0.26	10.00
AV	29.329M	48.95	50.00	-1.05	19.95	Neutral	"Worst"	29.00	9.69	0.26	10.00



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	44.75M	21.614M	21M6D1D	44.3M	19.29M
802.11ac_VHT20_Nss1,(MCS0)_1TX	48M	23.738M	23M7D1D	47.55M	20.615M
802.11ac_VHT40_Nss1,(MCS0)_1TX	93.35M	54.323M	54M3D1D	85.6M	43.778M
802.11ac_VHT80_Nss1,(MCS0)_1TX	161.9M	78.061M	78M1D1D	161.9M	78.061M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	45.45M	22.814M	22M8D1D	44.275M	21.789M
802.11ac_VHT20_Nss1,(MCS0)_1TX	48.375M	24.663M	24M7D1D	48.125M	23.338M
802.11ac_VHT40_Nss1,(MCS0)_1TX	93.15M	53.873M	53M9D1D	87.3M	44.628M
802.11ac_VHT80_Nss1,(MCS0)_1TX	159.2M	76.362M	76M4D1D	159.2M	76.362M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	48.3M	28.436M	28M4D1D	27.225M	18.116M
802.11ac_VHT20_Nss1,(MCS0)_1TX	49.2M	30.435M	30M4D1D	27.885M	19.34M
802.11ac_VHT40_Nss1,(MCS0)_1TX	99.25M	65.067M	65M1D1D	65.03M	36.632M
802.11ac_VHT80_Nss1,(MCS0)_1TX	196.8M	115.542M	116MD1D	128.55M	75.562M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.325M	24.713M	24M7D1D	3.14M	14.133M
802.11ac_VHT20_Nss1,(MCS0)_1TX	17.525M	27.336M	27M3D1D	3.16M	14.193M
802.11ac_VHT40_Nss1,(MCS0)_1TX	35.1M	58.221M	58M2D1D	3.14M	31.004M
802.11ac_VHT80_Nss1,(MCS0)_1TX	70.1M	96.152M	96M2D1D	2.54M	38.741M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth;



Result


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz_TnomVnom	Pass	Inf	44.3M	19.29M
5200MHz_TnomVnom	Pass	Inf	44.525M	20.54M
5240MHz_TnomVnom	Pass	Inf	44.75M	21.614M
5260MHz_TnomVnom	Pass	Inf	44.725M	21.914M
5300MHz_TnomVnom	Pass	Inf	44.275M	21.789M
5320MHz_TnomVnom	Pass	Inf	45.45M	22.814M
5500MHz_TnomVnom	Pass	Inf	45.375M	23.588M
5580MHz_TnomVnom	Pass	Inf	48.3M	28.436M
5700MHz_TnomVnom	Pass	Inf	43.825M	18.116M
5720MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	Inf	27.225M	19.25M
5720MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	500k	3.14M	14.133M
5745MHz_TnomVnom	Pass	500k	16.325M	24.713M
5785MHz_TnomVnom	Pass	500k	16.325M	22.589M
5825MHz_TnomVnom	Pass	500k	16.3M	22.764M
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz_TnomVnom	Pass	Inf	47.55M	20.615M
5200MHz_TnomVnom	Pass	Inf	47.725M	21.464M
5240MHz_TnomVnom	Pass	Inf	48M	23.738M
5260MHz_TnomVnom	Pass	Inf	48.375M	24.263M
5300MHz_TnomVnom	Pass	Inf	48.125M	23.338M
5320MHz_TnomVnom	Pass	Inf	48.375M	24.663M
5500MHz_TnomVnom	Pass	Inf	49.2M	30.31M
5580MHz_TnomVnom	Pass	Inf	49.075M	30.435M
5700MHz_TnomVnom	Pass	Inf	47.35M	21.289M
5720MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	Inf	27.885M	19.34M
5720MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	500k	3.16M	14.193M
5745MHz_TnomVnom	Pass	500k	17.525M	27.336M
5785MHz_TnomVnom	Pass	500k	17.525M	24.713M
5825MHz_TnomVnom	Pass	500k	17.5M	23.888M
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz_TnomVnom	Pass	Inf	85.6M	43.778M
5230MHz_TnomVnom	Pass	Inf	93.35M	54.323M
5270MHz_TnomVnom	Pass	Inf	93.15M	53.873M
5310MHz_TnomVnom	Pass	Inf	87.3M	44.628M
5510MHz_TnomVnom	Pass	Inf	77.35M	36.632M
5550MHz_TnomVnom	Pass	Inf	99.25M	65.067M
5670MHz_TnomVnom	Pass	Inf	98.7M	59.62M
5710MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	Inf	65.03M	46.982M
5710MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	500k	3.14M	31.004M
5755MHz_TnomVnom	Pass	500k	35M	58.221M
5795MHz_TnomVnom	Pass	500k	35.1M	55.922M
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz_TnomVnom	Pass	Inf	161.9M	78.061M




Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
5290MHz_TnomVnom	Pass	Inf	159.2M	76.362M
5530MHz_TnomVnom	Pass	Inf	144.1M	75.562M
5610MHz_TnomVnom	Pass	Inf	196.8M	115.542M
5690MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	Inf	128.55M	90.03M
5690MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	500k	2.54M	38.741M
5775MHz_TnomVnom	Pass	500k	70.1M	96.152M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band

Port X-OBW = Port X 99% occupied bandwidth;






802.11a_Nss1,(6Mbps)_1TX

5320MHz

EBW
28/12/2018

CF: 5.32GHz
 Span: 50MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak

CF: 5.32GHz
 Span: 50MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Sample




802.11a_Nss1,(6Mbps)_1TX


5700MHz


EBW
28/12/2018


CF: 5.7GHz
 Span: 50MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak


CF: 5.7GHz
 Span: 50MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Sample















802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz


EBW
28/12/2018


CF: 5.785GHz
 Span: 50MHz
 RBW: 100kHz
 VBW: 300kHz
 Sweep Time: 100ms
 Detector Type: Peak


CF: 5.785GHz
 Span: 50MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Sample



















Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	17.36	0.05445	18.36	0.06855
802.11ac VHT20_Nss1,(MCS0)_1TX	17.43	0.05534	18.43	0.06966
802.11ac VHT40_Nss1,(MCS0)_1TX	17.91	0.06180	18.91	0.07780
802.11ac VHT80_Nss1,(MCS0)_1TX	16.53	0.04498	17.53	0.05662
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	17.82	0.06053	18.82	0.07621
802.11ac VHT20_Nss1,(MCS0)_1TX	17.86	0.06109	18.86	0.07691
802.11ac VHT40_Nss1,(MCS0)_1TX	17.96	0.06252	18.96	0.07870
802.11ac VHT80_Nss1,(MCS0)_1TX	16.00	0.03981	17.00	0.05012
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	17.88	0.06138	18.88	0.07727
802.11ac VHT20_Nss1,(MCS0)_1TX	17.93	0.06209	18.93	0.07816
802.11ac VHT40_Nss1,(MCS0)_1TX	17.98	0.06281	18.98	0.07907
802.11ac VHT80_Nss1,(MCS0)_1TX	17.93	0.06209	18.93	0.07816
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	17.91	0.06180	18.91	0.07780
802.11ac VHT20_Nss1,(MCS0)_1TX	17.88	0.06138	18.88	0.07727
802.11ac VHT40_Nss1,(MCS0)_1TX	17.93	0.06209	18.93	0.07816
802.11ac VHT80_Nss1,(MCS0)_1TX	17.40	0.05495	18.40	0.06918



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	1.00	17.14	17.14	24.00	18.14	30.00
5200MHz_TnomVnom	Pass	1.00	17.36	17.36	24.00	18.36	30.00
5240MHz_TnomVnom	Pass	1.00	17.24	17.24	24.00	18.24	30.00
5260MHz_TnomVnom	Pass	1.00	17.32	17.32	24.00	18.32	30.00
5300MHz_TnomVnom	Pass	1.00	17.49	17.49	24.00	18.49	30.00
5320MHz_TnomVnom	Pass	1.00	17.82	17.82	24.00	18.82	30.00
5500MHz_TnomVnom	Pass	1.00	17.88	17.88	24.00	18.88	30.00
5580MHz_TnomVnom	Pass	1.00	17.87	17.87	24.00	18.87	30.00
5700MHz_TnomVnom	Pass	1.00	16.47	16.47	24.00	17.47	30.00
5720MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	16.92	16.92	24.00	17.92	30.00
5720MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	11.13	11.13	30.00	12.13	36.00
5745MHz_TnomVnom	Pass	1.00	17.91	17.91	30.00	18.91	36.00
5785MHz_TnomVnom	Pass	1.00	17.20	17.20	30.00	18.20	36.00
5825MHz_TnomVnom	Pass	1.00	17.05	17.05	30.00	18.05	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	1.00	17.19	17.19	24.00	18.19	30.00
5200MHz_TnomVnom	Pass	1.00	17.40	17.40	24.00	18.40	30.00
5240MHz_TnomVnom	Pass	1.00	17.43	17.43	24.00	18.43	30.00
5260MHz_TnomVnom	Pass	1.00	17.39	17.39	24.00	18.39	30.00
5300MHz_TnomVnom	Pass	1.00	17.47	17.47	24.00	18.47	30.00
5320MHz_TnomVnom	Pass	1.00	17.86	17.86	24.00	18.86	30.00
5500MHz_TnomVnom	Pass	1.00	17.93	17.93	24.00	18.93	30.00
5580MHz_TnomVnom	Pass	1.00	17.86	17.86	24.00	18.86	30.00
5700MHz_TnomVnom	Pass	1.00	16.77	16.77	24.00	17.77	30.00
5720MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	16.90	16.90	24.00	17.90	30.00
5720MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	11.12	11.12	30.00	12.12	36.00
5745MHz_TnomVnom	Pass	1.00	17.88	17.88	30.00	18.88	36.00
5785MHz_TnomVnom	Pass	1.00	17.18	17.18	30.00	18.18	36.00
5825MHz_TnomVnom	Pass	1.00	17.06	17.06	30.00	18.06	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	1.00	17.30	17.30	24.00	18.30	30.00
5230MHz_TnomVnom	Pass	1.00	17.91	17.91	24.00	18.91	30.00
5270MHz_TnomVnom	Pass	1.00	17.96	17.96	24.00	18.96	30.00
5310MHz_TnomVnom	Pass	1.00	17.20	17.20	24.00	18.20	30.00
5510MHz_TnomVnom	Pass	1.00	15.76	15.76	24.00	16.76	30.00
5550MHz_TnomVnom	Pass	1.00	17.98	17.98	24.00	18.98	30.00
5670MHz_TnomVnom	Pass	1.00	17.82	17.82	24.00	18.82	30.00
5710MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	17.86	17.86	24.00	18.86	30.00
5710MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	7.58	7.58	30.00	8.58	36.00
5755MHz_TnomVnom	Pass	1.00	17.81	17.81	30.00	18.81	36.00
5795MHz_TnomVnom	Pass	1.00	17.93	17.93	30.00	18.93	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	1.00	16.53	16.53	24.00	17.53	30.00





Power Result

Appendix C

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5290MHz_TnomVnom	Pass	1.00	16.00	16.00	24.00	17.00	30.00
5530MHz_TnomVnom	Pass	1.00	14.87	14.87	24.00	15.87	30.00
5610MHz_TnomVnom	Pass	1.00	17.82	17.82	24.00	18.82	30.00
5690MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	17.93	17.93	24.00	18.93	30.00
5690MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	2.40	2.40	30.00	3.40	36.00
5775MHz_TnomVnom	Pass	1.00	17.40	17.40	30.00	18.40	36.00

DG = Directional Gain; **Port X** = Port X output power






802.11ac VHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.47-5.725GHz

28/12/2018

CF
5.65GHz
Span
300MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.01ms
Detector Type
RMS
CP BW
150MHz



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
18.43	18.43


802.11ac VHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz

28/12/2018

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.01ms
Detector Type
RMS
CP BW
20MHz



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
2.40	2.40



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	4.26	5.26
802.11ac VHT20_Nss1,(MCS0)_1TX	4.02	5.02
802.11ac VHT40_Nss1,(MCS0)_1TX	2.14	3.14
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.76	-0.76
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	4.64	5.64
802.11ac VHT20_Nss1,(MCS0)_1TX	4.45	5.45
802.11ac VHT40_Nss1,(MCS0)_1TX	2.10	3.10
802.11ac VHT80_Nss1,(MCS0)_1TX	-2.22	-1.22
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	5.27	6.27
802.11ac VHT20_Nss1,(MCS0)_1TX	5.14	6.14
802.11ac VHT40_Nss1,(MCS0)_1TX	2.81	3.81
802.11ac VHT80_Nss1,(MCS0)_1TX	0.24	1.24
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	3.21	4.21
802.11ac VHT20_Nss1,(MCS0)_1TX	3.21	4.21
802.11ac VHT40_Nss1,(MCS0)_1TX	1.13	2.13
802.11ac VHT80_Nss1,(MCS0)_1TX	-2.04	-1.04

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	1.00	3.67	3.67	11.00	4.67	17.00
5200MHz_TnomVnom	Pass	1.00	3.97	3.97	11.00	4.97	17.00
5240MHz_TnomVnom	Pass	1.00	4.26	4.26	11.00	5.26	17.00
5260MHz_TnomVnom	Pass	1.00	4.17	4.17	11.00	5.17	17.00
5300MHz_TnomVnom	Pass	1.00	4.35	4.35	11.00	5.35	17.00
5320MHz_TnomVnom	Pass	1.00	4.64	4.64	11.00	5.64	17.00
5500MHz_TnomVnom	Pass	1.00	4.32	4.32	11.00	5.32	17.00
5580MHz_TnomVnom	Pass	1.00	5.27	5.27	11.00	6.27	17.00
5700MHz_TnomVnom	Pass	1.00	3.14	3.14	11.00	4.14	17.00
5720MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	4.82	4.82	11.00	5.82	17.00
5720MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	3.21	3.21	30.00	4.21	36.00
5745MHz_TnomVnom	Pass	1.00	3.15	3.15	30.00	4.15	36.00
5785MHz_TnomVnom	Pass	1.00	2.47	2.47	30.00	3.47	36.00
5825MHz_TnomVnom	Pass	1.00	2.19	2.19	30.00	3.19	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	1.00	3.55	3.55	11.00	4.55	17.00
5200MHz_TnomVnom	Pass	1.00	3.79	3.79	11.00	4.79	17.00
5240MHz_TnomVnom	Pass	1.00	4.02	4.02	11.00	5.02	17.00
5260MHz_TnomVnom	Pass	1.00	4.04	4.04	11.00	5.04	17.00
5300MHz_TnomVnom	Pass	1.00	4.08	4.08	11.00	5.08	17.00
5320MHz_TnomVnom	Pass	1.00	4.45	4.45	11.00	5.45	17.00
5500MHz_TnomVnom	Pass	1.00	5.14	5.14	11.00	6.14	17.00
5580MHz_TnomVnom	Pass	1.00	4.95	4.95	11.00	5.95	17.00
5700MHz_TnomVnom	Pass	1.00	3.17	3.17	11.00	4.17	17.00
5720MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	4.82	4.82	11.00	5.82	17.00
5720MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	3.21	3.21	30.00	4.21	36.00
5745MHz_TnomVnom	Pass	1.00	3.01	3.01	30.00	4.01	36.00
5785MHz_TnomVnom	Pass	1.00	2.27	2.27	30.00	3.27	36.00
5825MHz_TnomVnom	Pass	1.00	1.97	1.97	30.00	2.97	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	1.00	1.32	1.32	11.00	2.32	17.00
5230MHz_TnomVnom	Pass	1.00	2.14	2.14	11.00	3.14	17.00
5270MHz_TnomVnom	Pass	1.00	2.10	2.10	11.00	3.10	17.00
5310MHz_TnomVnom	Pass	1.00	1.45	1.45	11.00	2.45	17.00
5510MHz_TnomVnom	Pass	1.00	-0.42	-0.42	11.00	0.58	17.00
5550MHz_TnomVnom	Pass	1.00	2.81	2.81	11.00	3.81	17.00
5670MHz_TnomVnom	Pass	1.00	2.40	2.40	11.00	3.40	17.00
5710MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	2.40	2.40	11.00	3.40	17.00
5710MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	0.09	0.09	30.00	1.09	36.00
5755MHz_TnomVnom	Pass	1.00	1.13	1.13	30.00	2.13	36.00
5795MHz_TnomVnom	Pass	1.00	0.54	0.54	30.00	1.54	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	1.00	-1.76	-1.76	11.00	-0.76	17.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5290MHz_TnomVnom	Pass	1.00	-2.22	-2.22	11.00	-1.22	17.00
5530MHz_TnomVnom	Pass	1.00	-3.76	-3.76	11.00	-2.76	17.00
5610MHz_TnomVnom	Pass	1.00	0.24	0.24	11.00	1.24	17.00
5690MHz Straddle 5.47-5.725GHz_TnomVnom	Pass	1.00	-0.15	-0.15	11.00	0.85	17.00
5690MHz Straddle 5.725-5.85GHz_TnomVnom	Pass	1.00	-4.83	-4.83	30.00	-3.83	36.00
5775MHz_TnomVnom	Pass	1.00	-2.04	-2.04	30.00	-1.04	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port Xpower density;







802.11a_Nss1,(6Mbps)_1TX

5700MHz

PSD

28/12/2018

CF

5.7GHz

Span

30MHz

RBW

1MHz

VBW

3MHz

Sweep Time


12.4s

Detector Type

RMS

Port 1

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
3.14	3.14	3.14



802.11a_Nss1,(6Mbps)_1TX

5745MHz

PSD

28/12/2018

CF

5.745GHz

Span

30MHz

RBW

500kHz

VBW

3MHz

Sweep Time


12.4s

Detector Type

RMS

Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.15	3.15	3.15



802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz

PSD

28/12/2018

CF

5.18GHz

Span

30MHz

RBW

1MHz

VBW

3MHz

Sweep Time

11.8s


Detector Type

RMS



Port 1

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
3.55	3.55	3.55



802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz

PSD

28/12/2018

CF

5.26GHz

Span

30MHz

RBW

1MHz

VBW

3MHz

Sweep Time


11.8s

Detector Type

RMS

Port 1

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
4.04	4.04	4.04



802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz

PSD

28/12/2018

CF

5.5GHz

Span

30MHz

RBW

1MHz

VBW

3MHz

Sweep Time

11.8s


Detector Type

RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.14	5.14	5.14



802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz

PSD

28/12/2018

CF

5.71GHz

Span

60MHz

RBW

1MHz

VBW

3MHz

Sweep Time


11.8s

Detector Type

RMS

Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.82	4.82	4.82



802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz

PSD

28/12/2018

CF

5.785GHz

Span

30MHz

RBW

500kHz

VBW

3MHz

Sweep Time

11.8s


Detector Type

RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.27	2.27	2.27



802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz

PSD

28/12/2018

CF

5.23GHz

Span

60MHz

RBW

1MHz

VBW

3MHz

Sweep Time


6.94s

Detector Type

RMS



Port 1



802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz

PSD

28/12/2018

CF

5.51GHz

Span

60MHz

RBW

1MHz

VBW

3MHz

Sweep Time


6.94s

Detector Type

RMS

Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.42	-0.42	-0.42



802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz

PSD

28/12/2018

CF

5.69GHz

Span

140MHz

RBW

1MHz

VBW

3MHz

Sweep Time


6.94s

Detector Type

RMS

Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.40	2.40	2.40



802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz

PSD

28/12/2018

CF

5.795GHz

Span

60MHz

RBW

500kHz

VBW

3MHz

Sweep Time

6.94s

Detector Type

RMS

Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.54	0.54	0.54



802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz

PSD

28/12/2018

CF

5.53GHz

Span

120MHz

RBW

1MHz

VBW

3MHz

Sweep Time

4.48s


Detector Type

RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.76	-3.76	-3.76



802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.725-5.85GHz

PSD

28/12/2018

CF

5.735GHz

Span

40MHz

RBW

500kHz

VBW

3MHz

Sweep Time

4.48s


Detector Type

RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.83	-4.83	-4.83





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	PK	394.72M	36.29	46.00	-9.71	-3.79	3	Horizontal	0	2.00	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	115.36M	30.27	43.50	-13.23	-8.90	3	Vertical	360	1.00	-
5775MHz	Pass	PK	158.04M	29.90	43.50	-13.60	-10.37	3	Vertical	360	1.00	-
5775MHz	Pass	PK	210.42M	27.86	43.50	-15.64	-10.61	3	Vertical	360	1.00	-
5775MHz	Pass	PK	255.04M	28.13	46.00	-17.87	-6.24	3	Vertical	360	1.00	-
5775MHz	Pass	PK	394.72M	34.83	46.00	-11.17	-3.79	3	Vertical	360	1.00	-
5775MHz	Pass	PK	714.82M	35.07	46.00	-10.93	0.20	3	Vertical	360	1.00	-
5775MHz	Pass	PK	115.36M	31.47	43.50	-12.03	-8.90	3	Horizontal	0	2.00	-
5775MHz	Pass	PK	212.36M	28.52	43.50	-14.98	-10.59	3	Horizontal	0	2.00	-
5775MHz	Pass	PK	253.1M	32.11	46.00	-13.89	-6.53	3	Horizontal	0	2.00	-
5775MHz	Pass	PK	394.72M	36.29	46.00	-9.71	-3.79	3	Horizontal	0	2.00	-
5775MHz	Pass	PK	650.8M	31.02	46.00	-14.98	-0.32	3	Horizontal	0	2.00	-
5775MHz	Pass	PK	761.38M	32.26	46.00	-13.74	1.12	3	Horizontal	0	2.00	-



802.11ac VHT80_Nss1,(MCS0)_1TX

28/12/2018

5775MHz_PoE



Legend for the plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	115.36M	30.27	43.50	-13.23	-8.90	3	Vertical	360	1.00	-
PK	158.04M	29.90	43.50	-13.60	-10.37	3	Vertical	360	1.00	-
PK	210.42M	27.86	43.50	-15.64	-10.61	3	Vertical	360	1.00	-
PK	255.04M	28.13	46.00	-17.87	-6.24	3	Vertical	360	1.00	-
PK	394.72M	34.83	46.00	-11.17	-3.79	3	Vertical	360	1.00	-
PK	714.82M	35.07	46.00	-10.93	0.20	3	Vertical	360	1.00	-



802.11ac VHT80_Nss1,(MCS0)_1TX

28/12/2018

5775MHz_PoE



Lim.PK
 PK
 Lim.AV
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	115.36M	31.47	43.50	-12.03	-8.90	3	Horizontal	0	2.00	-
PK	212.36M	28.52	43.50	-14.98	-10.59	3	Horizontal	0	2.00	-
PK	253.11M	32.11	46.00	-13.89	-6.53	3	Horizontal	0	2.00	-
PK	394.72M	36.29	46.00	-9.71	-3.79	3	Horizontal	0	2.00	-
PK	650.8M	31.02	46.00	-14.98	-0.32	3	Horizontal	0	2.00	-
PK	761.38M	32.26	46.00	-13.74	1.12	3	Horizontal	0	2.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1472G	48.47	54.00	-5.53	6.47	3	Vertical	145	2.87	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1476G	49.00	54.00	-5.00	6.47	3	Vertical	61	1.71	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.46	54.00	-0.54	4.01	3	Vertical	161	2.99	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.44	54.00	-0.56	4.01	3	Vertical	160	2.99	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3502G	50.62	54.00	-3.38	6.77	3	Vertical	154	2.74	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3502G	51.07	54.00	-2.93	6.77	3	Vertical	146	2.92	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.62	54.00	-0.38	4.26	3	Vertical	164	2.92	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.351G	53.44	54.00	-0.56	4.26	3	Vertical	161	2.95	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.469G	67.27	68.20	-0.93	6.95	3	Vertical	130	2.69	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.64	68.20	-0.56	7.53	3	Vertical	139	2.81	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	PK	5.4672G	67.67	68.20	-0.53	4.41	3	Vertical	119	2.99	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.454G	53.25	54.00	-0.75	4.39	3	Vertical	346	2.92	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.9526G	61.18	68.20	-7.02	8.06	3	Vertical	78	1.62	-
802.11ac VHT20_Nss1,(MCS0)_1TX	Pass	AV	11.65024G	50.35	54.00	-3.65	15.71	3	Horizontal	156	1.48	-
802.11ac VHT40_Nss1,(MCS0)_1TX	Pass	AV	11.51018G	49.70	54.00	-4.30	15.85	3	Horizontal	148	1.56	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	11.55005G	51.28	54.00	-2.72	15.81	3	Horizontal	156	1.45	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	48.27	54.00	-5.73	6.47	3	Vertical	78	1.77	-
5180MHz	Pass	AV	5.1852G	91.78	Inf	-Inf	6.53	3	Vertical	78	1.77	-
5180MHz	Pass	PK	5.1482G	59.11	74.00	-14.89	6.47	3	Vertical	78	1.77	-
5180MHz	Pass	PK	5.1874G	100.36	Inf	-Inf	6.53	3	Vertical	78	1.77	-
5180MHz	Pass	AV	5.1498G	48.27	54.00	-5.73	6.47	3	Horizontal	34	2.06	-
5180MHz	Pass	AV	5.1734G	91.44	Inf	-Inf	6.50	3	Horizontal	34	2.06	-
5180MHz	Pass	PK	5.143G	58.84	74.00	-15.16	6.46	3	Horizontal	34	2.06	-
5180MHz	Pass	PK	5.175G	100.08	Inf	-Inf	6.51	3	Horizontal	34	2.06	-
5180MHz	Pass	AV	10.36016G	44.18	54.00	-9.82	15.43	3	Vertical	179	2.96	-
5180MHz	Pass	PK	10.36892G	55.87	74.00	-18.13	15.45	3	Vertical	179	2.96	-
5180MHz	Pass	AV	10.36016G	44.98	54.00	-9.02	15.43	3	Horizontal	136	1.48	-
5180MHz	Pass	PK	10.35188G	55.81	74.00	-18.19	15.42	3	Horizontal	136	1.48	-
5200MHz	Pass	AV	5.1472G	48.47	54.00	-5.53	6.47	3	Vertical	145	2.87	-
5200MHz	Pass	AV	5.204G	95.35	Inf	-Inf	6.55	3	Vertical	145	2.87	-
5200MHz	Pass	PK	5.144G	59.76	74.00	-14.24	6.47	3	Vertical	145	2.87	-
5200MHz	Pass	PK	5.202G	104.56	Inf	-Inf	6.55	3	Vertical	145	2.87	-
5200MHz	Pass	AV	5.146G	48.04	54.00	-5.96	6.47	3	Horizontal	33	2.03	-
5200MHz	Pass	AV	5.1932G	91.51	Inf	-Inf	6.54	3	Horizontal	33	2.03	-
5200MHz	Pass	PK	5.104G	59.56	74.00	-14.44	6.39	3	Horizontal	33	2.03	-
5200MHz	Pass	PK	5.1976G	100.33	Inf	-Inf	6.55	3	Horizontal	33	2.03	-
5200MHz	Pass	AV	10.4G	44.02	54.00	-9.98	15.49	3	Vertical	186	1.50	-
5200MHz	Pass	PK	10.40008G	55.21	74.00	-18.79	15.49	3	Vertical	186	1.50	-
5200MHz	Pass	AV	10.40016G	44.69	54.00	-9.31	15.49	3	Horizontal	138	1.50	-
5200MHz	Pass	PK	10.39984G	55.59	74.00	-18.41	15.49	3	Horizontal	138	1.50	-
5240MHz	Pass	AV	5.1488G	47.84	54.00	-6.16	6.47	3	Vertical	154	2.73	-
5240MHz	Pass	AV	5.2334G	95.06	Inf	-Inf	6.59	3	Vertical	154	2.73	-
5240MHz	Pass	AV	5.3576G	47.84	54.00	-6.16	6.78	3	Vertical	154	2.73	-
5240MHz	Pass	PK	5.1356G	59.08	74.00	-14.92	6.45	3	Vertical	154	2.73	-
5240MHz	Pass	PK	5.2334G	103.52	Inf	-Inf	6.59	3	Vertical	154	2.73	-
5240MHz	Pass	PK	5.372G	59.18	74.00	-14.82	6.80	3	Vertical	154	2.73	-
5240MHz	Pass	AV	5.132G	47.72	54.00	-6.28	6.45	3	Horizontal	220	1.50	-
5240MHz	Pass	AV	5.2358G	88.93	Inf	-Inf	6.60	3	Horizontal	220	1.50	-
5240MHz	Pass	AV	5.3666G	47.88	54.00	-6.12	6.79	3	Horizontal	220	1.50	-
5240MHz	Pass	PK	5.135G	58.85	74.00	-15.15	6.45	3	Horizontal	220	1.50	-
5240MHz	Pass	PK	5.2334G	97.73	Inf	-Inf	6.59	3	Horizontal	220	1.50	-
5240MHz	Pass	PK	5.3762G	58.80	74.00	-15.20	6.82	3	Horizontal	220	1.50	-
5240MHz	Pass	AV	10.48012G	44.30	54.00	-9.70	15.60	3	Vertical	187	1.45	-
5240MHz	Pass	PK	10.48024G	55.07	74.00	-18.93	15.60	3	Vertical	187	1.45	-
5240MHz	Pass	AV	10.48006G	44.30	54.00	-9.70	15.60	3	Vertical	186	1.31	-
5240MHz	Pass	PK	10.46554G	55.33	74.00	-18.67	15.58	3	Vertical	186	1.31	-
5260MHz	Pass	AV	5.1184G	47.80	54.00	-6.20	6.41	3	Vertical	154	2.69	-
5260MHz	Pass	AV	5.2636G	96.73	Inf	-Inf	6.64	3	Vertical	154	2.69	-
5260MHz	Pass	AV	5.401G	47.93	54.00	-6.07	6.85	3	Vertical	154	2.69	-
5260MHz	Pass	PK	5.1442G	58.79	74.00	-15.21	6.47	3	Vertical	154	2.69	-
5260MHz	Pass	PK	5.2558G	105.79	Inf	-Inf	6.63	3	Vertical	154	2.69	-
5260MHz	Pass	PK	5.3986G	58.81	74.00	-15.19	6.85	3	Vertical	154	2.69	-
5260MHz	Pass	AV	5.1496G	47.61	54.00	-6.39	6.47	3	Horizontal	227	1.63	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	5.2552G	90.78	Inf	-Inf	6.63	3	Horizontal	227	1.63	-
5260MHz	Pass	AV	5.3914G	47.95	54.00	-6.05	6.83	3	Horizontal	227	1.63	-
5260MHz	Pass	PK	5.1448G	58.74	74.00	-15.26	6.47	3	Horizontal	227	1.63	-
5260MHz	Pass	PK	5.26G	99.95	Inf	-Inf	6.64	3	Horizontal	227	1.63	-
5260MHz	Pass	PK	5.3716G	59.18	74.00	-14.82	6.80	3	Horizontal	227	1.63	-
5260MHz	Pass	AV	10.52019G	46.43	54.00	-7.57	14.23	3	Vertical	189	2.99	-
5260MHz	Pass	PK	10.52025G	58.17	74.00	-15.83	14.23	3	Vertical	189	2.99	-
5260MHz	Pass	AV	10.52021G	46.08	54.00	-7.92	14.23	3	Horizontal	149	1.50	-
5260MHz	Pass	PK	10.5203G	58.14	74.00	-15.86	14.23	3	Horizontal	149	1.50	-
5300MHz	Pass	AV	5.2948G	95.79	Inf	-Inf	6.69	3	Vertical	154	2.80	-
5300MHz	Pass	AV	5.352G	48.24	54.00	-5.76	6.77	3	Vertical	154	2.80	-
5300MHz	Pass	PK	5.3036G	104.21	Inf	-Inf	6.69	3	Vertical	154	2.80	-
5300MHz	Pass	PK	5.394G	59.06	74.00	-14.94	6.85	3	Vertical	154	2.80	-
5300MHz	Pass	AV	5.2952G	89.96	Inf	-Inf	6.69	3	Horizontal	227	1.61	-
5300MHz	Pass	AV	5.3892G	47.95	54.00	-6.05	6.83	3	Horizontal	227	1.61	-
5300MHz	Pass	PK	5.2992G	98.55	Inf	-Inf	6.69	3	Horizontal	227	1.61	-
5300MHz	Pass	PK	5.3776G	59.04	74.00	-14.96	6.82	3	Horizontal	227	1.61	-
5300MHz	Pass	AV	10.60012G	44.67	54.00	-9.33	15.77	3	Vertical	187	1.45	-
5300MHz	Pass	PK	10.6003G	55.31	74.00	-18.69	15.77	3	Vertical	187	1.45	-
5300MHz	Pass	AV	10.60006G	44.08	54.00	-9.92	15.77	3	Horizontal	301	1.49	-
5300MHz	Pass	PK	10.61338G	54.93	74.00	-19.07	15.79	3	Horizontal	301	1.49	-
5320MHz	Pass	AV	5.3144G	95.55	Inf	-Inf	6.71	3	Vertical	154	2.74	-
5320MHz	Pass	AV	5.3502G	50.62	54.00	-3.38	6.77	3	Vertical	154	2.74	-
5320MHz	Pass	PK	5.3156G	104.50	Inf	-Inf	6.71	3	Vertical	154	2.74	-
5320MHz	Pass	PK	5.35G	62.44	74.00	-11.56	6.77	3	Vertical	154	2.74	-
5320MHz	Pass	AV	5.3162G	89.28	Inf	-Inf	6.71	3	Horizontal	227	1.50	-
5320MHz	Pass	AV	5.3512G	48.24	54.00	-5.76	6.77	3	Horizontal	227	1.50	-
5320MHz	Pass	PK	5.3244G	97.77	Inf	-Inf	6.72	3	Horizontal	227	1.50	-
5320MHz	Pass	PK	5.3516G	59.20	74.00	-14.80	6.77	3	Horizontal	227	1.50	-
5320MHz	Pass	AV	10.64G	44.15	54.00	-9.85	15.83	3	Vertical	187	1.50	-
5320MHz	Pass	PK	10.63346G	55.45	74.00	-18.55	15.82	3	Vertical	187	1.50	-
5320MHz	Pass	AV	10.62722G	43.50	54.00	-10.50	15.81	3	Horizontal	116	1.77	-
5320MHz	Pass	PK	10.6337G	54.78	74.00	-19.22	15.82	3	Horizontal	116	1.77	-
5500MHz	Pass	AV	5.4588G	49.57	54.00	-4.43	6.94	3	Vertical	130	2.69	-
5500MHz	Pass	AV	5.5048G	98.08	Inf	-Inf	7.01	3	Vertical	130	2.69	-
5500MHz	Pass	PK	5.469G	67.27	68.20	-0.93	6.95	3	Vertical	130	2.69	-
5500MHz	Pass	PK	5.5068G	106.72	Inf	-Inf	7.01	3	Vertical	130	2.69	-
5500MHz	Pass	AV	5.45G	47.83	54.00	-6.17	6.92	3	Horizontal	209	1.53	-
5500MHz	Pass	AV	5.4932G	90.24	Inf	-Inf	6.99	3	Horizontal	209	1.53	-
5500MHz	Pass	PK	5.4698G	60.82	68.20	-7.38	6.95	3	Horizontal	209	1.53	-
5500MHz	Pass	PK	5.4942G	99.75	Inf	-Inf	6.99	3	Horizontal	209	1.53	-
5500MHz	Pass	AV	11.00006G	44.96	54.00	-9.04	16.33	3	Vertical	202	1.49	-
5500MHz	Pass	PK	11.01146G	56.82	74.00	-17.18	16.31	3	Vertical	202	1.49	-
5500MHz	Pass	AV	11.00006G	45.53	54.00	-8.47	16.33	3	Horizontal	288	1.61	-
5500MHz	Pass	PK	11.006G	56.49	74.00	-17.51	16.32	3	Horizontal	288	1.61	-
5580MHz	Pass	AV	5.43G	47.95	54.00	-6.05	6.89	3	Vertical	130	2.68	-
5580MHz	Pass	AV	5.5758G	100.64	Inf	-Inf	7.18	3	Vertical	130	2.68	-
5580MHz	Pass	PK	5.469G	58.43	68.20	-9.77	6.95	3	Vertical	130	2.68	-
5580MHz	Pass	PK	5.5788G	109.17	Inf	-Inf	7.18	3	Vertical	130	2.68	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.727G	59.48	68.20	-8.72	7.54	3	Vertical	130	2.68	-
5580MHz	Pass	AV	5.454G	47.82	54.00	-6.18	6.93	3	Horizontal	135	1.50	-
5580MHz	Pass	AV	5.5758G	92.33	Inf	-Inf	7.18	3	Horizontal	135	1.50	-
5580MHz	Pass	PK	5.4642G	57.90	68.20	-10.30	6.94	3	Horizontal	135	1.50	-
5580MHz	Pass	PK	5.577G	101.35	Inf	-Inf	7.18	3	Horizontal	135	1.50	-
5580MHz	Pass	PK	5.7276G	58.76	68.20	-9.44	7.54	3	Horizontal	135	1.50	-
5580MHz	Pass	AV	11.16414G	44.22	54.00	-9.78	16.17	3	Vertical	320	2.12	-
5580MHz	Pass	PK	11.16444G	56.14	74.00	-17.86	16.17	3	Vertical	320	2.12	-
5580MHz	Pass	AV	11.16018G	45.31	54.00	-8.69	16.18	3	Horizontal	294	1.06	-
5580MHz	Pass	PK	11.14818G	55.80	74.00	-18.20	16.19	3	Horizontal	294	1.06	-
5700MHz	Pass	AV	5.6936G	95.16	Inf	-Inf	7.45	3	Vertical	145	2.74	-
5700MHz	Pass	PK	5.6972G	103.72	Inf	-Inf	7.47	3	Vertical	145	2.74	-
5700MHz	Pass	PK	5.726G	66.39	68.20	-1.81	7.53	3	Vertical	145	2.74	-
5700MHz	Pass	AV	5.7048G	89.49	Inf	-Inf	7.49	3	Horizontal	134	1.49	-
5700MHz	Pass	PK	5.7044G	98.20	Inf	-Inf	7.49	3	Horizontal	134	1.49	-
5700MHz	Pass	PK	5.7252G	61.13	68.20	-7.07	7.53	3	Horizontal	134	1.49	-
5700MHz	Pass	AV	11.40006G	44.90	54.00	-9.10	15.95	3	Vertical	91	1.50	-
5700MHz	Pass	PK	11.40018G	55.79	74.00	-18.21	15.95	3	Vertical	91	1.50	-
5700MHz	Pass	AV	11.40012G	45.00	54.00	-9.00	15.95	3	Horizontal	137	1.50	-
5700MHz	Pass	PK	11.407G	56.18	74.00	-17.82	15.94	3	Horizontal	137	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	47.94	54.00	-6.06	6.87	3	Vertical	137	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	95.38	Inf	-Inf	7.50	3	Vertical	137	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.06	68.20	-9.14	6.94	3	Vertical	137	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	103.51	Inf	-Inf	7.50	3	Vertical	137	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8976G	61.87	68.20	-6.33	7.94	3	Vertical	137	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	47.97	54.00	-6.03	6.91	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	91.06	Inf	-Inf	7.50	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.09	68.20	-10.11	6.94	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	99.69	Inf	-Inf	7.50	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9792G	62.20	68.20	-6.00	8.13	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43094G	44.15	54.00	-9.85	15.92	3	Vertical	16	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45182G	55.58	74.00	-18.42	15.90	3	Vertical	16	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44012G	47.74	54.00	-6.26	15.91	3	Horizontal	145	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43994G	57.07	74.00	-16.93	15.91	3	Horizontal	145	1.40	-
5745MHz	Pass	AV	5.7498G	93.54	Inf	-Inf	7.58	3	Vertical	78	1.62	-
5745MHz	Pass	PK	5.5854G	59.66	68.20	-8.54	7.19	3	Vertical	78	1.62	-
5745MHz	Pass	PK	5.7498G	102.80	Inf	-Inf	7.58	3	Vertical	78	1.62	-
5745MHz	Pass	PK	5.9526G	61.18	68.20	-7.02	8.06	3	Vertical	78	1.62	-
5745MHz	Pass	AV	5.7498G	90.01	Inf	-Inf	7.58	3	Horizontal	175	1.50	-
5745MHz	Pass	PK	5.5758G	60.24	68.20	-7.96	7.18	3	Horizontal	175	1.50	-
5745MHz	Pass	PK	5.751G	99.22	Inf	-Inf	7.59	3	Horizontal	175	1.50	-
5745MHz	Pass	PK	5.955G	60.79	68.20	-7.41	8.07	3	Horizontal	175	1.50	-
5745MHz	Pass	AV	11.47734G	43.95	54.00	-10.05	15.88	3	Vertical	92	1.29	-
5745MHz	Pass	PK	11.47986G	55.60	74.00	-18.40	15.88	3	Vertical	92	1.29	-
5745MHz	Pass	AV	11.49012G	46.80	54.00	-7.20	15.86	3	Horizontal	146	1.49	-
5745MHz	Pass	PK	11.49018G	56.29	74.00	-17.71	15.86	3	Horizontal	146	1.49	-
5785MHz	Pass	AV	5.779G	92.83	Inf	-Inf	7.65	3	Vertical	59	1.86	-
5785MHz	Pass	PK	5.5678G	60.30	68.20	-7.90	7.15	3	Vertical	59	1.86	-
5785MHz	Pass	PK	5.7886G	101.56	Inf	-Inf	7.67	3	Vertical	59	1.86	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.9434G	60.90	68.20	-7.30	8.05	3	Vertical	59	1.86	-
5785MHz	Pass	AV	5.7802G	90.40	Inf	-Inf	7.65	3	Horizontal	187	1.34	-
5785MHz	Pass	PK	5.5474G	60.18	68.20	-8.02	7.11	3	Horizontal	187	1.34	-
5785MHz	Pass	PK	5.7802G	98.77	Inf	-Inf	7.65	3	Horizontal	187	1.34	-
5785MHz	Pass	PK	5.9878G	60.33	68.20	-7.87	8.14	3	Horizontal	187	1.34	-
5785MHz	Pass	AV	11.57004G	43.84	54.00	-10.16	15.79	3	Vertical	111	1.34	-
5785MHz	Pass	PK	11.56974G	55.39	74.00	-18.61	15.79	3	Vertical	111	1.34	-
5785MHz	Pass	AV	11.57012G	46.36	54.00	-7.64	15.79	3	Horizontal	145	1.50	-
5785MHz	Pass	PK	11.57018G	55.48	74.00	-18.52	15.79	3	Horizontal	145	1.50	-
5825MHz	Pass	AV	5.831G	92.18	Inf	-Inf	7.77	3	Vertical	147	1.14	-
5825MHz	Pass	PK	5.5694G	60.15	68.20	-8.05	7.16	3	Vertical	147	1.14	-
5825MHz	Pass	PK	5.8238G	100.33	Inf	-Inf	7.75	3	Vertical	147	1.14	-
5825MHz	Pass	PK	5.9894G	60.31	68.20	-7.89	8.16	3	Vertical	147	1.14	-
5825MHz	Pass	AV	5.831G	90.19	Inf	-Inf	7.77	3	Horizontal	185	1.50	-
5825MHz	Pass	PK	5.555G	59.78	68.20	-8.42	7.12	3	Horizontal	185	1.50	-
5825MHz	Pass	PK	5.8298G	98.44	Inf	-Inf	7.77	3	Horizontal	185	1.50	-
5825MHz	Pass	PK	5.9894G	60.75	68.20	-7.45	8.16	3	Horizontal	185	1.50	-
5825MHz	Pass	AV	11.64996G	44.74	54.00	-9.26	15.71	3	Vertical	139	1.08	-
5825MHz	Pass	PK	11.65196G	55.28	74.00	-18.72	15.72	3	Vertical	139	1.08	-
5825MHz	Pass	AV	11.65006G	46.60	54.00	-7.40	15.71	3	Horizontal	150	1.50	-
5825MHz	Pass	PK	11.65006G	55.81	74.00	-18.19	15.71	3	Horizontal	150	1.50	-
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1476G	49.00	54.00	-5.00	6.47	3	Vertical	61	1.71	-
5180MHz	Pass	AV	5.1754G	90.04	Inf	-Inf	6.52	3	Vertical	61	1.71	-
5180MHz	Pass	PK	5.147G	58.76	74.00	-15.24	6.47	3	Vertical	61	1.71	-
5180MHz	Pass	PK	5.1754G	98.21	Inf	-Inf	6.52	3	Vertical	61	1.71	-
5180MHz	Pass	AV	5.1478G	48.80	54.00	-5.20	6.47	3	Horizontal	140	1.56	-
5180MHz	Pass	AV	5.1874G	89.56	Inf	-Inf	6.53	3	Horizontal	140	1.56	-
5180MHz	Pass	PK	5.1402G	59.12	74.00	-14.88	6.45	3	Horizontal	140	1.56	-
5180MHz	Pass	PK	5.1874G	97.30	Inf	-Inf	6.53	3	Horizontal	140	1.56	-
5180MHz	Pass	AV	10.36012G	46.09	54.00	-7.91	15.43	3	Vertical	181	2.95	-
5180MHz	Pass	PK	10.36816G	55.56	74.00	-18.44	15.45	3	Vertical	181	2.95	-
5180MHz	Pass	AV	10.36006G	45.94	54.00	-8.06	15.43	3	Horizontal	136	1.50	-
5180MHz	Pass	PK	10.34848G	56.20	74.00	-17.80	15.42	3	Horizontal	136	1.50	-
5200MHz	Pass	AV	5.1492G	48.61	54.00	-5.39	6.47	3	Vertical	59	1.79	-
5200MHz	Pass	AV	5.1956G	91.22	Inf	-Inf	6.55	3	Vertical	59	1.79	-
5200MHz	Pass	PK	5.1408G	59.06	74.00	-14.94	6.45	3	Vertical	59	1.79	-
5200MHz	Pass	PK	5.1952G	99.35	Inf	-Inf	6.55	3	Vertical	59	1.79	-
5200MHz	Pass	AV	5.1476G	48.60	54.00	-5.40	6.47	3	Horizontal	139	1.66	-
5200MHz	Pass	AV	5.2052G	89.93	Inf	-Inf	6.55	3	Horizontal	139	1.66	-
5200MHz	Pass	PK	5.1448G	59.73	74.00	-14.27	6.47	3	Horizontal	139	1.66	-
5200MHz	Pass	PK	5.1956G	97.94	Inf	-Inf	6.55	3	Horizontal	139	1.66	-
5200MHz	Pass	AV	10.40012G	45.40	54.00	-8.60	15.49	3	Vertical	186	1.49	-
5200MHz	Pass	PK	10.40006G	55.54	74.00	-18.46	15.49	3	Vertical	186	1.49	-
5200MHz	Pass	AV	10.4G	46.14	54.00	-7.86	15.49	3	Horizontal	137	1.50	-
5200MHz	Pass	PK	10.38884G	55.47	74.00	-18.53	15.47	3	Horizontal	137	1.50	-
5240MHz	Pass	AV	5.1446G	48.58	54.00	-5.42	6.47	3	Vertical	73	1.72	-
5240MHz	Pass	AV	5.2454G	92.32	Inf	-Inf	6.61	3	Vertical	73	1.72	-
5240MHz	Pass	AV	5.3894G	48.51	54.00	-5.49	6.83	3	Vertical	73	1.72	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.0954G	58.90	74.00	-15.10	6.39	3	Vertical	73	1.72	-
5240MHz	Pass	PK	5.2472G	99.88	Inf	-Inf	6.61	3	Vertical	73	1.72	-
5240MHz	Pass	PK	5.3534G	59.16	74.00	-14.84	6.77	3	Vertical	73	1.72	-
5240MHz	Pass	AV	5.1008G	48.49	54.00	-5.51	6.39	3	Horizontal	178	1.48	-
5240MHz	Pass	AV	5.2454G	90.23	Inf	-Inf	6.61	3	Horizontal	178	1.48	-
5240MHz	Pass	AV	5.3822G	48.73	54.00	-5.27	6.83	3	Horizontal	178	1.48	-
5240MHz	Pass	PK	5.1488G	59.13	74.00	-14.87	6.47	3	Horizontal	178	1.48	-
5240MHz	Pass	PK	5.2352G	97.99	Inf	-Inf	6.59	3	Horizontal	178	1.48	-
5240MHz	Pass	PK	5.3858G	59.77	74.00	-14.23	6.83	3	Horizontal	178	1.48	-
5240MHz	Pass	AV	10.48006G	44.89	54.00	-9.11	15.60	3	Vertical	186	2.99	-
5240MHz	Pass	PK	10.47982G	55.04	74.00	-18.96	15.60	3	Vertical	186	2.99	-
5240MHz	Pass	AV	10.48012G	45.97	54.00	-8.03	15.60	3	Horizontal	144	1.48	-
5240MHz	Pass	PK	10.47256G	56.17	74.00	-17.83	15.59	3	Horizontal	144	1.48	-
5260MHz	Pass	AV	5.1484G	48.39	54.00	-5.61	6.47	3	Vertical	159	2.17	-
5260MHz	Pass	AV	5.2654G	94.83	Inf	-Inf	6.65	3	Vertical	159	2.17	-
5260MHz	Pass	AV	5.3872G	48.73	54.00	-5.27	6.83	3	Vertical	159	2.17	-
5260MHz	Pass	PK	5.1478G	58.94	74.00	-15.06	6.47	3	Vertical	159	2.17	-
5260MHz	Pass	PK	5.2678G	102.61	Inf	-Inf	6.65	3	Vertical	159	2.17	-
5260MHz	Pass	PK	5.4082G	59.21	74.00	-14.79	6.86	3	Vertical	159	2.17	-
5260MHz	Pass	AV	5.1388G	48.53	54.00	-5.47	6.45	3	Horizontal	139	1.49	-
5260MHz	Pass	AV	5.2636G	89.97	Inf	-Inf	6.64	3	Horizontal	139	1.49	-
5260MHz	Pass	AV	5.3848G	48.74	54.00	-5.26	6.83	3	Horizontal	139	1.49	-
5260MHz	Pass	PK	5.1436G	58.91	74.00	-15.09	6.46	3	Horizontal	139	1.49	-
5260MHz	Pass	PK	5.2552G	97.65	Inf	-Inf	6.63	3	Horizontal	139	1.49	-
5260MHz	Pass	PK	5.374G	59.02	74.00	-14.98	6.80	3	Horizontal	139	1.49	-
5260MHz	Pass	AV	10.52426G	46.87	54.00	-7.13	14.24	3	Vertical	194	1.49	-
5260MHz	Pass	PK	10.51286G	57.62	74.00	-16.38	14.22	3	Vertical	194	1.49	-
5260MHz	Pass	AV	10.52018G	47.10	54.00	-6.90	14.23	3	Horizontal	149	1.49	-
5260MHz	Pass	PK	10.51904G	57.72	74.00	-16.28	14.23	3	Horizontal	149	1.49	-
5300MHz	Pass	AV	5.2952G	94.23	Inf	-Inf	6.69	3	Vertical	147	2.94	-
5300MHz	Pass	AV	5.3552G	48.80	54.00	-5.20	6.77	3	Vertical	147	2.94	-
5300MHz	Pass	PK	5.2956G	102.33	Inf	-Inf	6.69	3	Vertical	147	2.94	-
5300MHz	Pass	PK	5.3744G	59.38	74.00	-14.62	6.80	3	Vertical	147	2.94	-
5300MHz	Pass	AV	5.3036G	89.13	Inf	-Inf	6.69	3	Horizontal	180	1.50	-
5300MHz	Pass	AV	5.3736G	48.68	54.00	-5.32	6.80	3	Horizontal	180	1.50	-
5300MHz	Pass	PK	5.3076G	96.59	Inf	-Inf	6.70	3	Horizontal	180	1.50	-
5300MHz	Pass	PK	5.3784G	59.96	74.00	-14.04	6.82	3	Horizontal	180	1.50	-
5300MHz	Pass	AV	10.60018G	46.62	54.00	-7.38	14.41	3	Vertical	194	1.48	-
5300MHz	Pass	PK	10.59994G	57.27	74.00	-16.73	14.41	3	Vertical	194	1.48	-
5300MHz	Pass	AV	10.6003G	45.94	54.00	-8.06	14.41	3	Horizontal	149	1.54	-
5300MHz	Pass	PK	10.5937G	57.38	74.00	-16.62	14.39	3	Horizontal	149	1.54	-
5320MHz	Pass	AV	5.3256G	94.67	Inf	-Inf	6.74	3	Vertical	146	2.92	-
5320MHz	Pass	AV	5.3502G	51.07	54.00	-2.93	6.77	3	Vertical	146	2.92	-
5320MHz	Pass	PK	5.3274G	102.36	Inf	-Inf	6.74	3	Vertical	146	2.92	-
5320MHz	Pass	PK	5.3506G	61.49	74.00	-12.51	6.77	3	Vertical	146	2.92	-
5320MHz	Pass	AV	5.3132G	90.86	Inf	-Inf	4.35	3	Horizontal	157	2.84	-
5320MHz	Pass	AV	5.3506G	48.96	54.00	-5.04	4.38	3	Horizontal	157	2.84	-
5320MHz	Pass	PK	5.3128G	100.60	Inf	-Inf	4.35	3	Horizontal	157	2.84	-
5320MHz	Pass	PK	5.3506G	60.89	74.00	-13.11	4.38	3	Horizontal	157	2.84	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	10.64006G	45.79	54.00	-8.21	14.50	3	Vertical	193	1.50	-
5320MHz	Pass	PK	10.62746G	57.52	74.00	-16.48	14.46	3	Vertical	193	1.50	-
5320MHz	Pass	AV	10.64018G	45.51	54.00	-8.49	14.50	3	Horizontal	261	1.73	-
5320MHz	Pass	PK	10.64036G	57.02	74.00	-16.98	14.50	3	Horizontal	261	1.73	-
5500MHz	Pass	AV	5.4592G	49.69	54.00	-4.31	6.94	3	Vertical	130	2.70	-
5500MHz	Pass	AV	5.4952G	96.10	Inf	-Inf	6.99	3	Vertical	130	2.70	-
5500MHz	Pass	PK	5.4698G	67.36	68.20	-0.84	6.95	3	Vertical	130	2.70	-
5500MHz	Pass	PK	5.4972G	104.14	Inf	-Inf	6.99	3	Vertical	130	2.70	-
5500MHz	Pass	AV	5.46G	50.04	54.00	-3.96	6.94	3	Horizontal	171	1.87	-
5500MHz	Pass	AV	5.4954G	95.85	Inf	-Inf	6.99	3	Horizontal	171	1.87	-
5500MHz	Pass	PK	5.4698G	66.95	68.20	-1.25	6.95	3	Horizontal	171	1.87	-
5500MHz	Pass	PK	5.4954G	103.86	Inf	-Inf	6.99	3	Horizontal	171	1.87	-
5500MHz	Pass	AV	11.00018G	46.24	54.00	-7.76	15.28	3	Vertical	200	1.50	-
5500MHz	Pass	PK	10.98794G	57.44	74.00	-16.56	15.26	3	Vertical	200	1.50	-
5500MHz	Pass	AV	11.00012G	46.77	54.00	-7.23	15.28	3	Horizontal	307	1.77	-
5500MHz	Pass	PK	11.00474G	58.00	74.00	-16.00	15.27	3	Horizontal	307	1.77	-
5580MHz	Pass	AV	5.4378G	48.65	54.00	-5.35	6.90	3	Vertical	138	2.92	-
5580MHz	Pass	AV	5.5836G	98.97	Inf	-Inf	7.19	3	Vertical	138	2.92	-
5580MHz	Pass	PK	5.4696G	59.32	68.20	-8.88	6.95	3	Vertical	138	2.92	-
5580MHz	Pass	PK	5.5836G	107.12	Inf	-Inf	7.19	3	Vertical	138	2.92	-
5580MHz	Pass	PK	5.73G	59.54	68.20	-8.66	7.54	3	Vertical	138	2.92	-
5580MHz	Pass	AV	5.4354G	48.65	54.00	-5.35	6.89	3	Horizontal	171	1.83	-
5580MHz	Pass	AV	5.5752G	96.59	Inf	-Inf	7.18	3	Horizontal	171	1.83	-
5580MHz	Pass	PK	5.4648G	59.53	68.20	-8.67	6.95	3	Horizontal	171	1.83	-
5580MHz	Pass	PK	5.5776G	104.88	Inf	-Inf	7.18	3	Horizontal	171	1.83	-
5580MHz	Pass	PK	5.727G	59.68	68.20	-8.52	7.54	3	Horizontal	171	1.83	-
5580MHz	Pass	AV	11.16018G	45.38	54.00	-8.62	16.18	3	Vertical	234	1.50	-
5580MHz	Pass	PK	11.15988G	57.70	74.00	-16.30	16.18	3	Vertical	234	1.50	-
5580MHz	Pass	AV	11.16024G	47.45	54.00	-6.55	16.18	3	Horizontal	171	1.39	-
5580MHz	Pass	PK	11.16018G	58.20	74.00	-15.80	16.18	3	Horizontal	171	1.39	-
5700MHz	Pass	AV	5.6956G	94.67	Inf	-Inf	7.45	3	Vertical	139	2.81	-
5700MHz	Pass	PK	5.694G	102.65	Inf	-Inf	7.45	3	Vertical	139	2.81	-
5700MHz	Pass	PK	5.7252G	67.64	68.20	-0.56	7.53	3	Vertical	139	2.81	-
5700MHz	Pass	AV	5.6952G	91.63	Inf	-Inf	7.45	3	Horizontal	172	1.71	-
5700MHz	Pass	PK	5.6964G	99.04	Inf	-Inf	7.46	3	Horizontal	172	1.71	-
5700MHz	Pass	PK	5.7252G	66.24	68.20	-1.96	7.53	3	Horizontal	172	1.71	-
5700MHz	Pass	AV	11.40018G	45.79	54.00	-8.21	15.95	3	Vertical	240	2.28	-
5700MHz	Pass	PK	11.3961G	57.01	74.00	-16.99	15.96	3	Vertical	240	2.28	-
5700MHz	Pass	AV	11.40024G	49.22	54.00	-4.78	15.95	3	Horizontal	154	1.48	-
5700MHz	Pass	PK	11.39994G	58.06	74.00	-15.94	15.95	3	Horizontal	154	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	48.73	54.00	-5.27	6.89	3	Vertical	139	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	96.18	Inf	-Inf	7.50	3	Vertical	139	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.18	68.20	-10.02	6.95	3	Vertical	139	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	104.19	Inf	-Inf	7.50	3	Vertical	139	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8724G	60.86	68.20	-7.34	7.87	3	Vertical	139	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	48.51	54.00	-5.49	6.89	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	91.28	Inf	-Inf	7.50	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.65	68.20	-9.55	6.94	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	99.48	Inf	-Inf	7.50	3	Horizontal	174	1.50	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9828G	61.32	68.20	-6.88	8.15	3	Horizontal	174	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44018G	44.88	54.00	-9.12	15.91	3	Vertical	250	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45374G	57.52	74.00	-16.48	15.89	3	Vertical	250	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44012G	48.90	54.00	-5.10	15.91	3	Horizontal	156	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44036G	58.80	74.00	-15.20	15.91	3	Horizontal	156	1.47	-
5745MHz	Pass	AV	5.7402G	94.13	Inf	-Inf	7.56	3	Vertical	80	1.81	-
5745MHz	Pass	PK	5.589G	60.27	68.20	-7.93	7.20	3	Vertical	80	1.81	-
5745MHz	Pass	PK	5.7426G	102.23	Inf	-Inf	7.57	3	Vertical	80	1.81	-
5745MHz	Pass	PK	5.925G	60.47	68.20	-7.73	8.00	3	Vertical	80	1.81	-
5745MHz	Pass	AV	5.7486G	90.47	Inf	-Inf	7.58	3	Horizontal	185	1.49	-
5745MHz	Pass	PK	5.5602G	60.48	68.20	-7.72	7.13	3	Horizontal	185	1.49	-
5745MHz	Pass	PK	5.7462G	98.79	Inf	-Inf	7.57	3	Horizontal	185	1.49	-
5745MHz	Pass	PK	5.9322G	60.74	68.20	-7.46	8.02	3	Horizontal	185	1.49	-
5745MHz	Pass	AV	11.49006G	45.05	54.00	-8.95	15.86	3	Vertical	269	2.21	-
5745MHz	Pass	PK	11.50086G	57.45	74.00	-16.55	15.86	3	Vertical	269	2.21	-
5745MHz	Pass	AV	11.49012G	49.50	54.00	-4.50	15.86	3	Horizontal	157	1.29	-
5745MHz	Pass	PK	11.49006G	58.19	74.00	-15.81	15.86	3	Horizontal	157	1.29	-
5785MHz	Pass	AV	5.7778G	91.81	Inf	-Inf	7.65	3	Vertical	65	1.48	-
5785MHz	Pass	PK	5.5234G	59.66	68.20	-8.54	7.04	3	Vertical	65	1.48	-
5785MHz	Pass	PK	5.7778G	100.24	Inf	-Inf	7.65	3	Vertical	65	1.48	-
5785MHz	Pass	PK	5.935G	60.36	68.20	-7.84	8.03	3	Vertical	65	1.48	-
5785MHz	Pass	AV	5.7802G	90.24	Inf	-Inf	7.65	3	Horizontal	187	1.34	-
5785MHz	Pass	PK	5.6026G	60.48	68.20	-7.72	7.23	3	Horizontal	187	1.34	-
5785MHz	Pass	PK	5.7778G	98.38	Inf	-Inf	7.65	3	Horizontal	187	1.34	-
5785MHz	Pass	PK	5.9638G	60.40	68.20	-7.80	8.09	3	Horizontal	187	1.34	-
5785MHz	Pass	AV	11.57006G	46.60	54.00	-7.40	15.79	3	Vertical	156	2.99	-
5785MHz	Pass	PK	11.57G	57.16	74.00	-16.84	15.79	3	Vertical	156	2.99	-
5785MHz	Pass	AV	11.57012G	49.90	54.00	-4.10	15.79	3	Horizontal	143	1.54	-
5785MHz	Pass	PK	11.57006G	58.47	74.00	-15.53	15.79	3	Horizontal	143	1.54	-
5825MHz	Pass	AV	5.8286G	92.13	Inf	-Inf	7.77	3	Vertical	146	1.14	-
5825MHz	Pass	PK	5.639G	60.11	68.20	-8.09	7.32	3	Vertical	146	1.14	-
5825MHz	Pass	PK	5.8262G	99.84	Inf	-Inf	7.76	3	Vertical	146	1.14	-
5825MHz	Pass	PK	5.957G	60.30	68.20	-7.90	8.07	3	Vertical	146	1.14	-
5825MHz	Pass	AV	5.8322G	90.29	Inf	-Inf	7.78	3	Horizontal	185	1.49	-
5825MHz	Pass	PK	5.6006G	60.32	68.20	-7.88	7.23	3	Horizontal	185	1.49	-
5825MHz	Pass	PK	5.8262G	98.31	Inf	-Inf	7.76	3	Horizontal	185	1.49	-
5825MHz	Pass	PK	5.9402G	59.91	68.20	-8.29	8.04	3	Horizontal	185	1.49	-
5825MHz	Pass	AV	11.65012G	45.88	54.00	-8.12	15.71	3	Vertical	163	2.68	-
5825MHz	Pass	PK	11.64988G	57.21	74.00	-16.79	15.71	3	Vertical	163	2.68	-
5825MHz	Pass	AV	11.65024G	50.35	54.00	-3.65	15.71	3	Horizontal	156	1.48	-
5825MHz	Pass	PK	11.64982G	58.29	74.00	-15.71	15.71	3	Horizontal	156	1.48	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.46	54.00	-0.54	4.01	3	Vertical	161	2.99	-
5190MHz	Pass	AV	5.2016G	90.80	Inf	-Inf	4.08	3	Vertical	161	2.99	-
5190MHz	Pass	PK	5.1476G	65.95	74.00	-8.05	4.01	3	Vertical	161	2.99	-
5190MHz	Pass	PK	5.2032G	100.55	Inf	-Inf	4.08	3	Vertical	161	2.99	-
5190MHz	Pass	AV	5.15G	51.15	54.00	-2.85	4.01	3	Horizontal	140	1.50	-
5190MHz	Pass	AV	5.198G	84.76	Inf	-Inf	4.08	3	Horizontal	140	1.50	-
5190MHz	Pass	PK	5.15G	63.23	74.00	-10.77	4.01	3	Horizontal	140	1.50	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1856G	94.27	Inf	-Inf	4.06	3	Horizontal	140	1.50	-
5190MHz	Pass	AV	10.38024G	45.18	54.00	-8.82	13.93	3	Vertical	196	1.39	-
5190MHz	Pass	PK	10.38012G	55.79	74.00	-18.21	13.93	3	Vertical	196	1.39	-
5190MHz	Pass	AV	10.38012G	46.44	54.00	-7.56	13.93	3	Horizontal	149	1.48	-
5190MHz	Pass	PK	10.37994G	56.73	74.00	-17.27	13.93	3	Horizontal	149	1.48	-
5230MHz	Pass	AV	5.1436G	45.69	54.00	-8.31	4.01	3	Vertical	159	2.99	-
5230MHz	Pass	AV	5.2348G	90.79	Inf	-Inf	4.12	3	Vertical	159	2.99	-
5230MHz	Pass	PK	5.142G	57.22	74.00	-16.78	4.01	3	Vertical	159	2.99	-
5230MHz	Pass	PK	5.2276G	100.67	Inf	-Inf	4.12	3	Vertical	159	2.99	-
5230MHz	Pass	AV	5.1308G	45.85	54.00	-8.15	3.99	3	Horizontal	155	2.99	-
5230MHz	Pass	AV	5.2204G	88.51	Inf	-Inf	4.10	3	Horizontal	155	2.99	-
5230MHz	Pass	PK	5.1488G	58.10	74.00	-15.90	4.01	3	Horizontal	155	2.99	-
5230MHz	Pass	PK	5.2276G	98.36	Inf	-Inf	4.12	3	Horizontal	155	2.99	-
5230MHz	Pass	AV	10.46024G	46.02	54.00	-7.98	14.10	3	Vertical	195	1.50	-
5230MHz	Pass	PK	10.46018G	57.52	74.00	-16.48	14.10	3	Vertical	195	1.50	-
5230MHz	Pass	AV	10.46018G	47.41	54.00	-6.59	14.10	3	Horizontal	147	1.53	-
5230MHz	Pass	PK	10.46G	57.80	74.00	-16.20	14.10	3	Horizontal	147	1.53	-
5270MHz	Pass	AV	5.2588G	90.09	Inf	-Inf	4.16	3	Vertical	161	2.96	-
5270MHz	Pass	AV	5.3628G	45.64	54.00	-8.36	4.28	3	Vertical	161	2.96	-
5270MHz	Pass	PK	5.2676G	99.89	Inf	-Inf	4.17	3	Vertical	161	2.96	-
5270MHz	Pass	PK	5.3632G	57.44	74.00	-16.56	4.28	3	Vertical	161	2.96	-
5270MHz	Pass	AV	5.2604G	88.98	Inf	-Inf	4.16	3	Horizontal	153	2.99	-
5270MHz	Pass	AV	5.3596G	45.51	54.00	-8.49	4.28	3	Horizontal	153	2.99	-
5270MHz	Pass	PK	5.2676G	98.86	Inf	-Inf	4.17	3	Horizontal	153	2.99	-
5270MHz	Pass	PK	5.358G	57.43	74.00	-16.57	4.27	3	Horizontal	153	2.99	-
5270MHz	Pass	AV	10.54024G	46.23	54.00	-7.77	14.28	3	Vertical	213	1.67	-
5270MHz	Pass	PK	10.54012G	57.72	74.00	-16.28	14.28	3	Vertical	213	1.67	-
5270MHz	Pass	AV	10.54006G	46.37	54.00	-7.63	14.28	3	Horizontal	146	1.45	-
5270MHz	Pass	PK	10.53994G	57.56	74.00	-16.44	14.28	3	Horizontal	146	1.45	-
5310MHz	Pass	AV	5.3144G	89.84	Inf	-Inf	4.22	3	Vertical	164	2.92	-
5310MHz	Pass	AV	5.35G	53.62	54.00	-0.38	4.26	3	Vertical	164	2.92	-
5310MHz	Pass	PK	5.3076G	99.77	Inf	-Inf	4.21	3	Vertical	164	2.92	-
5310MHz	Pass	PK	5.3516G	65.75	74.00	-8.25	4.26	3	Vertical	164	2.92	-
5310MHz	Pass	AV	5.2984G	87.31	Inf	-Inf	4.20	3	Horizontal	155	2.99	-
5310MHz	Pass	AV	5.3508G	50.29	54.00	-3.71	4.26	3	Horizontal	155	2.99	-
5310MHz	Pass	PK	5.3076G	96.97	Inf	-Inf	4.21	3	Horizontal	155	2.99	-
5310MHz	Pass	PK	5.3508G	61.85	74.00	-12.15	4.26	3	Horizontal	155	2.99	-
5310MHz	Pass	AV	10.62024G	45.83	54.00	-8.17	14.45	3	Vertical	195	1.57	-
5310MHz	Pass	PK	10.63476G	57.13	74.00	-16.87	14.49	3	Vertical	195	1.57	-
5310MHz	Pass	AV	10.62006G	45.11	54.00	-8.89	14.45	3	Horizontal	163	1.37	-
5310MHz	Pass	PK	10.62036G	56.58	74.00	-17.42	14.45	3	Horizontal	163	1.37	-
5510MHz	Pass	AV	5.4596G	47.36	54.00	-6.64	4.40	3	Vertical	119	2.99	-
5510MHz	Pass	AV	5.5148G	90.70	Inf	-Inf	4.48	3	Vertical	119	2.99	-
5510MHz	Pass	PK	5.4672G	67.67	68.20	-0.53	4.41	3	Vertical	119	2.99	-
5510MHz	Pass	PK	5.5076G	100.43	Inf	-Inf	4.47	3	Vertical	119	2.99	-
5510MHz	Pass	AV	5.4588G	46.47	54.00	-7.53	4.40	3	Horizontal	213	2.99	-
5510MHz	Pass	AV	5.4984G	83.70	Inf	-Inf	4.45	3	Horizontal	213	2.99	-
5510MHz	Pass	PK	5.4684G	62.28	68.20	-5.92	4.41	3	Horizontal	213	2.99	-
5510MHz	Pass	PK	5.5076G	93.13	Inf	-Inf	4.47	3	Horizontal	213	2.99	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	11.02012G	45.94	54.00	-8.06	15.27	3	Vertical	202	1.45	-
5510MHz	Pass	PK	11.02024G	57.15	74.00	-16.85	15.27	3	Vertical	202	1.45	-
5510MHz	Pass	AV	11.02018G	46.90	54.00	-7.10	15.27	3	Horizontal	302	1.74	-
5510MHz	Pass	PK	11.02G	57.34	74.00	-16.66	15.27	3	Horizontal	302	1.74	-
5550MHz	Pass	AV	5.4592G	48.54	54.00	-5.46	4.40	3	Vertical	137	2.99	-
5550MHz	Pass	AV	5.5388G	95.86	Inf	-Inf	4.52	3	Vertical	137	2.99	-
5550MHz	Pass	PK	5.4696G	65.08	68.20	-3.12	4.41	3	Vertical	137	2.99	-
5550MHz	Pass	PK	5.5412G	105.45	Inf	-Inf	4.53	3	Vertical	137	2.99	-
5550MHz	Pass	AV	5.4572G	46.01	54.00	-7.99	4.39	3	Horizontal	216	1.50	-
5550MHz	Pass	AV	5.5388G	87.11	Inf	-Inf	4.52	3	Horizontal	216	1.50	-
5550MHz	Pass	PK	5.4612G	59.15	68.20	-9.05	4.40	3	Horizontal	216	1.50	-
5550MHz	Pass	PK	5.5412G	96.44	Inf	-Inf	4.53	3	Horizontal	216	1.50	-
5550MHz	Pass	AV	11.10018G	45.03	54.00	-8.97	15.17	3	Vertical	202	1.48	-
5550MHz	Pass	PK	11.09022G	56.71	74.00	-17.29	15.19	3	Vertical	202	1.48	-
5550MHz	Pass	AV	11.10012G	46.49	54.00	-7.51	15.17	3	Horizontal	142	1.50	-
5550MHz	Pass	PK	11.10006G	57.09	74.00	-16.91	15.17	3	Horizontal	142	1.50	-
5670MHz	Pass	AV	5.6652G	94.15	Inf	-Inf	4.78	3	Vertical	165	2.99	-
5670MHz	Pass	PK	5.6676G	103.89	Inf	-Inf	4.79	3	Vertical	165	2.99	-
5670MHz	Pass	PK	5.7252G	67.28	68.20	-0.92	4.93	3	Vertical	165	2.99	-
5670MHz	Pass	AV	5.6592G	86.41	Inf	-Inf	4.77	3	Horizontal	137	1.91	-
5670MHz	Pass	PK	5.6616G	95.67	Inf	-Inf	4.78	3	Horizontal	137	1.91	-
5670MHz	Pass	PK	5.7252G	62.70	68.20	-5.50	4.93	3	Horizontal	137	1.91	-
5670MHz	Pass	AV	11.34006G	44.38	54.00	-9.62	14.93	3	Vertical	239	2.31	-
5670MHz	Pass	PK	11.34G	56.27	74.00	-17.73	14.93	3	Vertical	239	2.31	-
5670MHz	Pass	AV	11.34012G	47.92	54.00	-6.08	16.00	3	Horizontal	148	1.53	-
5670MHz	Pass	PK	11.34036G	58.15	74.00	-15.85	16.00	3	Horizontal	148	1.53	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	45.79	54.00	-8.21	4.39	3	Vertical	166	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7184G	92.52	Inf	-Inf	4.92	3	Vertical	166	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	56.42	68.20	-11.78	4.41	3	Vertical	166	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	102.34	Inf	-Inf	4.89	3	Vertical	166	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8768G	58.58	68.20	-9.62	5.19	3	Vertical	166	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	45.54	54.00	-8.46	4.40	3	Horizontal	173	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	88.73	Inf	-Inf	4.87	3	Horizontal	173	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	57.46	68.20	-10.74	4.40	3	Horizontal	173	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	98.03	Inf	-Inf	4.89	3	Horizontal	173	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8852G	58.58	68.20	-9.62	5.19	3	Horizontal	173	2.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42006G	44.88	54.00	-9.12	14.84	3	Vertical	235	2.24	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41988G	56.40	74.00	-17.60	14.84	3	Vertical	235	2.24	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42024G	47.85	54.00	-6.15	14.84	3	Horizontal	153	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4203G	56.86	74.00	-17.14	14.84	3	Horizontal	153	1.50	-
5755MHz	Pass	AV	5.7634G	90.28	Inf	-Inf	5.03	3	Vertical	6	2.99	-
5755MHz	Pass	PK	5.623G	58.05	68.20	-10.15	4.68	3	Vertical	6	2.99	-
5755MHz	Pass	PK	5.7634G	99.49	Inf	-Inf	5.03	3	Vertical	6	2.99	-
5755MHz	Pass	PK	5.9818G	58.49	68.20	-9.71	5.28	3	Vertical	6	2.99	-
5755MHz	Pass	AV	5.7442G	83.07	Inf	-Inf	4.98	3	Horizontal	141	1.50	-
5755MHz	Pass	PK	5.4982G	57.95	68.20	-10.25	4.45	3	Horizontal	141	1.50	-
5755MHz	Pass	PK	5.7466G	92.42	Inf	-Inf	4.99	3	Horizontal	141	1.50	-
5755MHz	Pass	PK	5.9638G	58.63	68.20	-9.57	5.27	3	Horizontal	141	1.50	-
5755MHz	Pass	AV	11.51012G	45.51	54.00	-8.49	15.85	3	Vertical	153	2.50	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	11.5178G	57.31	74.00	-16.69	15.84	3	Vertical	153	2.50	-
5755MHz	Pass	AV	11.51018G	49.70	54.00	-4.30	15.85	3	Horizontal	148	1.56	-
5755MHz	Pass	PK	11.5103G	58.33	74.00	-15.67	15.85	3	Horizontal	148	1.56	-
5795MHz	Pass	AV	5.807G	90.77	Inf	-Inf	5.13	3	Vertical	168	2.99	-
5795MHz	Pass	PK	5.6018G	58.21	68.20	-9.99	4.63	3	Vertical	168	2.99	-
5795MHz	Pass	PK	5.8046G	101.47	Inf	-Inf	5.13	3	Vertical	168	2.99	-
5795MHz	Pass	PK	5.927G	57.85	68.20	-10.35	5.23	3	Vertical	168	2.99	-
5795MHz	Pass	AV	5.7842G	81.95	Inf	-Inf	5.08	3	Horizontal	187	1.50	-
5795MHz	Pass	PK	5.627G	58.28	68.20	-9.92	4.70	3	Horizontal	187	1.50	-
5795MHz	Pass	PK	5.7926G	92.56	Inf	-Inf	5.10	3	Horizontal	187	1.50	-
5795MHz	Pass	PK	5.9534G	57.66	68.20	-10.54	5.25	3	Horizontal	187	1.50	-
5795MHz	Pass	AV	11.59018G	43.49	54.00	-10.51	14.66	3	Vertical	226	1.97	-
5795MHz	Pass	PK	11.59522G	56.06	74.00	-17.94	14.65	3	Vertical	226	1.97	-
5795MHz	Pass	AV	11.59012G	46.39	54.00	-7.61	14.66	3	Horizontal	146	2.44	-
5795MHz	Pass	PK	11.59306G	56.12	74.00	-17.88	14.66	3	Horizontal	146	2.44	-
802.11ac VHT80_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.44	54.00	-0.56	4.01	3	Vertical	160	2.99	-
5210MHz	Pass	AV	5.188G	83.09	Inf	-Inf	4.06	3	Vertical	160	2.99	-
5210MHz	Pass	AV	5.416G	47.05	54.00	-6.95	4.34	3	Vertical	160	2.99	-
5210MHz	Pass	PK	5.15G	63.35	74.00	-10.65	4.01	3	Vertical	160	2.99	-
5210MHz	Pass	PK	5.183G	92.34	Inf	-Inf	4.06	3	Vertical	160	2.99	-
5210MHz	Pass	PK	5.426G	57.00	74.00	-17.00	4.36	3	Vertical	160	2.99	-
5210MHz	Pass	AV	5.149G	51.33	54.00	-2.67	4.01	3	Horizontal	140	1.50	-
5210MHz	Pass	AV	5.205G	81.04	Inf	-Inf	4.08	3	Horizontal	140	1.50	-
5210MHz	Pass	AV	5.46G	46.79	54.00	-7.21	4.40	3	Horizontal	140	1.50	-
5210MHz	Pass	PK	5.15G	61.86	74.00	-12.14	4.01	3	Horizontal	140	1.50	-
5210MHz	Pass	PK	5.183G	90.08	Inf	-Inf	4.06	3	Horizontal	140	1.50	-
5210MHz	Pass	PK	5.409G	57.48	74.00	-16.52	4.34	3	Horizontal	140	1.50	-
5210MHz	Pass	AV	10.42006G	47.97	54.00	-6.03	14.01	3	Vertical	189	2.88	-
5210MHz	Pass	PK	10.42018G	56.64	74.00	-17.36	14.01	3	Vertical	189	2.88	-
5210MHz	Pass	AV	10.4203G	47.73	54.00	-6.27	14.01	3	Horizontal	149	1.50	-
5210MHz	Pass	PK	10.42342G	56.73	74.00	-17.27	14.02	3	Horizontal	149	1.50	-
5290MHz	Pass	AV	5.084G	47.10	54.00	-6.90	3.92	3	Vertical	161	2.95	-
5290MHz	Pass	AV	5.268G	86.01	Inf	-Inf	4.17	3	Vertical	161	2.95	-
5290MHz	Pass	AV	5.351G	53.44	54.00	-0.56	4.26	3	Vertical	161	2.95	-
5290MHz	Pass	PK	5.106G	57.76	74.00	-16.24	3.95	3	Vertical	161	2.95	-
5290MHz	Pass	PK	5.264G	95.10	Inf	-Inf	4.17	3	Vertical	161	2.95	-
5290MHz	Pass	PK	5.355G	65.99	74.00	-8.01	4.27	3	Vertical	161	2.95	-
5290MHz	Pass	AV	5.077G	46.85	54.00	-7.15	3.92	3	Horizontal	151	1.50	-
5290MHz	Pass	AV	5.273G	78.06	Inf	-Inf	4.17	3	Horizontal	151	1.50	-
5290MHz	Pass	AV	5.357G	47.84	54.00	-6.16	4.27	3	Horizontal	151	1.50	-
5290MHz	Pass	PK	5.098G	57.84	74.00	-16.16	3.94	3	Horizontal	151	1.50	-
5290MHz	Pass	PK	5.263G	86.64	Inf	-Inf	4.16	3	Horizontal	151	1.50	-
5290MHz	Pass	PK	5.501G	57.74	68.20	-10.46	4.45	3	Horizontal	151	1.50	-
5290MHz	Pass	AV	10.58012G	47.59	54.00	-6.41	14.37	3	Vertical	193	1.50	-
5290MHz	Pass	PK	10.58036G	57.24	74.00	-16.76	14.37	3	Vertical	193	1.50	-
5290MHz	Pass	AV	10.58018G	47.53	54.00	-6.47	14.37	3	Horizontal	146	1.50	-
5290MHz	Pass	PK	10.58018G	57.24	74.00	-16.76	14.37	3	Horizontal	146	1.50	-
5530MHz	Pass	AV	5.454G	53.25	54.00	-0.75	4.39	3	Vertical	346	2.92	-



RSE TX above 1GHz Result

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	5.535G	87.69	Inf	-Inf	4.51	3	Vertical	346	2.92	-
5530MHz	Pass	PK	5.465G	64.96	68.20	-3.24	4.41	3	Vertical	346	2.92	-
5530MHz	Pass	PK	5.533G	96.25	Inf	-Inf	4.51	3	Vertical	346	2.92	-
5530MHz	Pass	PK	5.746G	57.60	68.20	-10.60	4.98	3	Vertical	346	2.92	-
5530MHz	Pass	AV	5.459G	52.13	54.00	-1.87	4.40	3	Horizontal	218	2.99	-
5530MHz	Pass	AV	5.529G	83.29	Inf	-Inf	4.50	3	Horizontal	218	2.99	-
5530MHz	Pass	PK	5.467G	63.76	68.20	-4.44	4.41	3	Horizontal	218	2.99	-
5530MHz	Pass	PK	5.533G	92.31	Inf	-Inf	4.51	3	Horizontal	218	2.99	-
5530MHz	Pass	PK	5.764G	57.67	68.20	-10.53	5.03	3	Horizontal	218	2.99	-
5530MHz	Pass	AV	11.05214G	45.99	54.00	-8.01	15.23	3	Vertical	171	2.87	-
5530MHz	Pass	PK	11.07188G	57.14	74.00	-16.86	15.20	3	Vertical	171	2.87	-
5530MHz	Pass	AV	11.06018G	48.82	54.00	-5.18	15.22	3	Horizontal	302	1.68	-
5530MHz	Pass	PK	11.054G	57.73	74.00	-16.27	15.23	3	Horizontal	302	1.68	-
5610MHz	Pass	AV	5.457G	52.01	54.00	-1.99	4.39	3	Vertical	4	2.99	-
5610MHz	Pass	AV	5.613G	93.62	Inf	-Inf	4.67	3	Vertical	4	2.99	-
5610MHz	Pass	PK	5.468G	66.19	68.20	-2.01	4.41	3	Vertical	4	2.99	-
5610MHz	Pass	PK	5.614G	102.53	Inf	-Inf	4.67	3	Vertical	4	2.99	-
5610MHz	Pass	PK	5.728G	66.44	68.20	-1.76	4.94	3	Vertical	4	2.99	-
5610MHz	Pass	AV	5.448G	47.69	54.00	-6.31	4.38	3	Horizontal	219	1.50	-
5610MHz	Pass	AV	5.615G	85.56	Inf	-Inf	4.67	3	Horizontal	219	1.50	-
5610MHz	Pass	PK	5.465G	59.56	68.20	-8.64	4.41	3	Horizontal	219	1.50	-
5610MHz	Pass	PK	5.583G	95.42	Inf	-Inf	4.61	3	Horizontal	219	1.50	-
5610MHz	Pass	PK	5.728G	60.68	68.20	-7.52	4.94	3	Horizontal	219	1.50	-
5610MHz	Pass	AV	11.23326G	45.22	54.00	-8.78	15.03	3	Vertical	165	2.33	-
5610MHz	Pass	PK	11.22126G	56.03	74.00	-17.97	15.04	3	Vertical	165	2.33	-
5610MHz	Pass	AV	11.22G	49.81	54.00	-4.19	15.05	3	Horizontal	305	1.76	-
5610MHz	Pass	PK	11.2203G	56.83	74.00	-17.17	15.05	3	Horizontal	305	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	47.34	54.00	-6.66	4.36	3	Vertical	166	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	91.73	Inf	-Inf	4.83	3	Vertical	166	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.57	68.20	-11.63	4.41	3	Vertical	166	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6636G	101.69	Inf	-Inf	4.78	3	Vertical	166	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9468G	58.96	68.20	-9.24	5.26	3	Vertical	166	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	46.84	54.00	-7.16	4.36	3	Horizontal	218	2.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	84.92	Inf	-Inf	4.85	3	Horizontal	218	2.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.46	68.20	-11.74	4.41	3	Horizontal	218	2.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6636G	93.87	Inf	-Inf	4.78	3	Horizontal	218	2.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.894G	57.92	68.20	-10.28	5.20	3	Horizontal	218	2.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37016G	45.60	54.00	-8.40	14.89	3	Vertical	241	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39158G	55.70	74.00	-18.30	14.87	3	Vertical	241	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38012G	48.66	54.00	-5.34	14.88	3	Horizontal	150	1.85	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38018G	55.53	74.00	-18.47	14.88	3	Horizontal	150	1.85	-
5775MHz	Pass	AV	5.7618G	82.58	Inf	-Inf	5.03	3	Vertical	76	1.50	-
5775MHz	Pass	PK	5.5566G	58.33	68.20	-9.87	4.55	3	Vertical	76	1.50	-
5775MHz	Pass	PK	5.7558G	91.44	Inf	-Inf	5.01	3	Vertical	76	1.50	-
5775MHz	Pass	PK	5.9898G	57.34	68.20	-10.86	5.29	3	Vertical	76	1.50	-
5775MHz	Pass	AV	5.7822G	79.91	Inf	-Inf	5.08	3	Horizontal	186	1.50	-
5775MHz	Pass	PK	5.5926G	57.72	68.20	-10.48	4.61	3	Horizontal	186	1.50	-
5775MHz	Pass	PK	5.7882G	88.45	Inf	-Inf	5.08	3	Horizontal	186	1.50	-
5775MHz	Pass	PK	5.9682G	58.13	68.20	-10.07	5.28	3	Horizontal	186	1.50	-



RSE TX above 1GHz Result


Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	AV	11.55019G	48.05	54.00	-5.95	15.81	3	Vertical	157	2.81	-
5775MHz	Pass	PK	11.55007G	56.73	74.00	-17.27	15.81	3	Vertical	157	2.81	-
5775MHz	Pass	AV	11.55005G	51.28	54.00	-2.72	15.81	3	Horizontal	156	1.45	-
5775MHz	Pass	PK	11.55029G	58.60	74.00	-15.40	15.81	3	Horizontal	156	1.45	-

802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1494G	48.27	54.00	-5.73	6.47	3	Vertical	78	1.77	-
AV	5.1852G	91.78	Inf	-Inf	6.53	3	Vertical	78	1.77	-
PK	5.1482G	59.11	74.00	-14.89	6.47	3	Vertical	78	1.77	-
PK	5.1874G	100.36	Inf	-Inf	6.53	3	Vertical	78	1.77	-

802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1498G	48.27	54.00	-5.73	6.47	3	Horizontal	34	2.06	-
AV	5.1734G	91.44	Inf	-Inf	6.50	3	Horizontal	34	2.06	-
PK	5.143G	58.84	74.00	-15.16	6.46	3	Horizontal	34	2.06	-
PK	5.175G	100.08	Inf	-Inf	6.51	3	Horizontal	34	2.06	-



802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36016G	44.18	54.00	-9.82	15.43	3	Vertical	179	2.96	-
PK	10.36892G	55.87	74.00	-18.13	15.45	3	Vertical	179	2.96	-



802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5180MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36016G	44.98	54.00	-9.02	15.43	3	Horizontal	136	1.48	-
PK	10.35188G	55.81	74.00	-18.19	15.42	3	Horizontal	136	1.48	-

802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1472G	48.47	54.00	-5.53	6.47	3	Vertical	145	2.87	-
AV	5.204G	95.35	Inf	-Inf	6.55	3	Vertical	145	2.87	-
PK	5.144G	59.76	74.00	-14.24	6.47	3	Vertical	145	2.87	-
PK	5.202G	104.56	Inf	-Inf	6.55	3	Vertical	145	2.87	-

802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.146G	48.04	54.00	-5.96	6.47	3	Horizontal	33	2.03	-
AV	5.1932G	91.51	Inf	-Inf	6.54	3	Horizontal	33	2.03	-
PK	5.104G	59.56	74.00	-14.44	6.39	3	Horizontal	33	2.03	-
PK	5.1976G	100.33	Inf	-Inf	6.55	3	Horizontal	33	2.03	-



802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.4G	44.02	54.00	-9.98	15.49	3	Vertical	186	1.50	-
PK	10.40008G	55.21	74.00	-18.79	15.49	3	Vertical	186	1.50	-



802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5200MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40016G	44.69	54.00	-9.31	15.49	3	Horizontal	138	1.50	-
PK	10.39984G	55.59	74.00	-18.41	15.49	3	Horizontal	138	1.50	-

802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1488G	47.84	54.00	-6.16	6.47	3	Vertical	154	2.73	-
AV	5.2334G	95.06	Inf	-Inf	6.59	3	Vertical	154	2.73	-
AV	5.3576G	47.84	54.00	-6.16	6.78	3	Vertical	154	2.73	-
PK	5.1356G	59.08	74.00	-14.92	6.45	3	Vertical	154	2.73	-
PK	5.2334G	103.52	Inf	-Inf	6.59	3	Vertical	154	2.73	-
PK	5.372G	59.18	74.00	-14.82	6.80	3	Vertical	154	2.73	-

802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.132G	47.72	54.00	-6.28	6.45	3	Horizontal	220	1.50	-
AV	5.2358G	88.93	Inf	-Inf	6.60	3	Horizontal	220	1.50	-
AV	5.3666G	47.88	54.00	-6.12	6.79	3	Horizontal	220	1.50	-
PK	5.135G	58.85	74.00	-15.15	6.45	3	Horizontal	220	1.50	-
PK	5.2334G	97.73	Inf	-Inf	6.59	3	Horizontal	220	1.50	-
PK	5.3762G	58.80	74.00	-15.20	6.82	3	Horizontal	220	1.50	-



802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.48012G	44.30	54.00	-9.70	15.60	3	Vertical	187	1.45	-
PK	10.48024G	55.07	74.00	-18.93	15.60	3	Vertical	187	1.45	-



802.11a_Nss1,(6Mbps)_1TX

27/12/2018

5240MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.48006G	44.30	54.00	-9.70	15.60	3	Vertical	186	1.31	-
PK	10.46554G	55.33	74.00	-18.67	15.58	3	Vertical	186	1.31	-

802.11a_Nss1,(6Mbps)_1TX

28/12/2018

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1184G	47.80	54.00	-6.20	6.41	3	Vertical	154	2.69	-
AV	5.2636G	96.73	Inf	-Inf	6.64	3	Vertical	154	2.69	-
AV	5.401G	47.93	54.00	-6.07	6.85	3	Vertical	154	2.69	-
PK	5.1442G	58.79	74.00	-15.21	6.47	3	Vertical	154	2.69	-
PK	5.2558G	105.79	Inf	-Inf	6.63	3	Vertical	154	2.69	-
PK	5.3986G	58.81	74.00	-15.19	6.85	3	Vertical	154	2.69	-



802.11a_Nss1,(6Mbps)_1TX

28/12/2018

5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	47.61	54.00	-6.39	6.47	3	Horizontal	227	1.63	-
AV	5.2552G	90.78	Inf	-Inf	6.63	3	Horizontal	227	1.63	-
AV	5.3914G	47.95	54.00	-6.05	6.83	3	Horizontal	227	1.63	-
PK	5.1448G	58.74	74.00	-15.26	6.47	3	Horizontal	227	1.63	-
PK	5.26G	99.95	Inf	-Inf	6.64	3	Horizontal	227	1.63	-
PK	5.3716G	59.18	74.00	-14.82	6.80	3	Horizontal	227	1.63	-