


注意事项

- 刀模根据实际生产需求调整。
- 量产前样品请先取得研发担当者之确认。
- 严格按照图纸标准的工艺、材质、颜色进行生产。
- 交货者希望变更时，须事先取得研发担当者之承认。
- ▲ 图中所用物料必须符合欧盟RoHS环保要求，送样时请附上检测报告。

- 天地盖：+1mm
- 卡盒、飞机盒：+0.5mm
- EVA材质：±0.5mm
- 卡片：±0.2mm
- 说明书：±0.2mm
- 标签：±0.2mm
- 保护膜：±0.2mm



正面

反面

FCC statement:  
 This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.  
 Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.  
 This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:  
 --Reorient or relocate the receiving antenna.  
 --Increase the separation between the equipment and receiver.  
 --Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.  
 --Consult the dealer or an experienced radio/TV technician for help.  
 Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.  
 Radiation Exposure Statement  
 This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. During the operation of device a distance of 0 cm surrounding the device and 0 cm above the top surface of the device must be respected.