





DH5_Ant1_2402_1000~26500




Date: 21.APR.2024 06:50:22

DH5_Ant2_2402_0~Reference




Date: 21.APR.2024 07:13:44






DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000






DH5_Ant1_2441_1000~26500




DH5_Ant2_2441_0~Reference






DH5_Ant2_2441_30~1000



Date: 21.APR.2024 07:14:57


DH5_Ant2_2441_1000~26500




Date: 21.APR.2024 07:15:12



DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000






DH5_Ant1_2480_1000~26500




DH5_Ant2_2480_0~Reference






DH5_Ant2_2480_30~1000




DH5_Ant2_2480_1000~26500






2DH1_Ant1_2402_0~Reference




2DH1_Ant1_2402_30~1000






2DH1_Ant1_2402_1000~26500



Date: 21.APR.2024 06:54:21


2DH1_Ant2_2402_0~Reference




Date: 21.APR.2024 07:17:40



2DH1_Ant2_2402_30~1000




2DH1_Ant2_2402_1000~26500






2DH1_Ant1_2441_0~Reference




2DH1_Ant1_2441_30~1000






2DH1_Ant1_2441_1000~26500



Date: 21.APR.2024 06:55:28


2DH1_Ant2_2441_0~Reference




Date: 21.APR.2024 07:18:46



2DH1_Ant2_2441_30~1000




2DH1_Ant2_2441_1000~26500






2DH1_Ant1_2480_0~Reference




2DH1_Ant1_2480_30~1000






2DH1_Ant1_2480_1000~26500



Date: 21.APR.2024 06:56:54


2DH1_Ant2_2480_0~Reference



Date: 21.APR.2024 07:20:12




2DH1_Ant2_2480_30~1000



Date: 21.APR.2024 07:20:17


2DH1_Ant2_2480_1000~26500




Date: 21.APR.2024 07:20:33



3DH1_Ant1_2402_0~Reference




3DH1_Ant1_2402_30~1000






3DH1_Ant1_2402_1000~26500




3DH1_Ant2_2402_0~Reference






3DH1_Ant2_2402_30~1000



Date: 21.APR.2024 07:21:41


3DH1_Ant2_2402_1000~26500




Date: 21.APR.2024 07:21:56



3DH1_Ant1_2441_0~Reference




3DH1_Ant1_2441_30~1000






3DH1_Ant1_2441_1000~26500




3DH1_Ant2_2441_0~Reference






3DH1_Ant2_2441_30~1000




3DH1_Ant2_2441_1000~26500







3DH1_Ant1_2480_0~Reference




3DH1_Ant1_2480_30~1000








3DH1_Ant2_2480_30~1000



Date: 21.APR.2024 07:24:14

3DH1_Ant2_2480_1000~26500




Date: 21.APR.2024 07:24:30



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.171	41.02	-23.88	64.90	30.50	0.10	10.42	QP
2	0.171	28.72	-26.18	54.90	18.20	0.10	10.42	Average
3	0.198	41.99	-21.72	63.71	31.50	0.08	10.41	QP
4	0.198	30.09	-23.62	53.71	19.60	0.08	10.41	Average
5	0.299	38.62	-21.66	60.28	28.20	0.09	10.33	QP
6	0.299	33.22	-17.06	50.28	22.80	0.09	10.33	Average
7	0.433	35.41	-21.79	57.20	25.20	-0.05	10.26	QP
8	0.433	29.11	-18.09	47.20	18.90	-0.05	10.26	Average
9	0.592	31.55	-24.45	56.00	21.50	-0.13	10.18	QP
10	0.592	24.25	-21.75	46.00	14.20	-0.13	10.18	Average
11	0.904	35.83	-20.17	56.00	25.90	-0.17	10.10	QP
12 *	0.904	33.03	-12.97	46.00	23.10	-0.17	10.10	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.191	42.84	-21.14	63.98	32.30	0.13	10.41	QP
2	0.191	32.14	-21.84	53.98	21.60	0.13	10.41	Average
3	0.248	37.16	-24.66	61.82	26.79	0.00	10.37	QP
4	0.248	27.56	-24.26	51.82	17.19	0.00	10.37	Average
5	0.433	33.62	-23.58	57.20	23.50	-0.14	10.26	QP
6	0.433	27.32	-19.88	47.20	17.20	-0.14	10.26	Average
7	0.654	30.60	-25.40	56.00	20.60	-0.16	10.16	QP
8	0.654	23.50	-22.50	46.00	13.50	-0.16	10.16	Average
9	0.899	37.12	-18.88	56.00	27.20	-0.18	10.10	QP
10 *	0.899	34.82	-11.18	46.00	24.90	-0.18	10.10	Average
11	1.503	36.50	-19.50	56.00	26.61	-0.19	10.08	QP
12	1.503	33.70	-12.30	46.00	23.81	-0.19	10.08	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41~42%
		Temperature :	22 ~23°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	2	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	1Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2386.44	55.99	74.00	-18.01	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4990.00	52.08	74.00	-21.92	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	4978.00	52.80	74.00	-21.20	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2497.70	55.25	74.00	-18.75	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	4981.00	52.86	74.00	-21.14	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2353.29	55.51	74.00	-18.49	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4995.00	52.96	74.00	-21.04	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	4995.00	53.31	74.00	-20.69	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2496.81	55.28	74.00	-18.72	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	4990.00	53.83	74.00	-20.17	V	PEAK	Pass	Harmonic



Mode	1																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2352.12</td> <td>55.04</td> <td>74.00</td> <td>-18.96</td> <td>38.99</td> <td>32.30</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>234</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2352.12</td> <td>30.25</td> <td>54.00</td> <td>-23.75</td> <td>14.20</td> <td>32.30</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>234</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2352.12	55.04	74.00	-18.96	38.99	32.30	8.69	30.94	6.00	234	127	PEAK	2	2352.12	30.25	54.00	-23.75	14.20	32.30	8.69	30.94	6.00	234	127	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.64</td> <td>-----</td> <td>-----</td> <td>84.37</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>234</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>75.85</td> <td>-----</td> <td>-----</td> <td>59.58</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>234</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	100.64	-----	-----	84.37	32.40	8.80	30.93	6.00	234	127	PEAK	2	2402.00	75.85	-----	-----	59.58	32.40	8.80	30.93	6.00	234	127	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2352.12	55.04	74.00	-18.96	38.99	32.30	8.69	30.94	6.00	234	127	PEAK																																																																																																
2	2352.12	30.25	54.00	-23.75	14.20	32.30	8.69	30.94	6.00	234	127	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2402.00	100.64	-----	-----	84.37	32.40	8.80	30.93	6.00	234	127	PEAK																																																																																																
2	2402.00	75.85	-----	-----	59.58	32.40	8.80	30.93	6.00	234	127	AVERAGE																																																																																																



Mode	1																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.44</td> <td>55.99</td> <td>74.00</td> <td>-18.01</td> <td>39.78</td> <td>32.37</td> <td>8.77</td> <td>30.93</td> <td>6.00</td> <td>101</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2386.44</td> <td>31.20</td> <td>54.00</td> <td>-22.80</td> <td>14.99</td> <td>32.37</td> <td>8.77</td> <td>30.93</td> <td>6.00</td> <td>101</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	55.99	74.00	-18.01	39.78	32.37	8.77	30.93	6.00	101	150	PEAK	2	2386.44	31.20	54.00	-22.80	14.99	32.37	8.77	30.93	6.00	101	150	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.45</td> <td>-----</td> <td>78.18</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>101</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>69.66</td> <td>-----</td> <td>53.39</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>101</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.45	-----	78.18	32.40	8.80	30.93	6.00	101	150	PEAK	2	2402.00	69.66	-----	53.39	32.40	8.80	30.93	6.00	101	150	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2386.44	55.99	74.00	-18.01	39.78	32.37	8.77	30.93	6.00	101	150	PEAK																																																																																																
2	2386.44	31.20	54.00	-22.80	14.99	32.37	8.77	30.93	6.00	101	150	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2402.00	94.45	-----	78.18	32.40	8.80	30.93	6.00	101	150	PEAK																																																																																																	
2	2402.00	69.66	-----	53.39	32.40	8.80	30.93	6.00	101	150	AVERAGE																																																																																																	



Mode	1																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.32</td> <td>74.00</td> <td>-34.68</td> <td>58.18</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4987.00</td> <td>50.46</td> <td>74.00</td> <td>-23.54</td> <td>69.48</td> <td>34.08</td> <td>12.25</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>338 PEAK</td> </tr> <tr> <td>3</td> <td>4987.00</td> <td>25.67</td> <td>54.00</td> <td>-28.33</td> <td>44.69</td> <td>34.08</td> <td>12.25</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>338 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.32	74.00	-34.68	58.18	34.29	12.54	65.69	0.00	--	PEAK	2	4987.00	50.46	74.00	-23.54	69.48	34.08	12.25	65.35	0.00	100	338 PEAK	3	4987.00	25.67	54.00	-28.33	44.69	34.08	12.25	65.35	0.00	100	338 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.12</td> <td>74.00</td> <td>-34.88</td> <td>57.98</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4990.00</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>71.09</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>307 PEAK</td> </tr> <tr> <td>3</td> <td>4990.00</td> <td>27.29</td> <td>54.00</td> <td>-26.71</td> <td>46.30</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>307 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.12	74.00	-34.88	57.98	34.29	12.54	65.69	0.00	--	PEAK	2	4990.00	52.08	74.00	-21.92	71.09	34.06	12.27	65.34	0.00	100	307 PEAK	3	4990.00	27.29	54.00	-26.71	46.30	34.06	12.27	65.34	0.00	100	307 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4804.00	39.32	74.00	-34.68	58.18	34.29	12.54	65.69	0.00	--	PEAK																																																																																																																							
2	4987.00	50.46	74.00	-23.54	69.48	34.08	12.25	65.35	0.00	100	338 PEAK																																																																																																																							
3	4987.00	25.67	54.00	-28.33	44.69	34.08	12.25	65.35	0.00	100	338 AVERAGE																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4804.00	39.12	74.00	-34.88	57.98	34.29	12.54	65.69	0.00	--	PEAK																																																																																																																							
2	4990.00	52.08	74.00	-21.92	71.09	34.06	12.27	65.34	0.00	100	307 PEAK																																																																																																																							
3	4990.00	27.29	54.00	-26.71	46.30	34.06	12.27	65.34	0.00	100	307 AVERAGE																																																																																																																							
Peak Avg																																																																																																																																		



Mode	2																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.27</td> <td>74.00</td> <td>-33.73</td> <td>59.55</td> <td>34.20</td> <td>12.06</td> <td>65.54</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4993.00</td> <td>50.73</td> <td>74.00</td> <td>-23.27</td> <td>69.74</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4993.00</td> <td>25.94</td> <td>54.00</td> <td>-28.06</td> <td>44.95</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>42.65</td> <td>74.00</td> <td>-31.35</td> <td>56.72</td> <td>35.80</td> <td>14.99</td> <td>64.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.27	74.00	-33.73	59.55	34.20	12.06	65.54	0.00	--	--	PEAK	2	4993.00	50.73	74.00	-23.27	69.74	34.04	12.29	65.34	0.00	100	303	PEAK	3	4993.00	25.94	54.00	-28.06	44.95	34.04	12.29	65.34	0.00	100	303	AVERAGE	4	7323.00	42.65	74.00	-31.35	56.72	35.80	14.99	64.86	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.21</td> <td>74.00</td> <td>-33.79</td> <td>59.49</td> <td>34.20</td> <td>12.06</td> <td>65.54</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4978.00</td> <td>52.80</td> <td>74.00</td> <td>-21.20</td> <td>71.84</td> <td>34.13</td> <td>12.19</td> <td>65.36</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4978.00</td> <td>28.01</td> <td>54.00</td> <td>-25.99</td> <td>47.05</td> <td>34.13</td> <td>12.19</td> <td>65.36</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>42.55</td> <td>74.00</td> <td>-31.45</td> <td>56.62</td> <td>35.80</td> <td>14.99</td> <td>64.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.21	74.00	-33.79	59.49	34.20	12.06	65.54	0.00	--	--	PEAK	2	4978.00	52.80	74.00	-21.20	71.84	34.13	12.19	65.36	0.00	100	308	PEAK	3	4978.00	28.01	54.00	-25.99	47.05	34.13	12.19	65.36	0.00	100	308	AVERAGE	4	7323.00	42.55	74.00	-31.45	56.62	35.80	14.99	64.86	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4882.00	40.27	74.00	-33.73	59.55	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																																																						
2	4993.00	50.73	74.00	-23.27	69.74	34.04	12.29	65.34	0.00	100	303	PEAK																																																																																																																																																						
3	4993.00	25.94	54.00	-28.06	44.95	34.04	12.29	65.34	0.00	100	303	AVERAGE																																																																																																																																																						
4	7323.00	42.65	74.00	-31.35	56.72	35.80	14.99	64.86	0.00	--	--	PEAK																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4882.00	40.21	74.00	-33.79	59.49	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																																																						
2	4978.00	52.80	74.00	-21.20	71.84	34.13	12.19	65.36	0.00	100	308	PEAK																																																																																																																																																						
3	4978.00	28.01	54.00	-25.99	47.05	34.13	12.19	65.36	0.00	100	308	AVERAGE																																																																																																																																																						
4	7323.00	42.55	74.00	-31.45	56.62	35.80	14.99	64.86	0.00	--	--	PEAK																																																																																																																																																						



Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2497.70</td> <td>55.25</td> <td>74.00</td> <td>-18.75</td> <td>30.95</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>295</td> <td>78 PEAK</td> </tr> <tr> <td>2 2497.70</td> <td>30.46</td> <td>54.00</td> <td>-23.54</td> <td>14.16</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>295</td> <td>78 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2497.70	55.25	74.00	-18.75	30.95	32.40	8.87	30.97	6.00	295	78 PEAK	2 2497.70	30.46	54.00	-23.54	14.16	32.40	8.87	30.97	6.00	295	78 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.67</td> <td>-----</td> <td>-----</td> <td>81.36</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>295</td> <td>78 PEAK</td> </tr> <tr> <td>2 2480.00</td> <td>72.88</td> <td>-----</td> <td>-----</td> <td>56.57</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>295</td> <td>78 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	97.67	-----	-----	81.36	32.40	8.88	30.97	6.00	295	78 PEAK	2 2480.00	72.88	-----	-----	56.57	32.40	8.88	30.97	6.00	295	78 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 2497.70	55.25	74.00	-18.75	30.95	32.40	8.87	30.97	6.00	295	78 PEAK																																																																																										
2 2497.70	30.46	54.00	-23.54	14.16	32.40	8.87	30.97	6.00	295	78 AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 2480.00	97.67	-----	-----	81.36	32.40	8.88	30.97	6.00	295	78 PEAK																																																																																										
2 2480.00	72.88	-----	-----	56.57	32.40	8.88	30.97	6.00	295	78 AVERAGE																																																																																										



Mode	3																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.26</td> <td>54.89</td> <td>74.00</td> <td>-19.11</td> <td>38.58</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>303</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2487.26</td> <td>30.10</td> <td>54.00</td> <td>-23.90</td> <td>13.79</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>303</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2487.26	54.89	74.00	-19.11	38.58	32.40	8.88	30.97	6.00	303	322	PEAK	2	2487.26	30.10	54.00	-23.90	13.79	32.40	8.88	30.97	6.00	303	322	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>93.22</td> <td>-----</td> <td>-----</td> <td>76.91</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>303</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>68.43</td> <td>-----</td> <td>-----</td> <td>52.12</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>303</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	93.22	-----	-----	76.91	32.40	8.88	30.97	6.00	303	322	PEAK	2	2480.00	68.43	-----	-----	52.12	32.40	8.88	30.97	6.00	303	322	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2487.26	54.89	74.00	-19.11	38.58	32.40	8.88	30.97	6.00	303	322	PEAK																																																																																																
2	2487.26	30.10	54.00	-23.90	13.79	32.40	8.88	30.97	6.00	303	322	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	2480.00	93.22	-----	-----	76.91	32.40	8.88	30.97	6.00	303	322	PEAK																																																																																																
2	2480.00	68.43	-----	-----	52.12	32.40	8.88	30.97	6.00	303	322	AVERAGE																																																																																																



Mode	3																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.19</td> <td>74.00</td> <td>-33.81</td> <td>59.28</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4977.00</td> <td>49.80</td> <td>74.00</td> <td>-24.20</td> <td>68.85</td> <td>34.14</td> <td>12.18</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4977.00</td> <td>25.01</td> <td>54.00</td> <td>-28.99</td> <td>44.06</td> <td>34.14</td> <td>12.18</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>299</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>42.13</td> <td>74.00</td> <td>-31.87</td> <td>56.31</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.19	74.00	-33.81	59.28	34.24	12.07	65.40	0.00	--	--	PEAK	2	4977.00	49.80	74.00	-24.20	68.85	34.14	12.18	65.37	0.00	100	299	PEAK	3	4977.00	25.01	54.00	-28.99	44.06	34.14	12.18	65.37	0.00	100	299	AVERAGE	4	7440.00	42.13	74.00	-31.87	56.31	35.80	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.01</td> <td>74.00</td> <td>-33.99</td> <td>59.10</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4981.00</td> <td>52.86</td> <td>74.00</td> <td>-21.14</td> <td>71.90</td> <td>34.11</td> <td>12.21</td> <td>65.36</td> <td>0.00</td> <td>100</td> <td>312</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4981.00</td> <td>22.67</td> <td>54.00</td> <td>-31.33</td> <td>41.71</td> <td>34.11</td> <td>12.21</td> <td>65.36</td> <td>0.00</td> <td>100</td> <td>312</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>42.20</td> <td>74.00</td> <td>-31.80</td> <td>56.38</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.01	74.00	-33.99	59.10	34.24	12.07	65.40	0.00	--	--	PEAK	2	4981.00	52.86	74.00	-21.14	71.90	34.11	12.21	65.36	0.00	100	312	PEAK	3	4981.00	22.67	54.00	-31.33	41.71	34.11	12.21	65.36	0.00	100	312	AVERAGE	4	7440.00	42.20	74.00	-31.80	56.38	35.80	15.21	65.19	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4960.00	40.19	74.00	-33.81	59.28	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																						
2	4977.00	49.80	74.00	-24.20	68.85	34.14	12.18	65.37	0.00	100	299	PEAK																																																																																																																																																						
3	4977.00	25.01	54.00	-28.99	44.06	34.14	12.18	65.37	0.00	100	299	AVERAGE																																																																																																																																																						
4	7440.00	42.13	74.00	-31.87	56.31	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4960.00	40.01	74.00	-33.99	59.10	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																						
2	4981.00	52.86	74.00	-21.14	71.90	34.11	12.21	65.36	0.00	100	312	PEAK																																																																																																																																																						
3	4981.00	22.67	54.00	-31.33	41.71	34.11	12.21	65.36	0.00	100	312	AVERAGE																																																																																																																																																						
4	7440.00	42.20	74.00	-31.80	56.38	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																						



Mode	4																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal	Fundamental																																																																																																																	
Peak																																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2349.52</td> <td>55.27</td> <td>74.00</td> <td>-18.73</td> <td>39.23</td> <td>32.30</td> <td>8.68</td> <td>30.94</td> <td>6.00</td> <td>110</td> <td>133</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2349.52</td> <td>30.48</td> <td>54.00</td> <td>-23.52</td> <td>14.44</td> <td>32.30</td> <td>8.68</td> <td>30.94</td> <td>6.00</td> <td>110</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2349.52	55.27	74.00	-18.73	39.23	32.30	8.68	30.94	6.00	110	133	PEAK	2	2349.52	30.48	54.00	-23.52	14.44	32.30	8.68	30.94	6.00	110	133	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.34</td> <td>-----</td> <td>-----</td> <td>83.07</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>133</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>74.55</td> <td>-----</td> <td>-----</td> <td>58.28</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	99.34	-----	-----	83.07	32.40	8.80	30.93	6.00	110	133	PEAK	2	2402.00	74.55	-----	-----	58.28	32.40	8.80	30.93	6.00	110	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2349.52	55.27	74.00	-18.73	39.23	32.30	8.68	30.94	6.00	110	133	PEAK																																																																																																							
2	2349.52	30.48	54.00	-23.52	14.44	32.30	8.68	30.94	6.00	110	133	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	2402.00	99.34	-----	-----	83.07	32.40	8.80	30.93	6.00	110	133	PEAK																																																																																																							
2	2402.00	74.55	-----	-----	58.28	32.40	8.80	30.93	6.00	110	133	AVERAGE																																																																																																							



Mode	4																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak																																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2353.29</td> <td>55.51</td> <td>74.00</td> <td>-18.49</td> <td>39.45</td> <td>32.31</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>100</td> <td>53 PEAK</td> </tr> <tr> <td>2</td> <td>2353.29</td> <td>30.72</td> <td>54.00</td> <td>-23.28</td> <td>14.66</td> <td>32.31</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>100</td> <td>53 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2353.29	55.51	74.00	-18.49	39.45	32.31	8.69	30.94	6.00	100	53 PEAK	2	2353.29	30.72	54.00	-23.28	14.66	32.31	8.69	30.94	6.00	100	53 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.27</td> <td>-----</td> <td>-----</td> <td>79.00</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>53 PEAK</td> </tr> <tr> <td>2</td> <td>2402.00</td> <td>70.48</td> <td>-----</td> <td>-----</td> <td>54.21</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>53 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	95.27	-----	-----	79.00	32.40	8.80	30.93	6.00	100	53 PEAK	2	2402.00	70.48	-----	-----	54.21	32.40	8.80	30.93	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2353.29	55.51	74.00	-18.49	39.45	32.31	8.69	30.94	6.00	100	53 PEAK																																																																																																				
2	2353.29	30.72	54.00	-23.28	14.66	32.31	8.69	30.94	6.00	100	53 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2402.00	95.27	-----	-----	79.00	32.40	8.80	30.93	6.00	100	53 PEAK																																																																																																				
2	2402.00	70.48	-----	-----	54.21	32.40	8.80	30.93	6.00	100	53 AVERAGE																																																																																																				



Mode	4																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																							
ANT	2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.15</td> <td>74.00</td> <td>-34.85</td> <td>58.01</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4992.00</td> <td>50.86</td> <td>74.00</td> <td>-23.14</td> <td>69.87</td> <td>34.05</td> <td>12.28</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4992.00</td> <td>26.07</td> <td>54.00</td> <td>-27.93</td> <td>45.08</td> <td>34.05</td> <td>12.28</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.15	74.00	-34.85	58.01	34.29	12.54	65.69	0.00	--	--	PEAK	2	4992.00	50.86	74.00	-23.14	69.87	34.05	12.28	65.34	0.00	100	302	PEAK	3	4992.00	26.07	54.00	-27.93	45.08	34.05	12.28	65.34	0.00	100	302	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.18</td> <td>74.00</td> <td>-34.82</td> <td>58.04</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4995.00</td> <td>52.96</td> <td>74.00</td> <td>-21.04</td> <td>71.96</td> <td>34.03</td> <td>12.30</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4995.00</td> <td>28.17</td> <td>54.00</td> <td>-25.83</td> <td>47.17</td> <td>34.03</td> <td>12.30</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.18	74.00	-34.82	58.04	34.29	12.54	65.69	0.00	--	--	PEAK	2	4995.00	52.96	74.00	-21.04	71.96	34.03	12.30	65.33	0.00	100	314	PEAK	3	4995.00	28.17	54.00	-25.83	47.17	34.03	12.30	65.33	0.00	100	314	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4804.00	39.15	74.00	-34.85	58.01	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																												
2	4992.00	50.86	74.00	-23.14	69.87	34.05	12.28	65.34	0.00	100	302	PEAK																																																																																																																												
3	4992.00	26.07	54.00	-27.93	45.08	34.05	12.28	65.34	0.00	100	302	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4804.00	39.18	74.00	-34.82	58.04	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																												
2	4995.00	52.96	74.00	-21.04	71.96	34.03	12.30	65.33	0.00	100	314	PEAK																																																																																																																												
3	4995.00	28.17	54.00	-25.83	47.17	34.03	12.30	65.33	0.00	100	314	AVERAGE																																																																																																																												



Mode	5																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																	
ANT	2																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>39.74</td> <td>74.00</td> <td>-34.26</td> <td>59.02</td> <td>34.20</td> <td>12.06</td> <td>65.54</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4992.00</td> <td>50.28</td> <td>74.00</td> <td>-23.72</td> <td>69.29</td> <td>34.05</td> <td>12.28</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4992.00</td> <td>25.49</td> <td>54.00</td> <td>-28.51</td> <td>44.50</td> <td>34.05</td> <td>12.28</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>41.86</td> <td>74.00</td> <td>-32.14</td> <td>55.93</td> <td>35.80</td> <td>14.99</td> <td>64.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.74	74.00	-34.26	59.02	34.20	12.06	65.54	0.00	--	--	PEAK	2	4992.00	50.28	74.00	-23.72	69.29	34.05	12.28	65.34	0.00	100	303	PEAK	3	4992.00	25.49	54.00	-28.51	44.50	34.05	12.28	65.34	0.00	100	303	AVERAGE	4	7323.00	41.86	74.00	-32.14	55.93	35.80	14.99	64.86	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4882.00</td> <td>40.44</td> <td>74.00</td> <td>-33.56</td> <td>59.72</td> <td>34.20</td> <td>12.06</td> <td>65.54</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4995.00</td> <td>53.31</td> <td>74.00</td> <td>-20.69</td> <td>72.31</td> <td>34.03</td> <td>12.30</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4995.00</td> <td>28.52</td> <td>54.00</td> <td>-25.48</td> <td>47.52</td> <td>34.03</td> <td>12.30</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>311</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7323.00</td> <td>42.61</td> <td>74.00</td> <td>-31.39</td> <td>56.68</td> <td>35.80</td> <td>14.99</td> <td>64.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.44	74.00	-33.56	59.72	34.20	12.06	65.54	0.00	--	--	PEAK	2	4995.00	53.31	74.00	-20.69	72.31	34.03	12.30	65.33	0.00	100	311	PEAK	3	4995.00	28.52	54.00	-25.48	47.52	34.03	12.30	65.33	0.00	100	311	AVERAGE	4	7323.00	42.61	74.00	-31.39	56.68	35.80	14.99	64.86	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4882.00	39.74	74.00	-34.26	59.02	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																																																						
2	4992.00	50.28	74.00	-23.72	69.29	34.05	12.28	65.34	0.00	100	303	PEAK																																																																																																																																																						
3	4992.00	25.49	54.00	-28.51	44.50	34.05	12.28	65.34	0.00	100	303	AVERAGE																																																																																																																																																						
4	7323.00	41.86	74.00	-32.14	55.93	35.80	14.99	64.86	0.00	--	--	PEAK																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	4882.00	40.44	74.00	-33.56	59.72	34.20	12.06	65.54	0.00	--	--	PEAK																																																																																																																																																						
2	4995.00	53.31	74.00	-20.69	72.31	34.03	12.30	65.33	0.00	100	311	PEAK																																																																																																																																																						
3	4995.00	28.52	54.00	-25.48	47.52	34.03	12.30	65.33	0.00	100	311	AVERAGE																																																																																																																																																						
4	7323.00	42.61	74.00	-31.39	56.68	35.80	14.99	64.86	0.00	--	--	PEAK																																																																																																																																																						



Mode	6																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.81</td> <td>55.28</td> <td>74.00</td> <td>-18.72</td> <td>30.98</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2496.81</td> <td>30.49</td> <td>54.00</td> <td>-23.51</td> <td>14.19</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.81	55.28	74.00	-18.72	30.98	32.40	8.87	30.97	6.00	100	144	PEAK	2	2496.81	30.49	54.00	-23.51	14.19	32.40	8.87	30.97	6.00	100	144	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.04</td> <td>-----</td> <td>-----</td> <td>80.53</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>144</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>72.05</td> <td>-----</td> <td>-----</td> <td>55.74</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.04	-----	-----	80.53	32.40	8.88	30.97	6.00	100	144	PEAK	2	2480.00	72.05	-----	-----	55.74	32.40	8.88	30.97	6.00	100	144	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2496.81	55.28	74.00	-18.72	30.98	32.40	8.87	30.97	6.00	100	144	PEAK																																																																																																				
2	2496.81	30.49	54.00	-23.51	14.19	32.40	8.87	30.97	6.00	100	144	AVERAGE																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2480.00	96.04	-----	-----	80.53	32.40	8.88	30.97	6.00	100	144	PEAK																																																																																																				
2	2480.00	72.05	-----	-----	55.74	32.40	8.88	30.97	6.00	100	144	AVERAGE																																																																																																				



Mode	6																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																										
ANT	2																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.68</td> <td>54.81</td> <td>74.00</td> <td>-19.19</td> <td>38.50</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>304</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2489.68</td> <td>30.02</td> <td>54.00</td> <td>-23.98</td> <td>13.71</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>304</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2489.68	54.81	74.00	-19.19	38.50	32.40	8.88	30.97	6.00	304	322	PEAK	2	2489.68	30.02	54.00	-23.98	13.71	32.40	8.88	30.97	6.00	304	322	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>92.97</td> <td>-----</td> <td>-----</td> <td>76.66</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>304</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>68.18</td> <td>-----</td> <td>-----</td> <td>51.87</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>304</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2480.00	92.97	-----	-----	76.66	32.40	8.88	30.97	6.00	304	322	PEAK	2	2480.00	68.18	-----	-----	51.87	32.40	8.88	30.97	6.00	304	322
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2489.68	54.81	74.00	-19.19	38.50	32.40	8.88	30.97	6.00	304	322	PEAK																																																																																															
2	2489.68	30.02	54.00	-23.98	13.71	32.40	8.88	30.97	6.00	304	322	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	2480.00	92.97	-----	-----	76.66	32.40	8.88	30.97	6.00	304	322	PEAK																																																																																															
2	2480.00	68.18	-----	-----	51.87	32.40	8.88	30.97	6.00	304	322	AVERAGE																																																																																															



Mode	6																																																																																																																																																															
	Harmonic																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																															
ANT	2																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.17</td> <td>74.00</td> <td>-32.83</td> <td>60.26</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4984.00</td> <td>50.27</td> <td>74.00</td> <td>-23.73</td> <td>69.29</td> <td>34.10</td> <td>12.23</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4984.00</td> <td>25.48</td> <td>54.00</td> <td>-28.52</td> <td>44.50</td> <td>34.10</td> <td>12.23</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>43.18</td> <td>74.00</td> <td>-30.82</td> <td>57.36</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	41.17	74.00	-32.83	60.26	34.24	12.07	65.40	0.00	--	--	PEAK	2	4984.00	50.27	74.00	-23.73	69.29	34.10	12.23	65.35	0.00	100	308	PEAK	3	4984.00	25.48	54.00	-28.52	44.50	34.10	12.23	65.35	0.00	100	308	AVERAGE	4	7440.00	43.18	74.00	-30.82	57.36	35.80	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.28</td> <td>74.00</td> <td>-33.72</td> <td>59.37</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4990.00</td> <td>53.83</td> <td>74.00</td> <td>-20.17</td> <td>72.84</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>309</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4990.00</td> <td>29.04</td> <td>54.00</td> <td>-24.96</td> <td>48.05</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>309</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>42.95</td> <td>74.00</td> <td>-31.05</td> <td>57.13</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	40.28	74.00	-33.72	59.37	34.24	12.07	65.40	0.00	--	--	PEAK	2	4990.00	53.83	74.00	-20.17	72.84	34.06	12.27	65.34	0.00	100	309	PEAK	3	4990.00	29.04	54.00	-24.96	48.05	34.06	12.27	65.34	0.00	100	309	AVERAGE	4	7440.00	42.95	74.00	-31.05	57.13	35.80	15.21	65.19	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	4960.00	41.17	74.00	-32.83	60.26	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																				
2	4984.00	50.27	74.00	-23.73	69.29	34.10	12.23	65.35	0.00	100	308	PEAK																																																																																																																																																				
3	4984.00	25.48	54.00	-28.52	44.50	34.10	12.23	65.35	0.00	100	308	AVERAGE																																																																																																																																																				
4	7440.00	43.18	74.00	-30.82	57.36	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																								
1	4960.00	40.28	74.00	-33.72	59.37	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																				
2	4990.00	53.83	74.00	-20.17	72.84	34.06	12.27	65.34	0.00	100	309	PEAK																																																																																																																																																				
3	4990.00	29.04	54.00	-24.96	48.05	34.06	12.27	65.34	0.00	100	309	AVERAGE																																																																																																																																																				
4	7440.00	42.95	74.00	-31.05	57.13	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																				




Mode	1																																																																																																																																																																									
	LF																																																																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dBuV/m)</th> <th>Over Limit (dB)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>35.82</td><td>36.12</td><td>40.00</td><td>-3.88</td><td>46.80</td><td>21.28</td><td>0.76</td><td>32.72</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>60.07</td><td>36.84</td><td>40.00</td><td>-3.16</td><td>56.58</td><td>12.20</td><td>1.16</td><td>33.10</td><td>100</td><td>254</td><td>Peak</td></tr> <tr><td>3</td><td>92.08</td><td>30.73</td><td>43.50</td><td>-12.77</td><td>46.78</td><td>15.14</td><td>1.45</td><td>32.64</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>114.39</td><td>34.31</td><td>43.50</td><td>-9.19</td><td>49.12</td><td>16.44</td><td>1.62</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>164.83</td><td>29.21</td><td>43.50</td><td>-14.29</td><td>43.49</td><td>16.65</td><td>1.96</td><td>32.89</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>189.08</td><td>25.28</td><td>43.50</td><td>-18.22</td><td>40.66</td><td>15.57</td><td>2.09</td><td>33.04</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	35.82	36.12	40.00	-3.88	46.80	21.28	0.76	32.72	---	---	Peak	2	60.07	36.84	40.00	-3.16	56.58	12.20	1.16	33.10	100	254	Peak	3	92.08	30.73	43.50	-12.77	46.78	15.14	1.45	32.64	---	---	Peak	4	114.39	34.31	43.50	-9.19	49.12	16.44	1.62	32.87	---	---	Peak	5	164.83	29.21	43.50	-14.29	43.49	16.65	1.96	32.89	---	---	Peak	6	189.08	25.28	43.50	-18.22	40.66	15.57	2.09	33.04	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit Line (dBuV/m)</th> <th>Over Limit (dB)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>35.82</td><td>23.83</td><td>40.00</td><td>-16.17</td><td>34.51</td><td>21.28</td><td>0.76</td><td>32.72</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>61.04</td><td>25.90</td><td>40.00</td><td>-14.10</td><td>45.63</td><td>12.20</td><td>1.17</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>114.39</td><td>32.97</td><td>43.50</td><td>-10.53</td><td>47.78</td><td>16.44</td><td>1.62</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>184.23</td><td>26.31</td><td>43.50</td><td>-17.19</td><td>41.47</td><td>15.79</td><td>2.06</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>465.53</td><td>21.50</td><td>46.00</td><td>-24.50</td><td>27.52</td><td>23.41</td><td>3.30</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>665.35</td><td>24.29</td><td>46.00</td><td>-21.71</td><td>26.45</td><td>26.63</td><td>3.94</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	35.82	23.83	40.00	-16.17	34.51	21.28	0.76	32.72	---	---	Peak	2	61.04	25.90	40.00	-14.10	45.63	12.20	1.17	33.10	---	---	Peak	3	114.39	32.97	43.50	-10.53	47.78	16.44	1.62	32.87	---	---	Peak	4	184.23	26.31	43.50	-17.19	41.47	15.79	2.06	33.01	---	---	Peak	5	465.53	21.50	46.00	-24.50	27.52	23.41	3.30	32.73	---	---	Peak	6	665.35	24.29	46.00	-21.71	26.45	26.63	3.94	32.73	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	35.82	36.12	40.00	-3.88	46.80	21.28	0.76	32.72	---	---	Peak																																																																																																																																																															
2	60.07	36.84	40.00	-3.16	56.58	12.20	1.16	33.10	100	254	Peak																																																																																																																																																															
3	92.08	30.73	43.50	-12.77	46.78	15.14	1.45	32.64	---	---	Peak																																																																																																																																																															
4	114.39	34.31	43.50	-9.19	49.12	16.44	1.62	32.87	---	---	Peak																																																																																																																																																															
5	164.83	29.21	43.50	-14.29	43.49	16.65	1.96	32.89	---	---	Peak																																																																																																																																																															
6	189.08	25.28	43.50	-18.22	40.66	15.57	2.09	33.04	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	35.82	23.83	40.00	-16.17	34.51	21.28	0.76	32.72	---	---	Peak																																																																																																																																																															
2	61.04	25.90	40.00	-14.10	45.63	12.20	1.17	33.10	---	---	Peak																																																																																																																																																															
3	114.39	32.97	43.50	-10.53	47.78	16.44	1.62	32.87	---	---	Peak																																																																																																																																																															
4	184.23	26.31	43.50	-17.19	41.47	15.79	2.06	33.01	---	---	Peak																																																																																																																																																															
5	465.53	21.50	46.00	-24.50	27.52	23.41	3.30	32.73	---	---	Peak																																																																																																																																																															
6	665.35	24.29	46.00	-21.71	26.45	26.63	3.94	32.73	---	---	Peak																																																																																																																																																															

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.