



Mode	10																																																																										
	Band Edge																																																																										
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																										
ANT	1																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.41</td> <td>54.86</td> <td>74.00</td> <td>-19.14</td> <td>38.67</td> <td>32.36</td> <td>8.76</td> <td>30.93</td> <td>6.00</td> <td>233</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2382.41	54.86	74.00	-19.14	38.67	32.36	8.76	30.93	6.00	233	128	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>101.80</td> <td>74.00</td> <td>27.80</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>233</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	101.80	74.00	27.80	32.40	8.80	30.93	6.00	233	128	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	2382.41	54.86	74.00	-19.14	38.67	32.36	8.76	30.93	6.00	233	128	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	2402.00	101.80	74.00	27.80	32.40	8.80	30.93	6.00	233	128	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2366.55</td> <td>45.27</td> <td>54.00</td> <td>-8.73</td> <td>29.16</td> <td>32.33</td> <td>8.72</td> <td>30.94</td> <td>6.00</td> <td>233</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2366.55	45.27	54.00	-8.73	29.16	32.33	8.72	30.94	6.00	233	128	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.86</td> <td>54.00</td> <td>45.86</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>233</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	99.86	54.00	45.86	32.40	8.80	30.93	6.00	233	128	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	2366.55	45.27	54.00	-8.73	29.16	32.33	8.72	30.94	6.00	233	128	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	2402.00	99.86	54.00	45.86	32.40	8.80	30.93	6.00	233	128	AVERAGE																																																																



Mode	10																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2310.91</td> <td>55.85</td> <td>74.00</td> <td>-18.15</td> <td>40.33</td> <td>31.99</td> <td>8.48</td> <td>30.95</td> <td>6.00</td> <td>100</td> <td>151</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2310.91	55.85	74.00	-18.15	40.33	31.99	8.48	30.95	6.00	100	151	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.89</td> <td>74.00</td> <td>21.89</td> <td>79.62</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>151</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	95.89	74.00	21.89	79.62	32.40	8.80	30.93	6.00	100	151	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2310.91	55.85	74.00	-18.15	40.33	31.99	8.48	30.95	6.00	100	151	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2402.00	95.89	74.00	21.89	79.62	32.40	8.80	30.93	6.00	100	151	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.35</td> <td>44.88</td> <td>54.00</td> <td>-9.12</td> <td>28.67</td> <td>32.37</td> <td>8.77</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>151</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2387.35	44.88	54.00	-9.12	28.67	32.37	8.77	30.93	6.00	100	151	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>93.92</td> <td>54.00</td> <td>39.92</td> <td>77.65</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>151</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	93.92	54.00	39.92	77.65	32.40	8.80	30.93	6.00	100	151	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2387.35	44.88	54.00	-9.12	28.67	32.37	8.77	30.93	6.00	100	151	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2402.00	93.92	54.00	39.92	77.65	32.40	8.80	30.93	6.00	100	151	AVERAGE																																																																						



Mode	10																																																																																																																																						
	Harmonic																																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.26</td> <td>74.00</td> <td>-33.74</td> <td>59.12</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4993.00</td> <td>51.72</td> <td>74.00</td> <td>-22.28</td> <td>70.73</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>305 PEAK</td> </tr> <tr> <td>3</td> <td>4993.00</td> <td>41.75</td> <td>54.00</td> <td>-12.25</td> <td>60.76</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>305 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.26	74.00	-33.74	59.12	34.29	12.54	65.69	0.00	--	PEAK	2	4993.00	51.72	74.00	-22.28	70.73	34.04	12.29	65.34	0.00	100	305 PEAK	3	4993.00	41.75	54.00	-12.25	60.76	34.04	12.29	65.34	0.00	100	305 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.80</td> <td>74.00</td> <td>-34.20</td> <td>58.66</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4999.00</td> <td>53.57</td> <td>74.00</td> <td>-20.43</td> <td>72.57</td> <td>34.01</td> <td>12.32</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>304 PEAK</td> </tr> <tr> <td>3</td> <td>4999.00</td> <td>43.49</td> <td>54.00</td> <td>-10.51</td> <td>62.49</td> <td>34.01</td> <td>12.32</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>304 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.80	74.00	-34.20	58.66	34.29	12.54	65.69	0.00	--	PEAK	2	4999.00	53.57	74.00	-20.43	72.57	34.01	12.32	65.33	0.00	100	304 PEAK	3	4999.00	43.49	54.00	-10.51	62.49	34.01	12.32	65.33	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	4804.00	40.26	74.00	-33.74	59.12	34.29	12.54	65.69	0.00	--	PEAK																																																																																																																												
2	4993.00	51.72	74.00	-22.28	70.73	34.04	12.29	65.34	0.00	100	305 PEAK																																																																																																																												
3	4993.00	41.75	54.00	-12.25	60.76	34.04	12.29	65.34	0.00	100	305 AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	4804.00	39.80	74.00	-34.20	58.66	34.29	12.54	65.69	0.00	--	PEAK																																																																																																																												
2	4999.00	53.57	74.00	-20.43	72.57	34.01	12.32	65.33	0.00	100	304 PEAK																																																																																																																												
3	4999.00	43.49	54.00	-10.51	62.49	34.01	12.32	65.33	0.00	100	304 AVERAGE																																																																																																																												




Mode	11																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>39.63</td> <td>74.00</td> <td>-34.37</td> <td>58.91</td> <td>34.20</td> <td>12.07</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4989.00</td> <td>52.37</td> <td>74.00</td> <td>-21.63</td> <td>71.38</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4989.00</td> <td>41.11</td> <td>54.00</td> <td>-12.89</td> <td>60.12</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>43.18</td> <td>74.00</td> <td>-30.82</td> <td>57.25</td> <td>35.80</td> <td>14.98</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.63	74.00	-34.37	58.91	34.20	12.07	65.55	0.00	--	--	PEAK	2	4989.00	52.37	74.00	-21.63	71.38	34.07	12.26	65.34	0.00	100	301	PEAK	3	4989.00	41.11	54.00	-12.89	60.12	34.07	12.26	65.34	0.00	100	301	AVERAGE	4	7320.00	43.18	74.00	-30.82	57.25	35.80	14.98	64.85	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>39.36</td> <td>74.00</td> <td>-34.64</td> <td>58.64</td> <td>34.20</td> <td>12.07</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4989.00</td> <td>53.67</td> <td>74.00</td> <td>-20.33</td> <td>72.68</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>312</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4989.00</td> <td>43.16</td> <td>54.00</td> <td>-10.84</td> <td>62.17</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>312</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>42.69</td> <td>74.00</td> <td>-31.31</td> <td>56.76</td> <td>35.80</td> <td>14.98</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.36	74.00	-34.64	58.64	34.20	12.07	65.55	0.00	--	--	PEAK	2	4989.00	53.67	74.00	-20.33	72.68	34.07	12.26	65.34	0.00	100	312	PEAK	3	4989.00	43.16	54.00	-10.84	62.17	34.07	12.26	65.34	0.00	100	312	AVERAGE	4	7320.00	42.69	74.00	-31.31	56.76	35.80	14.98	64.85	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4880.00	39.63	74.00	-34.37	58.91	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																									
2	4989.00	52.37	74.00	-21.63	71.38	34.07	12.26	65.34	0.00	100	301	PEAK																																																																																																																																																									
3	4989.00	41.11	54.00	-12.89	60.12	34.07	12.26	65.34	0.00	100	301	AVERAGE																																																																																																																																																									
4	7320.00	43.18	74.00	-30.82	57.25	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4880.00	39.36	74.00	-34.64	58.64	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																									
2	4989.00	53.67	74.00	-20.33	72.68	34.07	12.26	65.34	0.00	100	312	PEAK																																																																																																																																																									
3	4989.00	43.16	54.00	-10.84	62.17	34.07	12.26	65.34	0.00	100	312	AVERAGE																																																																																																																																																									
4	7320.00	42.69	74.00	-31.31	56.76	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																																																									



Mode	12																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.74</td> <td>60.79</td> <td>74.00</td> <td>-13.21</td> <td>44.48</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>104 123 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.74	60.79	74.00	-13.21	44.48	32.40	8.88	30.97	6.00	104 123 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.85</td> <td>-----</td> <td>-----</td> <td>83.54</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>104 123 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	99.85	-----	-----	83.54	32.40	8.88	30.97	6.00	104 123 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.74	60.79	74.00	-13.21	44.48	32.40	8.88	30.97	6.00	104 123 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	99.85	-----	-----	83.54	32.40	8.88	30.97	6.00	104 123 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>46.19</td> <td>54.00</td> <td>-7.81</td> <td>29.88</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>104 123 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	46.19	54.00	-7.81	29.88	32.40	8.88	30.97	6.00	104 123 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.41</td> <td>-----</td> <td>-----</td> <td>81.10</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>104 123 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.41	-----	-----	81.10	32.40	8.88	30.97	6.00	104 123 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	46.19	54.00	-7.81	29.88	32.40	8.88	30.97	6.00	104 123 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	97.41	-----	-----	81.10	32.40	8.88	30.97	6.00	104 123 AVERAGE																																																																					



Mode	12																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																											
ANT	1																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>56.14</td> <td>74.00</td> <td>-17.86</td> <td>39.83</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.50	56.14	74.00	-17.86	39.83	32.40	8.88	30.97	6.00	100	142	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.32</td> <td>-----</td> <td>-----</td> <td>79.01</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	95.32	-----	-----	79.01	32.40	8.88	30.97	6.00	100	142	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2483.50	56.14	74.00	-17.86	39.83	32.40	8.88	30.97	6.00	100	142	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2480.00	95.32	-----	-----	79.01	32.40	8.88	30.97	6.00	100	142	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.06</td> <td>45.26</td> <td>54.00</td> <td>-8.74</td> <td>28.95</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2488.06	45.26	54.00	-8.74	28.95	32.40	8.88	30.97	6.00	100	142	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>93.45</td> <td>-----</td> <td>-----</td> <td>77.14</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	93.45	-----	-----	77.14	32.40	8.88	30.97	6.00	100	142	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2488.06	45.26	54.00	-8.74	28.95	32.40	8.88	30.97	6.00	100	142	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2480.00	93.45	-----	-----	77.14	32.40	8.88	30.97	6.00	100	142	AVERAGE																																																																





Mode	13																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2353.16</td> <td>55.41</td> <td>74.00</td> <td>-18.59</td> <td>39.35</td> <td>32.31</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>110</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2353.16	55.41	74.00	-18.59	39.35	32.31	8.69	30.94	6.00	110	134	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.60</td> <td>-----</td> <td>-----</td> <td>84.33</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	100.60	-----	-----	84.33	32.40	8.80	30.93	6.00	110	134	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2353.16	55.41	74.00	-18.59	39.35	32.31	8.69	30.94	6.00	110	134	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2402.00	100.60	-----	-----	84.33	32.40	8.80	30.93	6.00	110	134	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.97</td> <td>44.57</td> <td>54.00</td> <td>-9.43</td> <td>28.37</td> <td>32.37</td> <td>8.76</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>134</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2383.97	44.57	54.00	-9.43	28.37	32.37	8.76	30.93	6.00	110	134	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.78</td> <td>-----</td> <td>-----</td> <td>83.51</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>134</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	99.78	-----	-----	83.51	32.40	8.80	30.93	6.00	110	134	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2383.97	44.57	54.00	-9.43	28.37	32.37	8.76	30.93	6.00	110	134	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2402.00	99.78	-----	-----	83.51	32.40	8.80	30.93	6.00	110	134	AVERAGE																																																																





Mode	13																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2381.37</td> <td>55.57</td> <td>74.00</td> <td>-18.43</td> <td>39.38</td> <td>32.36</td> <td>8.76</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2381.37	55.57	74.00	-18.43	39.38	32.36	8.76	30.93	6.00	100	53 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2402.00</td> <td>96.45</td> <td>-----</td> <td>-----</td> <td>80.18</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2402.00	96.45	-----	-----	80.18	32.40	8.80	30.93	6.00	100	53 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2381.37	55.57	74.00	-18.43	39.38	32.36	8.76	30.93	6.00	100	53 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2402.00	96.45	-----	-----	80.18	32.40	8.80	30.93	6.00	100	53 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.56</td> <td>44.66</td> <td>54.00</td> <td>-9.34</td> <td>28.44</td> <td>32.38</td> <td>8.77</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.56	44.66	54.00	-9.34	28.44	32.38	8.77	30.93	6.00	100	53 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2402.00</td> <td>95.50</td> <td>-----</td> <td>-----</td> <td>79.23</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>100</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2402.00	95.50	-----	-----	79.23	32.40	8.80	30.93	6.00	100	53 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2389.56	44.66	54.00	-9.34	28.44	32.38	8.77	30.93	6.00	100	53 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2402.00	95.50	-----	-----	79.23	32.40	8.80	30.93	6.00	100	53 AVERAGE																																																																		



Mode	13																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																													
ANT	2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.22</td> <td>74.00</td> <td>-33.78</td> <td>59.08</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4990.00</td> <td>52.19</td> <td>74.00</td> <td>-21.81</td> <td>71.20</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4990.00</td> <td>41.47</td> <td>54.00</td> <td>-12.53</td> <td>60.48</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.22	74.00	-33.78	59.08	34.29	12.54	65.69	0.00	--	--	PEAK	2	4990.00	52.19	74.00	-21.81	71.20	34.06	12.27	65.34	0.00	100	301	PEAK	3	4990.00	41.47	54.00	-12.53	60.48	34.06	12.27	65.34	0.00	100	301	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.93</td> <td>74.00</td> <td>-34.07</td> <td>58.79</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4999.00</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>72.61</td> <td>34.01</td> <td>12.32</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4999.00</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>62.43</td> <td>34.01</td> <td>12.32</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.93	74.00	-34.07	58.79	34.29	12.54	65.69	0.00	--	--	PEAK	2	4999.00	53.61	74.00	-20.39	72.61	34.01	12.32	65.33	0.00	100	305	PEAK	3	4999.00	43.43	54.00	-10.57	62.43	34.01	12.32	65.33	0.00	100	305	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4804.00	40.22	74.00	-33.78	59.08	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																		
2	4990.00	52.19	74.00	-21.81	71.20	34.06	12.27	65.34	0.00	100	301	PEAK																																																																																																																																		
3	4990.00	41.47	54.00	-12.53	60.48	34.06	12.27	65.34	0.00	100	301	AVERAGE																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4804.00	39.93	74.00	-34.07	58.79	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																		
2	4999.00	53.61	74.00	-20.39	72.61	34.01	12.32	65.33	0.00	100	305	PEAK																																																																																																																																		
3	4999.00	43.43	54.00	-10.57	62.43	34.01	12.32	65.33	0.00	100	305	AVERAGE																																																																																																																																		



Mode	14																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																					
ANT	2																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																				
Peak Avg																																																																																																																																																																						
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>39.10</td> <td>74.00</td> <td>-34.90</td> <td>58.38</td> <td>34.20</td> <td>12.07</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4984.00</td> <td>52.19</td> <td>74.00</td> <td>-21.81</td> <td>71.21</td> <td>34.10</td> <td>12.23</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4984.00</td> <td>41.81</td> <td>54.00</td> <td>-12.19</td> <td>60.83</td> <td>34.10</td> <td>12.23</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>43.56</td> <td>74.00</td> <td>-30.44</td> <td>57.63</td> <td>35.80</td> <td>14.98</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.10	74.00	-34.90	58.38	34.20	12.07	65.55	0.00	--	--	PEAK	2	4984.00	52.19	74.00	-21.81	71.21	34.10	12.23	65.35	0.00	100	302	PEAK	3	4984.00	41.81	54.00	-12.19	60.83	34.10	12.23	65.35	0.00	100	302	AVERAGE	4	7320.00	43.56	74.00	-30.44	57.63	35.80	14.98	64.85	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>39.77</td> <td>74.00</td> <td>-34.23</td> <td>59.05</td> <td>34.20</td> <td>12.07</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4999.00</td> <td>53.59</td> <td>74.00</td> <td>-20.41</td> <td>72.59</td> <td>34.01</td> <td>12.32</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>313</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4999.00</td> <td>43.81</td> <td>54.00</td> <td>-10.19</td> <td>62.81</td> <td>34.01</td> <td>12.32</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>313</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>42.79</td> <td>74.00</td> <td>-31.21</td> <td>56.86</td> <td>35.80</td> <td>14.98</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.77	74.00	-34.23	59.05	34.20	12.07	65.55	0.00	--	--	PEAK	2	4999.00	53.59	74.00	-20.41	72.59	34.01	12.32	65.33	0.00	100	313	PEAK	3	4999.00	43.81	54.00	-10.19	62.81	34.01	12.32	65.33	0.00	100	313	AVERAGE	4	7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																													
1	4880.00	39.10	74.00	-34.90	58.38	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																										
2	4984.00	52.19	74.00	-21.81	71.21	34.10	12.23	65.35	0.00	100	302	PEAK																																																																																																																																																										
3	4984.00	41.81	54.00	-12.19	60.83	34.10	12.23	65.35	0.00	100	302	AVERAGE																																																																																																																																																										
4	7320.00	43.56	74.00	-30.44	57.63	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4880.00	39.77	74.00	-34.23	59.05	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																										
2	4999.00	53.59	74.00	-20.41	72.59	34.01	12.32	65.33	0.00	100	313	PEAK																																																																																																																																																										
3	4999.00	43.81	54.00	-10.19	62.81	34.01	12.32	65.33	0.00	100	313	AVERAGE																																																																																																																																																										
4	7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																																																										



Mode	15																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																			
ANT	2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.22</td> <td>54.70</td> <td>74.00</td> <td>-19.30</td> <td>38.40</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.22	54.70	74.00	-19.30	38.40	32.40	8.87	30.97	6.00	103	143	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.97</td> <td>74.00</td> <td>23.97</td> <td>32.40</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.97	74.00	23.97	32.40	32.40	8.88	30.97	6.00	103	143	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2493.22	54.70	74.00	-19.30	38.40	32.40	8.87	30.97	6.00	103	143	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	97.97	74.00	23.97	32.40	32.40	8.88	30.97	6.00	103	143	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.26</td> <td>44.53</td> <td>54.00</td> <td>-9.47</td> <td>28.22</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.26	44.53	54.00	-9.47	28.22	32.40	8.88	30.97	6.00	103	143	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.14</td> <td>54.00</td> <td>43.14</td> <td>32.40</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>103</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.14	54.00	43.14	32.40	32.40	8.88	30.97	6.00	103	143	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2486.26	44.53	54.00	-9.47	28.22	32.40	8.88	30.97	6.00	103	143	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	97.14	54.00	43.14	32.40	32.40	8.88	30.97	6.00	103	143	AVERAGE																																																																								



Mode	15																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2485.54</td> <td>55.08</td> <td>74.00</td> <td>-18.92</td> <td>38.77</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>300</td> <td>323 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2485.54	55.08	74.00	-18.92	38.77	32.40	8.88	30.97	6.00	300	323 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>93.83</td> <td>-----</td> <td>-----</td> <td>77.52</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>300</td> <td>323 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2480.00	93.83	-----	-----	77.52	32.40	8.88	30.97	6.00	300	323 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 2485.54	55.08	74.00	-18.92	38.77	32.40	8.88	30.97	6.00	300	323 PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 2480.00	93.83	-----	-----	77.52	32.40	8.88	30.97	6.00	300	323 PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2492.14</td> <td>44.50</td> <td>54.00</td> <td>-9.50</td> <td>28.20</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>300</td> <td>323 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2492.14	44.50	54.00	-9.50	28.20	32.40	8.87	30.97	6.00	300	323 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>93.01</td> <td>-----</td> <td>-----</td> <td>76.70</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>300</td> <td>323 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2480.00	93.01	-----	-----	76.70	32.40	8.88	30.97	6.00	300	323 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 2492.14	44.50	54.00	-9.50	28.20	32.40	8.87	30.97	6.00	300	323 AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 2480.00	93.01	-----	-----	76.70	32.40	8.88	30.97	6.00	300	323 AVERAGE																																																																



Mode	15																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																				
ANT	2																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.06</td> <td>74.00</td> <td>-33.94</td> <td>59.15</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4984.00</td> <td>51.90</td> <td>74.00</td> <td>-22.10</td> <td>70.92</td> <td>34.10</td> <td>12.23</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4984.00</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>60.10</td> <td>34.10</td> <td>12.23</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>301</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>44.20</td> <td>74.00</td> <td>-29.80</td> <td>58.38</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.06	74.00	-33.94	59.15	34.24	12.07	65.40	0.00	--	--	PEAK	2	4984.00	51.90	74.00	-22.10	70.92	34.10	12.23	65.35	0.00	100	301	PEAK	3	4984.00	41.08	54.00	-12.92	60.10	34.10	12.23	65.35	0.00	100	301	AVERAGE	4	7440.00	44.20	74.00	-29.80	58.38	35.80	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>39.82</td> <td>74.00</td> <td>-34.18</td> <td>58.91</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4993.00</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>72.41</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4993.00</td> <td>43.37</td> <td>54.00</td> <td>-10.63</td> <td>62.38</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>307</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>42.48</td> <td>74.00</td> <td>-31.52</td> <td>56.66</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.82	74.00	-34.18	58.91	34.24	12.07	65.40	0.00	--	--	PEAK	2	4993.00	53.40	74.00	-20.60	72.41	34.04	12.29	65.34	0.00	100	307	PEAK	3	4993.00	43.37	54.00	-10.63	62.38	34.04	12.29	65.34	0.00	100	307	AVERAGE	4	7440.00	42.48	74.00	-31.52	56.66	35.80	15.21	65.19	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	40.06	74.00	-33.94	59.15	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																									
2	4984.00	51.90	74.00	-22.10	70.92	34.10	12.23	65.35	0.00	100	301	PEAK																																																																																																																																																									
3	4984.00	41.08	54.00	-12.92	60.10	34.10	12.23	65.35	0.00	100	301	AVERAGE																																																																																																																																																									
4	7440.00	44.20	74.00	-29.80	58.38	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	39.82	74.00	-34.18	58.91	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																									
2	4993.00	53.40	74.00	-20.60	72.41	34.04	12.29	65.34	0.00	100	307	PEAK																																																																																																																																																									
3	4993.00	43.37	54.00	-10.63	62.38	34.04	12.29	65.34	0.00	100	307	AVERAGE																																																																																																																																																									
4	7440.00	42.48	74.00	-31.52	56.66	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																									



Mode	16																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.82</td> <td>55.42</td> <td>74.00</td> <td>-18.58</td> <td>39.32</td> <td>32.33</td> <td>8.71</td> <td>30.94</td> <td>6.00</td> <td>110</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2363.82	55.42	74.00	-18.58	39.32	32.33	8.71	30.94	6.00	110	134	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>100.24</td> <td>-----</td> <td>-----</td> <td>83.97</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>134</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	100.24	-----	-----	83.97	32.40	8.80	30.93	6.00	110	134	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2363.82	55.42	74.00	-18.58	39.32	32.33	8.71	30.94	6.00	110	134	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2402.00	100.24	-----	-----	83.97	32.40	8.80	30.93	6.00	110	134	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2352.12</td> <td>45.30</td> <td>54.00</td> <td>-8.70</td> <td>29.25</td> <td>32.30</td> <td>8.69</td> <td>30.94</td> <td>6.00</td> <td>110</td> <td>134</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2352.12	45.30	54.00	-8.70	29.25	32.30	8.69	30.94	6.00	110	134	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>98.12</td> <td>-----</td> <td>-----</td> <td>81.85</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>110</td> <td>134</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	98.12	-----	-----	81.85	32.40	8.80	30.93	6.00	110	134	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2352.12	45.30	54.00	-8.70	29.25	32.30	8.69	30.94	6.00	110	134	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2402.00	98.12	-----	-----	81.85	32.40	8.80	30.93	6.00	110	134	AVERAGE																																																																



Mode	16																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																															
ANT	2																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.44</td> <td>55.90</td> <td>74.00</td> <td>-18.10</td> <td>39.69</td> <td>32.37</td> <td>8.77</td> <td>30.93</td> <td>6.00</td> <td>102</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	2386.44	55.90	74.00	-18.10	39.69	32.37	8.77	30.93	6.00	102	53	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>96.29</td> <td>74.00</td> <td>22.29</td> <td>80.02</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>102</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	2402.00	96.29	74.00	22.29	80.02	32.40	8.80	30.93	6.00	102	53	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	2386.44	55.90	74.00	-18.10	39.69	32.37	8.77	30.93	6.00	102	53	PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	2402.00	96.29	74.00	22.29	80.02	32.40	8.80	30.93	6.00	102	53	PEAK																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2348.74</td> <td>45.45</td> <td>54.00</td> <td>-8.55</td> <td>29.43</td> <td>32.29</td> <td>8.67</td> <td>30.94</td> <td>6.00</td> <td>102</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	2348.74	45.45	54.00	-8.55	29.43	32.29	8.67	30.94	6.00	102	53	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.49</td> <td>54.00</td> <td>40.49</td> <td>78.22</td> <td>32.40</td> <td>8.80</td> <td>30.93</td> <td>6.00</td> <td>102</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	2402.00	94.49	54.00	40.49	78.22	32.40	8.80	30.93	6.00	102	53	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	2348.74	45.45	54.00	-8.55	29.43	32.29	8.67	30.94	6.00	102	53	AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	2402.00	94.49	54.00	40.49	78.22	32.40	8.80	30.93	6.00	102	53	AVERAGE																																																																																				





Mode	16																																																																																																																																						
	Harmonic																																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																						
ANT	2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>39.56</td> <td>74.00</td> <td>-34.44</td> <td>58.42</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4986.00</td> <td>52.39</td> <td>74.00</td> <td>-21.61</td> <td>71.42</td> <td>34.08</td> <td>12.24</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>301 PEAK</td> </tr> <tr> <td>3</td> <td>4986.00</td> <td>41.24</td> <td>54.00</td> <td>-12.76</td> <td>60.27</td> <td>34.08</td> <td>12.24</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>301 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.56	74.00	-34.44	58.42	34.29	12.54	65.69	0.00	--	PEAK	2	4986.00	52.39	74.00	-21.61	71.42	34.08	12.24	65.35	0.00	100	301 PEAK	3	4986.00	41.24	54.00	-12.76	60.27	34.08	12.24	65.35	0.00	100	301 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>40.67</td> <td>74.00</td> <td>-33.33</td> <td>59.53</td> <td>34.29</td> <td>12.54</td> <td>65.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4993.00</td> <td>53.58</td> <td>74.00</td> <td>-20.42</td> <td>72.59</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>309 PEAK</td> </tr> <tr> <td>3</td> <td>4993.00</td> <td>43.53</td> <td>54.00</td> <td>-10.47</td> <td>62.54</td> <td>34.04</td> <td>12.29</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>309 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.67	74.00	-33.33	59.53	34.29	12.54	65.69	0.00	--	PEAK	2	4993.00	53.58	74.00	-20.42	72.59	34.04	12.29	65.34	0.00	100	309 PEAK	3	4993.00	43.53	54.00	-10.47	62.54	34.04	12.29	65.34	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	4804.00	39.56	74.00	-34.44	58.42	34.29	12.54	65.69	0.00	--	PEAK																																																																																																																												
2	4986.00	52.39	74.00	-21.61	71.42	34.08	12.24	65.35	0.00	100	301 PEAK																																																																																																																												
3	4986.00	41.24	54.00	-12.76	60.27	34.08	12.24	65.35	0.00	100	301 AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	4804.00	40.67	74.00	-33.33	59.53	34.29	12.54	65.69	0.00	--	PEAK																																																																																																																												
2	4993.00	53.58	74.00	-20.42	72.59	34.04	12.29	65.34	0.00	100	309 PEAK																																																																																																																												
3	4993.00	43.53	54.00	-10.47	62.54	34.04	12.29	65.34	0.00	100	309 AVERAGE																																																																																																																												



Mode	17																																																																																																																																																																
	Harmonic																																																																																																																																																																
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																
ANT	2																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>39.88</td> <td>74.00</td> <td>-34.12</td> <td>59.16</td> <td>34.20</td> <td>12.07</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4986.00</td> <td>52.14</td> <td>74.00</td> <td>-21.86</td> <td>71.17</td> <td>34.08</td> <td>12.24</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4986.00</td> <td>41.26</td> <td>54.00</td> <td>-12.74</td> <td>60.29</td> <td>34.08</td> <td>12.24</td> <td>65.35</td> <td>0.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>42.79</td> <td>74.00</td> <td>-31.21</td> <td>56.86</td> <td>35.80</td> <td>14.98</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.88	74.00	-34.12	59.16	34.20	12.07	65.55	0.00	--	--	PEAK	2	4986.00	52.14	74.00	-21.86	71.17	34.08	12.24	65.35	0.00	100	303	PEAK	3	4986.00	41.26	54.00	-12.74	60.29	34.08	12.24	65.35	0.00	100	303	AVERAGE	4	7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>40.52</td> <td>74.00</td> <td>-33.48</td> <td>59.80</td> <td>34.20</td> <td>12.07</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4990.00</td> <td>54.13</td> <td>74.00</td> <td>-19.87</td> <td>73.14</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4990.00</td> <td>44.07</td> <td>54.00</td> <td>-9.93</td> <td>63.08</td> <td>34.06</td> <td>12.27</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>316</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7320.00</td> <td>42.44</td> <td>74.00</td> <td>-31.56</td> <td>56.51</td> <td>35.80</td> <td>14.98</td> <td>64.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.52	74.00	-33.48	59.80	34.20	12.07	65.55	0.00	--	--	PEAK	2	4990.00	54.13	74.00	-19.87	73.14	34.06	12.27	65.34	0.00	100	316	PEAK	3	4990.00	44.07	54.00	-9.93	63.08	34.06	12.27	65.34	0.00	100	316	AVERAGE	4	7320.00	42.44	74.00	-31.56	56.51	35.80	14.98	64.85	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	4880.00	39.88	74.00	-34.12	59.16	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																					
2	4986.00	52.14	74.00	-21.86	71.17	34.08	12.24	65.35	0.00	100	303	PEAK																																																																																																																																																					
3	4986.00	41.26	54.00	-12.74	60.29	34.08	12.24	65.35	0.00	100	303	AVERAGE																																																																																																																																																					
4	7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	4880.00	40.52	74.00	-33.48	59.80	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																					
2	4990.00	54.13	74.00	-19.87	73.14	34.06	12.27	65.34	0.00	100	316	PEAK																																																																																																																																																					
3	4990.00	44.07	54.00	-9.93	63.08	34.06	12.27	65.34	0.00	100	316	AVERAGE																																																																																																																																																					
4	7320.00	42.44	74.00	-31.56	56.51	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																																																					



Mode	18																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>56.66</td> <td>74.00</td> <td>-17.34</td> <td>40.35</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>102 143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	56.66	74.00	-17.34	40.35	32.40	8.88	30.97	6.00	102 143 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.77</td> <td>74.00</td> <td>23.77</td> <td>81.46</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>102 143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.77	74.00	23.77	81.46	32.40	8.88	30.97	6.00	102 143 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	56.66	74.00	-17.34	40.35	32.40	8.88	30.97	6.00	102 143 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	97.77	74.00	23.77	81.46	32.40	8.88	30.97	6.00	102 143 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.92</td> <td>45.05</td> <td>54.00</td> <td>-8.95</td> <td>28.74</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>102 143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.92	45.05	54.00	-8.95	28.74	32.40	8.88	30.97	6.00	102 143 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>95.40</td> <td>54.00</td> <td>41.40</td> <td>79.17</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>102 143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	95.40	54.00	41.40	79.17	32.40	8.88	30.97	6.00	102 143 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.92	45.05	54.00	-8.95	28.74	32.40	8.88	30.97	6.00	102 143 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	95.40	54.00	41.40	79.17	32.40	8.88	30.97	6.00	102 143 AVERAGE																																																																					



Mode	18																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.64</td> <td>55.19</td> <td>74.00</td> <td>-18.81</td> <td>38.90</td> <td>32.40</td> <td>8.87</td> <td>30.98</td> <td>6.00</td> <td>302</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2499.64	55.19	74.00	-18.81	38.90	32.40	8.87	30.98	6.00	302	323	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>93.89</td> <td>77.58</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>302</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	93.89	77.58	32.40	8.88	30.97	6.00	302	323	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2499.64	55.19	74.00	-18.81	38.90	32.40	8.87	30.98	6.00	302	323	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2480.00	93.89	77.58	32.40	8.88	30.97	6.00	302	323	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.12</td> <td>45.32</td> <td>54.00</td> <td>-8.68</td> <td>29.02</td> <td>32.40</td> <td>8.87</td> <td>30.97</td> <td>6.00</td> <td>302</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2494.12	45.32	54.00	-8.68	29.02	32.40	8.87	30.97	6.00	302	323	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>91.56</td> <td>75.25</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>302</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	91.56	75.25	32.40	8.88	30.97	6.00	302	323	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2494.12	45.32	54.00	-8.68	29.02	32.40	8.87	30.97	6.00	302	323	AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2480.00	91.56	75.25	32.40	8.88	30.97	6.00	302	323	AVERAGE																																																																



Mode	18																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																				
ANT	2																																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.22</td> <td>74.00</td> <td>-32.78</td> <td>60.31</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4989.00</td> <td>52.06</td> <td>74.00</td> <td>-21.94</td> <td>71.07</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4989.00</td> <td>41.09</td> <td>54.00</td> <td>-12.91</td> <td>60.10</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>305</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>43.69</td> <td>74.00</td> <td>-30.31</td> <td>57.87</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.22	74.00	-32.78	60.31	34.24	12.07	65.40	0.00	--	--	PEAK	2	4989.00	52.06	74.00	-21.94	71.07	34.07	12.26	65.34	0.00	100	305	PEAK	3	4989.00	41.09	54.00	-12.91	60.10	34.07	12.26	65.34	0.00	100	305	AVERAGE	4	7440.00	43.69	74.00	-30.31	57.87	35.80	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.47</td> <td>74.00</td> <td>-32.53</td> <td>60.56</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4996.00</td> <td>53.76</td> <td>74.00</td> <td>-20.24</td> <td>72.77</td> <td>34.02</td> <td>12.30</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>312</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4996.00</td> <td>43.39</td> <td>54.00</td> <td>-10.61</td> <td>62.40</td> <td>34.02</td> <td>12.30</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>312</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>43.01</td> <td>74.00</td> <td>-30.99</td> <td>57.19</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.47	74.00	-32.53	60.56	34.24	12.07	65.40	0.00	--	--	PEAK	2	4996.00	53.76	74.00	-20.24	72.77	34.02	12.30	65.33	0.00	100	312	PEAK	3	4996.00	43.39	54.00	-10.61	62.40	34.02	12.30	65.33	0.00	100	312	AVERAGE	4	7440.00	43.01	74.00	-30.99	57.19	35.80	15.21	65.19	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	41.22	74.00	-32.78	60.31	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																									
2	4989.00	52.06	74.00	-21.94	71.07	34.07	12.26	65.34	0.00	100	305	PEAK																																																																																																																																																									
3	4989.00	41.09	54.00	-12.91	60.10	34.07	12.26	65.34	0.00	100	305	AVERAGE																																																																																																																																																									
4	7440.00	43.69	74.00	-30.31	57.87	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	41.47	74.00	-32.53	60.56	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																									
2	4996.00	53.76	74.00	-20.24	72.77	34.02	12.30	65.33	0.00	100	312	PEAK																																																																																																																																																									
3	4996.00	43.39	54.00	-10.61	62.40	34.02	12.30	65.33	0.00	100	312	AVERAGE																																																																																																																																																									
4	7440.00	43.01	74.00	-30.99	57.19	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																									



Mode	12																																																																																																																																																																																											
	LF																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																																											
ANT	1																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																										
Peak QP																																																																																																																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>35.82</td><td>36.50</td><td>40.00</td><td>-3.50</td><td>47.18</td><td>21.28</td><td>0.76</td><td>32.72</td><td>100</td><td>25 Peak</td></tr> <tr><td>2</td><td>61.04</td><td>35.92</td><td>40.00</td><td>-4.08</td><td>55.65</td><td>12.20</td><td>1.17</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>91.11</td><td>29.83</td><td>43.50</td><td>-13.67</td><td>45.98</td><td>15.02</td><td>1.45</td><td>32.62</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>113.42</td><td>33.83</td><td>43.50</td><td>-9.67</td><td>48.67</td><td>16.42</td><td>1.61</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>165.80</td><td>24.98</td><td>43.50</td><td>-18.52</td><td>39.30</td><td>16.61</td><td>1.96</td><td>32.89</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>191.99</td><td>22.13</td><td>43.50</td><td>-21.37</td><td>37.63</td><td>15.44</td><td>2.11</td><td>33.05</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	35.82	36.50	40.00	-3.50	47.18	21.28	0.76	32.72	100	25 Peak	2	61.04	35.92	40.00	-4.08	55.65	12.20	1.17	33.10	---	---	Peak	3	91.11	29.83	43.50	-13.67	45.98	15.02	1.45	32.62	---	---	Peak	4	113.42	33.83	43.50	-9.67	48.67	16.42	1.61	32.87	---	---	Peak	5	165.80	24.98	43.50	-18.52	39.30	16.61	1.96	32.89	---	---	Peak	6	191.99	22.13	43.50	-21.37	37.63	15.44	2.11	33.05	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>61.04</td><td>27.75</td><td>40.00</td><td>-12.25</td><td>47.48</td><td>12.20</td><td>1.17</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>113.42</td><td>32.62</td><td>43.50</td><td>-10.88</td><td>47.46</td><td>16.42</td><td>1.61</td><td>32.87</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>179.38</td><td>26.91</td><td>43.50</td><td>-16.59</td><td>41.86</td><td>16.00</td><td>2.03</td><td>32.98</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>240.49</td><td>24.63</td><td>46.00</td><td>-21.37</td><td>37.46</td><td>17.90</td><td>2.37</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>460.68</td><td>23.32</td><td>46.00</td><td>-22.68</td><td>29.45</td><td>23.31</td><td>3.28</td><td>32.72</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>633.34</td><td>27.54</td><td>46.00</td><td>-18.46</td><td>29.93</td><td>26.40</td><td>3.84</td><td>32.63</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	61.04	27.75	40.00	-12.25	47.48	12.20	1.17	33.10	---	---	Peak	2	113.42	32.62	43.50	-10.88	47.46	16.42	1.61	32.87	---	---	Peak	3	179.38	26.91	43.50	-16.59	41.86	16.00	2.03	32.98	---	---	Peak	4	240.49	24.63	46.00	-21.37	37.46	17.90	2.37	33.10	---	---	Peak	5	460.68	23.32	46.00	-22.68	29.45	23.31	3.28	32.72	---	---	Peak	6	633.34	27.54	46.00	-18.46	29.93	26.40	3.84	32.63	---	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	35.82	36.50	40.00	-3.50	47.18	21.28	0.76	32.72	100	25 Peak																																																																																																																																																																																		
2	61.04	35.92	40.00	-4.08	55.65	12.20	1.17	33.10	---	---	Peak																																																																																																																																																																																	
3	91.11	29.83	43.50	-13.67	45.98	15.02	1.45	32.62	---	---	Peak																																																																																																																																																																																	
4	113.42	33.83	43.50	-9.67	48.67	16.42	1.61	32.87	---	---	Peak																																																																																																																																																																																	
5	165.80	24.98	43.50	-18.52	39.30	16.61	1.96	32.89	---	---	Peak																																																																																																																																																																																	
6	191.99	22.13	43.50	-21.37	37.63	15.44	2.11	33.05	---	---	Peak																																																																																																																																																																																	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	61.04	27.75	40.00	-12.25	47.48	12.20	1.17	33.10	---	---	Peak																																																																																																																																																																																	
2	113.42	32.62	43.50	-10.88	47.46	16.42	1.61	32.87	---	---	Peak																																																																																																																																																																																	
3	179.38	26.91	43.50	-16.59	41.86	16.00	2.03	32.98	---	---	Peak																																																																																																																																																																																	
4	240.49	24.63	46.00	-21.37	37.46	17.90	2.37	33.10	---	---	Peak																																																																																																																																																																																	
5	460.68	23.32	46.00	-22.68	29.45	23.31	3.28	32.72	---	---	Peak																																																																																																																																																																																	
6	633.34	27.54	46.00	-18.46	29.93	26.40	3.84	32.63	---	---	Peak																																																																																																																																																																																	



Mode	48																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.80</td> <td>57.57</td> <td>74.00</td> <td>-16.43</td> <td>41.26</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>27 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.80	57.57	74.00	-16.43	41.26	32.40	8.88	30.97	6.00	100	27 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.51</td> <td>74.00</td> <td>25.51</td> <td>83.20</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>27 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	99.51	74.00	25.51	83.20	32.40	8.88	30.97	6.00	100	27 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2483.80	57.57	74.00	-16.43	41.26	32.40	8.88	30.97	6.00	100	27 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2480.00	99.51	74.00	25.51	83.20	32.40	8.88	30.97	6.00	100	27 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2498.80</td> <td>45.79</td> <td>54.00</td> <td>-8.21</td> <td>29.50</td> <td>32.40</td> <td>8.87</td> <td>30.98</td> <td>6.00</td> <td>100</td> <td>27 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2498.80	45.79	54.00	-8.21	29.50	32.40	8.87	30.98	6.00	100	27 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>95.71</td> <td>54.00</td> <td>41.71</td> <td>79.40</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>100</td> <td>27 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	95.71	54.00	41.71	79.40	32.40	8.88	30.97	6.00	100	27 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2498.80	45.79	54.00	-8.21	29.50	32.40	8.87	30.98	6.00	100	27 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2480.00	95.71	54.00	41.71	79.40	32.40	8.88	30.97	6.00	100	27 AVERAGE																																																																						



Mode	48																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>61.00</td> <td>74.00</td> <td>-13.00</td> <td>44.69</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>147</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	61.00	74.00	-13.00	44.69	32.40	8.88	30.97	6.00	287	147	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.87</td> <td>74.00</td> <td>29.87</td> <td>87.56</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>147</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.87	74.00	29.87	87.56	32.40	8.88	30.97	6.00	287	147	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.74	61.00	74.00	-13.00	44.69	32.40	8.88	30.97	6.00	287	147	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	103.87	74.00	29.87	87.56	32.40	8.88	30.97	6.00	287	147	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>46.34</td> <td>54.00</td> <td>-7.66</td> <td>30.03</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>147</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	46.34	54.00	-7.66	30.03	32.40	8.88	30.97	6.00	287	147	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.23</td> <td>54.00</td> <td>46.23</td> <td>83.92</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>147</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.23	54.00	46.23	83.92	32.40	8.88	30.97	6.00	287	147	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.56	46.34	54.00	-7.66	30.03	32.40	8.88	30.97	6.00	287	147	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	100.23	54.00	46.23	83.92	32.40	8.88	30.97	6.00	287	147	AVERAGE																																																																								





Mode	48																																																																																																																																																			
	Harmonic																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.41</td> <td>74.00</td> <td>-32.59</td> <td>60.50</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4992.00</td> <td>54.69</td> <td>74.00</td> <td>-19.31</td> <td>73.70</td> <td>34.05</td> <td>12.28</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4992.00</td> <td>44.45</td> <td>54.00</td> <td>-9.55</td> <td>63.46</td> <td>34.05</td> <td>12.28</td> <td>65.34</td> <td>0.00</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>43.93</td> <td>74.00</td> <td>-30.07</td> <td>58.11</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.41	74.00	-32.59	60.50	34.24	12.07	65.40	0.00	--	--	PEAK	2	4992.00	54.69	74.00	-19.31	73.70	34.05	12.28	65.34	0.00	100	295	PEAK	3	4992.00	44.45	54.00	-9.55	63.46	34.05	12.28	65.34	0.00	100	295	AVERAGE	4	7440.00	43.93	74.00	-30.07	58.11	35.80	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.20</td> <td>74.00</td> <td>-32.80</td> <td>60.29</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4989.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>66.73</td> <td>34.07</td> <td>12.26</td> <td>65.34</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>43.46</td> <td>74.00</td> <td>-30.54</td> <td>57.64</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.20	74.00	-32.80	60.29	34.24	12.07	65.40	0.00	--	--	PEAK	2	4989.00	47.72	74.00	-26.28	66.73	34.07	12.26	65.34	0.00	--	--	PEAK	3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4960.00	41.41	74.00	-32.59	60.50	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																								
2	4992.00	54.69	74.00	-19.31	73.70	34.05	12.28	65.34	0.00	100	295	PEAK																																																																																																																																								
3	4992.00	44.45	54.00	-9.55	63.46	34.05	12.28	65.34	0.00	100	295	AVERAGE																																																																																																																																								
4	7440.00	43.93	74.00	-30.07	58.11	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	4960.00	41.20	74.00	-32.80	60.29	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																								
2	4989.00	47.72	74.00	-26.28	66.73	34.07	12.26	65.34	0.00	--	--	PEAK																																																																																																																																								
3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																								



Mode	48																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	3																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.92</td> <td>57.81</td> <td>74.00</td> <td>-16.19</td> <td>41.50</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>284 310 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.92	57.81	74.00	-16.19	41.50	32.40	8.88	30.97	6.00	284 310 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.09</td> <td>-----</td> <td>-----</td> <td>82.78</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>284 310 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	99.09	-----	-----	82.78	32.40	8.88	30.97	6.00	284 310 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.92	57.81	74.00	-16.19	41.50	32.40	8.88	30.97	6.00	284 310 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	99.09	-----	-----	82.78	32.40	8.88	30.97	6.00	284 310 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>45.20</td> <td>54.00</td> <td>-8.80</td> <td>28.89</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>284 310 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.50	45.20	54.00	-8.80	28.89	32.40	8.88	30.97	6.00	284 310 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>95.11</td> <td>-----</td> <td>-----</td> <td>78.00</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>284 310 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	95.11	-----	-----	78.00	32.40	8.88	30.97	6.00	284 310 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2483.50	45.20	54.00	-8.80	28.89	32.40	8.88	30.97	6.00	284 310 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2480.00	95.11	-----	-----	78.00	32.40	8.88	30.97	6.00	284 310 AVERAGE																																																																					



Mode	48																																																																															
	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																															
ANT	3																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>60.44</td> <td>74.00</td> <td>-13.56</td> <td>44.13</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.50	60.44	74.00	-13.56	44.13	32.40	8.88	30.97	6.00	287	148	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>103.20</td> <td>74.00</td> <td>29.20</td> <td>86.89</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	103.20	74.00	29.20	86.89	32.40	8.88	30.97	6.00	287	148	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 2483.50	60.44	74.00	-13.56	44.13	32.40	8.88	30.97	6.00	287	148	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 2480.00	103.20	74.00	29.20	86.89	32.40	8.88	30.97	6.00	287	148	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>45.27</td> <td>54.00</td> <td>-8.73</td> <td>28.96</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.50	45.27	54.00	-8.73	28.96	32.40	8.88	30.97	6.00	287	148	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>99.67</td> <td>54.00</td> <td>45.67</td> <td>83.36</td> <td>32.40</td> <td>8.88</td> <td>30.97</td> <td>6.00</td> <td>287</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2480.00	99.67	54.00	45.67	83.36	32.40	8.88	30.97	6.00	287	148	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 2483.50	45.27	54.00	-8.73	28.96	32.40	8.88	30.97	6.00	287	148	AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 2480.00	99.67	54.00	45.67	83.36	32.40	8.88	30.97	6.00	287	148	AVERAGE																																																																					



Mode	48																																																																																																																																																				
	Harmonic																																																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																				
ANT	3																																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																																			
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.97</td> <td>74.00</td> <td>-33.03</td> <td>60.06</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4981.00</td> <td>54.38</td> <td>74.00</td> <td>-19.62</td> <td>73.42</td> <td>34.11</td> <td>12.21</td> <td>65.36</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>4981.00</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>63.15</td> <td>34.11</td> <td>12.21</td> <td>65.36</td> <td>0.00</td> <td>100</td> <td>292</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>44.10</td> <td>74.00</td> <td>-29.90</td> <td>58.28</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.97	74.00	-33.03	60.06	34.24	12.07	65.40	0.00	--	--	PEAK	2	4981.00	54.38	74.00	-19.62	73.42	34.11	12.21	65.36	0.00	100	292	PEAK	3	4981.00	44.11	54.00	-9.89	63.15	34.11	12.21	65.36	0.00	100	292	AVERAGE	4	7440.00	44.10	74.00	-29.90	58.28	35.80	15.21	65.19	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.60</td> <td>74.00</td> <td>-32.40</td> <td>60.69</td> <td>34.24</td> <td>12.07</td> <td>65.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4981.00</td> <td>47.26</td> <td>74.00</td> <td>-26.74</td> <td>66.30</td> <td>34.11</td> <td>12.21</td> <td>65.36</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7440.00</td> <td>43.46</td> <td>74.00</td> <td>-30.54</td> <td>57.64</td> <td>35.80</td> <td>15.21</td> <td>65.19</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.60	74.00	-32.40	60.69	34.24	12.07	65.40	0.00	--	--	PEAK	2	4981.00	47.26	74.00	-26.74	66.30	34.11	12.21	65.36	0.00	--	--	PEAK	3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4960.00	40.97	74.00	-33.03	60.06	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																									
2	4981.00	54.38	74.00	-19.62	73.42	34.11	12.21	65.36	0.00	100	292	PEAK																																																																																																																																									
3	4981.00	44.11	54.00	-9.89	63.15	34.11	12.21	65.36	0.00	100	292	AVERAGE																																																																																																																																									
4	7440.00	44.10	74.00	-29.90	58.28	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4960.00	41.60	74.00	-32.40	60.69	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																									
2	4981.00	47.26	74.00	-26.74	66.30	34.11	12.21	65.36	0.00	--	--	PEAK																																																																																																																																									
3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																									




### Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1	Bluetooth LE 1Mbps	62.27	0.3899	2.565	2.7kHz
1	Bluetooth LE 2Mbps	33.56	0.2101	4.759	5.1kHz
2	Bluetooth LE 1Mbps	62.50	0.3913	2.556	2.7kHz
2	Bluetooth LE 2Mbps	33.33	0.2087	4.792	5.1kHz


<Ant. 1>

Bluetooth LE 1Mbps






### Bluetooth LE 2Mbps



<Ant. 2>

### Bluetooth LE 1Mbps





Bluetooth LE 2Mbps

