





11AX20MIMO_Ant2_6415_52Tone_RU40





Date: 3.MAY.2024 05:57:43


11AX20MIMO_Ant2_6415_106Tone_RU54



Date: 3.MAY.2024 06:00:38











11AX20MIMO_Ant1_6475_26Tone_RU0





Date: 3.MAY.2024 06:10:02

11AX20MIMO_Ant1_6475_52Tone_RU37




Date: 3.MAY.2024 06:12:41








11AX20MIMO_Ant1_6515_26Tone_RU8





Date: 3.MAY.2024 06:18:44


11AX20MIMO_Ant1_6515_52Tone_RU40




Date: 3.MAY.2024 06:24:17













11AX20MIMO_Ant2_6535_52Tone_RU37




Date: 3.MAY.2024 06:32:07

11AX20MIMO_Ant2_6535_106Tone_RU53




Date: 3.MAY.2024 06:34:00






11AX20MIMO_Ant1_6695_106Tone_RU53




Date: 3.MAY.2024 06:43:14

11AX20MIMO_Ant2_6695_26Tone_RU0




Date: 3.MAY.2024 06:39:21






11AX20MIMO_Ant1_6855_26Tone_RU8





Date: 3.MAY.2024 06:45:21


11AX20MIMO_Ant1_6855_52Tone_RU40



Date: 3.MAY.2024 06:48:29











11AX20MIMO_Ant2_6875_52Tone_RU37




Date: 3.MAY.2024 07:08:55

11AX20MIMO_Ant2_6875_106Tone_RU53




Date: 3.MAY.2024 07:13:36






11AX20MIMO_Ant1_6895_106Tone_RU53




Date: 3.MAY.2024 07:13:55

11AX20MIMO_Ant2_6895_26Tone_RU0




Date: 3.MAY.2024 07:18:00






11AX20MIMO_Ant1_6995_26Tone_RU0



Date: 3.MAY.2024 07:42:04


11AX20MIMO_Ant1_6995_52Tone_RU37



Date: 3.MAY.2024 07:45:03




11AX20MIMO_Ant1_6995_106Tone_RU53



Date: 3.MAY.2024 07:46:27


11AX20MIMO_Ant2_6995_26Tone_RU0



Date: 3.MAY.2024 07:44:12




11AX20MIMO_Ant2_6995_52Tone_RU37



Date: 3.MAY.2024 07:45:46


11AX20MIMO_Ant2_6995_106Tone_RU53



Date: 3.MAY.2024 07:47:30




11AX20MIMO_Ant1_7095_26Tone_RU8





Date: 3.MAY.2024 07:48:49

11AX20MIMO_Ant1_7095_52Tone_RU40



Date: 3.MAY.2024 07:51:07








Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-OP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.175	40.71	-24.01	64.72	30.20	0.10	10.41	QP
2	0.175	29.81	-24.91	54.72	19.30	0.10	10.41	Average
3	0.313	36.60	-23.28	59.88	26.20	0.07	10.33	QP
4	0.313	28.60	-21.28	49.88	18.20	0.07	10.33	Average
5	0.426	32.81	-24.52	57.33	22.60	-0.05	10.26	QP
6	0.426	25.41	-21.92	47.33	15.20	-0.05	10.26	Average
7	0.614	31.84	-24.16	56.00	21.80	-0.13	10.17	QP
8	0.614	25.24	-20.76	46.00	15.20	-0.13	10.17	Average
9	0.904	36.13	-19.87	56.00	26.20	-0.17	10.10	QP
10	0.904	33.03	-12.97	46.00	23.10	-0.17	10.10	Average
11	1.503	38.78	-17.22	56.00	28.90	-0.20	10.08	QP
12 *	1.503	36.48	-9.52	46.00	26.60	-0.20	10.08	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-OP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.190	40.74	-23.28	64.02	30.20	0.13	10.41	QP
2	0.190	31.74	-22.28	54.02	21.20	0.13	10.41	Average
3	0.296	33.43	-26.94	60.37	23.20	-0.11	10.34	QP
4	0.296	27.53	-22.84	50.37	17.30	-0.11	10.34	Average
5	0.484	32.28	-23.99	56.27	22.20	-0.15	10.23	QP
6	0.484	25.98	-20.29	46.27	15.90	-0.15	10.23	Average
7	0.683	32.28	-23.72	56.00	22.29	-0.16	10.15	QP
8	0.683	27.58	-18.42	46.00	17.59	-0.16	10.15	Average
9	0.899	37.42	-18.58	56.00	27.50	-0.18	10.10	QP
10 *	0.899	34.82	-11.18	46.00	24.90	-0.18	10.10	Average
11	1.495	34.40	-21.60	56.00	24.51	-0.19	10.08	QP
12	1.495	31.70	-14.30	46.00	21.81	-0.19	10.08	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	Shunping You	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	1+2	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	1+2	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	1+2	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial_RU 26/0	-
Mode 8	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial_RU 52/37	-
Mode 9	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial_RU 106/53	-
Mode 10	U-NII-5	5.925-6.425	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	1+2	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 12	U-NII-5	5.925-6.425	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	1+2	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	1+2	802.11a	97	6435	6Mbps	-	-
Mode 20	U-NII-6	6.425-6.525	1+2	802.11a	105	6475	6Mbps	-	-
Mode 21	U-NII-6	6.425-6.525	1+2	802.11a	113	6515	6Mbps	-	-
Mode 22	U-NII-6	6.425-6.525	1+2	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 23	U-NII-6	6.425-6.525	1+2	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	1+2	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 25	U-NII-6	6.425-6.525	1+2	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	1+2	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	1+2	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	1+2	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	1+2	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	1+2	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	1+2	802.11a	117	6535	6Mbps	-	-
Mode 32	U-NII-7	6.525-6.875	1+2	802.11a	149	6695	6Mbps	-	-
Mode 33	U-NII-7	6.525-6.875	1+2	802.11a	181	6855	6Mbps	-	-
Mode 34	U-NII-7	6.525-6.875	1+2	802.11a	185	6875	6Mbps	-	-
Mode 35	U-NII-7	6.525-6.875	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	1+2	802.11ax HE20	181	6855	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 38	U-NII-7	6.525-6.875	1+2	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1+2	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1+2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	1+2	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	1+2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	1+2	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	1+2	802.11a	189	6895	6Mbps	-	-
Mode 50	U-NII-8	6.875-7.125	1+2	802.11a	209	6995	6Mbps	-	-
Mode 51	U-NII-8	6.875-7.125	1+2	802.11a	229	7095	6Mbps	-	-
Mode 52	U-NII-8	6.875-7.125	1+2	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 53	U-NII-8	6.875-7.125	1+2	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 54	U-NII-8	6.875-7.125	1+2	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	1+2	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	1+2	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	1+2	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	1+2	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	1+2	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	1+2	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 61	U-NII-8	6.875-7.125	1+2	802.11ax HE20	229	7095	MCS0	Partial_RU26/8	-
Mode 62	U-NII-8	6.875-7.125	1+2	802.11ax HE20	229	7095	MCS0	Partial_RU52/40	-
Mode 63	U-NII-8	6.875-7.125	1+2	802.11ax HE20	229	7095	MCS0	Partial_RU106/54	-
Mode 64	U-NII-8	6.875-7.125	1+2	802.11ax HE160	LF	6985	MCS0	Full RU	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	2.4G	2.4-2.4835	1+2	11b	CH01	2412	1 Mbps		-
	6G	6.875-7.125	1+2	11ax160	CH207	6985	MCS0	Full RU	-
	2.4G	2.4-2.4835	3	BLE	CH39	2480	2 Mbps		-
Mode 66	5G	5.15-5.25	1+2	11ax160	CH50	5250	MCS0	Full RU	-
	6G	6.875-7.125	1+2	11ax160	CH207	6985	MCS0	Full RU	-
	2.4G	2.4-2.4835	3	BLE	CH39	2480	2 Mbps		-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5879.47	41.76	68.20	-26.44	H	AVERAGE	Pass	Band Edge
1	802.11a	1	17865.00	47.86	74.00	-26.14	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	47.36	74.00	-26.64	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.88	88.20	-40.32	H	Peak	Pass	Harmonic
4	802.11ax HE20	1	5833.45	41.82	68.20	-26.38	V	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	47.80	74.00	-26.20	H	Peak	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12350.00	47.88	74.00	-26.12	H	Peak	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	47.38	88.20	-40.82	H	Peak	Pass	Harmonic
7	802.11ax HE20	1	5910.28	41.77	68.20	-26.43	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5855.94	41.69	68.20	-26.51	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5856.33	41.75	68.20	-26.45	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5877.48	42.09	68.20	-26.11	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	47.43	74.00	-26.57	H	Peak	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12320	47.7	74	-26.3	V	Peak	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	47.79	88.20	-40.41	H	Peak	Pass	Harmonic
13	802.11ax HE80	7	5908.68	42.01	68.20	-26.19	V	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	47.96	74.00	-26.04	V	Peak	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12280	47.84	74	-26.16	V	Peak	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	47.84	88.20	-40.36	H	Peak	Pass	Harmonic
16	802.11ax HE160	15	5876.80	42.07	68.20	-26.13	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	47.44	74.00	-26.56	H	Peak	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	47.34	74.00	-26.66	V	Peak	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	79	12690.00	47.95	74.00	-26.05	V	Peak	Pass	Harmonic
19	802.11a	97	-	-	-	-	-	-	-	Band Edge
19	802.11a	97	12870.00	47.65	88.20	-40.55	H	Peak	Pass	Harmonic
20	802.11a	105	-	-	-	-	-	-	-	Band Edge
20	802.11a	105	12950.00	47.73	88.20	-40.47	V	Peak	Pass	Harmonic
21	802.11a	113	-	-	-	-	-	-	-	Band Edge
21	802.11a	113	13030.00	47.39	88.20	-40.81	V	Peak	Pass	Harmonic
22	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	97	12870.00	47.76	88.20	-40.44	V	Peak	Pass	Harmonic
23	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	105	12950.00	49.64	88.20	-38.56	H	Peak	Pass	Harmonic
24	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	113	13030.00	48.96	88.20	-39.24	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
25	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE40	99	12890.00	48.85	88.20	-39.35	H	Peak	Pass	Harmonic
26	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	107	12970.00	48.82	88.20	-39.38	V	Peak	Pass	Harmonic
27	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	115	13050.00	49.91	88.20	-38.29	H	Peak	Pass	Harmonic
28	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE80	103	12930.00	48.37	88.20	-39.83	H	Peak	Pass	Harmonic
29	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	119	13090.00	48.98	88.20	-39.22	H	Peak	Pass	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE160	111	13010.00	48.64	88.20	-39.56	V	Peak	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	49.18	88.20	-39.02	H	Peak	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	47.95	74.00	-26.05	V	Peak	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge
33	802.11a	181	13710.00	48.85	88.20	-39.35	V	Peak	Pass	Harmonic
34	802.11a	185	-	-	-	-	-	-	-	Band Edge
34	802.11a	185	13750.00	49.17	88.20	-39.03	V	Peak	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	49.18	88.20	-39.02	H	Peak	Pass	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	47.23	74.00	-26.77	V	Peak	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	48.58	88.20	-39.62	H	Peak	Pass	Harmonic
38	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	185	13750.00	48.66	88.20	-39.54	V	Peak	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	48.47	88.20	-39.73	V	Peak	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	47.90	74.00	-26.10	H	Peak	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	47.36	88.20	-40.84	V	Peak	Pass	Harmonic
42	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	187	13770.00	47.59	88.20	-40.61	V	Peak	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	47.62	74.00	-26.38	H	Peak	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13400	47.71	74	-26.29	H	Peak	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	167	13570.00	49.12	88.20	-39.08	H	Peak	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	48.69	88.20	-39.51	V	Peak	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	47.91	74.00	-26.09	H	Peak	Pass	Harmonic
48	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	175	13650.00	48.19	88.20	-40.01	V	Peak	Pass	Harmonic
49	802.11a	189	-	-	-	-	-	-	-	Band Edge
49	802.11a	189	13790.00	48.37	88.20	-39.83	V	Peak	Pass	Harmonic
50	802.11a	209	-	-	-	-	-	-	-	Band Edge
50	802.11a	209	13990.00	48.78	88.20	-39.42	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
51	802.11a	229	7264.58	41.21	54.00	-12.79	V	AVERAGE	Pass	Band Edge
51	802.11a	229	14190.00	50.90	88.20	-37.30	H	Peak	Pass	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	189	13790.00	48.37	88.20	-39.83	V	Peak	Pass	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	209	13990.00	48.78	88.20	-39.42	V	Peak	Pass	Harmonic
54	802.11ax HE20	229	7291.10	41.10	54.00	-12.90	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	14190.00	50.01	88.20	-38.19	V	Peak	Pass	Harmonic
55	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	195	13850.00	49.39	88.20	-38.81	H	Peak	Pass	Harmonic
56	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE40	211	14010.00	48.92	88.20	-39.28	H	Peak	Pass	Harmonic
57	802.11ax HE40	227	7270.77	41.08	54.00	-12.92	H	AVERAGE	Pass	Band Edge
57	802.11ax HE40	227	14170.00	49.99	88.20	-38.21	H	Peak	Pass	Harmonic
58	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE80	199	13890.00	49.39	88.20	-38.81	V	Peak	Pass	Harmonic
59	802.11ax HE80	215	7254.45	41.48	54.00	-12.52	H	AVERAGE	Pass	Band Edge
59	802.11ax HE80	215	14050.00	49.21	88.20	-38.99	V	Peak	Pass	Harmonic
60	802.11ax HE160	207	7262.50	41.62	54.00	-12.38	H	AVERAGE	Pass	Band Edge
60	802.11ax HE160	207	13970.00	48.93	88.20	-39.27	H	Peak	Pass	Harmonic
61	802.11ax HE20	229	7318.13	41.19	54.00	-12.81	V	AVERAGE	Pass	Band Edge
61	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	229	7272.48	41.06	54.00	-12.94	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	229	7270.95	41.03	54.00	-12.97	V	AVERAGE	Pass	Band Edge
63	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
64	802.11ax HE160	LF	854.5	30.13	46	-15.87	H	Peak	Pass	LF

Co-location

Mode	Modulation	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	Co-location	2344.125	41.86	54	-9.68	H	AVG	Pass	Band Edge
	Co-location	4960	43.83	74	-30.17	H	Peak	Pass	Harmonic
66	Co-location	5143	46.61	54	-7.39	V	AVG	Pass	Band Edge
	Co-location	13968	48.84	68.3	-19.46	V	Peak	Pass	Harmonic



	1																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.51</td> <td>52.97</td> <td>88.20</td> <td>-35.23</td> <td>41.49</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>400</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5854.51	52.97	88.20	-35.23	41.49	35.11	8.87	32.50	400	10	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>88.72</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>400</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	88.72	-----	-----	77.29	35.18	8.75	32.50	400	10	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5854.51	52.97	88.20	-35.23	41.49	35.11	8.87	32.50	400	10	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	88.72	-----	-----	77.29	35.18	8.75	32.50	400	10	PEAK																																																																															
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.47</td> <td>41.76</td> <td>68.20</td> <td>-26.44</td> <td>30.29</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>400</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5879.47	41.76	68.20	-26.44	30.29	35.13	8.84	32.50	400	10	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>81.94</td> <td>-----</td> <td>-----</td> <td>70.51</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>400</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	81.94	-----	-----	70.51	35.17	8.76	32.50	400	10	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5879.47	41.76	68.20	-26.44	30.29	35.13	8.84	32.50	400	10	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	81.94	-----	-----	70.51	35.17	8.76	32.50	400	10	AVERAGE																																																																															



	1																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.86</td> <td>51.53</td> <td>88.20</td> <td>-36.67</td> <td>40.06</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>400</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5879.86	51.53	88.20	-36.67	40.06	35.13	8.84	32.50	400	226	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>83.87</td> <td>-----</td> <td>-----</td> <td>72.44</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>400</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	83.87	-----	-----	72.44	35.18	8.75	32.50	400	226	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5879.86	51.53	88.20	-36.67	40.06	35.13	8.84	32.50	400	226	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	83.87	-----	-----	72.44	35.18	8.75	32.50	400	226	PEAK																																																																															
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.33</td> <td>41.70</td> <td>68.20</td> <td>-26.50</td> <td>30.24</td> <td>35.15</td> <td>8.81</td> <td>32.50</td> <td>400</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5908.33	41.70	68.20	-26.50	30.24	35.15	8.81	32.50	400	226	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>76.76</td> <td>-----</td> <td>-----</td> <td>65.33</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>400</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	76.76	-----	-----	65.33	35.18	8.75	32.50	400	226	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5908.33	41.70	68.20	-26.50	30.24	35.15	8.81	32.50	400	226	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	76.76	-----	-----	65.33	35.18	8.75	32.50	400	226	AVERAGE																																																																															



Mode	1																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th></th> <th>Mhz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>55.31</td> <td>38.13</td> <td>11.66</td> <td>57.30</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.14</td> <td>74.00</td> <td>-26.86</td> <td>48.99</td> <td>41.93</td> <td>13.31</td> <td>57.09</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.80	74.00	-26.20	55.31	38.13	11.66	57.30	--	-- Peak	2	17865.00	47.14	74.00	-26.86	48.99	41.93	13.31	57.09	--	-- Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th></th> <th>Mhz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.81</td> <td>74.00</td> <td>-26.19</td> <td>55.32</td> <td>38.13</td> <td>11.66</td> <td>57.30</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.86</td> <td>74.00</td> <td>-26.14</td> <td>49.71</td> <td>41.93</td> <td>13.31</td> <td>57.09</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.81	74.00	-26.19	55.32	38.13	11.66	57.30	--	-- Peak	2	17865.00	47.86	74.00	-26.14	49.71	41.93	13.31	57.09	--
Limit	Read		Ant	Cable							Preamp	APos	TPos	Remark																																																																																			
	Freq	Level			Line Margin	Level	Factor	Loss Factor																																																																																									
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11910.00	47.80	74.00	-26.20	55.31	38.13	11.66	57.30	--	-- Peak																																																																																							
2	17865.00	47.14	74.00	-26.86	48.99	41.93	13.31	57.09	--	-- Peak																																																																																							
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
	Freq	Level							Line Margin	Level	Factor	Loss Factor																																																																																					
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11910.00	47.81	74.00	-26.19	55.32	38.13	11.66	57.30	--	-- Peak																																																																																							
2	17865.00	47.86	74.00	-26.14	49.71	41.93	13.31	57.09	--	-- Peak																																																																																							



Mode	2																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>47.36</td> <td>74.00</td> <td>-26.64</td> <td>54.62</td> <td>38.41</td> <td>11.77</td> <td>57.44</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	47.36	74.00	-26.64	54.62	38.41	11.77	57.44	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>47.04</td> <td>74.00</td> <td>-26.96</td> <td>54.30</td> <td>38.41</td> <td>11.77</td> <td>57.44</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	47.04	74.00	-26.96	54.30	38.41	11.77	57.44
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12350.00	47.36	74.00	-26.64	54.62	38.41	11.77	57.44	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12350.00	47.04	74.00	-26.96	54.30	38.41	11.77	57.44	-- -- Peak																																																											



Mode	3																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHZ																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.88</td> <td>88.20</td> <td>-40.32</td> <td>55.22</td> <td>38.57</td> <td>11.87</td> <td>57.78</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	47.88	88.20	-40.32	55.22	38.57	11.87	57.78	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.59</td> <td>88.20</td> <td>-40.61</td> <td>54.93</td> <td>38.57</td> <td>11.87</td> <td>57.78</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	47.59	88.20	-40.61	54.93	38.57	11.87	57.78
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	47.88	88.20	-40.32	55.22	38.57	11.87	57.78	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	47.59	88.20	-40.61	54.93	38.57	11.87	57.78	-- -- Peak																																																											



Mode	4																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5891.30</td> <td>51.62</td> <td>88.20</td> <td>-36.58</td> <td>40.15</td> <td>35.14</td> <td>8.83</td> <td>32.50</td> <td>400</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5891.30	51.62	88.20	-36.58	40.15	35.14	8.83	32.50	400	19	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>94.00</td> <td>-----</td> <td>-----</td> <td>82.57</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>400</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	94.00	-----	-----	82.57	35.17	8.76	32.50	400	19	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5891.30	51.62	88.20	-36.58	40.15	35.14	8.83	32.50	400	19	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	94.00	-----	-----	82.57	35.17	8.76	32.50	400	19	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.58</td> <td>41.69</td> <td>68.20</td> <td>-26.51</td> <td>30.24</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>400</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5911.58	41.69	68.20	-26.51	30.24	35.15	8.80	32.50	400	19	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>84.48</td> <td>-----</td> <td>-----</td> <td>73.05</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>400</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	84.48	-----	-----	73.05	35.17	8.76	32.50	400	19	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5911.58	41.69	68.20	-26.51	30.24	35.15	8.80	32.50	400	19	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	84.48	-----	-----	73.05	35.17	8.76	32.50	400	19	AVERAGE																																																																	