



Mode	4																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																											
ANT	1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5828.12</td> <td>51.41</td> <td>88.20</td> <td>-36.79</td> <td>39.91</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>140</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5828.12	51.41	88.20	-36.79	39.91	35.10	8.90	32.50	140	38	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.89</td> <td>-----</td> <td>-----</td> <td>81.46</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>140</td> <td>38</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	92.89	-----	-----	81.46	35.18	8.75	32.50	140	38	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5828.12	51.41	88.20	-36.79	39.91	35.10	8.90	32.50	140	38	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	92.89	-----	-----	81.46	35.18	8.75	32.50	140	38	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5833.45</td> <td>41.82</td> <td>68.20</td> <td>-26.38</td> <td>30.32</td> <td>35.10</td> <td>8.90</td> <td>32.50</td> <td>140</td> <td>38</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5833.45	41.82	68.20	-26.38	30.32	35.10	8.90	32.50	140	38	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>84.26</td> <td>-----</td> <td>-----</td> <td>72.83</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>140</td> <td>38</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	84.26	-----	-----	72.83	35.18	8.75	32.50	140	38	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5833.45	41.82	68.20	-26.38	30.32	35.10	8.90	32.50	140	38	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	84.26	-----	-----	72.83	35.18	8.75	32.50	140	38	AVERAGE																																																																	



Mode	4																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>55.31</td> <td>38.13</td> <td>11.66</td> <td>57.30</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>48.96</td> <td>41.93</td> <td>13.31</td> <td>57.09</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.80	74.00	-26.20	55.31	38.13	11.66	57.30	--	Peak	2	17865.00	47.11	74.00	-26.89	48.96	41.93	13.31	57.09	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>47.30</td> <td>74.00</td> <td>-26.70</td> <td>54.81</td> <td>38.13</td> <td>11.66</td> <td>57.30</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>47.46</td> <td>74.00</td> <td>-26.54</td> <td>49.31</td> <td>41.93</td> <td>13.31</td> <td>57.09</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.30	74.00	-26.70	54.81	38.13	11.66	57.30	--	Peak	2	17865.00	47.46	74.00	-26.54	49.31	41.93	13.31	57.09	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11910.00	47.80	74.00	-26.20	55.31	38.13	11.66	57.30	--	Peak																																																																																												
2	17865.00	47.11	74.00	-26.89	48.96	41.93	13.31	57.09	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11910.00	47.30	74.00	-26.70	54.81	38.13	11.66	57.30	--	Peak																																																																																												
2	17865.00	47.46	74.00	-26.54	49.31	41.93	13.31	57.09	--	Peak																																																																																												







Mode	5																																																																									
	Harmonic																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_Full RU_6175MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>55.14</td> <td>38.41</td> <td>11.77</td> <td>57.44</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	47.88	74.00	-26.12	55.14	38.41	11.77	57.44	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>47.76</td> <td>74.00</td> <td>-26.24</td> <td>55.02</td> <td>38.41</td> <td>11.77</td> <td>57.44</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	47.76	74.00	-26.24	55.02	38.41	11.77	57.44	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12350.00	47.88	74.00	-26.12	55.14	38.41	11.77	57.44	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12350.00	47.76	74.00	-26.24	55.02	38.41	11.77	57.44	--	-- Peak																																																																	







Mode	6																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.38</td> <td>88.20</td> <td>-40.82</td> <td>54.72</td> <td>38.57</td> <td>11.87</td> <td>57.78</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12830.00	47.38	88.20	-40.82	54.72	38.57	11.87	57.78	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.29</td> <td>88.20</td> <td>-40.91</td> <td>54.63</td> <td>38.57</td> <td>11.87</td> <td>57.78</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12830.00	47.29	88.20	-40.91	54.63	38.57	11.87	57.78
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 12830.00	47.38	88.20	-40.82	54.72	38.57	11.87	57.78	-- -- Peak																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 12830.00	47.29	88.20	-40.91	54.63	38.57	11.87	57.78	-- -- Peak																																																													







	7																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 26/0_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.62</td> <td>51.18</td> <td>88.20</td> <td>-37.02</td> <td>39.72</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>366</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5886.62	51.18	88.20	-37.02	39.72	35.13	8.83	32.50	366	17	PEAK	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>90.61</td> <td>-----</td> <td>-----</td> <td>79.18</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>366</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	90.61	-----	-----	79.18	35.17	8.76	32.50	366	17	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5886.62	51.18	88.20	-37.02	39.72	35.13	8.83	32.50	366	17	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	90.61	-----	-----	79.18	35.17	8.76	32.50	366	17	PEAK																																																																															
Avg	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5846.32</td> <td>41.65</td> <td>68.20</td> <td>-26.55</td> <td>30.16</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>366</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5846.32	41.65	68.20	-26.55	30.16	35.11	8.88	32.50	366	17	AVERAGE	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>83.77</td> <td>-----</td> <td>-----</td> <td>72.34</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>366</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	83.77	-----	-----	72.34	35.17	8.76	32.50	366	17	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5846.32	41.65	68.20	-26.55	30.16	35.11	8.88	32.50	366	17	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	83.77	-----	-----	72.34	35.17	8.76	32.50	366	17	AVERAGE																																																																															



	7																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 26/0_5955MHz																																																																											
ANT	1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5874.53</td> <td>52.27</td> <td>88.20</td> <td>-35.93</td> <td>40.80</td> <td>35.12</td> <td>8.85</td> <td>32.50</td> <td>136</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5874.53	52.27	88.20	-35.93	40.80	35.12	8.85	32.50	136	344	PEAK	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>91.31</td> <td>-----</td> <td>-----</td> <td>79.88</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>136</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	91.31	-----	-----	79.88	35.17	8.76	32.50	136	344	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5874.53	52.27	88.20	-35.93	40.80	35.12	8.85	32.50	136	344	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	91.31	-----	-----	79.88	35.17	8.76	32.50	136	344	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.28</td> <td>41.77</td> <td>68.20</td> <td>-26.43</td> <td>30.31</td> <td>35.15</td> <td>8.81</td> <td>32.50</td> <td>136</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.28	41.77	68.20	-26.43	30.31	35.15	8.81	32.50	136	344	AVERAGE	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>83.53</td> <td>-----</td> <td>-----</td> <td>72.10</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>136</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	83.53	-----	-----	72.10	35.17	8.76	32.50	136	344	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5910.28	41.77	68.20	-26.43	30.31	35.15	8.81	32.50	136	344	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	83.53	-----	-----	72.10	35.17	8.76	32.50	136	344	AVERAGE																																																																	



	8																																																																							
Mode	Band Edge																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 52/37_5955MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5865.95</td> <td>51.39</td> <td>88.20</td> <td>-36.81</td> <td>39.91</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>317</td> <td>18 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5865.95	51.39	88.20	-36.81	39.91	35.12	8.86	32.50	317	18 PEAK	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>92.16</td> <td>-----</td> <td>-----</td> <td>80.73</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>317</td> <td>18 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	92.16	-----	-----	80.73	35.17	8.76	32.50	317	18 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5865.95	51.39	88.20	-36.81	39.91	35.12	8.86	32.50	317	18 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5955.00	92.16	-----	-----	80.73	35.17	8.76	32.50	317	18 PEAK																																																															
Avg	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5855.94</td> <td>41.69</td> <td>68.20</td> <td>-26.51</td> <td>30.21</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>317</td> <td>18 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5855.94	41.69	68.20	-26.51	30.21	35.11	8.87	32.50	317	18 AVERAGE	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>83.80</td> <td>-----</td> <td>-----</td> <td>72.37</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>317</td> <td>18 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	83.80	-----	-----	72.37	35.17	8.76	32.50	317	18 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5855.94	41.69	68.20	-26.51	30.21	35.11	8.87	32.50	317	18 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5955.00	83.80	-----	-----	72.37	35.17	8.76	32.50	317	18 AVERAGE																																																															



	8																																																																							
Mode	Band Edge																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 52/37_5955MHz																																																																							
ANT	1+2																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5919.77</td> <td>51.41</td> <td>88.20</td> <td>-36.79</td> <td>39.96</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>103</td> <td>346 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5919.77	51.41	88.20	-36.79	39.96	35.15	8.80	32.50	103	346 PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>94.39</td> <td>-----</td> <td>-----</td> <td>82.96</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>103</td> <td>346 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	94.39	-----	-----	82.96	35.17	8.76	32.50	103	346 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5919.77	51.41	88.20	-36.79	39.96	35.15	8.80	32.50	103	346 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5955.00	94.39	-----	-----	82.96	35.17	8.76	32.50	103	346 PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5877.91</td> <td>41.63</td> <td>68.20</td> <td>-26.57</td> <td>30.16</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>103</td> <td>346 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5877.91	41.63	68.20	-26.57	30.16	35.13	8.84	32.50	103	346 AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>85.36</td> <td>-----</td> <td>-----</td> <td>73.93</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>103</td> <td>346 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	85.36	-----	-----	73.93	35.17	8.76	32.50	103	346 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5877.91	41.63	68.20	-26.57	30.16	35.13	8.84	32.50	103	346 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5955.00	85.36	-----	-----	73.93	35.17	8.76	32.50	103	346 AVERAGE																																																															



	9																																																																							
Mode	Band Edge																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 106/53_5955MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5841.90</td> <td>51.89</td> <td>88.20</td> <td>-36.31</td> <td>40.39</td> <td>35.11</td> <td>8.89</td> <td>32.50</td> <td>322</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5841.90	51.89	88.20	-36.31	40.39	35.11	8.89	32.50	322	19 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>91.75</td> <td>-----</td> <td>-----</td> <td>80.32</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>322</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	91.75	-----	-----	80.32	35.17	8.76	32.50	322	19 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5841.90	51.89	88.20	-36.31	40.39	35.11	8.89	32.50	322	19 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5955.00	91.75	-----	-----	80.32	35.17	8.76	32.50	322	19 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5856.33</td> <td>41.75</td> <td>68.20</td> <td>-26.45</td> <td>30.27</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>322</td> <td>19 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5856.33	41.75	68.20	-26.45	30.27	35.11	8.87	32.50	322	19 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>84.05</td> <td>-----</td> <td>-----</td> <td>72.62</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>322</td> <td>19 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	84.05	-----	-----	72.62	35.17	8.76	32.50	322	19 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5856.33	41.75	68.20	-26.45	30.27	35.11	8.87	32.50	322	19 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5955.00	84.05	-----	-----	72.62	35.17	8.76	32.50	322	19 AVERAGE																																																															



	9																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_RU 106/53_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5878.69</td> <td>51.46</td> <td>88.20</td> <td>-36.74</td> <td>39.99</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>100</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5878.69	51.46	88.20	-36.74	39.99	35.13	8.84	32.50	100	346	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>93.44</td> <td>-----</td> <td>-----</td> <td>82.01</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	93.44	-----	-----	82.01	35.17	8.76	32.50	100	346	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5878.69	51.46	88.20	-36.74	39.99	35.13	8.84	32.50	100	346	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	93.44	-----	-----	82.01	35.17	8.76	32.50	100	346	PEAK																																																																															
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5880.25</td> <td>41.72</td> <td>68.20</td> <td>-26.48</td> <td>30.25</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>100</td> <td>346</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5880.25	41.72	68.20	-26.48	30.25	35.13	8.84	32.50	100	346	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>85.01</td> <td>-----</td> <td>-----</td> <td>73.58</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>346</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	85.01	-----	-----	73.58	35.17	8.76	32.50	100	346	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5880.25	41.72	68.20	-26.48	30.25	35.13	8.84	32.50	100	346	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	85.01	-----	-----	73.58	35.17	8.76	32.50	100	346	AVERAGE																																																																															



	10																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5877.96</td> <td>51.91</td> <td>88.20</td> <td>-36.29</td> <td>40.44</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>317</td> <td>20</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5877.96	51.91	88.20	-36.29	40.44	35.13	8.84	32.50	317	20	PEAK	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>92.93</td> <td>-----</td> <td>-----</td> <td>81.50</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>317</td> <td>20</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	92.93	-----	-----	81.50	35.17	8.76	32.50	317	20	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5877.96	51.91	88.20	-36.29	40.44	35.13	8.84	32.50	317	20	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5965.00	92.93	-----	-----	81.50	35.17	8.76	32.50	317	20	PEAK																																																																	
Avg	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5877.48</td> <td>42.09</td> <td>68.20</td> <td>-26.11</td> <td>30.61</td> <td>35.13</td> <td>8.85</td> <td>32.50</td> <td>317</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5877.48	42.09	68.20	-26.11	30.61	35.13	8.85	32.50	317	20	AVERAGE	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>84.72</td> <td>-----</td> <td>-----</td> <td>73.29</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>317</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	84.72	-----	-----	73.29	35.17	8.76	32.50	317	20	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5877.48	42.09	68.20	-26.11	30.61	35.13	8.85	32.50	317	20	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5965.00	84.72	-----	-----	73.29	35.17	8.76	32.50	317	20	AVERAGE																																																																	



	10																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																											
ANT	1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5836.20</td> <td>51.13</td> <td>88.20</td> <td>-37.07</td> <td>39.64</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5836.20	51.13	88.20	-37.07	39.64	35.10	8.89	32.50	100	333	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>93.17</td> <td>-----</td> <td>-----</td> <td>81.75</td> <td>35.18</td> <td>8.74</td> <td>32.50</td> <td>100</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	93.17	-----	-----	81.75	35.18	8.74	32.50	100	333	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5836.20	51.13	88.20	-37.07	39.64	35.10	8.89	32.50	100	333	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5965.00	93.17	-----	-----	81.75	35.18	8.74	32.50	100	333	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5883.24</td> <td>42.03</td> <td>68.20</td> <td>-26.17</td> <td>30.56</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>100</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5883.24	42.03	68.20	-26.17	30.56	35.13	8.84	32.50	100	333	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>85.56</td> <td>-----</td> <td>-----</td> <td>74.13</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	85.56	-----	-----	74.13	35.17	8.76	32.50	100	333	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5883.24	42.03	68.20	-26.17	30.56	35.13	8.84	32.50	100	333	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5965.00	85.56	-----	-----	74.13	35.17	8.76	32.50	100	333	AVERAGE																																																																	



Mode	10																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>47.43</td> <td>74.00</td> <td>-26.57</td> <td>54.90</td> <td>38.14</td> <td>11.67</td> <td>57.28</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>47.20</td> <td>74.00</td> <td>-26.80</td> <td>48.89</td> <td>42.04</td> <td>13.32</td> <td>57.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg	1	11930.00	47.43	74.00	-26.57	54.90	38.14	11.67	57.28	--	--	Peak	2	17895.00	47.20	74.00	-26.80	48.89	42.04	13.32	57.05	--	--	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>54.86</td> <td>38.14</td> <td>11.67</td> <td>57.28</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>49.08</td> <td>42.04</td> <td>13.32</td> <td>57.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg	1	11930.00	47.39	74.00	-26.61	54.86	38.14	11.67	57.28	--	--	Peak	2	17895.00	47.39	74.00	-26.61	49.08	42.04	13.32	57.05	--	--	Peak
	Limit									Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq		Level	Line Margin	Level	Factor	Loss Factor	cm	deg																																																																										
1	11930.00	47.43	74.00	-26.57	54.90	38.14	11.67	57.28	--	--	Peak																																																																							
2	17895.00	47.20	74.00	-26.80	48.89	42.04	13.32	57.05	--	--	Peak																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
								Freq	Level	Line Margin	Level	Factor	Loss Factor	cm	deg																																																																			
1	11930.00	47.39	74.00	-26.61	54.86	38.14	11.67	57.28	--	--	Peak																																																																							
2	17895.00	47.39	74.00	-26.61	49.08	42.04	13.32	57.05	--	--	Peak																																																																							







Mode	11																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full RU_6165MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12320.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>54.64</td> <td>38.40</td> <td>11.77</td> <td>57.42</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12320.00	47.39	74.00	-26.61	54.64	38.40	11.77	57.42	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12320.00</td> <td>47.70</td> <td>74.00</td> <td>-26.30</td> <td>54.95</td> <td>38.40</td> <td>11.77</td> <td>57.42</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12320.00	47.70	74.00	-26.30	54.95	38.40	11.77	57.42
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12320.00	47.39	74.00	-26.61	54.64	38.40	11.77	57.42	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12320.00	47.70	74.00	-26.30	54.95	38.40	11.77	57.42	-- -- Peak																																																											



Mode	12																																																																									
	Harmonic																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>47.79</td> <td>88.20</td> <td>-40.41</td> <td>55.13</td> <td>38.56</td> <td>11.87</td> <td>57.77</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.79	88.20	-40.41	55.13	38.56	11.87	57.77	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>47.35</td> <td>88.20</td> <td>-40.85</td> <td>54.69</td> <td>38.56</td> <td>11.87</td> <td>57.77</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.35	88.20	-40.85	54.69	38.56	11.87	57.77	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12810.00	47.79	88.20	-40.41	55.13	38.56	11.87	57.77	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12810.00	47.35	88.20	-40.85	54.69	38.56	11.87	57.77	--	-- Peak																																																																	



	13																																																																							
Mode	Band Edge																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5872.52</td> <td>51.24</td> <td>88.20</td> <td>-36.96</td> <td>39.77</td> <td>35.12</td> <td>8.85</td> <td>32.50</td> <td>318</td> <td>20 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5872.52	51.24	88.20	-36.96	39.77	35.12	8.85	32.50	318	20 PEAK	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5985.00</td> <td>92.36</td> <td>-----</td> <td>-----</td> <td>80.93</td> <td>35.20</td> <td>8.73</td> <td>32.50</td> <td>318</td> <td>20 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5985.00	92.36	-----	-----	80.93	35.20	8.73	32.50	318	20 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5872.52	51.24	88.20	-36.96	39.77	35.12	8.85	32.50	318	20 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5985.00	92.36	-----	-----	80.93	35.20	8.73	32.50	318	20 PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5867.56</td> <td>41.89</td> <td>68.20</td> <td>-26.31</td> <td>30.41</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>318</td> <td>20 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5867.56	41.89	68.20	-26.31	30.41	35.12	8.86	32.50	318	20 AVERAGE	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5985.00</td> <td>84.33</td> <td>-----</td> <td>-----</td> <td>72.90</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>318</td> <td>20 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5985.00	84.33	-----	-----	72.90	35.17	8.76	32.50	318	20 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5867.56	41.89	68.20	-26.31	30.41	35.12	8.86	32.50	318	20 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5985.00	84.33	-----	-----	72.90	35.17	8.76	32.50	318	20 AVERAGE																																																															



	13																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5868.68</td> <td>51.91</td> <td>88.20</td> <td>-36.29</td> <td>40.43</td> <td>35.12</td> <td>8.86</td> <td>32.50</td> <td>109</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5868.68	51.91	88.20	-36.29	40.43	35.12	8.86	32.50	109	348	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5985.00</td> <td>93.86</td> <td>-----</td> <td>-----</td> <td>82.44</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>109</td> <td>348</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5985.00	93.86	-----	-----	82.44	35.19	8.73	32.50	109	348	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5868.68	51.91	88.20	-36.29	40.43	35.12	8.86	32.50	109	348	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5985.00	93.86	-----	-----	82.44	35.19	8.73	32.50	109	348	PEAK																																																																
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5908.68</td> <td>42.01</td> <td>68.20</td> <td>-26.19</td> <td>30.55</td> <td>35.15</td> <td>8.81</td> <td>32.50</td> <td>109</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5908.68	42.01	68.20	-26.19	30.55	35.15	8.81	32.50	109	348	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5985.00</td> <td>85.05</td> <td>-----</td> <td>-----</td> <td>73.62</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>109</td> <td>348</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5985.00	85.05	-----	-----	73.62	35.17	8.76	32.50	109	348	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5908.68	42.01	68.20	-26.19	30.55	35.15	8.81	32.50	109	348	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5985.00	85.05	-----	-----	73.62	35.17	8.76	32.50	109	348	AVERAGE																																																																



Mode	13																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>47.36</td> <td>74.00</td> <td>-26.64</td> <td>54.72</td> <td>38.18</td> <td>11.69</td> <td>57.23</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>47.67</td> <td>74.00</td> <td>-26.33</td> <td>49.06</td> <td>42.24</td> <td>13.33</td> <td>56.96</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11970.00	47.36	74.00	-26.64	54.72	38.18	11.69	57.23	--	Peak	2	17955.00	47.67	74.00	-26.33	49.06	42.24	13.33	56.96	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>47.96</td> <td>74.00</td> <td>-26.04</td> <td>55.32</td> <td>38.18</td> <td>11.69</td> <td>57.23</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>49.19</td> <td>42.24</td> <td>13.33</td> <td>56.96</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11970.00	47.96	74.00	-26.04	55.32	38.18	11.69	57.23	--	Peak	2	17955.00	47.80	74.00	-26.20	49.19	42.24	13.33	56.96	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11970.00	47.36	74.00	-26.64	54.72	38.18	11.69	57.23	--	Peak																																																																																												
2	17955.00	47.67	74.00	-26.33	49.06	42.24	13.33	56.96	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11970.00	47.96	74.00	-26.04	55.32	38.18	11.69	57.23	--	Peak																																																																																												
2	17955.00	47.80	74.00	-26.20	49.19	42.24	13.33	56.96	--	Peak																																																																																												







Mode	14																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full RU_6145MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12280.00</td> <td>47.81</td> <td>74.00</td> <td>-26.19</td> <td>55.08</td> <td>38.37</td> <td>11.76</td> <td>57.40</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12280.00	47.81	74.00	-26.19	55.08	38.37	11.76	57.40	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12280.00</td> <td>47.84</td> <td>74.00</td> <td>-26.16</td> <td>55.11</td> <td>38.37</td> <td>11.76</td> <td>57.40</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12280.00	47.84	74.00	-26.16	55.11	38.37	11.76	57.40
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12280.00	47.81	74.00	-26.19	55.08	38.37	11.76	57.40	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12280.00	47.84	74.00	-26.16	55.11	38.37	11.76	57.40	-- -- Peak																																																											







Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		



	16																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.12</td> <td>51.21</td> <td>88.20</td> <td>-36.99</td> <td>39.74</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>379</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5882.12	51.21	88.20	-36.99	39.74	35.13	8.84	32.50	379	13	PEAK	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>87.52</td> <td>-----</td> <td>-----</td> <td>76.07</td> <td>35.20</td> <td>8.76</td> <td>32.51</td> <td>379</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	87.52	-----	-----	76.07	35.20	8.76	32.51	379	13	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5882.12	51.21	88.20	-36.99	39.74	35.13	8.84	32.50	379	13	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	87.52	-----	-----	76.07	35.20	8.76	32.51	379	13	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.40</td> <td>41.94</td> <td>68.20</td> <td>-26.26</td> <td>30.47</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>379</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5882.40	41.94	68.20	-26.26	30.47	35.13	8.84	32.50	379	13	AVERAGE	 <p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>78.87</td> <td>-----</td> <td>-----</td> <td>67.38</td> <td>35.20</td> <td>8.83</td> <td>32.54</td> <td>379</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	78.87	-----	-----	67.38	35.20	8.83	32.54	379	13	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5882.40	41.94	68.20	-26.26	30.47	35.13	8.84	32.50	379	13	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	78.87	-----	-----	67.38	35.20	8.83	32.54	379	13	AVERAGE																																																																	



	16																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.08</td> <td>55.29</td> <td>88.20</td> <td>-32.91</td> <td>43.84</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5912.08	55.29	88.20	-32.91	43.84	35.15	8.80	32.50	100	347	PEAK	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>90.30</td> <td>-----</td> <td>-----</td> <td>78.76</td> <td>35.20</td> <td>8.91</td> <td>32.57</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6025.00	90.30	-----	-----	78.76	35.20	8.91	32.57	100	347	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5912.08	55.29	88.20	-32.91	43.84	35.15	8.80	32.50	100	347	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6025.00	90.30	-----	-----	78.76	35.20	8.91	32.57	100	347	PEAK																																																																															
Avg	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5876.80</td> <td>42.07</td> <td>68.20</td> <td>-26.13</td> <td>30.59</td> <td>35.13</td> <td>8.85</td> <td>32.50</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5876.80	42.07	68.20	-26.13	30.59	35.13	8.85	32.50	100	347	AVERAGE	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>80.01</td> <td>-----</td> <td>-----</td> <td>68.53</td> <td>35.20</td> <td>8.81</td> <td>32.53</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6025.00	80.01	-----	-----	68.53	35.20	8.81	32.53	100	347	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5876.80	42.07	68.20	-26.13	30.59	35.13	8.85	32.50	100	347	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6025.00	80.01	-----	-----	68.53	35.20	8.81	32.53	100	347	AVERAGE																																																																															



Mode	16																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>47.44</td> <td>74.00</td> <td>-26.56</td> <td>54.74</td> <td>38.23</td> <td>11.71</td> <td>57.24</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12050.00	47.44	74.00	-26.56	54.74	38.23	11.71	57.24	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>54.38</td> <td>38.23</td> <td>11.71</td> <td>57.24</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12050.00	47.08	74.00	-26.92	54.38	38.23	11.71	57.24
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12050.00	47.44	74.00	-26.56	54.74	38.23	11.71	57.24	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12050.00	47.08	74.00	-26.92	54.38	38.23	11.71	57.24	-- -- Peak																																																											



Mode	17																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>54.33</td> <td>38.43</td> <td>11.78</td> <td>57.46</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	47.08	74.00	-26.92	54.33	38.43	11.78	57.46	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>47.34</td> <td>74.00</td> <td>-26.66</td> <td>54.59</td> <td>38.43</td> <td>11.78</td> <td>57.46</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	47.34	74.00	-26.66	54.59	38.43	11.78	57.46	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12370.00	47.08	74.00	-26.92	54.33	38.43	11.78	57.46	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12370.00	47.34	74.00	-26.66	54.59	38.43	11.78	57.46	-- -- Peak																																																												



Mode	18																																																																									
	Harmonic																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Data: 5 Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12690.00</td> <td>47.35</td> <td>-26.65</td> <td>74.00</td> <td>54.65</td> <td>38.54</td> <td>11.85</td> <td>57.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	12690.00	47.35	-26.65	74.00	54.65	38.54	11.85	57.69	---	---	Peak	<p>Data: 6 Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12690.00</td> <td>47.95</td> <td>-26.05</td> <td>74.00</td> <td>55.25</td> <td>38.54</td> <td>11.85</td> <td>57.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	12690.00	47.95	-26.05	74.00	55.25	38.54	11.85	57.69	---	---	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	12690.00	47.35	-26.65	74.00	54.65	38.54	11.85	57.69	---	---	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	12690.00	47.95	-26.05	74.00	55.25	38.54	11.85	57.69	---	---	Peak																																																															



Mode	19																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHZ																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>47.65</td> <td>88.20</td> <td>-40.55</td> <td>55.01</td> <td>38.57</td> <td>11.88</td> <td>57.81</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	47.65	88.20	-40.55	55.01	38.57	11.88	57.81	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>47.28</td> <td>88.20</td> <td>-40.92</td> <td>54.64</td> <td>38.57</td> <td>11.88</td> <td>57.81</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	47.28	88.20	-40.92	54.64	38.57	11.88	57.81
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12870.00	47.65	88.20	-40.55	55.01	38.57	11.88	57.81	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12870.00	47.28	88.20	-40.92	54.64	38.57	11.88	57.81	-- -- Peak																																																											



Mode	20																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.71</td> <td>88.20</td> <td>-40.49</td> <td>55.08</td> <td>38.59</td> <td>11.90</td> <td>57.86</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	47.71	88.20	-40.49	55.08	38.59	11.90	57.86	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.73</td> <td>88.20</td> <td>-40.47</td> <td>55.10</td> <td>38.59</td> <td>11.90</td> <td>57.86</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	47.73	88.20	-40.47	55.10	38.59	11.90	57.86	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12950.00	47.71	88.20	-40.49	55.08	38.59	11.90	57.86	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12950.00	47.73	88.20	-40.47	55.10	38.59	11.90	57.86	-- -- Peak																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.73</td> <td>88.20</td> <td>-40.47</td> <td>55.10</td> <td>38.59</td> <td>11.90</td> <td>57.86</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	47.73	88.20	-40.47	55.10	38.59	11.90	57.86	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>47.73</td> <td>88.20</td> <td>-40.47</td> <td>55.10</td> <td>38.59</td> <td>11.90</td> <td>57.86</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	47.73	88.20	-40.47	55.10	38.59	11.90	57.86	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12950.00	47.73	88.20	-40.47	55.10	38.59	11.90	57.86	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12950.00	47.73	88.20	-40.47	55.10	38.59	11.90	57.86	-- -- Peak																																																												



Mode	21																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>47.05</td> <td>88.20</td> <td>-41.15</td> <td>54.45</td> <td>38.60</td> <td>11.93</td> <td>57.93</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	47.05	88.20	-41.15	54.45	38.60	11.93	57.93	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>47.39</td> <td>88.20</td> <td>-40.81</td> <td>54.79</td> <td>38.60</td> <td>11.93</td> <td>57.93</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	47.39	88.20	-40.81	54.79	38.60	11.93	57.93
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13030.00	47.05	88.20	-41.15	54.45	38.60	11.93	57.93	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13030.00	47.39	88.20	-40.81	54.79	38.60	11.93	57.93	-- -- Peak																																																											



Mode	22																																																																						
	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>47.62</td> <td>88.20</td> <td>-40.58</td> <td>54.98</td> <td>38.57</td> <td>11.88</td> <td>57.81</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12870.00	47.62	88.20	-40.58	54.98	38.57	11.88	57.81	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>47.76</td> <td>88.20</td> <td>-40.44</td> <td>55.12</td> <td>38.57</td> <td>11.88</td> <td>57.81</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12870.00	47.76	88.20	-40.44	55.12	38.57	11.88	57.81	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12870.00	47.62	88.20	-40.58	54.98	38.57	11.88	57.81	--	-- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12870.00	47.76	88.20	-40.44	55.12	38.57	11.88	57.81	--	-- Peak																																																														



Mode	23																																																																									
	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>49.64</td> <td>88.20</td> <td>-38.56</td> <td>57.01</td> <td>38.59</td> <td>11.90</td> <td>57.86</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	49.64	88.20	-38.56	57.01	38.59	11.90	57.86	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>48.42</td> <td>88.20</td> <td>-39.78</td> <td>55.79</td> <td>38.59</td> <td>11.90</td> <td>57.86</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	48.42	88.20	-39.78	55.79	38.59	11.90	57.86	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12950.00	49.64	88.20	-38.56	57.01	38.59	11.90	57.86	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12950.00	48.42	88.20	-39.78	55.79	38.59	11.90	57.86	--	-- Peak																																																																	



Mode	24																																																																									
	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHZ																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>48.76</td> <td>88.20</td> <td>-39.44</td> <td>56.16</td> <td>38.60</td> <td>11.93</td> <td>57.93</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	48.76	88.20	-39.44	56.16	38.60	11.93	57.93	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>48.96</td> <td>88.20</td> <td>-39.24</td> <td>56.36</td> <td>38.60</td> <td>11.93</td> <td>57.93</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	48.96	88.20	-39.24	56.36	38.60	11.93	57.93	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13030.00	48.76	88.20	-39.44	56.16	38.60	11.93	57.93	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13030.00	48.96	88.20	-39.24	56.36	38.60	11.93	57.93	--	-- Peak																																																																	



Mode	25																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>48.85</td> <td>88.20</td> <td>-39.35</td> <td>56.21</td> <td>38.58</td> <td>11.88</td> <td>57.82</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12890.00	48.85	88.20	-39.35	56.21	38.58	11.88	57.82	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>48.56</td> <td>88.20</td> <td>-39.64</td> <td>55.92</td> <td>38.58</td> <td>11.88</td> <td>57.82</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12890.00	48.56	88.20	-39.64	55.92	38.58	11.88	57.82	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12890.00	48.85	88.20	-39.35	56.21	38.58	11.88	57.82	--	-- Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12890.00	48.56	88.20	-39.64	55.92	38.58	11.88	57.82	--	-- Peak																																																															



Mode	26																																																																						
	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>48.18</td> <td>88.20</td> <td>-40.02</td> <td>55.57</td> <td>38.59</td> <td>11.90</td> <td>57.88</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12970.00	48.18	88.20	-40.02	55.57	38.59	11.90	57.88	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>48.82</td> <td>88.20</td> <td>-39.38</td> <td>56.21</td> <td>38.59</td> <td>11.90</td> <td>57.88</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12970.00	48.82	88.20	-39.38	56.21	38.59	11.90	57.88	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12970.00	48.18	88.20	-40.02	55.57	38.59	11.90	57.88	--	-- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12970.00	48.82	88.20	-39.38	56.21	38.59	11.90	57.88	--	-- Peak																																																														



	27																																																																						
Mode	Harmonic																																																																						
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13050.00</td> <td>49.91</td> <td>88.20</td> <td>-38.29</td> <td>57.32</td> <td>38.60</td> <td>11.94</td> <td>57.95</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13050.00	49.91	88.20	-38.29	57.32	38.60	11.94	57.95	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13050.00</td> <td>48.96</td> <td>88.20</td> <td>-39.24</td> <td>56.37</td> <td>38.60</td> <td>11.94</td> <td>57.95</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13050.00	48.96	88.20	-39.24	56.37	38.60	11.94	57.95	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13050.00	49.91	88.20	-38.29	57.32	38.60	11.94	57.95	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13050.00	48.96	88.20	-39.24	56.37	38.60	11.94	57.95	--	Peak																																																														



Mode	28																																																																									
	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor</th> <th colspan="6"></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12930.00</td> <td>48.37</td> <td>88.20</td> <td>-39.83</td> <td>55.74</td> <td>38.59</td> <td>11.89</td> <td>57.85</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor								MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg								1	12930.00	48.37	88.20	-39.83	55.74	38.59	11.89	57.85	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor</th> <th colspan="6"></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12930.00</td> <td>48.31</td> <td>88.20</td> <td>-39.89</td> <td>55.68</td> <td>38.59</td> <td>11.89</td> <td>57.85</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor								MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg								1	12930.00	48.31	88.20	-39.89	55.68	38.59	11.89	57.85	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg																																																																										
1	12930.00	48.37	88.20	-39.83	55.74	38.59	11.89	57.85	--	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level Line Margin Level Factor Loss Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg																																																																										
1	12930.00	48.31	88.20	-39.89	55.68	38.59	11.89	57.85	--	--	Peak																																																															



	29																																																																			
Mode	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHZ																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13090.00</td> <td>48.98</td> <td>88.20</td> <td>-39.22</td> <td>56.40</td> <td>38.60</td> <td>11.98</td> <td>58.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13090.00	48.98	88.20	-39.22	56.40	38.60	11.98	58.00	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13090.00</td> <td>48.21</td> <td>88.20</td> <td>-39.99</td> <td>55.63</td> <td>38.60</td> <td>11.98</td> <td>58.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13090.00	48.21	88.20	-39.99	55.63	38.60	11.98	58.00	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13090.00	48.98	88.20	-39.22	56.40	38.60	11.98	58.00	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13090.00	48.21	88.20	-39.99	55.63	38.60	11.98	58.00	-- -- Peak																																																												



Mode	30																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13010.00</td> <td>48.28</td> <td>88.20</td> <td>-39.92</td> <td>55.68</td> <td>38.60</td> <td>11.91</td> <td>57.91</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13010.00	48.28	88.20	-39.92	55.68	38.60	11.91	57.91	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13010.00</td> <td>48.64</td> <td>88.20</td> <td>-39.56</td> <td>56.04</td> <td>38.60</td> <td>11.91</td> <td>57.91</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13010.00	48.64	88.20	-39.56	56.04	38.60	11.91	57.91
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13010.00	48.28	88.20	-39.92	55.68	38.60	11.91	57.91	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13010.00	48.64	88.20	-39.56	56.04	38.60	11.91	57.91	-- -- Peak																																																											



Mode	31																																																																							
	Harmonic																																																																							
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>49.18</td> <td>88.20</td> <td>-39.02</td> <td>56.59</td> <td>38.60</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	49.18	88.20	-39.02	56.59	38.60	11.96	57.97	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>48.32</td> <td>88.20</td> <td>-39.88</td> <td>55.73</td> <td>38.60</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	48.32	88.20	-39.88	55.73	38.60	11.96	57.97	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13070.00	49.18	88.20	-39.02	56.59	38.60	11.96	57.97	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13070.00	48.32	88.20	-39.88	55.73	38.60	11.96	57.97	--	Peak																																																															



Mode	32																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p style="text-align: right;">Date: 2024-06-06</p>	<p style="text-align: right;">Date: 2024-06-06</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>54.67</td> <td>38.60</td> <td>12.23</td> <td>58.33</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	47.17	74.00	-26.83	54.67	38.60	12.23	58.33	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.95</td> <td>74.00</td> <td>-26.05</td> <td>55.45</td> <td>38.60</td> <td>12.23</td> <td>58.33</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	47.95	74.00	-26.05	55.45	38.60	12.23	58.33
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	47.17	74.00	-26.83	54.67	38.60	12.23	58.33	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	47.95	74.00	-26.05	55.45	38.60	12.23	58.33	-- -- Peak																																																											



Mode	33																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>48.60</td> <td>88.20</td> <td>-39.60</td> <td>56.22</td> <td>38.56</td> <td>12.50</td> <td>58.68</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13710.00	48.60	88.20	-39.60	56.22	38.56	12.50	58.68	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>48.85</td> <td>88.20</td> <td>-39.35</td> <td>56.47</td> <td>38.56</td> <td>12.50</td> <td>58.68</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13710.00	48.85	88.20	-39.35	56.47	38.56	12.50	58.68
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13710.00	48.60	88.20	-39.60	56.22	38.56	12.50	58.68	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																												
1 13710.00	48.85	88.20	-39.35	56.47	38.56	12.50	58.68	-- -- Peak																																																											



	34	
Mode	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	35																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>49.18</td> <td>88.20</td> <td>-39.02</td> <td>56.59</td> <td>38.60</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	49.18	88.20	-39.02	56.59	38.60	11.96	57.97	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>48.32</td> <td>88.20</td> <td>-39.88</td> <td>55.73</td> <td>38.60</td> <td>11.96</td> <td>57.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	48.32	88.20	-39.88	55.73	38.60	11.96	57.97	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13070.00	49.18	88.20	-39.02	56.59	38.60	11.96	57.97	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13070.00	48.32	88.20	-39.88	55.73	38.60	11.96	57.97	--	Peak																																																														



Mode	36																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.01</td> <td>74.00</td> <td>-26.99</td> <td>54.51</td> <td>38.60</td> <td>12.23</td> <td>58.33</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13390.00	47.01	74.00	-26.99	54.51	38.60	12.23	58.33	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>54.73</td> <td>38.60</td> <td>12.23</td> <td>58.33</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13390.00	47.23	74.00	-26.77	54.73	38.60	12.23	58.33	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13390.00	47.01	74.00	-26.99	54.51	38.60	12.23	58.33	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13390.00	47.23	74.00	-26.77	54.73	38.60	12.23	58.33	--	--	Peak																																																										



	37																																																																		
Mode	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p style="text-align: right;">Date: 2024-06-06</p>	<p style="text-align: right;">Date: 2024-06-06</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>48.58</td> <td>88.20</td> <td>-39.62</td> <td>56.20</td> <td>38.56</td> <td>12.50</td> <td>58.68</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	48.58	88.20	-39.62	56.20	38.56	12.50	58.68	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>48.29</td> <td>88.20</td> <td>-39.91</td> <td>55.91</td> <td>38.56</td> <td>12.50</td> <td>58.68</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	48.29	88.20	-39.91	55.91	38.56	12.50	58.68
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	48.58	88.20	-39.62	56.20	38.56	12.50	58.68	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	48.29	88.20	-39.91	55.91	38.56	12.50	58.68	-- -- Peak																																																											



Mode	38																																																																							
	Harmonic																																																																							
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>48.09</td> <td>88.20</td> <td>-40.11</td> <td>55.73</td> <td>38.55</td> <td>12.53</td> <td>58.72</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13750.00	48.09	88.20	-40.11	55.73	38.55	12.53	58.72	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>48.66</td> <td>88.20</td> <td>-39.54</td> <td>56.30</td> <td>38.55</td> <td>12.53</td> <td>58.72</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13750.00	48.66	88.20	-39.54	56.30	38.55	12.53	58.72	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13750.00	48.09	88.20	-40.11	55.73	38.55	12.53	58.72	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13750.00	48.66	88.20	-39.54	56.30	38.55	12.53	58.72	--	Peak																																																															



	39																																																																			
Mode	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>47.95</td> <td>88.20</td> <td>-40.25</td> <td>55.38</td> <td>38.60</td> <td>12.01</td> <td>58.04</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	47.95	88.20	-40.25	55.38	38.60	12.01	58.04	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>48.47</td> <td>88.20</td> <td>-39.73</td> <td>55.90</td> <td>38.60</td> <td>12.01</td> <td>58.04</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	48.47	88.20	-39.73	55.90	38.60	12.01	58.04	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13130.00	47.95	88.20	-40.25	55.38	38.60	12.01	58.04	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13130.00	48.47	88.20	-39.73	55.90	38.60	12.01	58.04	-- -- Peak																																																												



Mode	40																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>47.90</td> <td>74.00</td> <td>-26.10</td> <td>55.39</td> <td>38.60</td> <td>12.21</td> <td>58.30</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	47.90	74.00	-26.10	55.39	38.60	12.21	58.30	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>54.51</td> <td>38.60</td> <td>12.21</td> <td>58.30</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	47.02	74.00	-26.98	54.51	38.60	12.21	58.30	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13370.00	47.90	74.00	-26.10	55.39	38.60	12.21	58.30	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13370.00	47.02	74.00	-26.98	54.51	38.60	12.21	58.30	-- -- Peak																																																												



	41																																																																			
Mode	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHZ																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak	<p style="text-align: right;">Date: 2024-06-06</p>	<p style="text-align: right;">Date: 2024-06-06</p>																																																																		
Avg	<p style="text-align: right;">Date: 2024-06-06</p>	<p style="text-align: right;">Date: 2024-06-06</p>																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.91</td> <td>88.20</td> <td>-41.29</td> <td>54.52</td> <td>38.56</td> <td>12.48</td> <td>58.65</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13690.00	46.91	88.20	-41.29	54.52	38.56	12.48	58.65	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>47.36</td> <td>88.20</td> <td>-40.84</td> <td>54.97</td> <td>38.56</td> <td>12.48</td> <td>58.65</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 13690.00	47.36	88.20	-40.84	54.97	38.56	12.48	58.65	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 13690.00	46.91	88.20	-41.29	54.52	38.56	12.48	58.65	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																													
1 13690.00	47.36	88.20	-40.84	54.97	38.56	12.48	58.65	-- -- Peak																																																												



Mode	42																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p style="text-align: right;">Date: 2024-06-06</p>	<p style="text-align: right;">Date: 2024-06-06</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>47.18</td> <td>88.20</td> <td>-41.02</td> <td>54.82</td> <td>38.55</td> <td>12.55</td> <td>58.74</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13770.00	47.18	88.20	-41.02	54.82	38.55	12.55	58.74	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>47.59</td> <td>88.20</td> <td>-40.61</td> <td>55.23</td> <td>38.55</td> <td>12.55</td> <td>58.74</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13770.00	47.59	88.20	-40.61	55.23	38.55	12.55	58.74
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13770.00	47.18	88.20	-41.02	54.82	38.55	12.55	58.74	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13770.00	47.59	88.20	-40.61	55.23	38.55	12.55	58.74	-- -- Peak																																																											



Mode	43																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>47.62</td> <td>74.00</td> <td>-26.38</td> <td>55.08</td> <td>38.60</td> <td>12.11</td> <td>58.17</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13250.00	47.62	74.00	-26.38	55.08	38.60	12.11	58.17	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>54.48</td> <td>38.60</td> <td>12.11</td> <td>58.17</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13250.00	47.02	74.00	-26.98	54.48	38.60	12.11	58.17	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13250.00	47.62	74.00	-26.38	55.08	38.60	12.11	58.17	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13250.00	47.02	74.00	-26.98	54.48	38.60	12.11	58.17	-- -- Peak																																																												



Mode	44																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13400.00</td> <td>47.71</td> <td>74.00</td> <td>-26.29</td> <td>55.21</td> <td>38.60</td> <td>12.24</td> <td>58.34</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13400.00	47.71	74.00	-26.29	55.21	38.60	12.24	58.34	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13400.00</td> <td>47.35</td> <td>74.00</td> <td>-26.65</td> <td>54.85</td> <td>38.60</td> <td>12.24</td> <td>58.34</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13400.00	47.35	74.00	-26.65	54.85	38.60	12.24	58.34
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 13400.00	47.71	74.00	-26.29	55.21	38.60	12.24	58.34	-- -- Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 13400.00	47.35	74.00	-26.65	54.85	38.60	12.24	58.34	-- -- Peak																																																													



Mode	45																																																	
	Harmonic																																																	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																	
ANT	1+2																																																	
Pol.	Horizontal	Vertical																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13570.00 49.12 88.20 -39.08</td> <td>56.67</td> <td>38.59</td> <td>12.38</td> <td>58.52</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor			cm	deg		1 13570.00 49.12 88.20 -39.08	56.67	38.59	12.38	58.52	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13570.00 48.44 88.20 -39.76</td> <td>55.99</td> <td>38.59</td> <td>12.38</td> <td>58.52</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor			cm	deg		1 13570.00 48.44 88.20 -39.76	55.99	38.59	12.38	58.52	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq Level Line Margin	Level Factor	Loss Factor			cm	deg																																												
1 13570.00 49.12 88.20 -39.08	56.67	38.59	12.38	58.52	--	--	Peak																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line Margin	Level Factor	Loss Factor			cm	deg																																												
1 13570.00 48.44 88.20 -39.76	55.99	38.59	12.38	58.52	--	--	Peak																																											
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13570.00 48.44 88.20 -39.76</td> <td>55.99</td> <td>38.59</td> <td>12.38</td> <td>58.52</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor			cm	deg		1 13570.00 48.44 88.20 -39.76	55.99	38.59	12.38	58.52	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13570.00 48.44 88.20 -39.76</td> <td>55.99</td> <td>38.59</td> <td>12.38</td> <td>58.52</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor			cm	deg		1 13570.00 48.44 88.20 -39.76	55.99	38.59	12.38	58.52	--	--	Peak	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line Margin	Level Factor	Loss Factor			cm	deg																																												
1 13570.00 48.44 88.20 -39.76	55.99	38.59	12.38	58.52	--	--	Peak																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line Margin	Level Factor	Loss Factor			cm	deg																																												
1 13570.00 48.44 88.20 -39.76	55.99	38.59	12.38	58.52	--	--	Peak																																											



Mode	46																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13730.00</td> <td>48.69</td> <td>88.20</td> <td>-39.51</td> <td>56.33</td> <td>38.55</td> <td>12.51</td> <td>58.70</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13730.00	48.69	88.20	-39.51	56.33	38.55	12.51	58.70	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13730.00</td> <td>48.69</td> <td>88.20</td> <td>-39.51</td> <td>56.33</td> <td>38.55</td> <td>12.51</td> <td>58.70</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13730.00	48.69	88.20	-39.51	56.33	38.55	12.51	58.70	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13730.00	48.69	88.20	-39.51	56.33	38.55	12.51	58.70	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13730.00	48.69	88.20	-39.51	56.33	38.55	12.51	58.70	--	Peak																																																														



Mode	47																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>55.39</td> <td>38.60</td> <td>12.18</td> <td>58.26</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	47.91	74.00	-26.09	55.39	38.60	12.18	58.26	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>47.03</td> <td>74.00</td> <td>-26.97</td> <td>54.51</td> <td>38.60</td> <td>12.18</td> <td>58.26</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	47.03	74.00	-26.97	54.51	38.60	12.18	58.26
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13330.00	47.91	74.00	-26.09	55.39	38.60	12.18	58.26	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13330.00	47.03	74.00	-26.97	54.51	38.60	12.18	58.26	-- -- Peak																																																											



Mode	48																																																																									
	Harmonic																																																																									
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>48.01</td> <td>88.20</td> <td>-40.19</td> <td>55.60</td> <td>38.57</td> <td>12.45</td> <td>58.61</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	48.01	88.20	-40.19	55.60	38.57	12.45	58.61	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>48.19</td> <td>88.20</td> <td>-40.01</td> <td>55.78</td> <td>38.57</td> <td>12.45</td> <td>58.61</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	48.19	88.20	-40.01	55.78	38.57	12.45	58.61	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13650.00	48.01	88.20	-40.19	55.60	38.57	12.45	58.61	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13650.00	48.19	88.20	-40.01	55.78	38.57	12.45	58.61	--	-- Peak																																																																	



Mode	49																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.13</td> <td>88.20</td> <td>-40.07</td> <td>55.79</td> <td>38.54</td> <td>12.56</td> <td>58.76</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	48.13	88.20	-40.07	55.79	38.54	12.56	58.76	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.37</td> <td>88.20</td> <td>-39.83</td> <td>56.03</td> <td>38.54</td> <td>12.56</td> <td>58.76</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	48.37	88.20	-39.83	56.03	38.54	12.56	58.76	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13790.00	48.13	88.20	-40.07	55.79	38.54	12.56	58.76	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13790.00	48.37	88.20	-39.83	56.03	38.54	12.56	58.76	-- -- Peak																																																												



Mode	50																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.00</td> <td>88.20</td> <td>-40.20</td> <td>55.75</td> <td>38.50</td> <td>12.73</td> <td>58.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	48.00	88.20	-40.20	55.75	38.50	12.73	58.98	-- -- Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.78</td> <td>88.20</td> <td>-39.42</td> <td>56.53</td> <td>38.50</td> <td>12.73</td> <td>58.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	48.78	88.20	-39.42	56.53	38.50	12.73	58.98	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13990.00	48.00	88.20	-40.20	55.75	38.50	12.73	58.98	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13990.00	48.78	88.20	-39.42	56.53	38.50	12.73	58.98	-- -- Peak																																																												
Avg	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.00</td> <td>88.20</td> <td>-40.20</td> <td>55.75</td> <td>38.50</td> <td>12.73</td> <td>58.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	48.00	88.20	-40.20	55.75	38.50	12.73	58.98	-- -- Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.78</td> <td>88.20</td> <td>-39.42</td> <td>56.53</td> <td>38.50</td> <td>12.73</td> <td>58.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	48.78	88.20	-39.42	56.53	38.50	12.73	58.98	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13990.00	48.00	88.20	-40.20	55.75	38.50	12.73	58.98	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13990.00	48.78	88.20	-39.42	56.53	38.50	12.73	58.98	-- -- Peak																																																												



51																																																																																					
Mode	Band Edge																																																																																				
U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																					
ANT	1+2																																																																																				
Pol.	Horizontal																																																																																				
Peak	Fundamental																																																																																				
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7217.66</td> <td>52.72</td> <td>88.20</td> <td>-35.48</td> <td>42.15</td> <td>35.46</td> <td>8.63</td> <td>33.52</td> <td>300</td> <td>230</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7309.97</td> <td>51.13</td> <td>74.00</td> <td>-22.87</td> <td>40.37</td> <td>35.44</td> <td>8.93</td> <td>33.61</td> <td>300</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>86.48</td> <td>-----</td> <td>-----</td> <td>75.68</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>300</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7217.66	52.72	88.20	-35.48	42.15	35.46	8.63	33.52	300	230	PEAK	2	7309.97	51.13	74.00	-22.87	40.37	35.44	8.93	33.61	300	230	PEAK	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	86.48	-----	-----	75.68	35.48	8.72	33.40	300	230	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	7217.66	52.72	88.20	-35.48	42.15	35.46	8.63	33.52	300	230	PEAK																																																																										
2	7309.97	51.13	74.00	-22.87	40.37	35.44	8.93	33.61	300	230	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	7095.00	86.48	-----	-----	75.68	35.48	8.72	33.40	300	230	PEAK																																																																										
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7224.29</td> <td>41.31</td> <td>68.20</td> <td>-26.89</td> <td>30.74</td> <td>35.45</td> <td>8.65</td> <td>33.53</td> <td>300</td> <td>230</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7270.19</td> <td>41.13</td> <td>54.00</td> <td>-12.87</td> <td>30.45</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>300</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>79.70</td> <td>-----</td> <td>-----</td> <td>68.90</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>300</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7224.29	41.31	68.20	-26.89	30.74	35.45	8.65	33.53	300	230	AVERAGE	2	7270.19	41.13	54.00	-12.87	30.45	35.45	8.80	33.57	300	230	AVERAGE	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	79.70	-----	-----	68.90	35.48	8.72	33.40	300	230	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	7224.29	41.31	68.20	-26.89	30.74	35.45	8.65	33.53	300	230	AVERAGE																																																																										
2	7270.19	41.13	54.00	-12.87	30.45	35.45	8.80	33.57	300	230	AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	7095.00	79.70	-----	-----	68.90	35.48	8.72	33.40	300	230	AVERAGE																																																																										



		51																																																																																											
Mode	Band Edge																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.88</td> <td>50.50</td> <td>88.20</td> <td>-37.70</td> <td>39.78</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>220</td> <td>124</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7270.70</td> <td>50.38</td> <td>74.00</td> <td>-23.62</td> <td>39.70</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>220</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.88	50.50	88.20	-37.70	39.78	35.47	8.68	33.43	220	124	PEAK	2	7270.70	50.38	74.00	-23.62	39.70	35.45	8.80	33.57	220	124	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.94</td> <td>-----</td> <td>-----</td> <td>74.16</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>220</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	84.94	-----	-----	74.16	35.48	8.71	33.41	220	124
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7126.88	50.50	88.20	-37.70	39.78	35.47	8.68	33.43	220	124	PEAK																																																																																		
2	7270.70	50.38	74.00	-23.62	39.70	35.45	8.80	33.57	220	124	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7095.00	84.94	-----	-----	74.16	35.48	8.71	33.41	220	124	PEAK																																																																																		
Avg																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7222.25</td> <td>41.27</td> <td>68.20</td> <td>-26.93</td> <td>30.69</td> <td>35.46</td> <td>8.65</td> <td>33.53</td> <td>220</td> <td>124</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7264.58</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>30.55</td> <td>35.45</td> <td>8.78</td> <td>33.57</td> <td>220</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7222.25	41.27	68.20	-26.93	30.69	35.46	8.65	33.53	220	124	AVERAGE	2	7264.58	41.21	54.00	-12.79	30.55	35.45	8.78	33.57	220	124	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>77.95</td> <td>-----</td> <td>-----</td> <td>67.17</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>220</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	77.95	-----	-----	67.17	35.48	8.71	33.41	220	124
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7222.25	41.27	68.20	-26.93	30.69	35.46	8.65	33.53	220	124	AVERAGE																																																																																		
2	7264.58	41.21	54.00	-12.79	30.55	35.45	8.78	33.57	220	124	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	7095.00	77.95	-----	-----	67.17	35.48	8.71	33.41	220	124	AVERAGE																																																																																		



Mode	51																																																																					
	Harmonic																																																																					
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>50.90</td> <td>88.20</td> <td>-37.30</td> <td>58.52</td> <td>38.54</td> <td>12.73</td> <td>58.89</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	50.90	88.20	-37.30	58.52	38.54	12.73	58.89	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>49.36</td> <td>88.20</td> <td>-38.84</td> <td>56.98</td> <td>38.54</td> <td>12.73</td> <td>58.89</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	49.36	88.20	-38.84	56.98	38.54	12.73	58.89	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 14190.00	50.90	88.20	-37.30	58.52	38.54	12.73	58.89	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 14190.00	49.36	88.20	-38.84	56.98	38.54	12.73	58.89	-- -- Peak																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>49.36</td> <td>88.20</td> <td>-38.84</td> <td>56.98</td> <td>38.54</td> <td>12.73</td> <td>58.89</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	49.36	88.20	-38.84	56.98	38.54	12.73	58.89	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>49.36</td> <td>88.20</td> <td>-38.84</td> <td>56.98</td> <td>38.54</td> <td>12.73</td> <td>58.89</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14190.00	49.36	88.20	-38.84	56.98	38.54	12.73	58.89	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 14190.00	49.36	88.20	-38.84	56.98	38.54	12.73	58.89	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 14190.00	49.36	88.20	-38.84	56.98	38.54	12.73	58.89	-- -- Peak																																																														



	52																																																																							
Mode	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak																																																																								
Avg																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.13</td> <td>88.20</td> <td>-40.07</td> <td>55.79</td> <td>38.54</td> <td>12.56</td> <td>58.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	48.13	88.20	-40.07	55.79	38.54	12.56	58.76	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.37</td> <td>88.20</td> <td>-39.83</td> <td>56.03</td> <td>38.54</td> <td>12.56</td> <td>58.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	48.37	88.20	-39.83	56.03	38.54	12.56	58.76	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13790.00	48.13	88.20	-40.07	55.79	38.54	12.56	58.76	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13790.00	48.37	88.20	-39.83	56.03	38.54	12.56	58.76	--	Peak																																																															



Mode	53																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.00</td> <td>88.20</td> <td>-40.20</td> <td>55.75</td> <td>38.50</td> <td>12.73</td> <td>58.98</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	48.00	88.20	-40.20	55.75	38.50	12.73	58.98	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>48.78</td> <td>88.20</td> <td>-39.42</td> <td>56.53</td> <td>38.50</td> <td>12.73</td> <td>58.98</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	48.78	88.20	-39.42	56.53	38.50	12.73	58.98	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13990.00	48.00	88.20	-40.20	55.75	38.50	12.73	58.98	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13990.00	48.78	88.20	-39.42	56.53	38.50	12.73	58.98	--	--	Peak																																																										



		54																																																																																				
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7179.41</td> <td>51.13</td> <td>88.20</td> <td>-37.07</td> <td>40.54</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>366</td> <td>20</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7304.36</td> <td>50.11</td> <td>74.00</td> <td>-23.89</td> <td>39.37</td> <td>35.44</td> <td>8.91</td> <td>33.61</td> <td>366</td> <td>20</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7179.41	51.13	88.20	-37.07	40.54	35.46	8.61	33.48	366	20	PEAK	2	7304.36	50.11	74.00	-23.89	39.37	35.44	8.91	33.61	366	20	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>91.53</td> <td>-----</td> <td>-----</td> <td>80.71</td> <td>35.48</td> <td>8.73</td> <td>33.39</td> <td>366</td> <td>20</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	91.53	-----	-----	80.71	35.48	8.73	33.39	366	20	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7179.41	51.13	88.20	-37.07	40.54	35.46	8.61	33.48	366	20	PEAK																																																																											
2	7304.36	50.11	74.00	-23.89	39.37	35.44	8.91	33.61	366	20	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	91.53	-----	-----	80.71	35.48	8.73	33.39	366	20	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7180.17</td> <td>41.08</td> <td>68.20</td> <td>-27.12</td> <td>30.49</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>366</td> <td>20</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7291.10</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>30.38</td> <td>35.44</td> <td>8.87</td> <td>33.59</td> <td>366</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7180.17	41.08	68.20	-27.12	30.49	35.46	8.61	33.48	366	20	AVERAGE	2	7291.10	41.10	54.00	-12.90	30.38	35.44	8.87	33.59	366	20	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>83.92</td> <td>-----</td> <td>-----</td> <td>73.12</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>366</td> <td>20</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	83.92	-----	-----	73.12	35.48	8.72	33.40	366	20	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7180.17	41.08	68.20	-27.12	30.49	35.46	8.61	33.48	366	20	AVERAGE																																																																											
2	7291.10	41.10	54.00	-12.90	30.38	35.44	8.87	33.59	366	20	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	83.92	-----	-----	73.12	35.48	8.72	33.40	366	20	AVERAGE																																																																											



	54																																																																																	
Mode	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7210.52</td> <td>51.06</td> <td>88.20</td> <td>-37.14</td> <td>40.50</td> <td>35.46</td> <td>8.61</td> <td>33.51</td> <td>150</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7310.99</td> <td>50.37</td> <td>74.00</td> <td>-23.63</td> <td>39.61</td> <td>35.44</td> <td>8.93</td> <td>33.61</td> <td>150</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7210.52	51.06	88.20	-37.14	40.50	35.46	8.61	33.51	150	330	PEAK	2	7310.99	50.37	74.00	-23.63	39.61	35.44	8.93	33.61	150	330	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.53</td> <td>-----</td> <td>-----</td> <td>78.75</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>150</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.53	-----	-----	78.75	35.48	8.71	33.41	150	330	PEAK
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																												
Freq	Level	Line	Level	Loss																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	7210.52	51.06	88.20	-37.14	40.50	35.46	8.61	33.51	150	330	PEAK																																																																							
2	7310.99	50.37	74.00	-23.63	39.61	35.44	8.93	33.61	150	330	PEAK																																																																							
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																												
Freq	Level	Line	Level	Loss																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	89.53	-----	-----	78.75	35.48	8.71	33.41	150	330	PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7226.84</td> <td>41.23</td> <td>68.20</td> <td>-26.97</td> <td>30.65</td> <td>35.45</td> <td>8.66</td> <td>33.53</td> <td>150</td> <td>330</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7310.99</td> <td>41.02</td> <td>54.00</td> <td>-12.98</td> <td>30.26</td> <td>35.44</td> <td>8.93</td> <td>33.61</td> <td>150</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7226.84	41.23	68.20	-26.97	30.65	35.45	8.66	33.53	150	330	AVERAGE	2	7310.99	41.02	54.00	-12.98	30.26	35.44	8.93	33.61	150	330	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>81.36</td> <td>-----</td> <td>-----</td> <td>70.58</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>150</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	81.36	-----	-----	70.58	35.48	8.71	33.41	150	330	AVERAGE
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																												
Freq	Level	Line	Level	Loss																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	7226.84	41.23	68.20	-26.97	30.65	35.45	8.66	33.53	150	330	AVERAGE																																																																							
2	7310.99	41.02	54.00	-12.98	30.26	35.44	8.93	33.61	150	330	AVERAGE																																																																							
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																												
Freq	Level	Line	Level	Loss																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	81.36	-----	-----	70.58	35.48	8.71	33.41	150	330	AVERAGE																																																																							



Mode	54																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>49.87</td> <td>88.20</td> <td>-38.33</td> <td>57.49</td> <td>38.54</td> <td>12.73</td> <td>58.89</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	49.87	88.20	-38.33	57.49	38.54	12.73	58.89	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>50.01</td> <td>88.20</td> <td>-38.19</td> <td>57.63</td> <td>38.54</td> <td>12.73</td> <td>58.89</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	50.01	88.20	-38.19	57.63	38.54	12.73	58.89	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14190.00	49.87	88.20	-38.33	57.49	38.54	12.73	58.89	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14190.00	50.01	88.20	-38.19	57.63	38.54	12.73	58.89	-- -- Peak																																																												







	55																																																																											
Mode	Harmonic																																																																											
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>49.39</td> <td>88.20</td> <td>-38.81</td> <td>57.08</td> <td>38.53</td> <td>12.61</td> <td>58.83</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13850.00	49.39	88.20	-38.81	57.08	38.53	12.61	58.83	--	--	Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>48.00</td> <td>88.20</td> <td>-40.20</td> <td>55.69</td> <td>38.53</td> <td>12.61</td> <td>58.83</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13850.00	48.00	88.20	-40.20	55.69	38.53	12.61	58.83	--	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13850.00	49.39	88.20	-38.81	57.08	38.53	12.61	58.83	--	--	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13850.00	48.00	88.20	-40.20	55.69	38.53	12.61	58.83	--	--	Peak																																																																		



Mode	56																																																																													
	Harmonic																																																																													
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHZ																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14010.00</td> <td>48.92</td> <td>88.20</td> <td>-39.28</td> <td>56.69</td> <td>38.50</td> <td>12.73</td> <td>59.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	48.92	88.20	-39.28	56.69	38.50	12.73	59.00	--	--	Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14010.00</td> <td>48.13</td> <td>88.20</td> <td>-40.07</td> <td>55.90</td> <td>38.50</td> <td>12.73</td> <td>59.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	48.13	88.20	-40.07	55.90	38.50	12.73	59.00	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	14010.00	48.92	88.20	-39.28	56.69	38.50	12.73	59.00	--	--	Peak																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	14010.00	48.13	88.20	-40.07	55.90	38.50	12.73	59.00	--	--	Peak																																																																			



	57																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7153.64</td> <td>51.36</td> <td>88.20</td> <td>-36.84</td> <td>40.71</td> <td>35.47</td> <td>8.64</td> <td>33.46</td> <td>364</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7277.13</td> <td>50.70</td> <td>74.00</td> <td>-23.30</td> <td>40.02</td> <td>35.44</td> <td>8.82</td> <td>33.58</td> <td>364</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7153.64	51.36	88.20	-36.84	40.71	35.47	8.64	33.46	364	316	PEAK	2	7277.13	50.70	74.00	-23.30	40.02	35.44	8.82	33.58	364	316	PEAK	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>93.15</td> <td>-----</td> <td>-----</td> <td>82.33</td> <td>35.48</td> <td>8.73</td> <td>33.39</td> <td>364</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	93.15	-----	-----	82.33	35.48	8.73	33.39	364	316	PEAK
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7153.64	51.36	88.20	-36.84	40.71	35.47	8.64	33.46	364	316	PEAK																																																																									
2	7277.13	50.70	74.00	-23.30	40.02	35.44	8.82	33.58	364	316	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7085.00	93.15	-----	-----	82.33	35.48	8.73	33.39	364	316	PEAK																																																																									
Avg	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7214.59</td> <td>41.22</td> <td>68.20</td> <td>-26.98</td> <td>30.66</td> <td>35.46</td> <td>8.62</td> <td>33.52</td> <td>364</td> <td>316</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7270.77</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>30.40</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>364</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7214.59	41.22	68.20	-26.98	30.66	35.46	8.62	33.52	364	316	AVERAGE	2	7270.77	41.08	54.00	-12.92	30.40	35.45	8.80	33.57	364	316	AVERAGE	 <p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>85.03</td> <td>-----</td> <td>-----</td> <td>74.21</td> <td>35.48</td> <td>8.73</td> <td>33.39</td> <td>364</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	85.03	-----	-----	74.21	35.48	8.73	33.39	364	316	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7214.59	41.22	68.20	-26.98	30.66	35.46	8.62	33.52	364	316	AVERAGE																																																																									
2	7270.77	41.08	54.00	-12.92	30.40	35.45	8.80	33.57	364	316	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7085.00	85.03	-----	-----	74.21	35.48	8.73	33.39	364	316	AVERAGE																																																																									



	57																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7196.04</td> <td>52.13</td> <td>88.20</td> <td>-36.07</td> <td>41.58</td> <td>35.46</td> <td>8.59</td> <td>33.50</td> <td>245</td> <td>253</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7299.92</td> <td>50.29</td> <td>74.00</td> <td>-23.71</td> <td>39.56</td> <td>35.44</td> <td>8.89</td> <td>33.60</td> <td>245</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7196.04	52.13	88.20	-36.07	41.58	35.46	8.59	33.50	245	253	PEAK	2	7299.92	50.29	74.00	-23.71	39.56	35.44	8.89	33.60	245	253	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>89.19</td> <td>-----</td> <td>-----</td> <td>78.41</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>245</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	89.19	-----	-----	78.41	35.48	8.71	33.41	245	253	PEAK
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7196.04	52.13	88.20	-36.07	41.58	35.46	8.59	33.50	245	253	PEAK																																																																									
2	7299.92	50.29	74.00	-23.71	39.56	35.44	8.89	33.60	245	253	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7085.00	89.19	-----	-----	78.41	35.48	8.71	33.41	245	253	PEAK																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7177.75</td> <td>41.29</td> <td>68.20</td> <td>-26.91</td> <td>30.70</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>245</td> <td>253</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7272.89</td> <td>41.07</td> <td>54.00</td> <td>-12.93</td> <td>30.39</td> <td>35.44</td> <td>8.81</td> <td>33.57</td> <td>245</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7177.75	41.29	68.20	-26.91	30.70	35.46	8.61	33.48	245	253	AVERAGE	2	7272.89	41.07	54.00	-12.93	30.39	35.44	8.81	33.57	245	253	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>81.96</td> <td>-----</td> <td>-----</td> <td>71.18</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>245</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	81.96	-----	-----	71.18	35.48	8.71	33.41	245	253	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7177.75	41.29	68.20	-26.91	30.70	35.46	8.61	33.48	245	253	AVERAGE																																																																									
2	7272.89	41.07	54.00	-12.93	30.39	35.44	8.81	33.57	245	253	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7085.00	81.96	-----	-----	71.18	35.48	8.71	33.41	245	253	AVERAGE																																																																									



Mode	57																																																																																
	Harmonic																																																																																
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																
ANT	1+2																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>49.99</td> <td>88.20</td> <td>-38.21</td> <td>57.63</td> <td>38.53</td> <td>12.73</td> <td>58.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	49.99	88.20	-38.21	57.63	38.53	12.73	58.90								-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>49.81</td> <td>88.20</td> <td>-38.39</td> <td>57.45</td> <td>38.53</td> <td>12.73</td> <td>58.90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	49.81	88.20	-38.39	57.45	38.53	12.73	58.90							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 14170.00	49.99	88.20	-38.21	57.63	38.53	12.73	58.90																																																																										
							-- -- Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1 14170.00	49.81	88.20	-38.39	57.45	38.53	12.73	58.90																																																																										
							-- -- Peak																																																																										



Mode	58																																																																					
	Harmonic																																																																					
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>47.98</td> <td>88.20</td> <td>-40.22</td> <td>55.68</td> <td>38.52</td> <td>12.65</td> <td>58.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13890.00	47.98	88.20	-40.22	55.68	38.52	12.65	58.87	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>49.39</td> <td>88.20</td> <td>-38.81</td> <td>57.09</td> <td>38.52</td> <td>12.65</td> <td>58.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13890.00	49.39	88.20	-38.81	57.09	38.52	12.65	58.87	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13890.00	47.98	88.20	-40.22	55.68	38.52	12.65	58.87	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13890.00	49.39	88.20	-38.81	57.09	38.52	12.65	58.87	-- -- Peak																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>49.39</td> <td>88.20</td> <td>-38.81</td> <td>57.09</td> <td>38.52</td> <td>12.65</td> <td>58.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13890.00	49.39	88.20	-38.81	57.09	38.52	12.65	58.87	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>49.39</td> <td>88.20</td> <td>-38.81</td> <td>57.09</td> <td>38.52</td> <td>12.65</td> <td>58.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13890.00	49.39	88.20	-38.81	57.09	38.52	12.65	58.87	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13890.00	49.39	88.20	-38.81	57.09	38.52	12.65	58.87	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13890.00	49.39	88.20	-38.81	57.09	38.52	12.65	58.87	-- -- Peak																																																														



	59																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7207.65</td> <td>50.90</td> <td>88.20</td> <td>-37.30</td> <td>40.35</td> <td>35.46</td> <td>8.60</td> <td>33.51</td> <td>153</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7290.53</td> <td>51.55</td> <td>74.00</td> <td>-22.45</td> <td>40.84</td> <td>35.44</td> <td>8.86</td> <td>33.59</td> <td>153</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7207.65	50.90	88.20	-37.30	40.35	35.46	8.60	33.51	153	285	PEAK	2	7290.53	51.55	74.00	-22.45	40.84	35.44	8.86	33.59	153	285	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>96.37</td> <td>-----</td> <td>-----</td> <td>85.36</td> <td>35.50</td> <td>8.83</td> <td>33.32</td> <td>153</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	96.37	-----	-----	85.36	35.50	8.83	33.32	153	285	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7207.65	50.90	88.20	-37.30	40.35	35.46	8.60	33.51	153	285	PEAK																																																																											
2	7290.53	51.55	74.00	-22.45	40.84	35.44	8.86	33.59	153	285	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	96.37	-----	-----	85.36	35.50	8.83	33.32	153	285	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7210.58</td> <td>41.84</td> <td>68.20</td> <td>-26.36</td> <td>31.28</td> <td>35.46</td> <td>8.61</td> <td>33.51</td> <td>153</td> <td>285</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7254.45</td> <td>41.48</td> <td>54.00</td> <td>-12.52</td> <td>30.84</td> <td>35.45</td> <td>8.75</td> <td>33.56</td> <td>153</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7210.58	41.84	68.20	-26.36	31.28	35.46	8.61	33.51	153	285	AVERAGE	2	7254.45	41.48	54.00	-12.52	30.84	35.45	8.75	33.56	153	285	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>86.43</td> <td>-----</td> <td>-----</td> <td>75.48</td> <td>35.49</td> <td>8.80</td> <td>33.34</td> <td>153</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	86.43	-----	-----	75.48	35.49	8.80	33.34	153	285	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7210.58	41.84	68.20	-26.36	31.28	35.46	8.61	33.51	153	285	AVERAGE																																																																											
2	7254.45	41.48	54.00	-12.52	30.84	35.45	8.75	33.56	153	285	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	86.43	-----	-----	75.48	35.49	8.80	33.34	153	285	AVERAGE																																																																											



		59																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7157.28</td> <td>51.00</td> <td>88.20</td> <td>-37.20</td> <td>40.35</td> <td>35.47</td> <td>8.64</td> <td>33.46</td> <td>244</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7270.38</td> <td>50.72</td> <td>74.00</td> <td>-23.28</td> <td>40.04</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>244</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7157.28	51.00	88.20	-37.20	40.35	35.47	8.64	33.46	244	255	PEAK	2	7270.38	50.72	74.00	-23.28	40.04	35.45	8.80	33.57	244	255	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>91.61</td> <td>-----</td> <td>-----</td> <td>80.62</td> <td>35.50</td> <td>8.82</td> <td>33.33</td> <td>244</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	91.61	-----	-----	80.62	35.50	8.82	33.33	244	255	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7157.28	51.00	88.20	-37.20	40.35	35.47	8.64	33.46	244	255	PEAK																																																																									
2	7270.38	50.72	74.00	-23.28	40.04	35.45	8.80	33.57	244	255	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7025.00	91.61	-----	-----	80.62	35.50	8.82	33.33	244	255	PEAK																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7222.28</td> <td>41.35</td> <td>68.20</td> <td>-26.85</td> <td>30.77</td> <td>35.46</td> <td>8.65</td> <td>33.53</td> <td>244</td> <td>255</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7268.75</td> <td>41.17</td> <td>54.00</td> <td>-12.83</td> <td>30.49</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>244</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7222.28	41.35	68.20	-26.85	30.77	35.46	8.65	33.53	244	255	AVERAGE	2	7268.75	41.17	54.00	-12.83	30.49	35.45	8.80	33.57	244	255	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>82.96</td> <td>-----</td> <td>-----</td> <td>71.97</td> <td>35.50</td> <td>8.82</td> <td>33.33</td> <td>244</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	82.96	-----	-----	71.97	35.50	8.82	33.33	244	255	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7222.28	41.35	68.20	-26.85	30.77	35.46	8.65	33.53	244	255	AVERAGE																																																																									
2	7268.75	41.17	54.00	-12.83	30.49	35.45	8.80	33.57	244	255	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7025.00	82.96	-----	-----	71.97	35.50	8.82	33.33	244	255	AVERAGE																																																																									



	59																																																																							
Mode	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak																																																																								
Avg																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>48.04</td> <td>88.20</td> <td>-40.16</td> <td>55.77</td> <td>38.51</td> <td>12.73</td> <td>58.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14050.00	48.04	88.20	-40.16	55.77	38.51	12.73	58.97	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>49.21</td> <td>88.20</td> <td>-38.99</td> <td>56.94</td> <td>38.51</td> <td>12.73</td> <td>58.97</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14050.00	49.21	88.20	-38.99	56.94	38.51	12.73	58.97	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14050.00	48.04	88.20	-40.16	55.77	38.51	12.73	58.97	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 14050.00	49.21	88.20	-38.99	56.94	38.51	12.73	58.97	--	Peak																																																															



Mode	60																																																																																					
	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.63</td> <td>54.41</td> <td>88.20</td> <td>-33.79</td> <td>43.71</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>152</td> <td>285</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7323.13</td> <td>50.48</td> <td>74.00</td> <td>-23.52</td> <td>39.70</td> <td>35.43</td> <td>8.97</td> <td>33.62</td> <td>152</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7130.63	54.41	88.20	-33.79	43.71	35.47	8.67	33.44	152	285	PEAK	2	7323.13	50.48	74.00	-23.52	39.70	35.43	8.97	33.62	152	285	PEAK	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>93.28</td> <td>-----</td> <td>-----</td> <td>82.24</td> <td>35.50</td> <td>8.84</td> <td>33.30</td> <td>152</td> <td>285</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	93.28	-----	-----	82.24	35.50	8.84	33.30	152	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7130.63	54.41	88.20	-33.79	43.71	35.47	8.67	33.44	152	285	PEAK																																																																											
2	7323.13	50.48	74.00	-23.52	39.70	35.43	8.97	33.62	152	285	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	93.28	-----	-----	82.24	35.50	8.84	33.30	152	285	PEAK																																																																											
Avg	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.25</td> <td>43.06</td> <td>68.20</td> <td>-25.14</td> <td>32.36</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>152</td> <td>285</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7262.50</td> <td>41.62</td> <td>54.00</td> <td>-12.38</td> <td>30.95</td> <td>35.45</td> <td>8.78</td> <td>33.56</td> <td>152</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7131.25	43.06	68.20	-25.14	32.36	35.47	8.67	33.44	152	285	AVERAGE	2	7262.50	41.62	54.00	-12.38	30.95	35.45	8.78	33.56	152	285	AVERAGE	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>85.42</td> <td>-----</td> <td>-----</td> <td>74.39</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>152</td> <td>285</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	85.42	-----	-----	74.39	35.49	8.84	33.30	152	285	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7131.25	43.06	68.20	-25.14	32.36	35.47	8.67	33.44	152	285	AVERAGE																																																																											
2	7262.50	41.62	54.00	-12.38	30.95	35.45	8.78	33.56	152	285	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	85.42	-----	-----	74.39	35.49	8.84	33.30	152	285	AVERAGE																																																																											



	60																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7196.25</td> <td>50.79</td> <td>88.20</td> <td>-37.41</td> <td>40.24</td> <td>35.46</td> <td>8.59</td> <td>33.50</td> <td>153</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7278.13</td> <td>50.66</td> <td>74.00</td> <td>-23.34</td> <td>39.97</td> <td>35.44</td> <td>8.83</td> <td>33.58</td> <td>153</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7196.25	50.79	88.20	-37.41	40.24	35.46	8.59	33.50	153	329	PEAK	2	7278.13	50.66	74.00	-23.34	39.97	35.44	8.83	33.58	153	329	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>90.84</td> <td>-----</td> <td>-----</td> <td>79.82</td> <td>35.48</td> <td>8.84</td> <td>33.30</td> <td>153</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	90.84	-----	-----	79.82	35.48	8.84	33.30	153	329	PEAK
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7196.25	50.79	88.20	-37.41	40.24	35.46	8.59	33.50	153	329	PEAK																																																																									
2	7278.13	50.66	74.00	-23.34	39.97	35.44	8.83	33.58	153	329	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6985.00	90.84	-----	-----	79.82	35.48	8.84	33.30	153	329	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.13</td> <td>41.82</td> <td>68.20</td> <td>-26.38</td> <td>31.10</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>153</td> <td>329</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7264.38</td> <td>41.42</td> <td>54.00</td> <td>-12.58</td> <td>30.76</td> <td>35.45</td> <td>8.78</td> <td>33.57</td> <td>153</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7128.13	41.82	68.20	-26.38	31.10	35.47	8.68	33.43	153	329	AVERAGE	2	7264.38	41.42	54.00	-12.58	30.76	35.45	8.78	33.57	153	329	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>82.08</td> <td>-----</td> <td>-----</td> <td>71.05</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>153</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	82.08	-----	-----	71.05	35.49	8.84	33.30	153	329	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7128.13	41.82	68.20	-26.38	31.10	35.47	8.68	33.43	153	329	AVERAGE																																																																									
2	7264.38	41.42	54.00	-12.58	30.76	35.45	8.78	33.57	153	329	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6985.00	82.08	-----	-----	71.05	35.49	8.84	33.30	153	329	AVERAGE																																																																									



Mode	60																																																																									
	Harmonic																																																																									
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>48.93</td> <td>88.20</td> <td>-39.27</td> <td>56.66</td> <td>38.51</td> <td>12.72</td> <td>58.96</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13970.00	48.93	88.20	-39.27	56.66	38.51	12.72	58.96	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>47.65</td> <td>88.20</td> <td>-40.55</td> <td>55.38</td> <td>38.51</td> <td>12.72</td> <td>58.96</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13970.00	47.65	88.20	-40.55	55.38	38.51	12.72	58.96	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13970.00	48.93	88.20	-39.27	56.66	38.51	12.72	58.96	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13970.00	47.65	88.20	-40.55	55.38	38.51	12.72	58.96	--	-- Peak																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>47.65</td> <td>88.20</td> <td>-40.55</td> <td>55.38</td> <td>38.51</td> <td>12.72</td> <td>58.96</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13970.00	47.65	88.20	-40.55	55.38	38.51	12.72	58.96	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>47.65</td> <td>88.20</td> <td>-40.55</td> <td>55.38</td> <td>38.51</td> <td>12.72</td> <td>58.96</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13970.00	47.65	88.20	-40.55	55.38	38.51	12.72	58.96	--	-- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13970.00	47.65	88.20	-40.55	55.38	38.51	12.72	58.96	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13970.00	47.65	88.20	-40.55	55.38	38.51	12.72	58.96	--	-- Peak																																																																	



	61																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU26/8_7095MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.74</td> <td>51.74</td> <td>88.20</td> <td>-36.46</td> <td>41.04</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>161</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7266.62</td> <td>51.16</td> <td>74.00</td> <td>-22.84</td> <td>40.49</td> <td>35.45</td> <td>8.79</td> <td>33.57</td> <td>161</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7132.74	51.74	88.20	-36.46	41.04	35.47	8.67	33.44	161	284	PEAK	2	7266.62	51.16	74.00	-22.84	40.49	35.45	8.79	33.57	161	284	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.71</td> <td>-----</td> <td>-----</td> <td>82.93</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>161</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	93.71	-----	-----	82.93	35.48	8.71	33.41	161	284	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7132.74	51.74	88.20	-36.46	41.04	35.47	8.67	33.44	161	284	PEAK																																																																											
2	7266.62	51.16	74.00	-22.84	40.49	35.45	8.79	33.57	161	284	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	93.71	-----	-----	82.93	35.48	8.71	33.41	161	284	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7201.08</td> <td>41.11</td> <td>68.20</td> <td>-27.09</td> <td>30.57</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>161</td> <td>284</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7310.99</td> <td>41.04</td> <td>54.00</td> <td>-12.96</td> <td>30.28</td> <td>35.44</td> <td>8.93</td> <td>33.61</td> <td>161</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7201.08	41.11	68.20	-27.09	30.57	35.46	8.58	33.50	161	284	AVERAGE	2	7310.99	41.04	54.00	-12.96	30.28	35.44	8.93	33.61	161	284	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>86.64</td> <td>-----</td> <td>-----</td> <td>75.86</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>161</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	86.64	-----	-----	75.86	35.48	8.71	33.41	161	284	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7201.08	41.11	68.20	-27.09	30.57	35.46	8.58	33.50	161	284	AVERAGE																																																																											
2	7310.99	41.04	54.00	-12.96	30.28	35.44	8.93	33.61	161	284	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	86.64	-----	-----	75.86	35.48	8.71	33.41	161	284	AVERAGE																																																																											







	61																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU26/8_7095MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7150.85</td> <td>50.55</td> <td>88.20</td> <td>-37.65</td> <td>39.89</td> <td>35.47</td> <td>8.65</td> <td>33.46</td> <td>100</td> <td>345</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7342.61</td> <td>50.13</td> <td>74.00</td> <td>-23.87</td> <td>39.31</td> <td>35.43</td> <td>9.03</td> <td>33.64</td> <td>100</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7150.85	50.55	88.20	-37.65	39.89	35.47	8.65	33.46	100	345	PEAK	2	7342.61	50.13	74.00	-23.87	39.31	35.43	9.03	33.64	100	345	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>87.81</td> <td>-----</td> <td>-----</td> <td>77.03</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>100</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	87.81	-----	-----	77.03	35.48	8.71	33.41	100	345	PEAK
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																														
Freq	Level	Line	Level	Loss																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7150.85	50.55	88.20	-37.65	39.89	35.47	8.65	33.46	100	345	PEAK																																																																									
2	7342.61	50.13	74.00	-23.87	39.31	35.43	9.03	33.64	100	345	PEAK																																																																									
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																														
Freq	Level	Line	Level	Loss																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7095.00	87.81	-----	-----	77.03	35.48	8.71	33.41	100	345	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7211.54</td> <td>41.21</td> <td>68.20</td> <td>-26.99</td> <td>30.65</td> <td>35.46</td> <td>8.61</td> <td>33.51</td> <td>100</td> <td>345</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7318.13</td> <td>41.19</td> <td>54.00</td> <td>-12.81</td> <td>30.42</td> <td>35.44</td> <td>8.95</td> <td>33.62</td> <td>100</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7211.54	41.21	68.20	-26.99	30.65	35.46	8.61	33.51	100	345	AVERAGE	2	7318.13	41.19	54.00	-12.81	30.42	35.44	8.95	33.62	100	345	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>80.89</td> <td>-----</td> <td>-----</td> <td>70.11</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>100</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	80.89	-----	-----	70.11	35.48	8.71	33.41	100	345	AVERAGE
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																														
Freq	Level	Line	Level	Loss																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7211.54	41.21	68.20	-26.99	30.65	35.46	8.61	33.51	100	345	AVERAGE																																																																									
2	7318.13	41.19	54.00	-12.81	30.42	35.44	8.95	33.62	100	345	AVERAGE																																																																									
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																														
Freq	Level	Line	Level	Loss																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7095.00	80.89	-----	-----	70.11	35.48	8.71	33.41	100	345	AVERAGE																																																																									



	62																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU52/40_7095MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7174.56</td> <td>50.51</td> <td>88.20</td> <td>-37.69</td> <td>39.91</td> <td>35.46</td> <td>8.62</td> <td>33.48</td> <td>159</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7265.60</td> <td>50.42</td> <td>74.00</td> <td>-23.58</td> <td>39.75</td> <td>35.45</td> <td>8.79</td> <td>33.57</td> <td>159</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7174.56	50.51	88.20	-37.69	39.91	35.46	8.62	33.48	159	284	PEAK	2	7265.60	50.42	74.00	-23.58	39.75	35.45	8.79	33.57	159	284	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.63</td> <td>-----</td> <td>-----</td> <td>83.85</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>159</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	94.63	-----	-----	83.85	35.48	8.71	33.41	159	284	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7174.56	50.51	88.20	-37.69	39.91	35.46	8.62	33.48	159	284	PEAK																																																																											
2	7265.60	50.42	74.00	-23.58	39.75	35.45	8.79	33.57	159	284	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	94.63	-----	-----	83.85	35.48	8.71	33.41	159	284	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7198.02</td> <td>41.13</td> <td>68.20</td> <td>-27.07</td> <td>30.59</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>159</td> <td>284</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7272.48</td> <td>41.06</td> <td>54.00</td> <td>-12.94</td> <td>30.38</td> <td>35.44</td> <td>8.81</td> <td>33.57</td> <td>159</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7198.02	41.13	68.20	-27.07	30.59	35.46	8.58	33.50	159	284	AVERAGE	2	7272.48	41.06	54.00	-12.94	30.38	35.44	8.81	33.57	159	284	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>86.58</td> <td>-----</td> <td>-----</td> <td>75.80</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>159</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	86.58	-----	-----	75.80	35.48	8.71	33.41	159	284	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7198.02	41.13	68.20	-27.07	30.59	35.46	8.58	33.50	159	284	AVERAGE																																																																											
2	7272.48	41.06	54.00	-12.94	30.38	35.44	8.81	33.57	159	284	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	86.58	-----	-----	75.80	35.48	8.71	33.41	159	284	AVERAGE																																																																											



	62																																																																												
Mode	Band Edge																																																																												
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU52/40_7095MHz																																																																												
ANT	1+2																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. Date: 2024-06-06. Peaks at 7201.08 MHz and 7299.51 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7201.08</td> <td>50.75</td> <td>88.20 -37.45</td> <td>40.21</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>100</td> <td>345 PEAK</td> </tr> <tr> <td>2 7299.51</td> <td>50.11</td> <td>74.00 -23.89</td> <td>39.38</td> <td>35.44</td> <td>8.89</td> <td>33.60</td> <td>100</td> <td>345 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7201.08	50.75	88.20 -37.45	40.21	35.46	8.58	33.50	100	345 PEAK	2 7299.51	50.11	74.00 -23.89	39.38	35.44	8.89	33.60	100	345 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. Date: 2024-06-06. Peak at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>89.27</td> <td>-----</td> <td>78.49</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>100</td> <td>345 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7095.00	89.27	-----	78.49	35.48	8.71	33.41	100	345 PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1 7201.08	50.75	88.20 -37.45	40.21	35.46	8.58	33.50	100	345 PEAK																																																																					
2 7299.51	50.11	74.00 -23.89	39.38	35.44	8.89	33.60	100	345 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1 7095.00	89.27	-----	78.49	35.48	8.71	33.41	100	345 PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. Date: 2024-06-06. Peaks at 7131.98 MHz and 7271.97 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7131.98</td> <td>41.18</td> <td>68.20 -27.02</td> <td>30.48</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>100</td> <td>345 AVERAGE</td> </tr> <tr> <td>2 7271.97</td> <td>41.01</td> <td>54.00 -12.99</td> <td>30.32</td> <td>35.45</td> <td>8.81</td> <td>33.57</td> <td>100</td> <td>345 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7131.98	41.18	68.20 -27.02	30.48	35.47	8.67	33.44	100	345 AVERAGE	2 7271.97	41.01	54.00 -12.99	30.32	35.45	8.81	33.57	100	345 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. Date: 2024-06-06. Peak at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>80.82</td> <td>-----</td> <td>70.04</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>100</td> <td>345 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7095.00	80.82	-----	70.04	35.48	8.71	33.41	100	345 AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1 7131.98	41.18	68.20 -27.02	30.48	35.47	8.67	33.44	100	345 AVERAGE																																																																					
2 7271.97	41.01	54.00 -12.99	30.32	35.45	8.81	33.57	100	345 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1 7095.00	80.82	-----	70.04	35.48	8.71	33.41	100	345 AVERAGE																																																																					



	63																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU106/54_7095MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7239.08</td> <td>50.90</td> <td>88.20</td> <td>-37.30</td> <td>40.29</td> <td>35.45</td> <td>8.70</td> <td>33.54</td> <td>200</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7326.80</td> <td>50.74</td> <td>74.00</td> <td>-23.26</td> <td>39.96</td> <td>35.43</td> <td>8.98</td> <td>33.63</td> <td>200</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7239.08	50.90	88.20	-37.30	40.29	35.45	8.70	33.54	200	358	PEAK	2	7326.80	50.74	74.00	-23.26	39.96	35.43	8.98	33.63	200	358	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>90.88</td> <td>-----</td> <td>-----</td> <td>80.10</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>200</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	90.88	-----	-----	80.10	35.48	8.71	33.41	200	358	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7239.08	50.90	88.20	-37.30	40.29	35.45	8.70	33.54	200	358	PEAK																																																																											
2	7326.80	50.74	74.00	-23.26	39.96	35.43	8.98	33.63	200	358	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	90.88	-----	-----	80.10	35.48	8.71	33.41	200	358	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7223.27</td> <td>41.18</td> <td>68.20</td> <td>-27.02</td> <td>30.61</td> <td>35.45</td> <td>8.65</td> <td>33.53</td> <td>200</td> <td>358</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7277.84</td> <td>41.03</td> <td>54.00</td> <td>-12.97</td> <td>30.35</td> <td>35.44</td> <td>8.82</td> <td>33.58</td> <td>200</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7223.27	41.18	68.20	-27.02	30.61	35.45	8.65	33.53	200	358	AVERAGE	2	7277.84	41.03	54.00	-12.97	30.35	35.44	8.82	33.58	200	358	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>81.88</td> <td>-----</td> <td>-----</td> <td>71.10</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>200</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	81.88	-----	-----	71.10	35.48	8.71	33.41	200	358	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7223.27	41.18	68.20	-27.02	30.61	35.45	8.65	33.53	200	358	AVERAGE																																																																											
2	7277.84	41.03	54.00	-12.97	30.35	35.44	8.82	33.58	200	358	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	81.88	-----	-----	71.10	35.48	8.71	33.41	200	358	AVERAGE																																																																											



	63																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial_RU106/54_7095MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7233.21</td> <td>50.59</td> <td>88.20</td> <td>-37.61</td> <td>40.00</td> <td>35.45</td> <td>8.68</td> <td>33.54</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7338.53</td> <td>50.43</td> <td>74.00</td> <td>-23.57</td> <td>39.62</td> <td>35.43</td> <td>9.02</td> <td>33.64</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7233.21	50.59	88.20	-37.61	40.00	35.45	8.68	33.54	300	25	PEAK	2	7338.53	50.43	74.00	-23.57	39.62	35.43	9.02	33.64	300	25	PEAK	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.52</td> <td>-----</td> <td>-----</td> <td>73.74</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>300</td> <td>25</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	84.52	-----	-----	73.74	35.48	8.71	33.41	300	25	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7233.21	50.59	88.20	-37.61	40.00	35.45	8.68	33.54	300	25	PEAK																																																																											
2	7338.53	50.43	74.00	-23.57	39.62	35.43	9.02	33.64	300	25	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	84.52	-----	-----	73.74	35.48	8.71	33.41	300	25	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7197.26</td> <td>41.17</td> <td>68.20</td> <td>-27.03</td> <td>30.63</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7270.95</td> <td>41.03</td> <td>54.00</td> <td>-12.97</td> <td>30.35</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7197.26	41.17	68.20	-27.03	30.63	35.46	8.58	33.50	300	25	AVERAGE	2	7270.95	41.03	54.00	-12.97	30.35	35.45	8.80	33.57	300	25	AVERAGE	<p style="text-align: right;">Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>77.08</td> <td>-----</td> <td>-----</td> <td>66.28</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>300</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	77.08	-----	-----	66.28	35.48	8.72	33.40	300	25	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7197.26	41.17	68.20	-27.03	30.63	35.46	8.58	33.50	300	25	AVERAGE																																																																											
2	7270.95	41.03	54.00	-12.97	30.35	35.45	8.80	33.57	300	25	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	77.08	-----	-----	66.28	35.48	8.72	33.40	300	25	AVERAGE																																																																											



Mode	64																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE160_CHLF_Full RU_6985MHz																																																																																																																																																																									
ANT	1+2																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
QP/ Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>52.31</td><td>21.50</td><td>40.00</td><td>-18.50</td><td>36.19</td><td>19.53</td><td>0.74</td><td>34.96</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>142.52</td><td>23.78</td><td>43.50</td><td>-19.72</td><td>38.90</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>308.39</td><td>22.92</td><td>46.00</td><td>-23.08</td><td>36.39</td><td>19.31</td><td>1.82</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>345.25</td><td>22.50</td><td>46.00</td><td>-23.50</td><td>35.06</td><td>20.11</td><td>1.93</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>464.56</td><td>23.70</td><td>46.00</td><td>-22.30</td><td>33.00</td><td>22.93</td><td>2.27</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>854.50</td><td>30.13</td><td>46.00</td><td>-15.87</td><td>32.55</td><td>28.78</td><td>3.10</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	52.31	21.50	40.00	-18.50	36.19	19.53	0.74	34.96	--	--	Peak	2	142.52	23.78	43.50	-19.72	38.90	18.35	1.25	34.72	--	--	Peak	3	308.39	22.92	46.00	-23.08	36.39	19.31	1.82	34.60	--	--	Peak	4	345.25	22.50	46.00	-23.50	35.06	20.11	1.93	34.60	--	--	Peak	5	464.56	23.70	46.00	-22.30	33.00	22.93	2.27	34.50	--	--	Peak	6	854.50	30.13	46.00	-15.87	32.55	28.78	3.10	34.30	--	--	Peak	<p>Date: 2024-06-06</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>21.73</td><td>40.00</td><td>-18.27</td><td>38.17</td><td>17.78</td><td>0.55</td><td>34.77</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>98.87</td><td>21.03</td><td>43.50</td><td>-22.47</td><td>40.01</td><td>14.78</td><td>1.04</td><td>34.80</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>145.43</td><td>25.87</td><td>43.50</td><td>-17.63</td><td>40.73</td><td>18.59</td><td>1.26</td><td>34.71</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>186.17</td><td>22.07</td><td>43.50</td><td>-21.43</td><td>38.52</td><td>16.81</td><td>1.44</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>288.99</td><td>22.80</td><td>46.00</td><td>-23.20</td><td>36.86</td><td>18.79</td><td>1.77</td><td>34.62</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>758.47</td><td>27.03</td><td>46.00</td><td>-18.97</td><td>30.82</td><td>27.63</td><td>2.96</td><td>34.38</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark	1	30.97	21.73	40.00	-18.27	38.17	17.78	0.55	34.77	--	--	Peak	2	98.87	21.03	43.50	-22.47	40.01	14.78	1.04	34.80	--	--	Peak	3	145.43	25.87	43.50	-17.63	40.73	18.59	1.26	34.71	--	--	Peak	4	186.17	22.07	43.50	-21.43	38.52	16.81	1.44	34.70	--	--	Peak	5	288.99	22.80	46.00	-23.20	36.86	18.79	1.77	34.62	--	--	Peak	6	758.47	27.03	46.00	-18.97	30.82	27.63	2.96	34.38	--	--	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	52.31	21.50	40.00	-18.50	36.19	19.53	0.74	34.96	--	--	Peak																																																																																																																																																															
2	142.52	23.78	43.50	-19.72	38.90	18.35	1.25	34.72	--	--	Peak																																																																																																																																																															
3	308.39	22.92	46.00	-23.08	36.39	19.31	1.82	34.60	--	--	Peak																																																																																																																																																															
4	345.25	22.50	46.00	-23.50	35.06	20.11	1.93	34.60	--	--	Peak																																																																																																																																																															
5	464.56	23.70	46.00	-22.30	33.00	22.93	2.27	34.50	--	--	Peak																																																																																																																																																															
6	854.50	30.13	46.00	-15.87	32.55	28.78	3.10	34.30	--	--	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	APos (cm)	TPos (deg)	Remark																																																																																																																																																															
1	30.97	21.73	40.00	-18.27	38.17	17.78	0.55	34.77	--	--	Peak																																																																																																																																																															
2	98.87	21.03	43.50	-22.47	40.01	14.78	1.04	34.80	--	--	Peak																																																																																																																																																															
3	145.43	25.87	43.50	-17.63	40.73	18.59	1.26	34.71	--	--	Peak																																																																																																																																																															
4	186.17	22.07	43.50	-21.43	38.52	16.81	1.44	34.70	--	--	Peak																																																																																																																																																															
5	288.99	22.80	46.00	-23.20	36.86	18.79	1.77	34.62	--	--	Peak																																																																																																																																																															
6	758.47	27.03	46.00	-18.97	30.82	27.63	2.96	34.38	--	--	Peak																																																																																																																																																															







Co-location

Mode	65																																																																									
	Band Edge																																																																									
	WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																																									
ANT	1+2+3																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.02</td> <td>53.09</td> <td>-20.91</td> <td>74.00</td> <td>51.26</td> <td>30.60</td> <td>4.81</td> <td>33.58</td> <td>388</td> <td>143</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2386.02	53.09	-20.91	74.00	51.26	30.60	4.81	33.58	388	143	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>111.18</td> <td>37.18</td> <td>74.00</td> <td>109.30</td> <td>30.63</td> <td>4.81</td> <td>33.56</td> <td>388</td> <td>143</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 *	2412.00	111.18	37.18	74.00	109.30	30.63	4.81	33.56	388	143	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2386.02	53.09	-20.91	74.00	51.26	30.60	4.81	33.58	388	143	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1 *	2412.00	111.18	37.18	74.00	109.30	30.63	4.81	33.56	388	143	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.44</td> <td>55.38</td> <td>-18.62</td> <td>74.00</td> <td>53.55</td> <td>30.60</td> <td>4.81</td> <td>33.58</td> <td>241</td> <td>324</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2386.44	55.38	-18.62	74.00	53.55	30.60	4.81	33.58	241	324	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>107.83</td> <td>53.83</td> <td>54.00</td> <td>105.95</td> <td>30.63</td> <td>4.81</td> <td>33.56</td> <td>388</td> <td>143</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 *	2412.00	107.83	53.83	54.00	105.95	30.63	4.81	33.56	388	143	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2386.44	55.38	-18.62	74.00	53.55	30.60	4.81	33.58	241	324	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1 *	2412.00	107.83	53.83	54.00	105.95	30.63	4.81	33.56	388	143	Average																																																															





	65																																																																	
Mode	Band Edge																																																																	
	WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																																	
ANT	1+2+3																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<p>Data: 5 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.44</td> <td>55.38</td> <td>-18.62</td> <td>74.00</td> <td>53.55</td> <td>30.60</td> <td>4.81 33.58 241 324 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1	2386.44	55.38	-18.62	74.00	53.55	30.60	4.81 33.58 241 324 Peak	<p>Data: 7 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>112.49</td> <td>38.49</td> <td>74.00</td> <td>110.61</td> <td>30.63</td> <td>4.81 33.56 241 324 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 *	2412.00	112.49	38.49	74.00	110.61	30.63	4.81 33.56 241 324 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1	2386.44	55.38	-18.62	74.00	53.55	30.60	4.81 33.58 241 324 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 *	2412.00	112.49	38.49	74.00	110.61	30.63	4.81 33.56 241 324 Peak																																																											
Avg	<p>Data: 6 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.65</td> <td>41.99</td> <td>-12.01</td> <td>54.00</td> <td>40.16</td> <td>30.60</td> <td>4.81 33.58 241 324 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1	2386.65	41.99	-12.01	54.00	40.16	30.60	4.81 33.58 241 324 Average	<p>Data: 8 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>103.76</td> <td>49.76</td> <td>54.00</td> <td>101.88</td> <td>30.63</td> <td>4.81 33.56 241 324 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 *	2412.00	103.76	49.76	54.00	101.88	30.63	4.81 33.56 241 324 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1	2386.65	41.99	-12.01	54.00	40.16	30.60	4.81 33.58 241 324 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 *	2412.00	103.76	49.76	54.00	101.88	30.63	4.81 33.56 241 324 Peak																																																											



		65																																																							
Mode		Band Edge																																																							
		WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																							
ANT		1+2+3																																																							
Pol.	Horizontal	Fundamental																																																							
Peak	 <p>Data: 3 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level Factor (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.06</td> <td>52.05</td> <td>-36.15</td> <td>88.20</td> <td>41.31</td> <td>35.48</td> <td>8.68</td> <td>33.42</td> <td>152</td> <td>280 Peak</td> </tr> <tr> <td>2</td> <td>7296.60</td> <td>51.64</td> <td>-22.36</td> <td>74.00</td> <td>40.97</td> <td>35.44</td> <td>8.83</td> <td>33.60</td> <td>152</td> <td>280 Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark	1	7127.06	52.05	-36.15	88.20	41.31	35.48	8.68	33.42	152	280 Peak	2	7296.60	51.64	-22.36	74.00	40.97	35.44	8.83	33.60	152	280 Peak	 <p>Data: 1 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level Factor (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>91.11</td> <td>-28.09</td> <td>119.20</td> <td>80.88</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>152</td> <td>280 Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark	1	6985.00	91.11	-28.09	119.20	80.88	35.49	8.84	33.30	152	280 Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark																																															
1	7127.06	52.05	-36.15	88.20	41.31	35.48	8.68	33.42	152	280 Peak																																															
2	7296.60	51.64	-22.36	74.00	40.97	35.44	8.83	33.60	152	280 Peak																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark																																															
1	6985.00	91.11	-28.09	119.20	80.88	35.49	8.84	33.30	152	280 Peak																																															
Avg	 <p>Data: 4 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level Factor (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7235.15</td> <td>42.31</td> <td>-25.89</td> <td>68.20</td> <td>31.71</td> <td>35.45</td> <td>8.70</td> <td>33.55</td> <td>152</td> <td>280 Peak</td> </tr> <tr> <td>2</td> <td>7262.58</td> <td>41.72</td> <td>-12.28</td> <td>54.00</td> <td>31.02</td> <td>35.45</td> <td>8.83</td> <td>33.58</td> <td>152</td> <td>280 Average</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark	1	7235.15	42.31	-25.89	68.20	31.71	35.45	8.70	33.55	152	280 Peak	2	7262.58	41.72	-12.28	54.00	31.02	35.45	8.83	33.58	152	280 Average	 <p>Data: 2 Date: 2024-06-07</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level Factor (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>83.92</td> <td>-15.28</td> <td>99.20</td> <td>72.89</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>152</td> <td>280 Average</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark	1	6985.00	83.92	-15.28	99.20	72.89	35.49	8.84	33.30	152	280 Average
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark																																															
1	7235.15	42.31	-25.89	68.20	31.71	35.45	8.70	33.55	152	280 Peak																																															
2	7262.58	41.72	-12.28	54.00	31.02	35.45	8.83	33.58	152	280 Average																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level Factor (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark																																															
1	6985.00	83.92	-15.28	99.20	72.89	35.49	8.84	33.30	152	280 Average																																															



Mode	65	
Mode	Band Edge	
Mode	WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location	
ANT	1+2+3	





Mode	65																																																																									
	Band Edge																																																																									
	WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																																									
ANT	1+2+3																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>53.60</td> <td>-20.40</td> <td>74.00</td> <td>51.36</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>371</td> <td>163</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2483.60	53.60	-20.40	74.00	51.36	30.83	4.92	33.51	371	163	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>94.59</td> <td>20.59</td> <td>74.00</td> <td>92.35</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>371</td> <td>163</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 *	2480.00	94.59	20.59	74.00	92.35	30.83	4.92	33.51	371	163	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2483.60	53.60	-20.40	74.00	51.36	30.83	4.92	33.51	371	163	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1 *	2480.00	94.59	20.59	74.00	92.35	30.83	4.92	33.51	371	163	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>41.78</td> <td>-12.22</td> <td>54.00</td> <td>39.54</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>371</td> <td>163</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	2483.52	41.78	-12.22	54.00	39.54	30.83	4.92	33.51	371	163	Average	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>93.59</td> <td>39.59</td> <td>54.00</td> <td>91.35</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>371</td> <td>163</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 *	2480.00	93.59	39.59	54.00	91.35	30.83	4.92	33.51	371	163	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	2483.52	41.78	-12.22	54.00	39.54	30.83	4.92	33.51	371	163	Average																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1 *	2480.00	93.59	39.59	54.00	91.35	30.83	4.92	33.51	371	163	Peak																																																															




Mode	65																																																																									
	Band Edge																																																																									
	WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																																									
ANT	1+2+3																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Data: 7 Date: 2024-07-09</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.72</td> <td>52.60</td> <td>-21.40</td> <td>74.00</td> <td>50.36</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>318</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	2483.72	52.60	-21.40	74.00	50.36	30.83	4.92	33.51	318	88	Peak	<p>Data: 5 Date: 2024-07-09</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>93.59</td> <td>19.59</td> <td>74.00</td> <td>91.35</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>318</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 *	2480.00	93.59	19.59	74.00	91.35	30.83	4.92	33.51	318	88	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																			
1	2483.72	52.60	-21.40	74.00	50.36	30.83	4.92	33.51	318	88	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																			
1 *	2480.00	93.59	19.59	74.00	91.35	30.83	4.92	33.51	318	88	Peak																																																															
Avg	<p>Data: 8 Date: 2024-07-09</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.76</td> <td>41.91</td> <td>-12.09</td> <td>54.00</td> <td>39.67</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>318</td> <td>88</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	2483.76	41.91	-12.09	54.00	39.67	30.83	4.92	33.51	318	88	Average	<p>Data: 6 Date: 2024-07-09</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>93.89</td> <td>39.89</td> <td>54.00</td> <td>91.65</td> <td>30.83</td> <td>4.92</td> <td>33.51</td> <td>318</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 *	2480.00	93.89	39.89	54.00	91.65	30.83	4.92	33.51	318	88	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																			
1	2483.76	41.91	-12.09	54.00	39.67	30.83	4.92	33.51	318	88	Average																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																			
1 *	2480.00	93.89	39.89	54.00	91.65	30.83	4.92	33.51	318	88	Peak																																																															




Mode	65	
	Harmonic	
	WLAN 2.4G 11b_CH01 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location	
ANT	1+2+3	

Pol.	Horizontal	Vertical
------	------------	----------

Peak
Avg



Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4824.00	42.75	-31.25	74.00	58.22	34.26	7.75	57.48	---	---	Peak
2	4960.00	43.83	-30.17	74.00	59.15	34.45	7.81	57.58	---	---	Peak
3	7440.00	40.27	-33.73	74.00	54.65	35.41	9.19	58.98	---	---	Peak
4	13970.00	48.22	-39.98	88.20	55.94	38.51	12.73	58.96	---	---	Peak



Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	4824.00	42.19	-31.81	74.00	57.66	34.26	7.75	57.48	---	---	Peak
2	4960.00	42.10	-31.90	74.00	57.42	34.45	7.81	57.58	---	---	Peak
3	7440.00	40.82	-33.18	74.00	55.20	35.41	9.19	58.98	---	---	Peak
4	13970.00	48.21	-39.99	88.20	55.93	38.51	12.73	58.96	---	---	Peak

Note: the highest signal over limit is WLAN 6G co-location fundamental signal.