




ANT 0
5150-5250MHz:











Maximum power spectral density

802.11ax-HE40
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 16:08:53

802.11ax-HE40
Highest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 16:09:55


802.11ax-HE80
Middle Channel






ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 16:16:06

5250-5350MHz:








Maximum power spectral density


802.11ac-VHT40
Lowest ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 14:00:29802.11ac-VHT40
Highest ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 14:04:04802.11ac-VHT80
Middle ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 14:31:11

Maximum power spectral density

802.11ax-HE20
Lowest ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 16:08:41802.11ax-HE20
Middle ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 16:11:48802.11ax-HE20
Highest ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 16:16:43


Maximum power spectral density

802.11ax-HE40
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 16:10:50

802.11ax-HE40
Highest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 16:11:45

802.11ax-HE80
Middle Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 16:18:44

Maximum power spectral density	
802.11a Lowest Channel	ProjectNo.:2401736383K-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:13:47
802.11a Middle Channel	ProjectNo.:2401736383K-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:10:50
802.11a Highest Channel	ProjectNo.:2401736383K-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:15:25




Maximum power spectral density

802.11ac-VHT40
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:19:23

802.11ac-VHT40
Middle Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:20:29

802.11ac-VHT40
Highest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:21:29




Maximum power spectral density

802.11ax-HE20
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:32:59

802.11ax-HE20
Middle Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:34:03

802.11ax-HE20
Highest Channel





ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:35:16


Maximum power spectral density	
802.11ax-HE40 Lowest Channel	Ref: 25 dBm *Att: 30 dB *RBW: 1 MHz *VBW: 3 MHz *SWT: 20 ms Marker 1 [T1] -14.13 dBm 5.522632308 GHz Offset: 10.5 dB Center: 5.51 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 16:13:05
802.11ax-HE40 Middle Channel	Ref: 25 dBm *Att: 30 dB *RBW: 1 MHz *VBW: 3 MHz *SWT: 20 ms Marker 1 [T1] -13.46 dBm 5.557307492 GHz Offset: 10.5 dB Center: 5.55 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 16:13:54
802.11ax-HE40 Highest Channel	Ref: 25 dBm *Att: 30 dB *RBW: 1 MHz *VBW: 3 MHz *SWT: 20 ms Marker 1 [T1] -13.06 dBm 5.675897436 GHz Offset: 10.5 dB Center: 5.67 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 16:14:35






Maximum power spectral density	
802.11a Lowest Channel	The spectrum plot shows a signal centered at 5.744 GHz with a peak power of -5.60 dBm. The plot includes a grid with frequency on the x-axis (from 5.74 GHz to 5.75 GHz) and power in dBm on the y-axis (from -70 dBm to 20 dBm). The signal is labeled M1[1]. The plot also shows the reference level, offset, and other parameters. Ref Level 25.00 dBm Offset 10.50 dB RBW 500 kHz Att 30 dB SWT 11.4 μs VBW 2 MHz Mode Auto FFT SGL Count 100/100 15m AvgPwr M1[1] -5.60 dBm 5.7444410 GHz CF 5.745 GHz 1001 pts Span 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 3.JUN.2024 17:34:36
802.11a Middle Channel	The spectrum plot shows a signal centered at 5.785 GHz with a peak power of -5.93 dBm. The plot includes a grid with frequency on the x-axis (from 5.78 GHz to 5.79 GHz) and power in dBm on the y-axis (from -70 dBm to 20 dBm). The signal is labeled M1[1]. The plot also shows the reference level, offset, and other parameters. Ref Level 25.00 dBm Offset 10.50 dB RBW 500 kHz Att 30 dB SWT 11.4 μs VBW 2 MHz Mode Auto FFT SGL Count 100/100 15m AvgPwr M1[1] -5.93 dBm 5.7854800 GHz CF 5.785 GHz 1001 pts Span 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 3.JUN.2024 17:38:00
802.11a Highest Channel	The spectrum plot shows a signal centered at 5.825 GHz with a peak power of -5.63 dBm. The plot includes a grid with frequency on the x-axis (from 5.82 GHz to 5.83 GHz) and power in dBm on the y-axis (from -70 dBm to 20 dBm). The signal is labeled M1[1]. The plot also shows the reference level, offset, and other parameters. Ref Level 25.00 dBm Offset 10.50 dB RBW 500 kHz Att 30 dB SWT 11.4 μs VBW 2 MHz Mode Auto FFT SGL Count 100/100 15m AvgPwr M1[1] -5.63 dBm 5.8245200 GHz CF 5.825 GHz 1001 pts Span 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 3.JUN.2024 17:54:31








Maximum power spectral density




802.11ax-HE40
Lowest ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 17:36:45802.11ax-HE40
Highest ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 17:38:25802.11ax-HE80
Middle ChannelProjectNo.:2401T36383E-RF Tester:Bamboo Zhan
Date: 4.JUN.2024 17:55:59




ANT 1

5150-5250MHz:




Page 24 of 44

Maximum power spectral density	
802.11ac-VHT40 Lowest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 14:30:17
802.11ac-VHT40 Highest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 14:32:21
802.11ac-VHT80 Middle Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 14:35:23

Maximum power spectral density	
802.11ax-HE20 Lowest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  CF 5.18 GHz1000 ptsSpan 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 15 JUN 2024 11:29:52
802.11ax-HE20 Middle Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  CF 5.2 GHz1000 ptsSpan 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 15 JUN 2024 09:57:16
802.11ax-HE20 Highest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  CF 5.24 GHz1000 ptsSpan 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 15 JUN 2024 11:30:29


Maximum power spectral density

802.11ax-HE40
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:59:59

802.11ax-HE40
Highest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 12:00:39


802.11ax-HE80
Middle Channel






ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 13:24:17

5250-5350MHz:






Maximum power spectral density	
802.11ac-VHT40 Lowest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 14:56:59
802.11ac-VHT40 Highest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 14:59:00
802.11ac-VHT80 Middle Channel	Ref 30 dBm Offset 10.5 dB RBW 1 MHz Att 30 dB SWT 20 ms VBW 3 MHz Marker 1 [T1] 5.292307692 GHz -9.37 dBm  ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu Date: 25.SEP.2024 19:04:57

Maximum power spectral density	
802.11ax-HE20 Lowest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr M1[1] -6.52 dBm 5.2591400 GHz CF 5.26 GHz 1000 pts Span 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 15..JUN.2024 11:31:56
802.11ax-HE20 Middle Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr M1[1] -6.91 dBm 5.2789000 GHz CF 5.28 GHz 1000 pts Span 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 15..JUN.2024 11:32:37
802.11ax-HE20 Highest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr M1[1] -7.52 dBm 5.3189400 GHz CF 5.32 GHz 1000 pts Span 40.0 MHz ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 15..JUN.2024 10:12:03


Maximum power spectral density

802.11ax-HE40
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 12:01:46

802.11ax-HE40
Highest Channel






ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 12:02:28




802.11ax-HE80
Middle Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 13:25:31

Maximum power spectral density	
802.11a Lowest Channel	ProjectNo.:2401736383K-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:38:05
802.11a Middle Channel	ProjectNo.:2401736383K-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:38:46
802.11a Highest Channel	ProjectNo.:2401736383K-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:47:54


Maximum power spectral density	
802.11ac-VHT20 Lowest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 15:07:04
802.11ac-VHT20 Middle Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 15:12:03
802.11ac-VHT20 Highest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 1 MHz Att 30 dB SWT 100 ms VBW 3 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 15:14:30

Maximum power spectral density	
802.11ac-VHT40 Lowest Channel	 Ref: 25 dBm * Att: 30 dB * RBW: 1 MHz * VBW: 3 MHz * SWT: 20 ms * Marker 1 [T1]: -9.06 dBm Offset: 10.5 dB Center: 5.51 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401736383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:49:21
802.11ac-VHT40 Middle Channel	 Ref: 25 dBm * Att: 30 dB * RBW: 1 MHz * VBW: 3 MHz * SWT: 20 ms * Marker 1 [T1]: -9.03 dBm Offset: 10.5 dB Center: 5.55 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401736383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:50:01
802.11ac-VHT40 Highest Channel	 Ref: 25 dBm * Att: 30 dB * RBW: 1 MHz * VBW: 3 MHz * SWT: 20 ms * Marker 1 [T1]: -9.93 dBm Offset: 10.5 dB Center: 5.67 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401736383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 11:50:46




Maximum power spectral density

802.11ax-HE20
Lowest Channel




ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:53:50

802.11ax-HE20
Middle Channel







ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:54:47

802.11ax-HE20
Highest Channel





ProjectNo.:2401T36383E-RF Tester:Rainbow Zhu
Date: 9.OCT.2024 11:58:36




Maximum power spectral density	
802.11ax-HE40 Lowest Channel	 Ref: 25 dBm *Att: 30 dB *RBW: 1 MHz Marker 1 [T1] -14.69 dBm *VBW: 3 MHz SWT: 20 ms 5.514102564 GHz Offset: 10.5 dB Center: 5.51 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401736383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 13:13:06
802.11ax-HE40 Middle Channel	 Ref: 25 dBm *Att: 30 dB *RBW: 1 MHz Marker 1 [T1] -14.92 dBm *VBW: 3 MHz SWT: 20 ms 5.555128205 GHz Offset: 10.5 dB Center: 5.55 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401736383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 13:19:48
802.11ax-HE40 Highest Channel	 Ref: 25 dBm *Att: 30 dB *RBW: 1 MHz Marker 1 [T1] -14.30 dBm *VBW: 3 MHz SWT: 20 ms 5.674487179 GHz Offset: 10.5 dB Center: 5.67 GHz 8 MHz/ Span: 80 MHz ProjectNo.:2401736383E-RF Tester:Rainbow Zhu Date: 9.OCT.2024 13:20:56



5725-5850MHz:





Maximum power spectral density	
802.11ac-VHT40 Lowest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 500 kHz Att 30 dB SWT 100 ms VBW 2 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 16:02:15
802.11ac-VHT40 Highest Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 500 kHz Att 30 dB SWT 100 ms VBW 2 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 16:03:52
802.11ac-VHT80 Middle Channel	Spectrum Ref Level 30.50 dBm Offset 10.50 dB RBW 500 kHz Att 30 dB SWT 100 ms VBW 2 MHz Mode Sweep SGL Count 100/100 1Rm AvgPwr  ProjectNo.:2401T36383E-RF Tester:Bamboo Zhan Date: 14.JUN.2024 16:09:34

