


Antenna Specification

YEALINK (XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
 No.666 Hu'an Rd. Huli District Xiamen City, Fujian,
 P.R. China


Summary

ITEM	SPEC.	
Model Name	2.4GHz	
Center Frequency	2402 MHz	0.59dBi
	2442 MHz	0.85dBi
	2484 MHz	0.57dBi
MAX. GAIN	0.85dBi	




Antenna Photo & Length



2402MHz





2D (X->Y;X->Z;Y->Z)






2442MHz

Total
 Azimuth:
 Elevation:
 Roll: -23
 Zoom Scale





3D

2D X->Y; X->Z; Y->Z)






2484MHz

Total
 Azimuth:
 Elevation:
 Roll: -23
 Zoom Scale



3D

2D (X->Y; X->Z; Y->Z)



Point Values	Maximum Gain (dBi)
Frequency (MHz)	
2402	0.59
2442	0.85
2484	0.57


Antenna Specification

Specifications YEALINK (XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China


Summary

ITEM	SPEC.	
Model Name	5 GHz	
Center Frequency	5150 MHz	1.16dBi
	5300 MHz	1.26dBi
	5500 MHz	1.53dBi
	5800 MHz	0.71dBi
MAX. GAIN	1.53dBi	


Antenna Photo & Length



5150MHz





2D (X->Y; X->Z; Y->Z)






5300MHz

Total
 Azimuth: 359
 Elevation: -26
 Roll: -10
 Zoom Scale





2D (X→Y; X→Z; Y→Z)






5500MHz

Total
 Azimuth: 359
 Elevation: -26
 Roll: -10
 Zoom Scale





2D (X→Y; X→Z; Y→Z)






5800MHz

Total
 Azimuth: 359
 Elevation: -26
 Roll: -10
 Zoom Scale



2D (X→Y; X→Z; Y→Z)



Point Values	Maximum Gain (dBi)
Frequency (MHz)	
5150	1.16
5300	1.26
5500	1.53
5800	0.71