

Level	material code	Material name	Specification model	unit	position	station
1	2.1.5800.16001	SIP-T58V M board	PCB SIP-T58VMV11A-3(V1.5)-WJ.1611002	PCS		Assemble
..2	3.00.00.026	SoC	RK3128, BGA316	PCS	U1	M front panel
..2	3.00.01.026	MCU	HT66F0175, SOP-24	PCS	U8	M front panel
..2	3.00.06.016	256M*16 DDR3	K4B4G1646E-BCMA, FBGA-96, DDR3-1866	PCS	U14, U15	M front panel
...3	3.00.06.019	256M*16 DDR3	EM6GE16EWXD-12H, FBGA-96, DDR3-1600	PCS	U14, U15	M front panel
...3	3.00.06.020	256M*16 DDR3	H5TO4G63CFR-RDC, FBGA-96, DDR3-1866	PCS	U14, U15	M front panel
..2	3.00.08.024	8GB EMMC Flash	KLM8G1GEME-B041, FBGA-153	PCS	U16	M front panel
...3	3.00.08.029	8GB EMMC Flash	THGBMHG6C1L BAIL, FBGA-153	PCS	U16	M front panel
..2	3.00.10.009	DC-DC	PAM2312AABADJ, SOT23-5	PCS	U2, U4, U5	M front panel
...3	3.00.10.027	DC-DC	SY8088AAC, SOT23-5	PCS	U2, U4, U5	M front panel
...3	3.00.10.006	DC-DC	BS3406A, SOT23-5	PCS	U2, U4, U5	M front panel
...3	3.00.10.008	DC-DC	VIC2621A-ADDK, SOT23-5L	PCS	U2, U4, U5	M front panel
..2	3.00.10.025	DC-DC	SY8089AAC, SOT23-5	PCS	U6, U7	M front panel
..2	3.00.12.005	LDO	SE431D-LF, SOT-23	PCS	Z20	M front panel
...3	3.00.12.028	LDO	LR431ATLT1G, SOT-23	PCS	Z20	M front panel
..2	3.00.12.032	LDO	SGM2019-ADJYN5G/TR, SOT23-5	PCS	U3	M front panel
..2	3.00.14.017	Gigabit switch	RTL8363NB, QFN-76	PCS	U9	M front panel
..2	3.00.15.035	Logic gate	SN74AHC1G04, SOT23-5	PCS	U10	M front panel
..2	3.00.17.009	Codec	ALC5640, QFN48	PCS	U22	M front panel
..2	3.00.23.010	Analog switch	SGM4157YC6/TR, SC70-6	PCS	U11, U28	M front panel
...3	3.00.23.024	Analog switch	PI5A4157CE, SC70-6	PCS	U11, U28	M front panel
...3	3.00.23.004	Analog switch	PI5A3157BC6EX, SC70-6	PCS	U11, U28	M front panel
..2	3.00.23.038	WiFi&Bluetooth	AP6212, 12*12mm	PCS	U26	M front panel
..2	3.01.03.002	PNP transistor	S8550, SOT-23	PCS	Q3	M front panel
...3	3.01.03.008	PNP transistor	L8550HRLT1G, SOT-23	PCS	Q3	M front panel
..2	3.01.04.001	Optocoupler	LTV-817X-A, DIP4	PCS	U13	M front panel
...3	3.01.04.005	Optocoupler	EL817A, DIP4	PCS	U13	M front panel
...3	3.01.04.007	Optocoupler	EL817(A)-F, DIP4	PCS	U13	M front panel
..2	3.02.00.004	Switching diode	BAV21W, SOD-123 (CD)	PCS	D4	M front panel
...3	3.02.00.015	Switching diode	LBAV21T1G, SOD-123	PCS	D4	M front panel
...3	3.02.00.017	Switching diode	BAV21W, SOD-123 (QM)	PCS	D4	M front panel
..2	3.02.00.012	Switching diode	LL4148, LL-34 (QM)	PCS	D2	M front panel
...3	3.02.00.014	Switching diode	TCLL4148, LL-34 (DC)	PCS	D2	M front panel
...3	3.02.00.003	Switching diode	LL4148, LL-34 (ZB)	PCS	D2	M front panel
..2	3.02.01.016	Schottky diode	B540C, SMC	PCS	D7	M front panel
..2	3.02.03.021	Patch regulator	6.2V-1/2W, LL-34, TCZM6V2B	PCS	Z15	M front panel
...3	3.02.03.043	Patch regulator	6.2V-1/2W, SOD-123, LBZT52B6V2T1G	PCS	Z15	M front panel
...3	3.02.03.017	Patch regulator	6.3V-1/2W, LL-34, LH6C3	PCS	Z15	M front panel
..2	3.02.03.046	Patch regulator	SPD82582B, SMB	PCS	Z19	M front panel
...3	3.02.03.047	Patch regulator	SMBFJ58CA, SMB	PCS	Z19	M front panel
..2	3.02.04.000	Bridge Rectifiers	0.8A-600V	PCS	BD1, BD2	M front panel
...3	3.02.04.001	Bridge Rectifiers	0.8A-600V (QM)	PCS	BD1, BD2	M front panel
..2	3.03.03.263	chip resistor	RES-0805-56-5%	PCS	R182	M front panel
..2	3.03.03.666	chip resistor	RES-0805-47K-5%	PCS	R38, R40	M front panel
..2	3.03.04.000	chip resistor	RES-0603-0-5%	PCS	B10, B11	M front panel
..2	3.03.04.292	chip resistor	RES-0603-90 9-1%	PCS	R130	M front panel
..2	3.03.04.401	chip resistor	RES-0603-560-5%	PCS	R187	M front panel
..2	3.03.04.489	chip resistor	RES-0603-2.49K-1%	PCS	R77	M front panel
..2	3.03.04.574	chip resistor	RES-0603-10K-5%	PCS	R36	M front panel
..2	3.03.04.584	chip resistor	RES-0603-12K-5%	PCS	R35	M front panel
..2	3.03.04.619	chip resistor	RES-0603-22K-1%	PCS	R188	M front panel
..2	3.03.04.713	chip resistor	RES-0603-100K-1%	PCS	R3	M front panel
..2	3.03.04.723	chip resistor	RES-0603-120K-1%	PCS	R9	M front panel
..2	3.03.04.735	chip resistor	RES-0603-150K-1%	PCS	R1	M front panel
..2	3.03.04.813	chip resistor	RES-0603-536K-1%	PCS	R7	M front panel
..2	3.03.05.000	chip resistor	RES-0402-0-5%	PCS	R72, R73, R74, R75, R76, R80, R92, R93, R149, R150	M front panel
..2	3.03.05.204	chip resistor	RES-0402-22-5%	PCS	R41, R43, R48, R53, R54, R148, R245	M front panel
..2	3.03.05.229	chip resistor	RES-0402-33-5%	PCS	R184	M front panel
..2	3.03.05.281	chip resistor	RES-0402-75-5%	PCS	R61, R62	M front panel
..2	3.03.05.298	chip resistor	RES-0402-100-5%	PCS	R88	M front panel
..2	3.03.05.337	chip resistor	RES-0402-200-5%	PCS	R247	M front panel
..2	3.03.05.349	chip resistor	RES-0402-240-1%	PCS	R86, R87	M front panel
..2	3.03.05.436	chip resistor	RES-0402-1K-5%	PCS	R65, R244	M front panel

..2	3.03.05.437	chip resistor	RES-0402-1K-1%	PCS	R89, R90	M front panel
..2	3.03.05.480	chip resistor	RES-0402-2.2K-5%	PCS	R47, R49	M front panel
..2	3.03.05.528	chip resistor	RES-0402-4.7K-5%	PCS	R78, R114	M front panel
..2	3.03.05.551	chip resistor	RES-0402-6.8K-5%	PCS	R32	M front panel
..2	3.03.05.574	chip resistor	RES-0402-10K-5%	PCS	R19, R34, R189, R193	M front panel
..2	3.03.05.614	chip resistor	RES-0402-20K-1%	PCS	R191	M front panel
..2	3.03.05.850	chip resistor	RES-0402-1M-5%	PCS	R246	M front panel
..2	3.03.09.051	Chip exclusion	RAP-0402-51*4-5%	PCS	RP5, RP6, RP7, RP9, RP11	M front panel
..2	3.03.09.075	Chip exclusion	RAP-0402-75*4-5%	PCS	RP2, RP15, RP17	M front panel
..2	3.03.09.201	Chip exclusion	RAP-0402-4.7K*4-5%	PCS	RP3, RP8, RP10, RP12, RP13	M front panel
..2	3.04.00.857	Electrolytic capacitor	CD110-6.3*11-100V-22u	PCS	E5	M front panel
...3	3.04.00.856	Electrolytic capacitor	CD-6.3*11-100V-22u	PCS	E5	M front panel
..2	3.04.00.888	Electrolytic capacitor	CD26C-5*7-10V-100u	PCS	E4, E7, E13, E14	M front panel
..2	3.04.00.932	Electrolytic capacitor	CD263-6*12-10V-470u	PCS	E15	M front panel
..2	3.04.01.000	capacitance	CDVS-5*5.4-10V-100u(LL)	PCS	E1, E2, E3, E6	M front panel
...3	3.04.01.016	capacitance	CDVS-5*5.4-10V-100u(FB)	PCS	E1, E2, E3, E6	M front panel
...3	3.04.01.029	capacitance	CDVS-5*5.4-10V-100u(SY)	PCS	E1, E2, E3, E6	M front panel
..2	3.04.04.781	Patch Ceramic capacitor	CC-1206-X7R-100V-105	PCS	C32, C294	M front panel
..2	3.04.05.463	Patch Ceramic capacitor	CC-0805-X5R-16V-226	PCS	C144, C300, C301	M front panel
..2	3.04.05.540	Patch Ceramic capacitor	CC-0805-X7R-100V-103	PCS	C19	M front panel
..2	3.04.05.812	Patch Ceramic capacitor	CC-0805-X5R-16V-475	PCS	C206, C252	M front panel
...3	3.04.05.813	Patch Ceramic capacitor	CC-0805-X5R-25V-475	PCS	C206, C252	M front panel
..2	3.04.05.842	Patch Ceramic capacitor	CC-0805-X5R-16V-106	PCS	C1, C4, C24, C27, C36, C39, C45, C46, C48, C49, C230, C241, C243, C295	M front panel
..2	3.04.06.420	Patch Ceramic capacitor	CC-0603-X7R-50V-102	PCS	C299	M front panel
..2	3.04.06.661	Patch Ceramic capacitor	CC-0603-X7R-50V-104	PCS	C11, C34	M front panel
..2	3.04.06.740	Patch Ceramic capacitor	CC-0603-Y5V-16V-474	PCS	C79, C95	M front panel
..2	3.04.06.790	Patch Ceramic capacitor	CC-0603-Y5V-10V-225	PCS	C209, C211, C212, C213, C214	M front panel
..2	3.04.06.810	Patch Ceramic capacitor	CC-0603-X5R-6.3V-475	PCS	C6, C7, C210	M front panel
..2	3.04.07.179	Patch Ceramic capacitor	CC-0402-NP0-50V-8p	PCS	C254, C255	M front panel
..2	3.04.07.181	Patch Ceramic capacitor	CC-0402-NP0-50V-10p (CT)	PCS	C98, C107, C246	M front panel
...3	3.04.07.180	Patch Ceramic capacitor	CC-0402-NP0-50V-10p (GJ)	PCS	C98, C107, C246	M front panel
..2	3.04.07.190	Patch Ceramic capacitor	CC-0402-NP0-50V-12p	PCS	C76, C77	M front panel
..2	3.04.07.200	Patch Ceramic capacitor	CC-0402-NP0-50V-15p	PCS	C114, C115	M front panel
..2	3.04.07.220	Patch Ceramic capacitor	CC-0402-NP0-50V-22p	PCS	C121, C122, C183	M front panel
..2	3.04.07.240	Patch Ceramic capacitor	CC-0402-NP0-50V-33p	PCS	C116, C117, C119, C120	M front panel
..2	3.04.07.260	Patch Ceramic capacitor	CC-0402-NP0-50V-47p	PCS	C2, C25	M front panel
..2	3.04.07.300	Patch Ceramic capacitor	CC-0402-NP0-50V-101	PCS	C23, C225, C226	M front panel
..2	3.04.07.420	Patch Ceramic capacitor	CC-0402-X7R-50V-102	PCS	C146	M front panel
..2	3.04.07.500	Patch Ceramic capacitor	CC-0402-X7R-50V-472	PCS	C307	M front panel
..2	3.04.07.540	Patch Ceramic capacitor	CC-0402-X7R-50V-103	PCS	C3, C8, C26, C38, C44, C47	M front panel
..2	3.04.07.620	Patch Ceramic capacitor	CC-0402-X7R-25V-473	PCS	C9	M front panel
..2	3.04.07.662	Patch Ceramic capacitor	CC-0402-X7R-16V-104	PCS	C68, C100, C113, C237, C306, C133, C145, C222, C223, C233, C234	M front panel
..2	3.04.07.700	Patch Ceramic capacitor	CC-0402-X5R-16V-224	PCS	C70, C72	M front panel
..2	3.04.07.740	Patch Ceramic capacitor	CC-0402-X5R-10V-474	PCS	C10, C207	M front panel
..2	3.04.07.781	Patch Ceramic capacitor	CC-0402-X5R-6.3V-105	PCS	C106, C109, C208, C296, C304, C305, C129, C130, C131	M front panel
..2	3.04.08.660	Patch Ceramic capacitor	CC-1210-X7R-250V-104	PCS	C59, C293	M front panel
..2	3.04.10.500	HV capacitor	CC-1812-X7R-2KV-472(HXA)	PCS	C303	M front panel
...3	3.04.10.501	HV capacitor	CC-1812-X7R-2KV-472(HST)	PCS	C303	M front panel
..2	3.05.00.030	Chip Bead	BEAD-0805-300	PCS	B15, B44	M front panel
..2	3.05.00.060	Chip Bead	BEAD-0603-600	PCS	B13	M front panel
..2	3.05.00.121	Chip Bead	BEAD-0402-300	PCS	B5, B6, B25	M front panel
..2	3.05.00.122	Chip Bead	BEAD-0805-1K	PCS	B22, B29	M front panel
..2	3.05.03.027	SMD power inductor	L-4.5*4-2.3A-2.2uH	PCS	L1, L4, L5, L6	M front panel
...3	3.05.03.028	SMD power inductor	L-4.5*4-2.2A-2.2uH	PCS	L1, L4, L5, L6	M front panel
..2	3.05.03.042	SMD power inductor	L-4*4-2A-4.7uH	PCS	L2, L7, L3	M front panel
..2	3.05.08.013	Gigabit network transformer	G4811CG	PCS	T1	M front panel
...3	3.05.08.016	Gigabit network transformer	SG48001AG	PCS	T1	M front panel
..2	3.05.09.013	PoE transformer	DN-EP10-006	PCS	T2	M front panel
...3	3.05.09.014	PoE transformer	TOEP10-0109SG	PCS	T2	M front panel
..2	3.10.00.099	Fpc connector	36pin, spacing 0.5mm, lower connection (XFE)	PCS	CON3	M front panel
...3	3.10.00.100	Fpc connector	36pin, spacing 0.5mm, lower connection (JD)	PCS	CON3	M front panel
..2	3.10.02.065	Plug connector	14pin, pitch 1.25mm, vertical plug type (JD)	PCS	CON9	M front panel

...3	3.10.02.071	Plug connector	14pin, pitch 1.25mm, vertical plug type (HYI)	PCS	CON9	M front panel
...3	3.10.02.072	Plug connector	14pin, pitch 1.25mm, vertical plug type (XFE)	PCS	CON9	M front panel
...3	3.10.02.006	Plug connector	14pin, pitch 1.25mm, vertical plug type (JS)	PCS	CON9	M front panel
..2	3.10.06.041	Single head wire stripping	3pin, spacing 1.25mm, 2651 28# soft line, long 110mm, long 3mm (CH) stripping head	PCS	CON2	M front panel
..2	3.11.00.010	DC socket	DC-013180 degree, inner diameter 2mm, high 15.5mm (JBL)	PCS	J1	M front panel
...3	3.11.00.015	DC socket	DC-013180 degree, inner diameter 2mm, high 15.5mm (BF)	PCS	J1	M front panel
...3	3.11.00.003	DC socket	DC-013180 degree, inner diameter 2mm, high 15.5mm (GL)	PCS	J1	M front panel
..2	3.11.01.029	RJ-45	The single seater, 180 degrees, LED, round needle, shielded, gold-plated 3U, 52-031881023103-YL (BF)	PCS	J4, J5	M front panel
...3	3.11.01.015	RJ-45	The single seater, 180 degrees, LED, flat needle, shielded, gold plated 3U (HT)	PCS	J4, J5	M front panel
..2	3.11.03.004	RJ-7	4P4C, single seater, 180 degrees, round needle, gold plated 3U (YHua)	PCS	J2, J3	M front panel
...3	3.11.03.003	RJ-7	4P4C, single seater, 180 degrees, round needle, gold plated 3U (HT)	PCS	J2, J3	M front panel
..2	3.12.00.033	TVS	ESD5Z5V_VRWM=5V_SOD-523	PCS	Z5	M front panel
...3	3.12.00.051	TVS	LES5Z5.0T1G_VRWM=5V_SOD-523	PCS	Z5	M front panel
...3	3.12.00.015	TVS	SES5Z5V_VRWM=5V_SOD-523	PCS	Z5	M front panel
...3	3.12.00.017	TVS	PJSD05TS-02_VRWM=5V_SOD-523	PCS	Z5	M front panel
..2	3.12.00.034	TVS	ESD5Z3V3_VRWM=3V_SOD-523	PCS	Z1, Z2, Z3, Z4, Z7, Z8, Z11, Z12	M front panel
...3	3.12.00.050	TVS	LES5Z3.3T1G_VRWM=3.3V_SOD-523	PCS	Z1, Z2, Z3, Z4, Z7, Z8, Z11, Z12	M front panel
...3	3.12.00.008	TVS	SES5Z3V3_VRWM=3V_SOD-523	PCS	Z1, Z2, Z3, Z4, Z7, Z8, Z11, Z12	M front panel
...3	3.12.00.016	TVS	PJSD03TS_VRWM=3V_SOD-523	PCS	Z1, Z2, Z3, Z4, Z7, Z8, Z11, Z12	M front panel
..2	3.12.00.059	TVS	ESD5425E_VRWM=5V_SOT23-6L	PCS	U31, U32, U33, U34	M front panel
..2	3.15.00.048	SMD crystal resonator	25MHz, patch 3225, load capacitance 15pF, adjust frequency difference 20ppm (XT)	PCS	Y2, Y6	M front panel
...3	3.15.00.049	SMD crystal resonator	25MHz, patch 3225, load capacitance 15pF, adjust frequency difference 20ppm (CJ)	PCS	Y2, Y6	M front panel
...3	3.15.00.045	SMD crystal resonator	25MHz, patch 3225, load capacitance 15pF, adjust frequency difference 20ppm (JF)	PCS	Y2, Y6	M front panel
..2	3.15.00.056	SMD crystal resonator	24MHz, patch 3225, load capacitance 15pF, adjust frequency difference 20ppm (JF)	PCS	Y1	M front panel
..2	3.15.00.080	SMD crystal resonator	26MHz, patch 3225, load capacitance 8.5pF, adjust frequency difference 10ppm (JF)	PCS	Y4	M front panel
..2	3.15.04.009	Crystal oscillator	32.768KHZ, patch 5032, 3.3V, 15pF, adjust frequency difference 20ppm (JF)	PCS	Y3	M front panel
...3	3.15.04.019	Crystal oscillator	32.768KHZ, patch 5032, 3.3V, 15pF, adjust frequency difference 20ppm (XT)	PCS	Y3	M front panel
..2	7.1.580.11100	T58V of Thailand software	T58V_55.2.2.0.0.0.0(E3AAH).MTP	PCS	U8	M front panel
..2	3.00.11.004	PoE	TPS23753A, TSSOP-14	PCS	U35	M board back
..2	3.01.00.001	NMOSFET	IRF7465PBF, SO-8	PCS	Q10	M board back
...3	3.01.00.000	NMOSFET	SI4848DY, SO-8	PCS	Q10	M board back
..2	3.01.01.002	PMOSFET	VIC1132DJ, SOT-23	PCS	Q7	M board back
...3	3.01.01.011	PMOSFET	DMP3099L, SOT-23	PCS	Q7	M board back
...3	3.01.01.001	PMOSFET	AO3401A, SOT-23	PCS	Q7	M board back
..2	3.01.03.008	PNP transistor	L8550HRLT1G, SOT-23	PCS	Q1, Q2, Q4	M board back
...3	3.01.03.002	PNP transistor	S8550, SOT-23	PCS	Q1, Q2, Q4	M board back
..2	3.02.00.012	Switching diode	LL4148, LL-34 (QM)	PCS	D1	M board back
...3	3.02.00.014	Switching diode	TCLL4148, LL-34 (DC)	PCS	D1	M board back
...3	3.02.00.003	Switching diode	LL4148, LL-34 (ZB)	PCS	D1	M board back
..2	3.02.01.023	Schottky diode	LBAT54SLT1G, SOT-23	PCS	D3	M board back
...3	3.02.01.003	Schottky diode	BAT54S, SOT-23 (NXP)	PCS	D3	M board back
...3	3.02.01.011	Schottky diode	BAT54S, SOT-23 (QM)	PCS	D3	M board back
..2	3.03.02.022	chip resistor	RES-1206-1-5%-1/4W	PCS	R170, R176	M board back
..2	3.03.03.000	chip resistor	RES-0805-0-5%	PCS	R71, R70	M board back
..2	3.03.03.850	chip resistor	RES-0805-1M-5%	PCS	R66	M board back
..2	3.03.04.000	chip resistor	RES-0603-0-5%	PCS	R30, R31	M board back
..2	3.03.04.204	chip resistor	RES-0603-22-5%	PCS	R83, R82	M board back
..2	3.03.04.263	chip resistor	RES-0603-56-5%	PCS	R63	M board back
..2	3.03.04.281	chip resistor	RES-0603-75-5%	PCS	R100, R105, R106, R107, R108, R109, R110, R112	M board back
..2	3.03.04.298	chip resistor	RES-0603-100-5%	PCS	R16, R17	M board back
..2	3.03.04.395	chip resistor	RES-0603-510-5%	PCS	R162	M board back

BOM

..2	3.03.04.547	chip resistor	RES-0603-6.2K-1%	PCS	R30, R31	M board back
..2	3.03.04.557	chip resistor	RES-0603-7.5K-5%	PCS	R23	M board back
..2	3.03.04.585	chip resistor	RES-0603-12K-1%	PCS	R22	M board back
..2	3.03.04.595	chip resistor	RES-0603-14.7K-1%	PCS	R24, R27	M board back
..2	3.03.04.627	chip resistor	RES-0603-24.9K-1%	PCS	R131	M board back
..2	3.03.04.657	chip resistor	RES-0603-40.2K-1%	PCS	R4	M board back
..2	3.03.04.681	chip resistor	RES-0603-59K-1%	PCS	R134	M board back
..2	3.03.04.699	chip resistor	RES-0603-80.6K-1%	PCS	R133	M board back
..2	3.03.04.701	chip resistor	RES-0603-82K-1%	PCS	R6, R10	M board back
..2	3.03.04.713	chip resistor	RES-0603-100K-1%	PCS	R12, R20, R21	M board back
..2	3.03.04.723	chip resistor	RES-0603-120K-1%	PCS	R26, R29	M board back
..2	3.03.04.750	chip resistor	RES-0603-196K-1%	PCS	R25, R28	M board back
..2	3.03.05.000	chip resistor	RES-0402-0.5%	PCS	B27, B28, B34, B35, B36, B37, B38, B39	M board back
..2	3.03.05.204	chip resistor	RES-0402-22-5%	PCS	R37, R44, R50, R51	M board back
..2	3.03.05.229	chip resistor	RES-0402-33-5%	PCS	R126	M board back
..2	3.03.05.257	chip resistor	RES-0402-51-5%	PCS	R167, R171, R172	M board back
..2	3.03.05.281	chip resistor	RES-0402-75-5%	PCS	R58, R60	M board back
..2	3.03.05.315	chip resistor	RES-0402-133-1%	PCS	R46	M board back
..2	3.03.05.458	chip resistor	RES-0402-1.5K-5%	PCS	R81	M board back
..2	3.03.05.476	chip resistor	RES-0402-2K-1%	PCS	R55, R57, R59, R85, R166, R33	M board back
..2	3.03.05.516	chip resistor	RES-0402-3.9K-5%	PCS	R13, R14, R15	M board back
..2	3.03.05.528	chip resistor	RES-0402-4.7K-5%	PCS	R56, R84, R104, R120	M board back
..2	3.03.05.574	chip resistor	RES-0402-10K-5%	PCS	R2, R5, R8, R11, R18, R39, R45, R52, R67, R68, R69, R79, R91	M board back
..2	3.03.09.022	Chip exclusion	RAP-0402-22*4-5%	PCS	RP16	M board back
..2	3.03.09.047	Chip exclusion	RAP-0402-47*4-5%	PCS	RP14	M board back
..2	3.03.09.075	Chip exclusion	RAP-0402-75*4-5%	PCS	RP1, RP4	M board back
..2	3.04.05.842	Patch Ceramic capacitor	CC-0805-X5R-16V-106	PCS	C251	M board back
..2	3.04.06.300	Patch Ceramic capacitor	CC-0603-NP0-50V-101	PCS	C50, C52	M board back
..2	3.04.06.661	Patch Ceramic capacitor	CC-0603-X7R-50V-104	PCS	C181, C185, C260, C261, C262, C264, C265, C277	M board back
..2	3.04.06.784	Patch Ceramic capacitor	CC-0603-X7R-25V-105	PCS	C54, C55	M board back
..2	3.04.06.810	Patch Ceramic capacitor	CC-0603-X5R-6.3V-475	PCS	C150, C172, C257	M board back
..2	3.04.07.181	Patch Ceramic capacitor	CC-0402-NP0-50V-10p (CT)	PCS	C99	M board back
..3	3.04.07.180	Patch Ceramic capacitor	CC-0402-NP0-50V-10p (GJ)	PCS	C99	M board back
..2	3.04.07.240	Patch Ceramic capacitor	CC-0402-NP0-50V-33p	PCS	C180	M board back
..2	3.04.07.260	Patch Ceramic capacitor	CC-0402-NP0-50V-47p	PCS	C22, C37, C188, C189, C190, C191	M board back
..2	3.04.07.300	Patch Ceramic capacitor	CC-0402-NP0-50V-101	PCS	C40, C41, C43, C57, C61, C62, C63, C64, C65, C66, C123, C124, C125, C126, C128, C176, C177, C178, C193, C197, C198, C201, C202, C203, C204, C217, C218, C219, C227, C228, C231, C238, C239, C240, C244, C287, C281, C195	M board back
..2	3.04.07.420	Patch Ceramic capacitor	CC-0402-X7R-50V-102	PCS	C96, C127, C308, C147, C148, C149	M board back
..2	3.04.07.540	Patch Ceramic capacitor	CC-0402-X7R-50V-103	PCS	C71, C282, C290	M board back
..2	3.04.07.581	Patch Ceramic capacitor	CC-0402-X7R-25V-223	PCS	C297	M board back
..2	3.04.07.662	Patch Ceramic capacitor	CC-0402-X7R-16V-104	PCS	C5, C35, C42, C67, C69, C73, C74, C84, C85, C86, C87, C88, C89, C90, C92, C93, C94, C97, C101, C103, C104, C105, C110, C111, C112, C166, C173, C192, C196, C245, C249, C250, C298, C136, C137, C138, C139, C140, C141, C142, C143, C154, C157, C158, C159, C160, C161, C162, C165, C167, C221, C224, C229, C232, C235, C283, C291	M board back
..2	3.04.07.700	Patch Ceramic capacitor	CC-0402-X5R-16V-224	PCS	C174	M board back
..2	3.04.07.781	Patch Ceramic capacitor	CC-0402-X5R-6.3V-105	PCS	C29, C75, C83, C91, C102, C118, C170, C194, C199, C220, C286, C292, C134, C156	M board back
..2	3.04.10.420	Safety Capacitance	Y-1206-X7R-2KV-102	PCS	C179, C280, C279	M board back
..2	3.04.10.460	HV capacitor	CC-1808-X7R-2KV-222(HXA)	PCS	C242	M board back
..3	3.04.10.461	HV capacitor	CC-1808-X7R-2KV-222(HST)	PCS	C242	M board back
..2	3.04.10.500	HV capacitor	CC-1812-X7R-2KV-472(HXA)	PCS	C259, C263	M board back
..3	3.04.10.501	HV capacitor	CC-1812-X7R-2KV-472(HST)	PCS	C259, C263	M board back
..2	3.04.11.301	Patch Ceramic capacitor	CC-0201-NP0-25V-101	PCS	C155, C168, C171	M board back
..2	3.04.11.381	Patch Ceramic capacitor	CC-0201-X7R-50V-471	PCS	C17, C28, C31, C200	M board back
..2	3.04.11.421	Patch Ceramic capacitor	CC-0201-X7R-25V-102	PCS	C15	M board back
..2	3.04.11.660	Patch Ceramic capacitor	CC-0201-X5R-6.3V-104	PCS	C14, C16, C21, C33, C56, C169, C135, C152, C153, C163, C164	M board back
..2	3.04.11.780	Patch Ceramic capacitor	CC-0201-X5R-6.3V-105	PCS	C12, C13, C18, C20, C30, C58, C78, C80, C81, C82, C151, C175, C184, C186, C132	M board back
..2	3.05.00.060	Chip Bead	BEAD-0603-600	PCS	B12, B40, B14, B23	M board back
..2	3.05.00.121	Chip Bead	BEAD-0402-300	PCS	B1, B4, B7, B8, B9, B2, B3, B16, B17, B18, B19, B20, B21, B24, B26, B32, B33, B41, B42, B43	M board back

..2	3.12.00.018	TVS	PJESDA5V6-4G, VRWM=3V, SOT-553	PCS	U29, U30	M board back
...3	3.12.00.000	TVS	ESDA6V8V5-5/TR, SOT-553	PCS	U29, U30	M board back
..2	3.12.00.033	TVS	ESD5Z5V, VRWM=5V, SOD-523	PCS	Z13, Z14, Z16	M board back
...3	3.12.00.051	TVS	LES5Z5.0T1G, VRWM=5V, SOD-523	PCS	Z13, Z14, Z16	M board back
...3	3.12.00.015	TVS	SESD5Z5V, VRWM=5V, SOD-523	PCS	Z13, Z14, Z16	M board back
...3	3.12.00.017	TVS	PJSD05TS-02, VRWM=5V, SOD-523	PCS	Z13, Z14, Z16	M board back
..2	4.03.06.00016002	T58V shield cover	43.38*43.63*10.2mm	PCS	CON7	M board back
..2	3.13.03.292	SIP motherboard	PCB.SIP-T58VMV11A-3(SL)	PCS	FR-4	M board
...3	3.13.03.293	SIP motherboard	PCB.SIP-T58VMV11A-3(XL)	PCS	FR-4	M board
...3	3.13.03.294	SIP motherboard	PCB.SIP-T58VMV11A-3(L)	PCS	FR-4	M board
.1	2.1.5801.16001	SIP-T58V KB1 board	PCB.SIP-T58VKB1V11A-3(V1.2)-WL1611002	PCS		Assemble
..2	3.03.02.000	chip resistor	RES-1206-0.5%-1/4W	PCS	R1, R2, R3, R4, R5	KB front panel
..2	3.08.02.020	SMD monochrome LED	0603, red, BYT0603-1-ER	PCS	LED2	KB front panel
...3	3.08.02.024	SMD monochrome LED	0603, red, LTST-C193KRKT-5A	PCS	LED2	KB front panel
..2	3.08.02.023	SMD monochrome LED	0603, emerald green, LTST-C193TGKT-5A	PCS	LED1, LED3	KB front panel
...3	3.08.02.018	SMD monochrome LED	0603, emerald green, BY19-2132UBGC	PCS	LED1, LED3	KB front panel
..2	3.10.06.068	Single head wire stripping	14pin, spacing 1.25mm, 2651 28# soft line, long 60mm, long 3mm (HYI) stripping head	PCS	CON1	KB front panel
...3	3.10.06.071	Single head wire stripping	14pin, spacing 1.25mm, 2651 28# soft line, long 60mm, long 3mm (CH) stripping head	PCS	CON1	KB front panel
..2	3.13.04.207	SIP keyboard board	PCB.SIP-T58VKB1V11A-3 (YY)	PCS	FR-1	KB board
...3	3.13.04.208	SIP keyboard board	PCB.SIP-T58VKB1V11A-3 (ZK)	PCS	FR-1	KB board
.1	2.1.58010.16000	SIP-T58V LED board	PCB.SIP-T58VLEDV11A-60 (V1.1) -PA16012	PCS		Assemble
..2	3.10.07.023	Double wire stripping head	2pin, 2468 red line, long 70mm, long 3mm (HYI) stripping head	PCS	CON1	LED front panel
..2	3.08.02.020	SMD monochrome LED	0603, red, BYT0603-1-ER	PCS	LED3	LED board
...3	3.08.02.024	SMD monochrome LED	0603, red, LTST-C193KRKT-5A	PCS	LED3	LED board
..2	3.13.05.122	SIP LED board	PCB.SIP-T58VLEDV11A-60 (ZK)	PCS	FR-4	LED board
...3	3.13.05.113	SIP LED board	PCB.SIP-T58VLEDV11A-60 (YY)	PCS	FR-4	LED board
...3	3.13.05.121	SIP LED board	PCB.SIP-T58VLEDV11A-60 (YH)	PCS	FR-4	LED board
.1	2.1.5804.16001	SIP-T58V L board	PCB.SIP-T58VLLV11A-8 (V1.1) -WL1611002	PCS		Assemble
..2	3.00.10.026	DC-DC	SY7200AABC, SOT23-6	PCS	U32	L front panel
..2	3.00.10.031	DC-DC	CH1540, TSOT23-5	PCS	U34	L front panel
...3	3.00.10.005	DC-DC	MP1540, SOT23-5	PCS	U34	L front panel
..2	3.02.00.012	Switching diode	LL4148, LL-34 (QM)	PCS	D9	L front panel
...3	3.02.00.014	Switching diode	TLCL4148, LL-34 (DC)	PCS	D9	L front panel
...3	3.02.00.003	Switching diode	LL4148, LL-34 (ZB)	PCS	D9	L front panel
..2	3.02.01.019	Schottky diode	LMBR0520FT1G, SOD123-FL	PCS	D6, D8	L front panel
...3	3.02.01.004	Schottky diode	MBR0520LT1G, SOD123	PCS	D6, D8	L front panel
...3	3.02.01.010	Schottky diode	SS0520, SOD123	PCS	D6, D8	L front panel
..2	3.02.01.023	Schottky diode	LBAT54SLT1G, SOT-23	PCS	D5, D7	L front panel
...3	3.02.01.003	Schottky diode	BAT54S, SOT-23 (NXP)	PCS	D5, D7	L front panel
...3	3.02.01.011	Schottky diode	BAT54S, SOT-23 (QM)	PCS	D5, D7	L front panel
..2	3.02.03.039	Patch regulator	18V-1/2W, LL-34	PCS	Z27	L front panel
..2	3.02.03.043	Patch regulator	6.2V-1/2W, SOD-123, LBZT52B6V2T1G	PCS	Z26	L front panel
...3	3.02.03.017	Patch regulator	6.3V-1/2W, LL-34, LH6C3	PCS	Z26	L front panel
...3	3.02.03.021	Patch regulator	6.2V-1/2W, LL-34, TCZM6V2B	PCS	Z26	L front panel
..2	3.03.02.413	chip resistor	RES-1206-680-5%-1/4W	PCS	R182, R193	L front panel
..2	3.03.03.000	chip resistor	RES-0805-0.5%	PCS	R183	L front panel
..2	3.03.04.683	chip resistor	RES-0603-61.9K-1%	PCS	R201	L front panel
..2	3.03.05.475	chip resistor	RES-0402-2K-5%	PCS	R176, R177	L front panel
..2	3.03.05.533	chip resistor	RES-0402-5.1K-5%	PCS	R211	L front panel
..2	3.03.05.574	chip resistor	RES-0402-10K-5%	PCS	R200	L front panel
..2	3.03.05.575	chip resistor	RES-0402-10K-1%	PCS	R1, R178	L front panel
..2	3.03.05.580	chip resistor	RES-0402-11K-1%	PCS	R188	L front panel
..2	3.03.05.696	chip resistor	RES-0402-75K-1%	PCS	R197	L front panel
..2	3.04.00.846	Electrolytic capacitor	CD26C-5*7-50V-10u	PCS	E14	L front panel
..2	3.04.00.888	Electrolytic capacitor	CD26C-5*7-10V-100u	PCS	E8, E15	L front panel
..2	3.04.04.815	Patch Ceramic capacitor	CC-1206-X5R-50V-475	PCS	C298	L front panel
..2	3.04.05.813	Patch Ceramic capacitor	CC-0805-X5R-25V-475	PCS	C292, C296, C304, C306, C324, C305, C322	L front panel
..2	3.04.05.842	Patch Ceramic capacitor	CC-0805-X5R-16V-106	PCS	C2, C277, C278, C283, C319, C295	L front panel
..2	3.04.06.661	Patch Ceramic capacitor	CC-0603-X7R-50V-104	PCS	C281, C282, C293, C299, C307, C318, C320, C321	L front panel
..2	3.04.06.782	Patch Ceramic capacitor	CC-0603-X7R-10V-105	PCS	C279	L front panel
...3	3.04.06.783	Patch Ceramic capacitor	CC-0603-X7R-16V-105	PCS	C279	L front panel
..2	3.04.06.790	Patch Ceramic capacitor	CC-0603-Y5V-10V-225	PCS	C315	L front panel
..2	3.04.07.540	Patch Ceramic capacitor	CC-0402-X7R-50V-103	PCS	C287	L front panel

..2	3.04.07.662	Patch Ceramic capacitor	CC-0402-X7R-16V-104	PCS	C1, C264, C265, C280, C286, C294, C297	L front panel
..2	3.04.07.663	Patch Ceramic capacitor	CC-0402-X5R-50V-104	PCS	C326	L front panel
..2	3.05.00.060	Chip Bead	BEAD-0603-600	PCS	B1, B2	L front panel
..2	3.05.00.121	Chip Bead	BEAD-0402-300	PCS	B15, B16	L front panel
..2	3.05.03.100	SMD power inductor	L-5.8*5.2-1.65A-10uH	PCS	L8, L9	L front panel
...3	3.05.03.104	SMD power inductor	L-5.8*5.2-1.95A-10uH	PCS	L8, L9	L front panel
..2	3.10.00.055	Fpc connector	40pin, spacing 0.5mm, lower connection (JS)	PCS	CON8	L front panel
...3	3.10.00.038	Fpc connector	40pin, spacing 0.5mm, lower connection (XFE)	PCS	CON8	L front panel
..2	3.10.00.073	Fpc connector	36pin, pitch 0.5mm, vertical needle (JD)	PCS	CON2	L front panel
..2	3.10.00.080	Fpc connector	6pin, spacing 0.5mm, lower connection (XFE)	PCS	CON7	L front panel
...3	3.10.00.076	Fpc connector	6pin, spacing 0.5mm, lower connection (JD)	PCS	CON7	L front panel
..2	3.10.02.070	Plug connector	3pin, pitch 1.25mm, vertical plug type (XFE)	PCS	CON3	L front panel
...3	3.10.02.074	Plug connector	3pin, pitch 1.25mm, vertical plug type (HYI)	PCS	CON3	L front panel
...3	3.10.02.075	Plug connector	3pin, pitch 1.25mm, vertical plug type (JD)	PCS	CON3	L front panel
..2	3.11.06.001	Block USB	Horizontal line, USB-A, 4Pin (LY)	PCS	J8	L front panel
..2	3.11.06.009	Block USB	The vertical line, USB-A, 4Pin (JBL)	PCS	J7	L front panel
..2	3.12.00.001	TVS	ESD5B5V-2/TR, SOD-523	PCS	Z2, Z19, Z20	L front panel
...3	3.12.00.049	TVS	LES5Z5.0CT1G, VRWM=5V, SOD-523	PCS	Z2, Z19, Z20	L front panel
..2	3.12.05.005	Over current protection IC	SY6280AAC, SOT23-5	PCS	U28, U29	L front panel
...3	3.12.05.006	Over current protection IC	WS4603E-5/TR, SOT-23-5L	PCS	U28, U29	L front panel
..2	3.00.12.032	LDO	SGM2019-ADJY5G/TR, SOT23-5	PCS	U3, U35	L board back
..2	3.01.03.002	PNP transistor	S8550, SOT-23	PCS	Q6	L board back
...3	3.01.03.008	PNP transistor	L8550HRLT1G, SOT-23	PCS	Q6	L board back
..2	3.03.03.056	chip resistor	RES-0805-1.8-1%	PCS	R195	L board back
..2	3.03.03.516	chip resistor	RES-0805-3.9K-5%	PCS	R184, R198, R205	L board back
..2	3.03.04.281	chip resistor	RES-0603-75-5%	PCS	R64	L board back
..2	3.03.04.573	chip resistor	RES-0603-9.76K-1%	PCS	R212	L board back
..2	3.03.04.575	chip resistor	RES-0603-10K-1%	PCS	R14, R208	L board back
..2	3.03.04.584	chip resistor	RES-0603-12K-5%	PCS	R22	L board back
..2	3.03.04.588	chip resistor	RES-0603-12.7K-1%	PCS	R17	L board back
..2	3.03.04.619	chip resistor	RES-0603-22K-1%	PCS	R2	L board back
..2	3.03.04.693	chip resistor	RES-0603-71.5K-1%	PCS	R206	L board back
..2	3.03.04.712	chip resistor	RES-0603-100K-5%	PCS	R209	L board back
..2	3.03.05.000	chip resistor	RES-0402-0-5%	PCS	R59, R60, R61, R62	L board back
..2	3.03.05.204	chip resistor	RES-0402-22-5%	PCS	R207	L board back
..2	3.03.05.257	chip resistor	RES-0402-51-5%	PCS	R3, R4, R5, R6, R7, R8, R9, R10, R11, R12	L board back
..2	3.03.05.475	chip resistor	RES-0402-2K-5%	PCS	R15, R20	L board back
..2	3.03.05.516	chip resistor	RES-0402-3.9K-5%	PCS	R42	L board back
..2	3.03.05.528	chip resistor	RES-0402-4.7K-5%	PCS	R16	L board back
..2	3.03.05.533	chip resistor	RES-0402-5.1K-5%	PCS	R194, R213, R232	L board back
..2	3.03.05.574	chip resistor	RES-0402-10K-5%	PCS	R189, R210	L board back
..2	3.03.05.575	chip resistor	RES-0402-10K-1%	PCS	R162	L board back
..2	3.03.05.586	chip resistor	RES-0402-12.1K-1%	PCS	R227	L board back
..2	3.03.05.596	chip resistor	RES-0402-15K-5%	PCS	R167	L board back
..2	3.03.05.618	chip resistor	RES-0402-22K-5%	PCS	R217	L board back
..2	3.03.05.712	chip resistor	RES-0402-100K-5%	PCS	R216	L board back
..2	3.03.09.201	Chip exclusion	RAP-0402-4.7K*4-5%	PCS	RP12	L board back
..2	3.04.05.813	Patch Ceramic capacitor	CC-0805-X5R-25V-475	PCS	C333	L board back
..2	3.04.05.842	Patch Ceramic capacitor	CC-0805-X5R-16V-106	PCS	C26, C28, C290, C332	L board back
..2	3.04.06.620	Patch Ceramic capacitor	CC-0603-X7R-50V-473	PCS	C327	L board back
..2	3.04.06.660	Patch Ceramic capacitor	CC-0603-Y5V-50V-104	PCS	C331	L board back
..2	3.04.06.740	Patch Ceramic capacitor	CC-0603-Y5V-16V-474	PCS	C3, C70	L board back
..2	3.04.07.300	Patch Ceramic capacitor	CC-0402-NP0-50V-101	PCS	C5, C24, C74	L board back
..2	3.04.07.420	Patch Ceramic capacitor	CC-0402-X7R-50V-102	PCS	C73	L board back
..2	3.04.07.662	Patch Ceramic capacitor	CC-0402-X7R-16V-104	PCS	C4, C21, C22, C23, C262	L board back
..2	3.04.07.663	Patch Ceramic capacitor	CC-0402-X5R-50V-104	PCS	C34, C291, C325, C330	L board back
..2	3.04.07.700	Patch Ceramic capacitor	CC-0402-X5R-16V-224	PCS	C6, C15, C334	L board back
..2	3.04.07.781	Patch Ceramic capacitor	CC-0402-X5R-6.3V-105	PCS	C27, C328	L board back
..2	3.05.00.121	Chip Bead	BEAD-0402-300	PCS	B3, B4, B5, B6, B7, B8, B9, B10	L board back
..2	3.05.06.008	Common mode filter	WCM2012F2SF-900T04	PCS	L1, L2	L board back
...3	3.05.06.011	Common mode filter	MCF21T-900M-N2	PCS	L1, L2	L board back
..2	3.12.00.034	TVS	ESD5Z3V3, VRWM=3V, SOD-523	PCS	Z1, Z4, Z5, Z6, Z28	L board back
...3	3.12.00.050	TVS	LES5Z3.3T1G, VRWM=3.3V, SOD-523	PCS	Z1, Z4, Z5, Z6, Z28	L board back
...3	3.12.00.008	TVS	SES5Z3V3, VRWM=3V, SOD-523	PCS	Z1, Z4, Z5, Z6, Z28	L board back

...3	3.12.00.016	TVS	PJSD03TS, VRWM=3V, SOD-523	PCS	Z1, Z4, Z5, Z6, Z28	L board back
..2	3.12.00.059	TVS	ESD5425E, VRWM=5V, SOT23-6L	PCS	U11	L board back
..2	3.13.05.116	SIP LCD board	PCB SIP-T58VLV11A-8 (JL)	PCS	FR-4	L board
..1	2.1.5806.16001	SIP-T58V SW board	PCB SIP-T68HOOKV10A-35 (V1.1) - WL1611002	PCS		Assemble
..2	3.06.03.008	Breaststroke forward switch	KW-42BL-B4 (30g, 1/3) (FLM)	PCS	CON1	SW board
...3	3.06.03.011	Breaststroke forward switch	KW-42BL-B1 (30g, 1/3) (FLM)	PCS	CON1	SW board
...3	3.06.03.000	Breaststroke forward switch	KFC-D05 (30g, 1/3 stroke)	PCS	CON1	SW board
..2	3.10.07.069	Double wire stripping head	2pin, spacing 1mm, 2651 28# white soft line, length 24mm, stripping head length 3mm	PCS		SW board
...3	3.10.07.104	Double wire stripping head	2pin, spacing 1mm, 2468 24# red black soft cable, 0.4mm long, stripping head length 3mm	PCS		SW board
..2	3.13.05.013	SIP HOOK board	PCB SIP-T68HOOKV10A-35 (ZK)	PCS		SW board
...3	3.13.05.102	SIP HOOK board	PCB SIP-T68HOOKV10A-35 (YY)	PCS		SW board
..1	2.5.1580.16001	SIP-T58V (with shield)	WL1611002-N (V1.1)	PCS		Packing
..2	3.07.02.017	T58V LCD module	TDA-WSVG0700H70874	PCS		Assemble
..2	4.01.01.15816000	T58V phone shell	Z business ash +	PCS		Assemble
..2	4.01.02.15816000	T58V plane bottom shell	Z business grey (with shield)	PCS		Assemble
..2	4.01.04.15816000	T58V LCD shell	Z business grey	PCS		Assemble
..2	4.01.04.15816001	T58V LCD bottom shell	Z business grey	PCS		Assemble
..2	4.01.05.14615000	T46G numeric keys	Z business grey +P silver metal +SY02 brand	PCS		Assemble
...3	4.01.05.84000	T46G numeric keys	Z business grey +P metal silver +SY02 brand	PCS		Assemble
..2	4.01.05.15816000	T58V volume key	Z business grey +SY01 brand	PCS		Assemble
..2	4.01.05.15816001	T58V function key 1	Z business grey +PC (double color injection)	PCS		Assemble
..2	4.01.05.15816002	T58V function key 2	Z business grey +SY01 brand	PCS		Assemble
..2	4.01.05.15816003	T58V hands-free key	Z business grey +PC (double color injection)	PCS		Assemble
..2	4.01.07.15816000	T58V take-up button	Z business grey	PCS		Assemble
..2	4.01.07.15816001	T58V wall buckle	Z business grey	PCS		Assemble
..2	4.01.07.15816002	T58V light	White Z ABS	PCS		Assemble
..2	4.01.07.15816004	T58V shaft cover plate	Z business grey	PCS		Assemble
..2	4.01.07.15816005	T58V USB cover plate	Z business grey	PCS		Assemble
..2	4.01.07.15816006	T58V decorative strip	ZPC (ash) + brushed +P metal silver	PCS		Assemble
..2	4.02.01.15816000	T58V key guide	Transparent (RH)	PCS		Assemble
..2	4.03.05.00016000	T58V LCD shaft	Z al +P metallic silver	PCS		Assemble
..2	5.02.01.15816002	T58V Tags	SY02 brand	PCS		Assemble
..2	3.16.00.026	Straight through cable	CAT5E FTP 2.0m, gold plated 3U (HS)	PCS		Packing
...3	3.16.00.021	Straight through cable	CAT5E FTP 2.0m, gold plated 3U (KDJ)	PCS		Packing
..2	3.16.01.002	Handle screw	3.5mm, sub black, short end 50mm, long end 42mm, gold plated 3U (HS)	PCS		Packing
...3	3.16.01.016	Handle screw	3.5mm, sub black, short end 50mm, long end 42mm, gold plated 3U (KDJ)	PCS		Packing
..2	4.01.07.15816013	T58V support	Z business grey	PCS		Packing
..2	4.04.01.00016019	T58V sponge pad	260*10*245mm, 01 brand	PCS		Packing
..2	5.01.01.15816002	T58V leather box	324*293*128mm, SY02 brand	PCS		Packing
..2	5.01.02.15816001	T58V separator	02 brand	PCS		Packing
..2	5.01.06.15816000	T58V outer box	680 303 332mm, 5 packaging, SY01 brand (400x 140x)	PCS		Packing
..2	5.02.01.15816001	T58V Leather Box Sticker	SY01 brand	PCS		Packing
..2	5.02.01.90044	Blank label	Single row, 80*150mm, pitch 2.0mm	PCS		Packing
..2	5.02.03.15816000	T58V quick start	Brand, V80.1	PCS		Packing
..1	2.9.1580.16001	T58V receiver	HD (V1.1) -WL 1611002	PCS		Packing
..2	3.09.01.010	Handle horn	YL40FA 32ohm	PCS		The receiver
..2	3.09.04.020	9767 all directional microphone head	AMF-O97A38-AA, -38dB + 2	PCS		The receiver
...3	3.09.04.021	9767 all directional microphone head	TS-34A7C1033V2-HF, -38dB + 2	PCS		The receiver
..2	3.11.04.016	616E	The length of 180mm/ red green yellow and black 60mm, stripping head length 2.5mm, gold plated 3U (HS)	PCS		The receiver
...3	3.11.04.018	616E	The length of 180mm/ red green yellow and black 60mm, stripping head length 2.5mm, gold plated 3U (HS)	PCS		The receiver
...3	3.11.04.017	616E	The length of 180mm/ red green yellow and black 60mm, stripping head length 2.5mm, gold plated 3U (VC)	PCS		The receiver
..2	4.01.03.15816000	T58V handle shell	Z business grey +SY01 brand	PCS		The receiver
..2	4.01.03.15816001	T58V handle bottom shell	Z business grey	PCS		The receiver
..2	4.01.07.84008	T42G handle bracket	Injection ABS	PCS		The receiver
..2	4.02.02.00003	Handle MIC sets	Phi 14*8, rubber	PCS		The receiver
..2	4.03.01.00060	Screw	2.6*8PAZN (D=4), BX	PCS		The receiver
..2	4.03.01.00078	Screw	2.6*8PWAZN (W=8), BX	PCS		The receiver
..2	4.03.04.66000	Handle the weight of Iron	L98 W25 14.7mm, hot rolled plate, wax plated	PCS		The receiver
..2	4.03.06.00008	Handle hot rolled plate	Phi 10* phi 6*T0.8mm, galvanized	PCS		The receiver
..2	4.04.01.00016011	T58V handle horn seal ring	Phi 41.2* phi 35*T7mm, environmental black rubber hardness 40-50 degree.	PCS		The receiver
..2	4.04.01.00016014	T58V handle pad	Phi 5.2*T3.5mm, business ash silica gel, hardness 30-40 degree	PCS		The receiver

.. 2	4.04.01.00016015	T58V handle horn sound insulation cotton A	L42.6*W12.5*T4mm, black EVA, hardness 40	PCS	The receiver assembly speaker B	The receiver assembly
.. 2	4.04.01.00016016	T58V handle MIC sound proof cotton	L40.8*W18.2*T4mm, black EVA, hardness 40	PCS	The receiver assembly speaker C	The receiver assembly
.. 2	4.04.01.00016021	T58V handle horn sound insulation cotton B	L22*W8*T2mm, black EVA, hardness 40	PCS	The receiver assembly speaker D	The receiver assembly
.. 2	4.04.01.00033	Filter sponge	Phi 12*3mm, black	PCS	Handle MIC under *1	The receiver assembly
.. 2	4.04.01.00077	T46G circular single gum	Phi 18*T3mm, 40	PCS	Attached to the handle speaker *1	The receiver assembly
.. 2	4.04.07.00010	Horn dust	36	PCS	Speaker assembly *1	The receiver assembly
.. 2	5.01.05.00078	Pearl cotton bag	100*280mm, wear resistance	PCS	Packing handle *1	The receiver assembly
.. 1	3.09.02.023	Speakerphone	YL5016 6ohm 2W	PCS	Welding on the back of the L board CON4	Assemble
.. 1	3.09.04.018	6027 air directional microphone head	AVIB-0607 38-CW1, 38dB + 2, with red and blue lead wires (butted out cable) long	PCS	Welding on the back of the L board CON4	Assemble
.. 3	3.09.04.025	6027 air directional microphone head	TS-6027A/1033VZ-8004-GP, 38dB + 2, with red and black lines (butted out cable) long	PCS	Connect L board on CON2 and M board on CON3	Assemble
.. 1	3.10.01.070	FPC line	PCB.SIP-T58FPCV10A	PCS	One end welded on the speakerphone, one end welded on the PCB board front CON1	Assemble
.. 1	3.10.07.044	Double wire stripping head	2pin, pitch 2mm, 2468 red line, long 55mm, long 3mm (HYI) stripping head	PCS	Attached between the liquid crystal and LCD steel shaft	Assemble
.. 1	3.10.09.023	T58V conductive foam	L10*W10*H5mm, single high viscous	PCS	WiFi antenna	Assemble
.. 1	3.18.00.010	antenna	2.4GHz single frequency, reader length 60mm, FPC antenna, HT1203	PCS	Posted on the front of the M board U1	Assemble
.. 1	3.20.01.031	Heat sink	25*25*2mm, silicon carbide ceramic, with adhesive	PCS	Posted on the front of the M board U1	Assemble
.. 3	3.20.01.032	Heat sink	25*25*2.5mm, silicon carbide ceramic, with adhesive	PCS	Posted on the front of the C board U2	Assemble
.. 1	3.20.01.050	Thermal silicone	12*12*3mm, thermal conductivity 2	PCS	Attached to the hands-free speaker	Assemble
.. 1	4.02.02.00015	Door mat	Phi 17.5*14mm, silica gel, single-sided adhesive	PCS	Attached in the plane of the bottom shell *2	Assemble
.. 1	4.02.02.00016006	T54S plane pad	L30*W11.7*H2.5mm, business ash silica, hardness 30-40 degree, single-sided adhesive	PCS	The assembly in the plane of the bottom shell	Assemble
.. 1	4.02.02.00016007	T54S bottom pad	L30*W11.7*H2.5mm, business ash silica, hardness 30-40 degree, single-sided adhesive	PCS	In the plane on the surface shell of a assembly	Assemble
.. 1	4.02.02.00016008	T54S a sound cavity sealing ring	L99*W62.9*H3.7mm, black environmental black rubber hardness 40-50 degree	PCS	Attach to support *2	Assemble
.. 1	4.02.02.00016010	T54S support pad	L23.3*W14.7*H1.5mm, business ash silica, hardness 30-40 degree, single-sided adhesive	PCS	In the plane on the surface shell of C assembly	Assemble
.. 1	4.02.02.00016011	T58V handle damping pad	Business gray silica gel, hardness 50	PCS	In the plane on the surface shell assembly	Assemble
.. 1	4.02.02.00016012	T58V handle damping pad	Business gray silica gel, hardness 50	PCS	Assembled on LCD shell	Assemble
.. 1	4.02.02.00016014	T58V hands-free microphone headset	L11.85*W10.5, black rubber, hardness 40-50	PCS	The LCD / *2 plane shaft shell, plane bottom shell / shell *2 plane	Assemble
.. 1	4.03.01.00015005	Combination screw	3*8PMOZN3+ (D = 5), D5 pad +D6 gasket, BX	PCS	Rotating shaft cover /LCD bottom shell *2	Assemble
.. 1	4.03.01.00015008	Screw	2.6*10FBOZN3+ (D=4), BX	PCS	KB plate / shell plate *8, receiving plate / shell plate *2, A pan / plane shell *10, LCD / LCD *2 LCD shaft bottom shell, /LCD shell / LCD shaft bottom shell *12	Assemble
.. 1	4.03.01.00061	Screw	2.3*8PWAZN (W=5.5), BX	PCS	KB plate / shell plate *9, receiving plate / shell plate *2, A pan / plane shell *10, LCD / LCD *2 LCD shaft bottom shell, /LCD shell / LCD shaft bottom shell *12	Assemble
.. 3	4.03.01.00093	Screw	2.3*8PWAZN (W=5.5), GT	PCS	A pan / plane shell *10, LCD / LCD *2 LCD shaft bottom shell, /LCD shell / LCD shaft bottom shell *12	Assemble
.. 1	4.03.01.00069	Screw	2.3*10PAHOZN (D=5), BX	PCS	A pan / plane shell *10, LCD / LCD *2 LCD shaft bottom shell, /LCD shell / LCD shaft bottom shell *12	Assemble
.. 3	4.03.01.00088	Screw	2.3*10PAHOZN (D=5), GT	PCS	Attached to the LCD shell, fixed touch screen cable	Assemble
.. 1	4.04.01.00015012	T49G cable liner (small)	L51*W5.5*H0.5mm, black EVA, hardness 40-49 degree, single-sided adhesive	PCS	Attach the FPC line to the KB board *	Assemble
.. 1	4.04.01.00015022	EVA line VCC20	L30*W12*H0.5mm, black EVA, hardness 35-49 degree, single-sided adhesive	PCS	In the plane on the surface shell of B assembly	Assemble
.. 1	4.04.01.00016012	T54S speakerphone ring	Phi 52.2*Phi 44.2*H6mm, environmental black rubber hardness 40-50 degree	PCS	Attached to the LCD shell *4	Assemble
.. 1	4.04.01.00016017	T58V touch pad	L15*W8*T1.5mm, black PE, single-sided adhesive 3M9448	PCS	Attached between the LCD rotating shaft and the rotating shaft cover	Assemble
.. 1	4.04.01.00016018	T58V cable liner	L50*W5*H4.5mm, single-sided adhesive	PCS	Attached to the L board *1	Assemble
.. 1	4.04.01.00016020	T46S handle horn sound insulation cotton B	L22*W8*T4mm, black EVA, hardness 40	PCS	Attached to the touch screen lens	Assemble
.. 1	4.04.04.15816000	T58V LCD lens protective film	180.3*118.3mm, JS3075-38S	PCS	Post speakerphone	Assemble
.. 1	4.04.07.00015	T29G speaker dust paper	Phi 51.5*H0.15mm	PCS	Attached to the liquid crystal shell and L board	Assemble
.. 1	4.04.08.00016001	T58V conductive adhesive	35*20mm, single back high viscosity	PCS	Attached to the LCD axis	Assemble
.. 1	4.04.08.00016002	T58V conductive adhesive	62*62mm, single back high viscosity	PCS	Posted on two USB	Assemble
.. 1	4.04.08.00016006	T58V conductive adhesive	20*11mm, single back high viscosity	PCS	Lock camera	Assemble
.. 1	3.13.05.127	SIP CL board	PCB.SIP-T58VCLV11A-30 (ZK)	PCS	Lock camera	Camera assembly
.. 3	3.13.05.128	SIP CL board	PCB.SIP-T58VCLV11A-30 (YY)	PCS	Riveted on the rotor surface of the camera	Camera assembly