



The Photos of SAR test

No. 2013EEB00322-SAR

For

Cellon Communications Technology (shenzhen) Co., Ltd
GSM qual band mobile phone

Model name: M2523CA

Marketing name: M2523CA, 2558CA, 2558EN, 2558CL, 2558DR,
2558CB, 2558EK

With

Hardware Version: P2

Software Version: M2523CA_A0101_02.01_00

FCC ID: T38C2523

Issued Date: 2013-08-02



The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:


TMC Beijing, Telecommunication Metrology Center of MIIT
No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.
Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com



Picture 1: front side of the sample _closed



Picture 2: front side of the sample_ open



Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position



Picture 5: Right Hand Touch Cheek Position



Picture 6: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 3 test positions all with the distance =15mm between the EUT and the phantom bottom:



Picture 7: Toward Phantom



Picture 8: Toward Ground



Picture 9: Toward Ground With Headset