


ISW-BIT1-HAX  
 ISW-BIT1-HBX  
 ISW-BIT1-HCX  
**ISW-BIT1-HCY**




**wLSN Installation Tool  
 Installation Instructions**




ISW-BIT1-HAX  
 ISW-BIT1-HBX  
 ISW-BIT1-HCX  
**ISW-BIT1-HCY**



1-  
 P/N: F01U001336



1-  
 P/N: F01U024872



1-  
 ISW-BIT1-HAX  
 P/N: F01U026983B

ISW-BIT1-HBX  
 P/N: F01U026982B

ISW-BIT1-HCX  
**ISW-BIT1-HCY**  
 P/N: F01U026981B



3-  
 AAA NiMH 1.2 V  
 P/N: F01U027451B



1-  
 P/N: F01U000886



1-  
 P/N: 4998599523



2-  
 P/N: 24584




1-  
 P/N: 24585




3-  
 P/N: F01U009825


1




2




3




4




5



6






**BOSCH**



[www.boschsecurity.com](http://www.boschsecurity.com)

© 2007 Bosch Security Systems, Inc.  
 F01U008748-01a



-10°C - +55°C (+14°F - +131°F)  
**UL: 0°C - +49°C (+32°F - +120°F)**  
 Environmental Class II

868 MHz (ISW-BIT1-HAX, ISW-BIT1-HBX, ISW-BIT1-HCX)  
**915 MHz (ISW-BIT1-HCY)**


<90%

**ISW-BIT1-HX (868 MHz):**  
 CE  
 EN50131-1 Grade 2  
**ISW-BIT1-HY (915 MHz):**  
 FCC, Part 15  
 IC: Industry Canada RSS-210


© 2007 Bosch Security Systems, Inc.  
 F01U008748-01a  
 Recyclable

2

VER	CP#	DATE	REVISION RECORD	DR	AUTH
01	X	8/13/07	ACCEPTED DRAWING	JF	PP



PROPRIETARY DATA  
DATA CONTAINED HEREIN SHALL NOT BE USED,  
DUPLICATED OR DISCLOSED IN WHOLE OR PART  
OUTSIDE OF BOSCH SECURITY SYSTEMS  
WITHOUT EXPRESSED WRITTEN PERMISSION OF SAME.

<b>MATERIAL NO. F01U0xxxxx</b>			
BOSCH SECURITY SYSTEMS, INC. 130 PERINTON PARKWAY FAIRPORT, NEW YORK, 14450-9199 USA (585) 223 4060 FAX (585) 223 9180			 <b>BOSCH</b>
DRAWING TITLE			
<b>wLSN Regulatory Insert</b>			
DATE DRAWN: 8/13/07		DRAWN BY: J Freiberger	
DWG TYPE	DRAWING NUMBER	VERSION	SCALE
<b>DRW</b>	<b>F01U0xxxxx</b>	<b>01b</b>	<b>SHEET 1 OF 1</b>