








ISW-BKF1-H5X
ISW-BKF1-H5Y




wLSN Key Fob
Installation Instructions




ISW-BKF1-H5X
ISW-BKF1-H5Y


-  1- F01U005424
-  1- F01U005425
-  1- F01U005426
-  1- F01U005427
-  2 - CR2032
-  2 - F01U011304B




1




2



3




4




www.boschsecurity.com

© 2007 Bosch Security Systems, Inc.
F01U001565-01a




5



6



7



-10°C - +55°C (+14°F - +131°F)

UL: 0°C - +49°C (+32°F - +120°F)

Environmental Class II



<95%



868 MHz (ISW-BKF1-H5X)

915 MHz (ISW-BKF1-H5Y)

ISW-BKF1-H5X (868 MHz):

CE


EN50131-1 Grade 2

ISW-BKF1-H5Y (915 MHz):


FCC, Part 15

IC: Industry Canada RSS-210

VER	CP#	DATE	REVISION RECORD	DR	AUTH
01	X	8/13/07	ACCEPTED DRAWING	JF	PP



PROPRIETARY DATA
DATA CONTAINED HEREIN SHALL NOT BE USED,
DUPLICATED OR DISCLOSED IN WHOLE OR PART
OUTSIDE OF BOSCH SECURITY SYSTEMS
WITHOUT EXPRESSED WRITTEN PERMISSION OF SAME.

MATERIAL NO. F01U0xxxx			
BOSCH SECURITY SYSTEMS, INC. 130 PERINTON PARKWAY FAIRPORT, NEW YORK, 14450-9199 USA (585) 223 4060 FAX (585) 223 9180			 BOSCH
DRAWING TITLE wLSN Regulatory Insert			
DATE DRAWN: 8/13/07		DRAWN BY: J Freiburger	
DWG TYPE	DRAWING NUMBER	VERSION	SCALE
DRW	F01U0xxxx	01b	SHEET 1 OF 1