FCC RF EXPOSURE REPORT FCC ID: T58WF2150RT

Project No. : 1211C144

Equipment : 300Mbps Wireless Dual Band USB Adapter

Model : WF2150

Applicant : NETIS SYSTEMS CO.,LTD.

Address : 9F,B Block,Tsinghua Information Park, High-tech

Industrial Park, Nanshan, Shenzhen, China

According: : FCC Guidelines for Human Exposure IEEE C95.1

Neutron Engineering Inc.

No.3, Jinshagang 1st Road, ShiXia, Dalang Town, Dong Guan, China.

TEL: (0769) 8318-3000 FAX: (0769) 8319-6000

GENERAL CONCULUSION:

No evaluation required if power is below this threshold:

F(GHz)		P(mW)		
Low	2.412	24.620		
High	2.462	24.020		

Maximum measured transmitter power:

Out Power (dBm)		Out Power (mW)		
Conducted Power	18.24	19.82		
EIRP Power	18.24	19.82		

Note: Table for Filed Antenna (2T2R)

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	Note
1	N/A	N/A	Printed	U.FL	0	2.4G/5G
2	N/A	N/A	Printed	U.FL	0	2.4G/5G

Threshold for no SAR evaluation is 24.620mW. Transmitter power is 19.82mW.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold