## NOTES:

- MATERIAL: 0.10mm THICK POLYESTER, LASER PRINTABLE LABEL MATERIAL WITH PERMANENT ADHESIVE.
- DATE CODE: Y = LAST DIGIT IN YEAR ASSEMBLED. WW = THE WEEK OF THAT YEAR ASSEMBLED. FC = THE THE FACILITY CODE.

Example: "012-FX" is a Mic Assembled year 2010, 12th week of that year, and FX is the facility code.


- SERIAL NUMBER TO BEGIN WITH PREFIX "7010" FOLLOWED BY AN 8 DIGIT SERIAL NUMBER. BOTH LABELS WILL HAVE THE SAME S/N ON THEM.
- 4. ALL PRINTING TO BE "ARIEL" FONT EXCEPT FOR "REVOLABS" AND REGULATORY LOGO'S.

PART A - Dimensions:

19.5mm HORIZONTAL x 14mm VERTICAL R1.5mm corners

PART B - Dimensions:

19.5mm HORIZONTAL x 11.5 mm VERTICAL R1.5mm corners



TEVOIADS

TEVOIADS

DESCRIPTION: SN LABEL, 2 PART, AMBER Mic V2, NA

PART NUMBER: 1000608-00

Drawn by: S.Lyman

Date: 061210

SCALE: NOTED

1-061210 - Release

2 - 020111 - ADD FCC #, add revision

block to label

SHEET 1 OF 1

interruption conceived with this document is named by REVOLABS, and shall not be reproduced or used in part or in whole the loads for reproducing or sale of femilia without other artible consent from REVOLABS.

4x Scale

## NOTES:

- 1. MATERIAL: 0.10mm THICK POLYESTER, LASER PRINTABLE LABEL MATERIAL WITH PERMANENT ADHESIVE.
- 2. DATE CODE: Y = LAST DIGIT IN YEAR ASSEMBLED. WW = THE WEEK OF THAT YEAR ASSEMBLED. FC = THE THE FACILITY CODE.

Example: "012-FX" is a Mic Assembled year 2010, 12th week of that year, and FX is the facility code.


- SERIAL NUMBER TO BEGIN WITH PREFIX "7010" FOLLOWED BY AN 8 DIGIT SERIAL NUMBER. BOTH LABELS WILL HAVE THE SAME S/N ON THEM.
- 4. ALL PRINTING TO BE "ARIEL" FONT EXCEPT FOR "REVOLABS" AND REGULATORY LOGO'S.

PART A - Dimensions:

19.5mm HORIZONTAL x 14mm VERTICAL R1.5mm corners

PART B - Dimensions:

19.5mm HORIZONTAL x 11.5 mm VERTICAL R1.5mm corners



4x Scale

All Information contained with this document is owned by REVOLABS and shall not be reproduced or used in part or in whole as the basis for manufacture or sale of flem(s) without prior written consent from REVOLABS

## UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MM. UNSPECIFIED TOLERANCES TO BE DETERMINED BY CHART BELOW. DESCRIPTION: SN LABEL, 2 PART, AMBER Mic V2, NA PART NUMBER: 1000608-00 REV. 2 Drawn by: S.Lyman SCALE: NOTED SHEET 1 OF 1

1- 061210 - Release

2 - 020111 - ADD FCC #, add revision

block to label

## NOTES:

- 1. MATERIAL: 0.10mm THICK POLYESTER, LASER PRINTABLE LABEL MATERIAL WITH PERMANENT ADHESIVE.
- 2. DATE CODE: Y = LAST DIGIT IN YEAR ASSEMBLED. WW = THE WEEK OF THAT YEAR ASSEMBLED. FC = THE THE FACILITY CODE.

Example: "012-FX" is a Mic Assembled year 2010, 12th week of that year, and FX is the facility code.


- SERIAL NUMBER TO BEGIN WITH PREFIX "7010" FOLLOWED BY AN 8 DIGIT SERIAL NUMBER. BOTH LABELS WILL HAVE THE SAME S/N ON THEM.
- 4. ALL PRINTING TO BE "ARIEL" FONT EXCEPT FOR "REVOLABS" AND REGULATORY LOGO'S.

PART A - Dimensions:

19.5mm HORIZONTAL x 14mm VERTICAL R1.5mm corners

PART B - Dimensions:

19.5mm HORIZONTAL x 11.5 mm VERTICAL R1.5mm corners



4x Scale

TEVOIADS

TEVOIA

1- 061210 - Release

2 - 020111 - ADD FCC #, add revision

block to label

All information contained with this document is owned by REVOLABS and shall not be reproduced or used in part or in whole as the basis for manufacture or sale of item(s) without prior written consent from REVOLABS