



# Test Setup Photos

**EUT Name:** CLAMP METER  
**EUT Model:** FLUKE 381 - DISPLAY  
**FCC ID:** T68-F381  
**IC ID:** 6627A-F381

FCC Title 47, Part 15, SubpartC, RSS-210 Issue 7, ANSI C63.10:2009

*Prepared for:*

Joe Swanzy  
Fluke Electronics Corp  
6920 Seaway Blvd. Everett, WA 98203, USA  
PO Box 9090 Everett, WA USA 98206, USA  
Tel: 425-347-6100  
Fax: 425-446-6490

*Prepared by:*

TUV Rheinland of North America  
762 Park Avenue  
Youngsville, NC 27596  
Tel: (919) 554-3668  
Fax: (919) 554-3542  
<http://www.tuv.com/>

*Report/Issue Date:* 28 June 2010  
*Report Number:* Supplement to 31051395.002 - Test Setup Photos

### Test Setup Photos:



Figure 1: Radiated Emissions – Test Setup



Figure 2: Radiated Emissions – 30 MHz to 1000 MHz.




Figure 3: Radiated Emissions at 3m – 1 GHz to 18 GHz.



Figure 4: Radiated Emissions at 1m – 18 GHz to 26.5 GHz.



Figure 5: Orientation 1 investigated.

NOTE: This orientation produced the highest emissions and it confirmed the manual manipulation of the antenna around the apparatus.



Figure 6: Orientation 2 investigated



Figure 7: Orientation 3 investigated






Figure 8: Conducted RF measurements




Figure 9 – Close up view of RF Conducted measurements.




Figure 10 – Photo of EUT for the Extreme Voltage test.






Figure 11 – Close of view of ancillary equipment for Extreme Voltage test.




Figure 12 – Photo of EUT for the Extreme Voltage test.