Applicant/Grantee Fluke Electronics								
FCC ID	:	T68-TTBLE	IC:	N/A				
Section 15.212 Modular Transmitters								
	<u> </u>		-	est for Limited Modular Approval				
	Requirements			Device Conditions				
	Single Modular Approval Requirements  The radio elements must have the radio  The module has its own RF shielding."							
1	frequency circ Physical/disc may be locate	cuitry must be shielded. rete and tuning capacitors ed external to the shield, be e module assembly.	Shield Can is em structure, please sut Photo, the emissi	Shield Can is employed on the board structure, please see exhibition External Photo, the emission measurement was conducted without further shielding				
2	modulation/daprovided) to ecomply with tapplicable RS	hall have buffered ata input(s) (if such inputs ensure that the module wil the requirements set out in S standard under condition data rates or over-modulation	are buffered." The E inputs, it is integrated in the ns	nd data input(s) are UT has buffered data rated on chip ??????	Y			
3	supply regula ensure that the the requirement standard regat power supply device which Requirements standard regat design of the	hall have its own power tion on the module. This is the module will comply with the set out in the applicable rdless of the design of the ing circuitry in the host houses the module. It is set out in the applicable rdless of the power supplying circuitry the which houses the module.	h le in	nt is achieved	Y			
4	The module shall comply with the provisions for external power amplifiers and antennas detailed in this standard. The Equipment certification submission shall contain a detailed description of the configuration of all antennas that will be used with the module.			Y				
5	with the appli alone configu	hall be tested for complian cable standard in a stand- ration, i.e. the module mu another device during test	stand-alone confi st Interface.	The modular transmitter was tested in a stand-alone configuration via a ???????? Interface.				
6		hall comply with the uipment labelling		OEM manual, there are n to the OEM on how to duct.	Y			

7	The modular transmitter complies with all specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer will provide adequate instructions along with the module to explain any such requirements. A copy of these instructions is included in this application for equipment authorization:	Instructions in User Manual	Y
8a	Address compliance with the Commission's RF exposure limits in Sections 1.1310 and 2.1093. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF exposure compliance in accordance with Section 15.247(b)(4).	Please refer the Maximum Permissible Exposure Information.	
8b	The module shall comply with applicable RSS-102 exposure requirements, which are based on the intended use/configurations.	Please refer the Maximum Permissible Exposure Information.	Y
9	Is the modular device for an Industry Canada licensed exempt service?		Y

A **limited modular approval** may be granted for single or split modular transmitters that do not comply with all of the above requirements, *e.g.*, shielding, minimum signaling amplitude, buffered modulation/data inputs, or power supply regulation, if the manufacturer can demonstrate by alternative means in the application for equipment authorization that the modular transmitter meets all the applicable Part 15 requirements under the operating conditions in which the transmitter will be used. Limited modular approval also may be granted in those instances where compliance with RF exposure rules is demonstrated only for particular product configurations. The applicant for certification must state how control of the end product into which the module will be installed will be maintained such that full compliance of the end product is always ensured.

(Signature)

Name/Title: James Lenker / Product Compliance Engineer

Jan 5 Lewhen

Company Name: Fluke Electronics Corporation

Date: 2023-09-22